
## Jonathan E Shaw

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5356950/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Changes in excess mortality among adults with diabetes-related end-stage kidney disease: a comparison between the USA and Australia. Nephrology Dialysis Transplantation, 2022, 37, 2004-2013.	0.4	3
2	Thyroid cancers potentially preventable by reducing overweight and obesity in Australia: A pooled cohort study. International Journal of Cancer, 2022, 150, 1281-1290.	2.3	8
3	Nineteen-Year Associations between Three Diet Quality Indices and All-Cause and Cardiovascular Disease Mortality: The Australian Diabetes, Obesity, and Lifestyle Study. Journal of Nutrition, 2022, 152, 805-815.	1.3	4
4	Trends in the Incidence of Hospitalization for Major Diabetes-Related Complications in People With Type 1 and Type 2 Diabetes in Australia, 2010–2019. Diabetes Care, 2022, 45, 789-797.	4.3	30
5	Urban Neighbourhood Environments, Cardiometabolic Health and Cognitive Function: A National Cross-Sectional Study of Middle-Aged and Older Adults in Australia. Toxics, 2022, 10, 23.	1.6	15
6	Trends in all-cause mortality among people with diagnosed diabetes in high-income settings: a multicountry analysis of aggregate data. Lancet Diabetes and Endocrinology,the, 2022, 10, 112-119.	5.5	37
7	One-year readmission and mortality following ischaemic stroke by diabetes status, sex, and socioeconomic disadvantage: An analysis of 27,802 strokes from 2012 to 2017. Journal of the Neurological Sciences, 2022, 434, 120149.	0.3	3
8	A problem of proportions: estimates of metabolic associated fatty liver disease and liver fibrosis in Australian adults in the nationwide 2012 AusDiab Study. Scientific Reports, 2022, 12, 1956.	1.6	6
9	Association between non-tea flavonoid intake and risk of type 2 diabetes: the Australian diabetes, obesity and lifestyle study. Food and Function, 2022, 13, 4459-4468.	2.1	7
10	Examining the factors contributing to the association between non-albuminuric CKD and a low rate of kidney function decline in diabetes. Therapeutic Advances in Endocrinology and Metabolism, 2022, 13, 204201882210835.	1.4	1
11	Breastfeeding and infant growth in offspring of mothers with hyperglycaemia in pregnancy: The pregnancy and neonatal diabetes outcomes in remote Australia study. Pediatric Obesity, 2022, 17, e12891.	1.4	3
12	Associations of specific types of fruit and vegetables with perceived stress in adults: the AusDiab study. European Journal of Nutrition, 2022, 61, 2929-2938.	1.8	2
13	Association between dietary protein intake and changes in health-related quality of life in older adults: findings from the AusDiab 12-year prospective study. BMC Geriatrics, 2022, 22, 211.	1.1	10
14	Behavioral, psychological, and clinical outcomes of Arabic-speaking people with type 2 diabetes during COVID-19 pandemic. Primary Care Diabetes, 2022, , .	0.9	1
15	Hyperglycemia in pregnancy and developmental outcomes in children at 18–60 months of age: the PANDORA Wave 1 study. Journal of Developmental Origins of Health and Disease, 2022, , 1-11.	0.7	2
16	Trend in Blood Pressure Control Post Antihypertensive Drug Initiation in the U.S American Journal of Preventive Medicine, 2022, 62, 716-726.	1.6	0
17	Kidney trajectory charts to assist general practitioners in the assessment of patients with reduced kidney function: a randomised vignette study. BMJ Evidence-Based Medicine, 2022, 27, 288-295.	1.7	0
18	Excess all ause and causeâ€specific mortality for people with diabetes and endâ€stage kidney disease. Diabetic Medicine, 2022, 39, e14775.	1.2	2

#	Article	IF	CITATIONS
19	Management of type 2 diabetes in young adults aged 18–30 years: ADS/ADEA/APEG consensus statement. Medical Journal of Australia, 2022, 216, 422-429.	0.8	7
20	Novel Indices of Cognitive Impairment and Incident Cardiovascular Outcomes in the REWIND Trial. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e3448-e3454.	1.8	2
21	Higher Consumption of Fruit and Vegetables Is Associated With Lower Worries, Tension and Lack of Joy Across the Lifespan. Frontiers in Nutrition, 2022, 9, 837066.	1.6	5
22	Associations between Traffic-Related Air Pollution and Cognitive Function in Australian Urban Settings: The Moderating Role of Diabetes Status. Toxics, 2022, 10, 289.	1.6	1
23	Associations between exploratory dietary patterns and incident type 2 diabetes: a federated meta-analysis of individual participant data from 25 cohort studies. European Journal of Nutrition, 2022, 61, 3649-3667.	1.8	6
24	The burden and risks of emerging complications of diabetes mellitus. Nature Reviews Endocrinology, 2022, 18, 525-539.	4.3	220
25	Persistent disparities in diabetes medication receipt by socioâ€economic disadvantage in Australia. Diabetic Medicine, 2022, 39, .	1.2	10
26	Cardiorenal Complications in Young-Onset Type 2 Diabetes Compared Between White Americans and African Americans. Diabetes Care, 2022, 45, 1873-1881.	4.3	4
27	Similar cardiovascular outcomes in patients with diabetes and established or high risk for coronary vascular disease treated with dulaglutide with and without baseline metformin. European Heart Journal, 2021, 42, 2565-2573.	1.0	17
28	The association of socioeconomic disadvantage and remoteness with receipt of type 2 diabetes medications in Australia: a nationwide registry study. Diabetologia, 2021, 64, 349-360.	2.9	27
29	Can patterns of medication use explain the increasing incidence of end stage kidney disease among people with diabetes in Australia?. Diabetes Research and Clinical Practice, 2021, 172, 108635.	1.1	1
30	Predicting Australian Adults at High Risk of Cardiovascular Disease Mortality Using Standard Risk Factors and Machine Learning. International Journal of Environmental Research and Public Health, 2021, 18, 3187.	1.2	13
31	Association of habitual intake of fruits and vegetables with depressive symptoms: the AusDiab study. European Journal of Nutrition, 2021, 60, 3743-3755.	1.8	8
32	Dietary Nitrate Intake Is Positively Associated with Muscle Function in Men and Women Independent of Physical Activity Levels. Journal of Nutrition, 2021, 151, 1222-1230.	1.3	12
33	Current evidence and practical guidance for the use of sodium–glucose co-transporter-2 inhibitors in type 2 diabetes. Australian Journal of General Practice, 2021, 50, 225-230.	0.3	6
34	Association between Fruit and Vegetable Intakes and Mental Health in the Australian Diabetes Obesity and Lifestyle Cohort. Nutrients, 2021, 13, 1447.	1.7	5
35	Trends in the incidence of diagnosed diabetes: a multicountry analysis of aggregate data from 22 million diagnoses in high-income and middle-income settings. Lancet Diabetes and Endocrinology,the, 2021, 9, 203-211.	5.5	85
36	Fruit and vegetable intake is inversely associated with perceived stress across the adult lifespan. Clinical Nutrition, 2021, 40, 2860-2867.	2.3	8

#	Article	IF	CITATIONS
37	Projecting the Incidence of Type 2 Diabetes–Related End-Stage Kidney Disease Until 2040: A Comparison Between the Effects of Diabetes Prevention and the Effects of Diabetes Treatment. Diabetes Care, 2021, 44, 1515-1523.	4.3	11
38	Impact of the COVIDâ€19 pandemic and lockdown restrictions on psychosocial and behavioural outcomes among Australian adults with type 2 diabetes: Findings from the PREDICT cohort study. Diabetic Medicine, 2021, 38, e14611.	1.2	36
39	Data on diabetes-specific distress are needed to improve the quality of diabetes care – Authors' reply. Lancet, The, 2021, 397, 2150.	6.3	1
40	Associations Between Fruit Intake and Risk of Diabetes in the AusDiab Cohort. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e4097-e4108.	1.8	17
41	Rate of decline in kidney function and known age-of-onset or duration of type 2 diabetes. Scientific Reports, 2021, 11, 14705.	1.6	7
42	Do lifestyle interventions reduce diabetes incidence in people with isolated impaired fasting glucose?. Diabetes, Obesity and Metabolism, 2021, 23, 2827-2828.	2.2	10
43	Erectile function in men with type 2 diabetes treated with dulaglutide: an exploratory analysis of the REWIND placebo-controlled randomised trial. Lancet Diabetes and Endocrinology,the, 2021, 9, 484-490.	5.5	17
44	Gestational diabetes is associated with postpartum hemorrhage in Indigenous Australian women in the PANDORA study: A prospective cohort. International Journal of Gynecology and Obstetrics, 2021, 155, 296-304.	1.0	7
45	Improving systems of prenatal and postpartum care for hyperglycemia in pregnancy: A process evaluation. International Journal of Gynecology and Obstetrics, 2021, 155, 179-194.	1.0	4
46	Heart failure hospitalisation relative to major atherosclerotic events in type 2 diabetes with versus without chronic kidney disease: A meta-analysis of cardiovascular outcomes trials. Diabetes and Metabolism, 2021, 47, 101249.	1.4	5
47	Screening rates for diabetic retinopathy among Aboriginal and Torres Strait Islander women with hyperglycaemia in pregnancy: The PANDORA cohort study. Clinical and Experimental Ophthalmology, 2021, 49, 765-767.	1.3	1
48	Lipidomic Signatures of Changes in Adiposity: A Large Prospective Study of 5849 Adults from the Australian Diabetes, Obesity and Lifestyle Study. Metabolites, 2021, 11, 646.	1.3	11
49	Declining mortality in older people with type 2 diabetes masks rising excess risks at younger ages: a population-based study of all-cause and cause-specific mortality over 13 years. International Journal of Epidemiology, 2021, 50, 1362-1372.	0.9	19
50	Type 2 diabetes after a pregnancy with gestational diabetes among first nations women in Australia: The PANDORA study. Diabetes Research and Clinical Practice, 2021, 181, 109092.	1.1	10
51	Paul Zimmet: A Voice for Diabetes. Diabetes Care, 2021, 44, 2460-2463.	4.3	2
52	From urban neighbourhood environments to cognitive health: a cross-sectional analysis of the role of physical activity and sedentary behaviours. BMC Public Health, 2021, 21, 2320.	1.2	20
53	Relationship Between Urinary Phosphate and All-Cause and Cardiovascular Mortality in a National Population-Based Longitudinal Cohort Study. , 2021, , .		1
54	A physician-initiated double-blind, randomised, placebo-controlled, phase 2 study evaluating the efficacy and safety of inhibition of NADPH oxidase with the first-in-class Nox-1/4 inhibitor, GKT137831, in adults with type 1 diabetes and persistently elevated urinary albumin excretion: Protocol and statistical considerations. Contemporary Clinical Trials, 2020, 90, 105892.	0.8	29

#	Article	IF	CITATIONS
55	The effect of dulaglutide on stroke: an exploratory analysis of the REWIND trial. Lancet Diabetes and Endocrinology,the, 2020, 8, 106-114.	5.5	77
56	Risk of Rapid Kidney Function Decline, All-Cause Mortality, and Major Cardiovascular Events in Nonalbuminuric Chronic Kidney Disease in Type 2 Diabetes. Diabetes Care, 2020, 43, 122-129.	4.3	57
57	High-coverage plasma lipidomics reveals novel sex-specific lipidomic fingerprints of age and BMI: Evidence from two large population cohort studies. PLoS Biology, 2020, 18, e3000870.	2.6	89
58	Diabetes during pregnancy and birthweight trends among Aboriginal and non-Aboriginal people in the Northern Territory of Australia over 30 years. The Lancet Regional Health - Western Pacific, 2020, 1, 100005.	1.3	14
59	Comment on Zhou et al. Cost-effectiveness of Diabetes Prevention Interventions Targeting High-risk Individuals and Whole Populations: A Systematic Review. Diabetes Care 2020;43:1593–1616. Diabetes Care, 2020, 43, e204-e205.	4.3	2
60	Fruit and Vegetable Knowledge and Intake within an Australian Population: The AusDiab Study. Nutrients, 2020, 12, 3628.	1.7	19
61	Total cardiovascular or fatal events in people with type 2 diabetes and cardiovascular risk factors treated with dulaglutide in the REWIND trail: a post hoc analysis. Cardiovascular Diabetology, 2020, 19, 199.	2.7	14
62	The Lancet Commission on diabetes: using data to transform diabetes care and patient lives. Lancet, The, 2020, 396, 2019-2082.	6.3	327
63	Cardiometabolic risk factor control in black and white people in the United States initiating sodiumâ€glucose coâ€transporterâ€2 inhibitors: A realâ€world study. Diabetes, Obesity and Metabolism, 2020, 22, 2384-2397.	2.2	9
64	Cost-effectiveness of a lifestyle intervention in high-risk individuals for diabetes in a low- and middle-income setting: Trial-based analysis of the Kerala Diabetes Prevention Program. BMC Medicine, 2020, 18, 251.	2.3	14
65	Incidence of Hospitalization for Heart Failure Relative to Major Atherosclerotic Events in Type 2 Diabetes: A Meta-analysis of Cardiovascular Outcomes Trials. Diabetes Care, 2020, 43, 2614-2623.	4.3	9
66	Associations of gestational diabetes and type 2 diabetes during pregnancy with breastfeeding at hospital discharge and up to 6Âmonths: the PANDORA study. Diabetologia, 2020, 63, 2571-2581.	2.9	9
67	Performance of cardiovascular risk prediction equations in Indigenous Australians. Heart, 2020, 106, 1252-1260.	1.2	3
68	Seventeen-Year Associations between Diet Quality Defined by the Health Star Rating and Mortality in Australians: The Australian Diabetes, Obesity and Lifestyle Study (AusDiab). Current Developments in Nutrition, 2020, 4, nzaa157.	0.1	14
69	A position statement on screening and management of prediabetes in adults in primary care in Australia. Diabetes Research and Clinical Practice, 2020, 164, 108188.	1.1	24
70	The Association Between Age of Onset of Type 2 Diabetes and the Long-term Risk of End-Stage Kidney Disease: A National Registry Study. Diabetes Care, 2020, 43, 1788-1795.	4.3	28
71	Evaluating the efficacy and safety of GKT137831 in adults with type 1 diabetes and persistently elevated urinary albumin excretion: a statistical analysis plan. Trials, 2020, 21, 459.	0.7	12
72	Effects of a lifestyle intervention on cardiovascular risk among high-risk individuals for diabetes in a low- and middle-income setting: Secondary analysis of the Kerala Diabetes Prevention Program. Preventive Medicine, 2020, 139, 106068.	1.6	12

#	Article	IF	CITATIONS
73	Young-onset type 2 diabetes mellitus — implications for morbidity and mortality. Nature Reviews Endocrinology, 2020, 16, 321-331.	4.3	215
74	Benefit of lifestyle-based T2DM prevention is influenced by prediabetes phenotype. Nature Reviews Endocrinology, 2020, 16, 395-400.	4.3	64
75	Primary Health Care for Aboriginal Australian Women in Remote Communities after a Pregnancy with Hyperglycaemia. International Journal of Environmental Research and Public Health, 2020, 17, 720.	1.2	6
76	Trends in diabetes incidence worldwide: Are the findings real?. Maturitas, 2020, 137, 63-64.	1.0	2
77	Factors associated with glycemic control in typeÂ1 diabetes patients in China: A crossâ€sectional study. Journal of Diabetes Investigation, 2020, 11, 1575-1582.	1.1	11
78	Prediabetes: lifestyle, pharmacotherapy or regulation?. Therapeutic Advances in Endocrinology and Metabolism, 2019, 10, 204201881986302.	1.4	7
79	Inpatient diabetes care requires adequate support, not just HbA1cscreening. Medical Journal of Australia, 2019, 211, 452-453.	0.8	3
80	Association between Dietary Intake and Lipid-Lowering Therapy: Prospective Analysis of Data from Australian Diabetes, Obesity, and Lifestyle Study (AusDiab) Using a Quantile Regression Approach. Nutrients, 2019, 11, 1858.	1.7	7
81	Global and regional diabetes prevalence estimates for 2019 and projections for 2030 and 2045: Results from the International Diabetes Federation Diabetes Atlas, 9th edition. Diabetes Research and Clinical Practice, 2019, 157, 107843.	1.1	5,764
82	Trends in incidence of total or type 2 diabetes: systematic review. BMJ: British Medical Journal, 2019, 366, I5003.	2.4	184
83	Realâ€world experience of metformin use in pregnancy: Observational data from the Northern Territory Diabetes in Pregnancy Clinical Register. Journal of Diabetes, 2019, 11, 761-770.	0.8	8
84	External validation and comparison of four cardiovascular risk prediction models with data from the Australian Diabetes, Obesity and Lifestyle study. Medical Journal of Australia, 2019, 210, 161-167.	0.8	32
85	Dulaglutide and cardiovascular outcomes in type 2 diabetes (REWIND): a double-blind, randomised placebo-controlled trial. Lancet, The, 2019, 394, 121-130.	6.3	1,625
86	Dulaglutide and renal outcomes in type 2 diabetes: an exploratory analysis of the REWIND randomised, placebo-controlled trial. Lancet, The, 2019, 394, 131-138.	6.3	394
87	Targeted screening for prediabetes and undiagnosed diabetes in a community setting in India. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2019, 13, 1785-1790.	1.8	12
88	The burden of pancreatic cancer in Australia attributable to smoking. Medical Journal of Australia, 2019, 210, 213-220.	0.8	6
89	Strong adherence to dietary and lifestyle recommendations is associated with decreased type 2 diabetes risk in the AusDiab cohort study. Preventive Medicine, 2019, 123, 208-216.	1.6	19
90	The preventable burden of endometrial and ovarian cancers in Australia: A pooled cohort study. Gynecologic Oncology, 2019, 153, 580-588.	0.6	10

6

#	Article	IF	CITATIONS
91	The preventable burden of breast cancers for premenopausal and postmenopausal women in Australia: A pooled cohort study. International Journal of Cancer, 2019, 145, 2383-2394.	2.3	14
92	Response to Comment on Nanditha et al. Secular TRends in DiabEtes in India (STRiDE–I): Change in Prevalence in 10 Years Among Urban and Rural Populations in Tamil Nadu. Diabetes Care 2019;42:476–485. Diabetes Care, 2019, 42, e139-e140.	4.3	1
93	Comparing different definitions of prediabetes with subsequent risk of diabetes: an individual participant data meta-analysis involving 76 513 individuals and 8208 cases of incident diabetes. BMJ Open Diabetes Research and Care, 2019, 7, e000794.	1.2	42
94	Hypertension, white-coat hypertension and masked hypertension in Australia. Journal of Hypertension, 2019, 37, 1615-1623.	0.3	9
95	Global trends in diabetes complications: a review of current evidence. Diabetologia, 2019, 62, 3-16.	2.9	870
96	Trends in Incidence of ESKD in People With Type 1 and Type 2 Diabetes in Australia, 2002-2013. American Journal of Kidney Diseases, 2019, 73, 300-308.	2.1	33
97	High-Throughput Plasma Lipidomics: Detailed Mapping of the Associations with Cardiometabolic Risk Factors. Cell Chemical Biology, 2019, 26, 71-84.e4.	2.5	219
98	Maternal body mass index, excess gestational weight gain, and diabetes are positively associated with neonatal adiposity in the Pregnancy and Neonatal Diabetes Outcomes in Remote Australia (PANDORA) study. Pediatric Obesity, 2019, 14, e12490.	1.4	19
99	Associations of Chronic Kidney Disease Markers with Cognitive Function: A 12-Year Follow-Up Study. Journal of Alzheimer's Disease, 2019, 70, S19-S30.	1.2	17
100	Pregnancy And Neonatal Diabetes Outcomes in Remote Australia: the PANDORA study—an observational birth cohort. International Journal of Epidemiology, 2019, 48, 307-318.	0.9	21
101	Improving postpartum screening after diabetes in pregnancy: Results of a pilot study in remote Australia. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2019, 59, 430-435.	0.4	11
102	Association between type 2 diabetes mellitus and disability: What is the contribution of diabetes risk factors and diabetes complications?. Journal of Diabetes, 2018, 10, 744-752.	0.8	23
103	Impact of age at diagnosis and duration of type 2 diabetes on mortality in Australia 1997–2011. Diabetologia, 2018, 61, 1055-1063.	2.9	118
104	IDF Diabetes Atlas: Global estimates of diabetes prevalence for 2017 and projections for 2045. Diabetes Research and Clinical Practice, 2018, 138, 271-281.	1.1	4,761
105	Salt intake and dietary sources of salt on weekdays and weekend days in Australian adults. Public Health Nutrition, 2018, 21, 2174-2182.	1.1	4
106	High prevalence of diabetes among migrants in the United Arab Emirates using a cross-sectional survey. Scientific Reports, 2018, 8, 6862.	1.6	24
107	Diabetes risk score in the United Arab Emirates: a screening tool for the early detection of type 2 diabetes mellitus. BMJ Open Diabetes Research and Care, 2018, 6, e000489.	1.2	46
108	Cohort Profile: The Pregnancy and Neonatal Diabetes Outcomes in Remote Australia (PANDORA) Study. International Journal of Epidemiology, 2018, 47, 1045-1046h.	0.9	19

#	Article	IF	CITATIONS
109	Longâ€term sustainability of glycaemic achievements with secondâ€line antidiabetic therapies in patients with type 2 diabetes: <scp>A</scp> realâ€world study. Diabetes, Obesity and Metabolism, 2018, 20, 1722-1731.	2.2	12
110	The effect of nurse prescribers on glycaemic control in type 2 diabetes: A systematic review and meta -analysis. International Journal of Nursing Studies, 2018, 78, 37-43.	2.5	21
111	The relationship between excessive daytime sleepiness, disability, and mortality, and implications for life expectancy. Sleep Medicine, 2018, 43, 83-89.	0.8	21
112	Long-term Trends in Antidiabetes Drug Usage in the U.S.: Real-world Evidence in Patients Newly Diagnosed With Type 2 Diabetes. Diabetes Care, 2018, 41, 69-78.	4.3	195
113	Screening for diabetes prevention with diabetes risk scores – A balancing act. Diabetes Research and Clinical Practice, 2018, 135, 120-127.	1.1	8
114	Comparison of Commonly Used Questionnaires to Identify Obstructive Sleep Apnea in a High-Risk Population. Journal of Clinical Sleep Medicine, 2018, 14, 2057-2064.	1.4	18
115	The Future Colorectal Cancer Burden Attributable to Modifiable Behaviors: A Pooled Cohort Study. JNCI Cancer Spectrum, 2018, 2, pky033.	1.4	9
116	An Automated Grading System for Detection of Vision-Threatening Referable Diabetic Retinopathy on the Basis of Color Fundus Photographs. Diabetes Care, 2018, 41, 2509-2516.	4.3	175
117	Risk of Progression of Nonalbuminuric CKD to End-Stage Kidney Disease in People With Diabetes: TheÂCRIC (Chronic Renal Insufficiency Cohort) Study. American Journal of Kidney Diseases, 2018, 72, 653-661.	2.1	103
118	Demographic, clinical and lifestyle factors associated with high-intensity statin therapy in Australia: the AusDiab study. European Journal of Clinical Pharmacology, 2018, 74, 1493-1501.	0.8	5
119	The cost of diabetes and obesity in Australia. Journal of Medical Economics, 2018, 21, 1001-1005.	1.0	28
120	The future burden of lung cancer attributable to current modifiable behaviours: a pooled study of seven Australian cohorts. International Journal of Epidemiology, 2018, 47, 1772-1783.	0.9	9
121	External Validation of a Tool Predicting 7-Year Risk of Developing Cardiovascular Disease, Type 2 Diabetes or Chronic Kidney Disease. Journal of General Internal Medicine, 2018, 33, 182-188.	1.3	9
122	A peer-support lifestyle intervention for preventing type 2 diabetes in India: A cluster-randomized controlled trial of the Kerala Diabetes Prevention Program. PLoS Medicine, 2018, 15, e1002575.	3.9	116
123	Design and baseline characteristics of participants in the <scp>R</scp> esearching cardiovascular <scp>E</scp> vents with a <scp>W</scp> eekly <scp>IN</scp> cretin in <scp>D</scp> iabetes ( <scp>REWIND</scp> ) trial on the cardiovascular effects of dulaglutide. Diabetes, Obesity and Metabolism, 2018, 20, 42-49.	2.2	160
124	Cystatin C estimated glomerular filtration rate and all ause and cardiovascular disease mortality risk in the general population: AusDiab study. Nephrology, 2017, 22, 243-250.	0.7	14
125	Laboratory-based and office-based risk scores and charts to predict 10-year risk of cardiovascular disease in 182 countries: a pooled analysis of prospective cohorts and health surveys. Lancet Diabetes and Endocrinology,the, 2017, 5, 196-213.	5.5	90
126	Diabetes and disability in older Australians: The Australian Diabetes, Obesity and Lifestyle (AusDiab) study. Diabetes Research and Clinical Practice, 2017, 126, 60-67.	1.1	17

#	Article	IF	CITATIONS
127	Fat mass and fat distribution are associated with low back pain intensity and disability: results from a cohort study. Arthritis Research and Therapy, 2017, 19, 26.	1.6	52
128	Association of Diabetic Macular Edema and Proliferative Diabetic Retinopathy With Cardiovascular Disease. JAMA Ophthalmology, 2017, 135, 586.	1.4	84
129	Rising incidence of diabetes mellitus in youth in the USA. Nature Reviews Endocrinology, 2017, 13, 379-380.	4.3	12
130	The relationship between weight change and daytime sleepiness: the Sleep Heart Health Study. Sleep Medicine, 2017, 36, 109-118.	0.8	16
131	Comparison of relationships between four common anthropometric measures and incident diabetes. Diabetes Research and Clinical Practice, 2017, 132, 36-44.	1.1	24
132	Change in Use of Sleep Medications After Gastric Bypass Surgery or Intensive Lifestyle Treatment in Adults with Obesity. Obesity, 2017, 25, 1451-1459.	1.5	9
133	Does the evidence support population-wide screening for type 2 diabetes? No. Diabetologia, 2017, 60, 2153-2156.	2.9	6
134	Cardiac Stress and Inflammatory Markers as Predictors of Heart Failure in Patients With Type 2 Diabetes: The ADVANCE Trial. Diabetes Care, 2017, 40, 1203-1209.	4.3	38
135	Development of an Australian cardiovascular disease mortality risk score using multiple imputation and recalibration from national statistics. BMC Cardiovascular Disorders, 2017, 17, 17.	0.7	14
136	Poor uptake of an online intervention in a cluster randomised controlled trial of online diabetes education for rural general practitioners. Trials, 2017, 18, 137.	0.7	12
137	Proportion of dementia in Australia explained by common modifiable risk factors. Alzheimer's Research and Therapy, 2017, 9, 11.	3.0	99
138	Testing for type 2 diabetes in Indigenous Australians: guideline recommendations and current practice. Medical Journal of Australia, 2017, 207, 206-210.	0.8	3
139	The burden of cancer attributable to modifiable risk factors: the Australian cancer-PAF cohort consortium. BMJ Open, 2017, 7, e016178.	0.8	22
140	Variability in and predictors of glycaemic responses after 24 weeks of treatment with exenatide twice daily and exenatide once weekly. Diabetes, Obesity and Metabolism, 2017, 19, 1793-1797.	2.2	7
141	Prediction of acute coronary syndromes by urinary proteome analysis. PLoS ONE, 2017, 12, e0172036.	1.1	30
142	Retinal Vessel Tortuosity and Its Relation to Traditional and Novel Vascular Risk Markers in Persons with Diabetes. Current Eye Research, 2016, 41, 1-7.	0.7	33
143	Socioeconomic Position and Premature Mortality in the AusDiab Cohort of Australian Adults. American Journal of Public Health, 2016, 106, 470-477.	1.5	8
144	The association between socio-economic position and diet quality in Australian adults. Public Health Nutrition, 2016, 19, 477-485.	1.1	88

#	Article	IF	CITATIONS
145	Life expectancy of type 1 diabetic patients during 1997–2010: a national Australian registry-based cohort study. Diabetologia, 2016, 59, 1177-1185.	2.9	102
146	Burden of diabetes in Australia: life expectancy and disability-free life expectancy in adults with diabetes. Diabetologia, 2016, 59, 1437-1445.	2.9	54
147	Including higlights of the 10th European Breast Cancer Conference. British Journal of Hospital Medicine (London, England: 2005), 2016, 77, 204-207.	0.2	0
148	Age-Specific Trends From 2000–2011 in All-Cause and Cause-Specific Mortality in Type 1 and Type 2 Diabetes: A Cohort Study of More Than One Million People. Diabetes Care, 2016, 39, 1018-1026.	4.3	97
149	Predictors of efficacy of GLP-1 agonists and DPP-4 inhibitors: A systematic review. Diabetes Research and Clinical Practice, 2016, 121, 27-34.	1.1	27
150	Impact of sex and age on the performance of FINDRISC: the HUNT Study in Norway. BMJ Open Diabetes Research and Care, 2016, 4, e000217.	1.2	18
151	Associations between television viewing and physical activity and low back pain in community-based adults. Medicine (United States), 2016, 95, e3963.	0.4	29
152	Patterns of type 2 diabetes monitoring in rural towns: How does frequency of HbA1c and lipid testing compare with existing guidelines?. Australian Journal of Rural Health, 2016, 24, 371-377.	0.7	6
153	Lipidomic analyses in epidemiology. International Journal of Epidemiology, 2016, 45, 1329-1338.	0.9	23
154	Lipidomic risk score independently and cost-effectively predicts risk of future type 2 diabetes: results from diverse cohorts. Lipids in Health and Disease, 2016, 15, 67.	1.2	44
155	Estimating the proportion of metabolic health outcomes attributable to obesity: a cross-sectional exploration of body mass index and waist circumference combinations. BMC Obesity, 2016, 3, 4.	3.1	13
156	Projected age- and sex-specific prevalence of cardiovascular diseases in Western Australian adults from 2005–2045. European Journal of Preventive Cardiology, 2016, 23, 23-32.	0.8	10
157	Diabetes in Asia and the Pacific: Implications for the Global Epidemic. Diabetes Care, 2016, 39, 472-485.	4.3	363
158	The Effect of Treatment of Obstructive Sleep Apnea on Glycemic Control in Type 2 Diabetes. American Journal of Respiratory and Critical Care Medicine, 2016, 194, 486-492.	2.5	128
159	Prevalence, incidence, risk factors and treatment of atrial fibrillation in Australia: The Australian Diabetes, Obesity and Lifestyle (AusDiab) longitudinal, population cohort study. International Journal of Cardiology, 2016, 205, 127-132.	0.8	34
160	Polyunsaturated fatty acid intake and risk of cardiovascular mortality in a low fish-consuming population: a prospective cohort analysis. European Journal of Nutrition, 2016, 55, 1605-1613.	1.8	12
161	Association of Low Birth Weight and Preterm Birth With the Incidence of Knee and Hip Arthroplasty for Osteoarthritis. Arthritis Care and Research, 2015, 67, 502-508.	1.5	30
162	Bisphenol A and the risk of cardiometabolic disorders: a systematic review with meta-analysis of the epidemiological evidence. Environmental Health, 2015, 14, 46.	1.7	206

#	Article	IF	CITATIONS
163	Association of cognitive function with glucose tolerance and trajectories of glucose tolerance over 12 years in the AusDiab study. Alzheimer's Research and Therapy, 2015, 7, 48.	3.0	35
164	Dietary Salt Intake and Discretionary Salt Use in Two General Population Samples in Australia: 2011 and 2014. Nutrients, 2015, 7, 10501-10512.	1.7	35
165	Ethnicity Considerations in Diagnosing Glucose Disorders. Current Diabetes Reviews, 2015, 12, 51-57.	0.6	7
166	Guidance concerning the use of glycated haemoglobin (HbA1c) for the diagnosis of diabetes mellitus. Medical Journal of Australia, 2015, 203, 89-90.	0.8	35
167	Breaking up of prolonged sitting over three days sustains, but does not enhance, lowering of postprandial plasma glucose and insulin in overweight and obese adults. Clinical Science, 2015, 129, 117-127.	1.8	67
168	Associations of overall sitting time and TV viewing time with fibrinogen and C reactive protein: the AusDiab study. British Journal of Sports Medicine, 2015, 49, 255-258.	3.1	41
169	Predicting the risk of physical disability in old age using modifiable mid-life risk factors. Journal of Epidemiology and Community Health, 2015, 69, 70-76.	2.0	26
170	Cardiovascular risk factor associations in adults with psychosis and adults in a national comparator sample. Australian and New Zealand Journal of Psychiatry, 2015, 49, 714-723.	1.3	11
171	The performance of diabetes risk prediction models in new populations: the role of ethnicity of the development cohort. Acta Diabetologica, 2015, 52, 91-101.	1.2	12
172	Excess Risk of Dying From Infectious Causes in Those With Type 1 and Type 2 Diabetes. Diabetes Care, 2015, 38, 1274-1280.	4.3	65
173	Prevalence and treatment of familial hypercholesterolaemia in Australian communities. International Journal of Cardiology, 2015, 185, 69-71.	0.8	66
174	Comparison of anthropometric measures as predictors of cancer incidence: A pooled collaborative analysis of 11 <scp>A</scp> ustralian cohorts. International Journal of Cancer, 2015, 137, 1699-1708.	2.3	46
175	Gastric Band Surgery Leads to Improved Insulin Secretion in Overweight People with Type 2 Diabetes. Obesity Surgery, 2015, 25, 2400-2407.	1.1	4
176	Examination of the association between mental health, morbidity, and mortality in late life: findings from longitudinal community surveys. International Psychogeriatrics, 2015, 27, 739-746.	0.6	7
177	Novel approach to systematic random sampling in population surveys: Lessons from the United Arab Emirates National Diabetes Study (UAEDIAB). Journal of Diabetes, 2015, 7, 642-648.	0.8	11
178	Retinal microvascular calibre and risk of diabetes mellitus: a systematic review and participant-level meta-analysis. Diabetologia, 2015, 58, 2476-2485.	2.9	41
179	Statin action favors normalization of the plasma lipidome in the atherogenic mixed dyslipidemia of MetS: potential relevance to statin-associated dysglycemia. Journal of Lipid Research, 2015, 56, 2381-2392.	2.0	47
180	Cancer Risk Among People With Type 1 and Type 2 Diabetes: Disentangling True Associations, Detection Bias, and Reverse Causation. Diabetes Care, 2015, 38, 264-270.	4.3	204

#	Article	IF	CITATIONS
181	Changes in the rates of weight and waist circumference gain in Australian adults over time: a longitudinal cohort study. BMJ Open, 2014, 4, e003667.	0.8	39
182	Psychosocial stress is positively associated with body mass index gain over 5 years: Evidence from the longitudinal AusDiab study. Obesity, 2014, 22, 277-286.	1.5	80
183	Twelve-year weight change, waist circumference change and incident obesity: The Australian diabetes, obesity and lifestyle study. Obesity, 2014, 22, 1538-1545.	1.5	50
184	The validity of selfâ€reported cancer in an Australian population study. Australian and New Zealand Journal of Public Health, 2014, 38, 35-38.	0.8	33
185	Cardiovascular disease prevention in diabetes: uncertainties and ethics. Diabetes Management, 2014, 4, 285-292.	0.5	Ο
186	Retinal vascular caliber and the development of hypertension. Journal of Hypertension, 2014, 32, 207-215.	0.3	171
187	Mortality Trends Among People With Type 1 and Type 2 Diabetes in Australia: 1997–2010. Diabetes Care, 2014, 37, 2579-2586.	4.3	121
188	HbA1c, fasting and 2Âh plasma glucose in current, ex- and never-smokers: a meta-analysis. Diabetologia, 2014, 57, 30-39.	2.9	43
189	Laparoscopic adjustable gastric banding and progression from impaired fasting glucose to diabetes. Diabetologia, 2014, 57, 463-468.	2.9	16
190	Diabetes: a 21st century challenge. Lancet Diabetes and Endocrinology,the, 2014, 2, 56-64.	5.5	679
191	Diabetes in the Western Pacific Region—Past, Present and Future. Diabetes Research and Clinical Practice, 2014, 103, 244-255.	1.1	79
192	Auditory neuropathy in individuals with Type 1 diabetes. Journal of Neurology, 2014, 261, 1531-1536.	1.8	30
193	Epidemiology of polyneuropathy in diabetes and prediabetes. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2014, 126, 3-22.	1.0	166
194	Influence of age and gender on fat mass, fat-free mass and skeletal muscle mass among Australian adults: The Australian diabetes, obesity and lifestyle study (AusDiab). Journal of Nutrition, Health and Aging, 2014, 18, 540-546.	1.5	29
195	Multidisciplinary diabetes care with and without bariatric surgery in overweight people: a randomised controlled trial. Lancet Diabetes and Endocrinology,the, 2014, 2, 545-552.	5.5	127
196	Trajectories of terminal decline in the well-being of older women: The DYNOPTA project Psychology and Aging, 2014, 29, 44-56.	1.4	27
197	Linking data to improve health outcomes. Medical Journal of Australia, 2014, 201, 90-91.	0.8	1
198	Diabetes in rural towns: effectiveness of continuing education and feedback for healthcare providers in altering diabetes outcomes at a population level: protocol for a cluster randomised controlled trial. Implementation Science, 2013, 8, 30.	2.5	16

#	Article	IF	CITATIONS
199	Psychosocial Stress Predicts Abnormal Glucose Metabolism: The Australian Diabetes, Obesity and Lifestyle (AusDiab) Study. Annals of Behavioral Medicine, 2013, 46, 62-72.	1.7	47
200	Diabetes Prevention and Treatment Strategies. Diabetes Care, 2013, 36, 2714-2719.	4.3	25
201	Response to Quality of Life After Renal Denervation. Hypertension, 2013, 61, e39.	1.3	2
202	Pregnancy and Neonatal Diabetes Outcomes in Remote Australia (PANDORA) study. BMC Pregnancy and Childbirth, 2013, 13, 221.	0.9	22
203	Glucose-Independent Ethnic Differences in HbA1c in People Without Known Diabetes. Diabetes Care, 2013, 36, 1534-1540.	4.3	26
204	Prevalence of diabetic retinopathy in TypeÂ2 diabetes in developing and developed countries. Diabetic Medicine, 2013, 30, 387-398.	1.2	203
205	Long-Term Metabolic Effects of Continuous Subcutaneous Insulin Infusion Therapy in Type 1 Diabetes. Diabetes Technology and Therapeutics, 2013, 15, 544-549.	2.4	19
206	Joint associations of poor diet quality and prolonged television viewing time with abnormal glucose metabolism in Australian men and women. Preventive Medicine, 2013, 57, 471-476.	1.6	14
207	Serum 25-Hydroxyvitamin D Deficiency and the 5-Year Incidence of CKD. American Journal of Kidney Diseases, 2013, 62, 58-66.	2.1	45
208	The cost of diabetes in adults in Australia. Diabetes Research and Clinical Practice, 2013, 99, 385-390.	1.1	115
209	Plasma lipid profiling in a large population-based cohort. Journal of Lipid Research, 2013, 54, 2898-2908.	2.0	304
210	The association between dairy food intake and the incidence of diabetes in Australia: the Australian Diabetes Obesity and Lifestyle Study (AusDiab). Public Health Nutrition, 2013, 16, 339-345.	1.1	57
211	Cluster randomised controlled trial of a peer-led lifestyle intervention program: study protocol for the Kerala diabetes prevention program. BMC Public Health, 2013, 13, 1035.	1.2	50
212	Associations of Strength Training with Impaired Glucose Metabolism. Medicine and Science in Sports and Exercise, 2013, 45, 299-303.	0.2	17
213	Plasma Lipid Profiling Shows Similar Associations with Prediabetes and Type 2 Diabetes. PLoS ONE, 2013, 8, e74341.	1.1	247
214	Cardiometabolic Risk Indicators That Distinguish Adults with Psychosis from the General Population, by Age and Gender. PLoS ONE, 2013, 8, e82606.	1.1	41
215	Inclusion of Plasma Lipid Species Improves Classification of Individuals at Risk of Type 2 Diabetes. PLoS ONE, 2013, 8, e76577.	1.1	33
216	The influence of hip circumference on the relationship between abdominal obesity and mortality. International Journal of Epidemiology, 2012, 41, 484-494.	0.9	85

#	Article	IF	CITATIONS
217	Future predictions of body mass index and overweight prevalence in Australia, 2005-2025. Health Promotion International, 2012, 27, 250-260.	0.9	72
218	Risk of Cardiovascular and All-Cause Mortality: Impact of Impaired Health-Related Functioning and Diabetes. Diabetes Care, 2012, 35, 1067-1073.	4.3	27
219	Area-Level Socioeconomic Status and Incidence of Abnormal Glucose Metabolism. Diabetes Care, 2012, 35, 1455-1461.	4.3	41
220	Breaking Up Prolonged Sitting Reduces Postprandial Glucose and Insulin Responses. Diabetes Care, 2012, 35, 976-983.	4.3	952
221	Regional variation in lower limb amputation incidence. Nature Reviews Endocrinology, 2012, 8, 386-388.	4.3	9
222	Health-Related Quality of Life After Renal Denervation in Patients With Treatment-Resistant Hypertension. Hypertension, 2012, 60, 1479-1484.	1.3	72
223	Serum Apolipoproteins Are Associated With Systemic and Retinal Microvascular Function in People With Diabetes. Diabetes, 2012, 61, 1785-1792.	0.3	31
224	Explaining the Increase of Diabetes Prevalence and Plasma Glucose in Mauritius. Diabetes Care, 2012, 35, 87-91.	4.3	36
225	Incidence and predictors of all-cause and site-specific cancer in type 2 diabetes: the Fremantle Diabetes Study. European Journal of Endocrinology, 2012, 167, 589-599.	1.9	31
226	Detection of type 2 diabetes: what role for associated risk and protective factors and socioeconomic status?. Australian Health Review, 2012, 36, 349.	0.5	1
227	HbA1c, fasting plasma glucose and the prediction of diabetes: Inter99, AusDiab and D.E.S.I.R Diabetes Research and Clinical Practice, 2012, 96, 392-399.	1.1	18
228	The GIANT study, a cluster-randomised controlled trial of efficacy of education of doctors about type 2 diabetes mellitus management guidelines in primary care practice. Diabetes Research and Clinical Practice, 2012, 98, 38-45.	1.1	23
229	25-hydroxyvitamin D Levels and chronic kidney disease in the AusDiab (Australian Diabetes, Obesity and) Tj ETQq1	1 0.7843 0.8	14 rgBT /○\ 33
230	The effect of modifiable risk factors on geographic mortality differentials: a modelling study. BMC Public Health, 2012, 12, 79.	1.2	7
231	Cardiovascular disease risk profile and microvascular complications of diabetes: comparison of Indigenous cohorts with diabetes in Australia and Canada. Cardiovascular Diabetology, 2012, 11, 30.	2.7	19
232	Global Prevalence and Major Risk Factors of Diabetic Retinopathy. Diabetes Care, 2012, 35, 556-564.	4.3	3,439
233	The role of HbA1c in the diagnosis of diabetes mellitus in Australia. Medical Journal of Australia, 2012, 197, 220-221.	0.8	65
234	Low Serum 25-Hydroxyvitamin D Is Associated with Increased Risk of the Development of the Metabolic Syndrome at Five Years: Results from a National, Population-Based Prospective Study (The Australian) Tj ETQq0 0	0.rgBT /O∖ 1.8	verlock 10 Tr 218

2012, 97, 1953-1961.

#	Article	IF	CITATIONS
235	All ause cancer mortality over 15 years in multiâ€ethnic Mauritius: The impact of diabetes and intermediate forms of glucose tolerance. International Journal of Cancer, 2012, 131, 2385-2393.	2.3	8
236	A bi-directional relationship between obesity and health-related quality of life: evidence from the longitudinal AusDiab study. International Journal of Obesity, 2012, 36, 295-303.	1.6	98
237	Projected Progression of the Prevalence of Obesity in Australia. Obesity, 2012, 20, 872-878.	1.5	91
238	Current controversies in the use of haemoglobin A <sub>1c</sub> . Journal of Internal Medicine, 2012, 271, 227-236.	2.7	85
239	Projected socioeconomic disparities in the prevalence of obesity among Australian adults. Australian and New Zealand Journal of Public Health, 2012, 36, 557-563.	0.8	33
240	Prevalence of vitamin D deficiency and its determinants in Australian adults aged 25 years and older: a national, populationâ€based study. Clinical Endocrinology, 2012, 77, 26-35.	1.2	251
241	Diagnosis of Prediabetes. Medical Clinics of North America, 2011, 95, 341-352.	1.1	19
242	Diabetes prevalence and determinants in Indigenous Australian populations: A systematic review. Diabetes Research and Clinical Practice, 2011, 93, 139-149.	1.1	72
243	IDF Diabetes Atlas: Global estimates of the prevalence of diabetes for 2011 and 2030. Diabetes Research and Clinical Practice, 2011, 94, 311-321.	1.1	3,195
244	Is Australia ready to use glycated haemoglobin for the diagnosis of diabetes?. Medical Journal of Australia, 2011, 195, 7-8.	0.8	17
245	Type 2 diabetes strengthens the association between pulse pressure and chronic kidney disease: the AusDiab study. Journal of Hypertension, 2011, 29, 953-960.	0.3	11
246	Physical Activity, Television Viewing Time, and Retinal Vascular Caliber. Medicine and Science in Sports and Exercise, 2011, 43, 280-286.	0.2	23
247	Predictors of increasing waist circumference in an Australian population. Public Health Nutrition, 2011, 14, 870-881.	1.1	10
248	Maximizing efficiency and cost-effectiveness of Type 2 diabetes screening: the AusDiab study. Diabetic Medicine, 2011, 28, 414-423.	1.2	12
249	Comparing incident diabetes as defined by fasting plasma glucose or by HbA <sub>1c</sub> . The AusDiab, Inter99 and DESIR studies. Diabetic Medicine, 2011, 28, 1311-1318.	1.2	16
250	Associations Between Television Viewing Time and Overall Sitting Time with the Metabolic Syndrome in Older Men and Women: The Australian Diabetes Obesity and Lifestyle Study. Journal of the American Geriatrics Society, 2011, 59, 788-796.	1.3	142
251	Perceived weight status may contribute to education inequalities in fiveâ€year weight change among midâ€aged women. Australian and New Zealand Journal of Public Health, 2011, 35, 284-291.	0.8	3
252	High rates of albuminuria but not of low eGFR in Urban Indigenous Australians: the DRUID Study. BMC Public Health, 2011, 11, 346.	1.2	22

#	Article	IF	CITATIONS
253	Examining the SF-36 in an older population: analysis of data and presentation of Australian adult reference scores from the Dynamic Analyses to Optimise Ageing (DYNOPTA) project. Quality of Life Research, 2011, 20, 1227-1236.	1.5	29
254	The Evaluation of Screening and Early Detection Strategies for Type 2 Diabetes and Impaired Glucose Tolerance (DETECT-2) update of the Finnish diabetes risk score for prediction of incident type 2 diabetes. Diabetologia, 2011, 54, 1004-1012.	2.9	60
255	Frequent walking, but not total physical activity, is associated with increased fracture incidence: A 5-year follow-up of an Australian population-based prospective study (AusDiab). Journal of Bone and Mineral Research, 2011, 26, 1638-1647.	3.1	41
256	Objectively Measured Physical Activity and the Subsequent Risk of Incident Dysglycemia. Diabetes Care, 2011, 34, 1497-1502.	4.3	38
257	Serum 25-Hydroxyvitamin D, Calcium Intake, and Risk of Type 2 Diabetes After 5 Years. Diabetes Care, 2011, 34, 1133-1138.	4.3	211
258	Glycemic Thresholds for Diabetes-Specific Retinopathy. Diabetes Care, 2011, 34, 145-150.	4.3	269
259	Serum Apolipoprotein Al and B Are Stronger Biomarkers of Diabetic Retinopathy Than Traditional Lipids. Diabetes Care, 2011, 34, 474-479.	4.3	116
260	Diabetic Retinopathy Is Related to Both Endothelium-Dependent and -Independent Responses of Skin Microvascular Flow. Diabetes Care, 2011, 34, 1389-1393.	4.3	47
261	Intensive glucose lowering (HbA1c target<6.0%) for people with type 2 diabetes increases mortality. Evidence-Based Medicine, 2011, 16, 186-187.	0.6	0
262	Epidemiology of the Metabolic Syndrome and Risk for Cardiovascular Disease and Diabetes. , 2011, , 27-44.		1
263	Increased Cardiometabolic Risk Is Associated with Increased TV Viewing Time. Medicine and Science in Sports and Exercise, 2010, 42, 1511-1518.	0.2	137
264	Socio-Demographic Correlates of Prolonged Television Viewing Time in Australian Men and Women: The AusDiab Study. Journal of Physical Activity and Health, 2010, 7, 595-601.	1.0	82
265	HOMA insulin sensitivity index and the risk of all-cause mortality and cardiovascular disease events in the general population: the Australian Diabetes, Obesity and Lifestyle Study (AusDiab) study. Diabetologia, 2010, 53, 79-88.	2.9	41
266	Retinal fractal dimension is increased in persons with diabetes but not impaired glucose metabolism: the Australian Diabetes, Obesity and Lifestyle (AusDiab) study. Diabetologia, 2010, 53, 2042-2045.	2.9	38
267	Health behaviours, socioeconomic status and diabetes incidence: the Australian Diabetes Obesity and Lifestyle Study (AusDiab). Diabetologia, 2010, 53, 2538-2545.	2.9	77
268	Association between hyperglycaemia and fracture risk in non-diabetic middle-aged and older Australians: a national, population-based prospective study (AusDiab). Osteoporosis International, 2010, 21, 2067-2074.	1.3	24
269	Socioeconomic position, gender, health behaviours and biomarkers ofÂcardiovascular disease and diabetes. Social Science and Medicine, 2010, 71, 1150-1160.	1.8	116
270	Abdominal obesity and other risk factors largely explain the high CRP in Indigenous Australians relative to the general population, but not gender differences: a cross-sectional study. BMC Public Health, 2010, 10, 700.	1.2	24

#	Article	IF	CITATIONS
271	Does abnormal insulin action or insulin secretion explain the increase in prevalence of impaired glucose metabolism with age in populations of different ethnicities?. Diabetes/Metabolism Research and Reviews, 2010, 26, 245-253.	1.7	13
272	Cutâ€points for Waist Circumference in Europids and South Asians. Obesity, 2010, 18, 2039-2046.	1.5	36
273	Higher leptin levels in Asian Indians than Creoles and Europids: a potential explanation for increased metabolic risk. International Journal of Obesity, 2010, 34, 878-885.	1.6	29
274	AUSDRISK: an Australian Type 2 Diabetes Risk Assessment Tool based on demographic, lifestyle and simple anthropometric measures. Medical Journal of Australia, 2010, 192, 274-274.	0.8	140
275	The cost of overweight and obesity in Australia. Medical Journal of Australia, 2010, 192, 260-264.	0.8	295
276	AUSDRISK: an Australian Type 2 Diabetes Risk Assessment Tool based on demographic, lifestyle and simple anthropometric measures. Medical Journal of Australia, 2010, 192, 197-202.	0.8	250
277	Deleterious Associations of Sitting Time and Television Viewing Time With Cardiometabolic Risk Biomarkers. Diabetes Care, 2010, 33, 327-334.	4.3	243
278	Moving to an A1C-Based Diagnosis of Diabetes Has a Different Impact on Prevalence in Different Ethnic Groups. Diabetes Care, 2010, 33, 580-582.	4.3	147
279	Mortality, All-Cause and Cardiovascular Disease, Over 15 Years in Multiethnic Mauritius. Diabetes Care, 2010, 33, 1983-1989.	4.3	26
280	A1C for Screening and Diagnosis of Type 2 Diabetes in Routine Clinical Practice. Diabetes Care, 2010, 33, 817-819.	4.3	67
281	Trends in BMI of urban Australian adults, 1980–2000. Public Health Nutrition, 2010, 13, 631.	1.1	58
282	Is There a Link Between Components of Health-Related Functioning and Incident Impaired Glucose Metabolism and Type 2 Diabetes?: The Australian Diabetes Obesity and Lifestyle (AusDiab) study. Diabetes Care, 2010, 33, 757-762.	4.3	29
283	Cohort profile: The Dynamic Analyses to Optimize Ageing (DYNOPTA) project. International Journal of Epidemiology, 2010, 39, 44-51.	0.9	62
284	Global estimates of the prevalence of diabetes for 2010 and 2030. Diabetes Research and Clinical Practice, 2010, 87, 4-14.	1.1	5,566
285	Hypomagnesaemia is associated with diabetes: Not pre-diabetes, obesity or the metabolic syndrome. Diabetes Research and Clinical Practice, 2010, 87, 261-266.	1.1	73
286	Waist circumference has heterogeneous impact on development of diabetes in different populations: Longitudinal comparative study between Australia and Iran. Diabetes Research and Clinical Practice, 2010, 88, 117-124.	1.1	11
287	Global healthcare expenditure on diabetes for 2010 and 2030. Diabetes Research and Clinical Practice, 2010, 87, 293-301.	1.1	858
288	Continuous subcutaneous insulin infusion (CSII) versus multiple insulin injections for type 1 diabetes mellitus. The Cochrane Library, 2010, , CD005103.	1.5	267

#	Article	IF	CITATIONS
289	Television Viewing Time and Mortality. Circulation, 2010, 121, 384-391.	1.6	684
290	Health and mortality consequences of abdominal obesity: evidence from the AusDiab study. Medical Journal of Australia, 2009, 191, 202-208.	0.8	72
291	Flicker Light–Induced Retinal Vasodilation in Diabetes and Diabetic Retinopathy. Diabetes Care, 2009, 32, 2075-2080.	4.3	141
292	Correlation of Light-Flicker–Induced Retinal Vasodilation and Retinal Vascular Caliber Measurements in Diabetes. , 2009, 50, 5609.		62
293	Alcohol consumption and 5-year onset of chronic kidney disease: the AusDiab study. Nephrology Dialysis Transplantation, 2009, 24, 2464-2472.	0.4	123
294	Recalibration and validation of the SCORE risk chart in the Australian population: the AusSCORE chart. European Journal of Cardiovascular Prevention and Rehabilitation, 2009, 16, 562-570.	3.1	34
295	Nonalbuminuric Renal Impairment in Type 2 Diabetic Patients and in the General Population (National) Tj ETQq1 1 2009, 32, 1497-1502.	0.784314 4.3	4 rgBT /Over 175
296	Dietary Quality Is Associated with Diabetes and Cardio-Metabolic Risk Factors. Journal of Nutrition, 2009, 139, 734-742.	1.3	92
297	Prediction of Incident Stroke Events Based on Retinal Vessel Caliber: A Systematic Review and Individual-Participant Meta-Analysis. American Journal of Epidemiology, 2009, 170, 1323-1332.	1.6	285
298	The lifestyle of our kids (LOOK) project: Outline of methods. Journal of Science and Medicine in Sport, 2009, 12, 156-163.	0.6	58
299	Continuous relationships between non-diabetic hyperglycaemia and both cardiovascular disease and all-cause mortality: the Australian Diabetes, Obesity, and Lifestyle (AusDiab) study. Diabetologia, 2009, 52, 415-424.	2.9	142
300	BMI Compared With Central Obesity Indicators as a Predictor of Diabetes Incidence in Mauritius. Obesity, 2009, 17, 342-348.	1.5	54
301	Contrasting longitudinal and cross-sectional relationships between insulin resistance and percentage of body fat, fitness, and physical activity in children—the LOOK study. Pediatric Diabetes, 2009, 10, 500-507.	1.2	17
302	The metabolic syndrome: in need of a global mission statement. Diabetic Medicine, 2009, 26, 306-309.	1.2	37
303	Risk prediction models for the development of diabetes in Mauritian Indians. Diabetic Medicine, 2009, 26, 996-1002.	1.2	28
304	Projecting the burden of diabetes in Australia – what is the size of the matter?. Australian and New Zealand Journal of Public Health, 2009, 33, 540-543.	0.8	45
305	Retinal Vascular Caliber and Macular Telangiectasia Type 2. Ophthalmology, 2009, 116, 319-323.	2.5	11
306	Meta-analysis: Retinal Vessel Caliber and Risk for Coronary Heart Disease. Annals of Internal Medicine, 2009, 151, 404.	2.0	273

#	Article	IF	CITATIONS
307	Metabolic syndrome and serum carotenoids: findings of a cross-sectional study in Queensland, Australia. British Journal of Nutrition, 2009, 102, 1668.	1.2	57
308	Lifestyle management: preventing Type 2 diabetes and cardiovascular complications. Therapy: Open Access in Clinical Medicine, 2009, 6, 489-496.	0.2	4
309	Upstairs and Downstairs. Sexually Transmitted Diseases, 2009, 36, 344-349.	0.8	7
310	Lifetime risk and projected population prevalence of diabetes. Diabetologia, 2008, 51, 2179-2186.	2.9	96
311	Anthropometric measurements of Australian Aboriginal adults living in remote areas: Comparison with nationally representative findings. American Journal of Human Biology, 2008, 20, 317-324.	0.8	35
312	Central Obesity as a Precursor to the Metabolic Syndrome in the AusDiab Study and Mauritius. Obesity, 2008, 16, 2707-2716.	1.5	94
313	Differences in height explain gender differences in the response to the oral glucose tolerance test— the AusDiab study. Diabetic Medicine, 2008, 25, 296-302.	1.2	120
314	Should liver function tests be included in definitions of metabolic syndrome? Evidence from the association between liver function tests, components of metabolic syndrome and prevalent cardiovascular disease. Diabetic Medicine, 2008, 25, 523-529.	1.2	41
315	The metabolic syndrome as a tool for predicting future diabetes: the AusDiab study. Journal of Internal Medicine, 2008, 264, 177-186.	2.7	84
316	Birth Weight and Stages of CKD: A Case-Control Study in an Australian Population. American Journal of Kidney Diseases, 2008, 52, 1070-1078.	2.1	34
317	Improved endothelial function following a 14-month resistance exercise training program in adults with type 2 diabetes. Diabetes Research and Clinical Practice, 2008, 79, 405-411.	1.1	99
318	Serum uric acid and incident diabetes in Mauritian Indian and Creole populations. Diabetes Research and Clinical Practice, 2008, 80, 321-327.	1.1	37
319	Complications of diabetes in urban Indigenous Australians: The DRUID study. Diabetes Research and Clinical Practice, 2008, 80, 455-462.	1.1	46
320	Diabetes and cardiovascular risk factors in urban Indigenous adults: Results from the DRUID study. Diabetes Research and Clinical Practice, 2008, 80, 483-489.	1.1	50
321	Sleep-disordered breathing and type 2 diabetes. Diabetes Research and Clinical Practice, 2008, 81, 2-12.	1.1	276
322	The metabolic syndrome identifies a heterogeneous group of metabolic component combinations in the Asia-Pacific region. Diabetes Research and Clinical Practice, 2008, 81, 377-380.	1.1	32
323	Relation between fasting glucose and retinopathy for diagnosis of diabetes: three population-based cross-sectional studies. Lancet, The, 2008, 371, 736-743.	6.3	207
324	DWP2-A Diabetes, CVD and ethnicity; diverse patterns across the Western Pacific Region. Diabetes Research and Clinical Practice, 2008, 79, S6-S7.	1.1	0

#	Article	IF	CITATIONS
325	Objectively Measured Sedentary Time, Physical Activity, and Metabolic Risk. Diabetes Care, 2008, 31, 369-371.	4.3	887
326	Disorders of Glucose Regulation in Adults and Birth Weight: Results from the Australian Diabetes, Obesity and Lifestyle (AusDiab) Study. Diabetes Care, 2008, 31, 159-164.	4.3	26
327	Glucose Indices, Health Behaviors, and Incidence of Diabetes in Australia. Diabetes Care, 2008, 31, 267-272.	4.3	181
328	Retinal Arteriolar Caliber Predicts Incident Retinopathy. Diabetes Care, 2008, 31, 761-763.	4.3	98
329	Longitudinal Association of Glucose Metabolism With Retinopathy: Results from the Australian Diabetes Obesity and Lifestyle (AusDiab) study. Diabetes Care, 2008, 31, 1349-1354.	4.3	89
330	Cardiometabolic risk in polycystic ovary syndrome: a comparison of different approaches to defining the metabolic syndrome. Human Reproduction, 2008, 23, 2352-2358.	0.4	109
331	Breaks in Sedentary Time. Diabetes Care, 2008, 31, 661-666.	4.3	1,220
332	Quantifying the Excess Risk of Type 2 Diabetes by Body Habitus Measurements Among Australian Aborigines Living in Remote Areas. Diabetes Care, 2008, 31, 585-586.	4.3	12
333	Retinal Arteriolar Narrowing Predicts Incidence of Diabetes. Diabetes, 2008, 57, 536-539.	0.3	93
334	Socioeconomic status and diabetes among urban Indigenous Australians aged 15–64 years in the DRUID study. Ethnicity and Health, 2008, 13, 23-37.	1.5	34
335	Epidemiology of Type 2 Diabetes. , 2008, , 1-16.		7
336	Two-hour glucose predicts the development of hypertension over 5 years: the AusDiab study. Journal of Human Hypertension, 2008, 22, 168-176.	1.0	25
337	Comparisons of Metabolic Syndrome Definitions in Four Populations of the Asia-Pacific Region. Metabolic Syndrome and Related Disorders, 2008, 6, 37-46.	0.5	42
338	Comparison of body mass index with waist circumference, waist-to-hip ratio, and waist-to-stature ratio as a predictor of hypertension incidence in Mauritius. Journal of Hypertension, 2008, 26, 866-870.	0.3	59
339	A prospective study of glycemia, body size, insulin resistance and the risk of hypertension in Mauritius. Journal of Hypertension, 2008, 26, 1742-1749.	0.3	14
340	Television Time and Continuous Metabolic Risk in Physically Active Adults. Medicine and Science in Sports and Exercise, 2008, 40, 639-645.	0.2	335
341	Limited knowledge of kidney disease in a survey of AusDiab study participants. Medical Journal of Australia, 2008, 188, 204-208.	0.8	53
342	How do the Australian guidelines for lipidâ€lowering drugs perform in practice? Cardiovascular disease risk in the AusDiab Study, 1999–2000. Medical Journal of Australia, 2008, 189, 319-322.	0.8	15

#	Article	IF	CITATIONS
343	Experimental and clinical pharmacology: Incretin mimetics and enhancers: clinical applications. Australian Prescriber, 2008, 31, 104-108.	0.5	2
344	Objectively Measured Light-Intensity Physical Activity Is Independently Associated With 2-h Plasma Glucose. Diabetes Care, 2007, 30, 1384-1389.	4.3	508
345	Waist Circumference Thresholds Provide an Accurate and Widely Applicable Method for the Discrimination of Diabetes. Diabetes Care, 2007, 30, 3116-3118.	4.3	51
346	Self-Reported Past Gestational Diabetes Mellitus as a Risk Factor for Abnormal Glucose Tolerance Among Australian Women. Diabetes Care, 2007, 30, 2293-2295.	4.3	2
347	The Metabolic Syndrome in Australia: Prevalence using four definitions. Diabetes Research and Clinical Practice, 2007, 77, 471-478.	1.1	125
348	Association of glucose metabolism, smoking and cardiovascular risk factors with incident peripheral arterial disease: The DESIR study. Atherosclerosis, 2007, 190, 84-89.	0.4	49
349	The metabolic syndrome in children and adolescents. Lancet, The, 2007, 369, 2059-2061.	6.3	776
350	Risk of Cardiovascular and All-Cause Mortality in Individuals With Diabetes Mellitus, Impaired Fasting Glucose, and Impaired Glucose Tolerance. Circulation, 2007, 116, 151-157.	1.6	617
351	Anthropometric measures and absolute cardiovascular risk estimates in the Australian Diabetes, Obesity and Lifestyle (AusDiab) Study. European Journal of Cardiovascular Prevention and Rehabilitation, 2007, 14, 740-745.	3.1	37
352	Association of Television Viewing With Fasting and 2-h Postchallenge Plasma Glucose Levels in Adults Without Diagnosed Diabetes. Diabetes Care, 2007, 30, 516-522.	4.3	208
353	HPLC-Detected Albuminuria Predicts Mortality. Journal of the American Society of Nephrology: JASN, 2007, 18, 3171-3176.	3.0	27
354	Type 2 diabetes: An epidemic or not, and why it is happening. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2007, 1, 75-81.	1.8	16
355	The inverse relationship between number of steps per day and obesity in a population-based sample – the AusDiab study. International Journal of Obesity, 2007, 31, 797-804.	1.6	76
356	Leptin predicts the development of diabetes in Mauritian men, but not women: a population–based study. International Journal of Obesity, 2007, 31, 1126-1133.	1.6	65
357	Quantifying the excess risk for proteinuria, hypertension and diabetes in Australian Aborigines: comparison of profiles in three remote communities in the Northern Territory with those in the AusDiab study. Australian and New Zealand Journal of Public Health, 2007, 31, 177-183.	0.8	43
358	The metabolic syndrome in children and adolescents ? an IDF consensus report. Pediatric Diabetes, 2007, 8, 299-306.	1.2	1,509
359	Type 2 diabetes in youth: rates, antecedents, treatment, problems and prevention. Pediatric Diabetes, 2007, 8, 4-6.	1.2	23
360	Epidemiology of childhood type 2 diabetes and obesity. Pediatric Diabetes, 2007, 8, 7-15.	1.2	89

#	Article	IF	CITATIONS
361	The metabolic syndrome as a predictor of incident diabetes mellitus in Mauritius. Diabetic Medicine, 2007, 24, 1460-1469.	1.2	33
362	The value of comparing health outcomes in cohort studies: An example of selfâ€rated health in seven studies including 79Â653 participants. Australasian Journal on Ageing, 2007, 26, 194-200.	0.4	6
363	The relationship of retinal vascular calibre to diabetes and retinopathy: the Australian Diabetes, Obesity and Lifestyle (AusDiab) study. Diabetologia, 2007, 50, 2263-2271.	2.9	68
364	How to best define the metabolic syndrome. Annals of Medicine, 2006, 38, 34-41.	1.5	79
365	Effect of rosiglitazone on the frequency of diabetes in patients with impaired glucose tolerance or impaired fasting glucose: a randomised controlled trial. Lancet, The, 2006, 368, 1096-1105.	6.3	1,564
366	Estimating cardiovascular disease risk in diabetes. Lancet, The, 2006, 368, 1149.	6.3	2
367	A comparison of blood glucose meters in Australia. Diabetes Research and Clinical Practice, 2006, 71, 113-118.	1.1	57
368	Diagnostic thresholds for diabetes: The association of retinopathy and albuminuria with glycaemia. Diabetes Research and Clinical Practice, 2006, 73, 315-321.	1.1	60
369	Six year incidence and progression of diabetic retinopathy: Results from the Mauritius diabetes complication study. Diabetes Research and Clinical Practice, 2006, 73, 298-303.	1.1	39
370	Association between impaired glucose metabolism and quality of life: Results from the Australian diabetes obesity and lifestyle study. Diabetes Research and Clinical Practice, 2006, 74, 154-161.	1.1	61
371	Metabolic syndrome-a new world-wide definition. A Consensus Statement from the International Diabetes Federation. Diabetic Medicine, 2006, 23, 469-480.	1.2	4,976
372	Is grand multiparity associated with an increased risk of dysglycaemia?. Diabetologia, 2006, 49, 1522-1527.	2.9	34
373	Population Prevalence of Albuminuria in the Australian Diabetes, Obesity, and Lifestyle (AusDiab) Study: Immunonephelometry Compared With High-Performance Liquid Chromatography. American Journal of Kidney Diseases, 2006, 47, 604-613.	2.1	38
374	Study Protocol – Diabetes and related conditions in urban Indigenous people in the Darwin, Australia region: aims, methods and participation in the DRUID Study. BMC Public Health, 2006, 6, 8.	1.2	35
375	Beneficial Associations of Physical Activity With 2-h but Not Fasting Blood Glucose in Australian Adults: The AusDiab Study. Diabetes Care, 2006, 29, 2598-2604.	4.3	59
376	Community Center-Based Resistance Training for the Maintenance of Glycemic Control in Adults With Type 2 Diabetes. Diabetes Care, 2006, 29, 2586-2591.	4.3	79
377	Identification of Obesity in Patients With Type 2 Diabetes From Australian Primary Care: The NEFRON-5 Study. Diabetes Care, 2006, 29, 2723-2725.	4.3	13
378	Blood pressure and hypertension for Australian Aboriginal and Torres Strait Islander people. European Journal of Cardiovascular Prevention and Rehabilitation, 2006, 13, 438-443.	3.1	14

#	Article	IF	CITATIONS
379	Diabetes mellitus and serum carotenoids: findings of a population-based study in Queensland, Australia. American Journal of Clinical Nutrition, 2005, 82, 685-693.	2.2	149
380	The Metabolic Syndrome: A Global Public Health Problem and A New Definition. Journal of Atherosclerosis and Thrombosis, 2005, 12, 295-300.	0.9	684
381	Dietary Westernisation: conceptualisation and measurement in Mauritius. Public Health Nutrition, 2005, 8, 608-619.	1.1	25
382	Increasing prevalence of Type 2 diabetes mellitus in all ethnic groups in Mauritius. Diabetic Medicine, 2005, 22, 61-68.	1.2	78
383	Prevalence and treatment of cardiovascular disease and traditional risk factors in Australian adults with renal insufficiency. Nephrology, 2005, 10, 40-47.	0.7	15
384	Choice and availability of takeaway and restaurant food is not related to the prevalence of adult obesity in rural communities in Australia. International Journal of Obesity, 2005, 29, 703-710.	1.6	100
385	Associations of TV viewing and physical activity with the metabolic syndrome in Australian adults. Diabetologia, 2005, 48, 2254-2261.	2.9	338
386	Does high-intensity resistance training maintain bone mass during moderate weight loss in older overweight adults with type 2 diabetes?. Osteoporosis International, 2005, 16, 1703-1712.	1.3	89
387	Diabetes mellitus and serum carotenoids: findings of a population-based study in Queensland, Australia. American Journal of Clinical Nutrition, 2005, 82, 685-693.	2.2	114
388	Mainstreaming the metabolic syndrome: a definitive definition. Medical Journal of Australia, 2005, 183, 175-176.	0.8	105
389	The Diabetes Epidemic: Genes and Environment Clashing. , 2005, , 1-13.		6
390	Glucose, Lipid, and Blood Pressure Control in Australian Adults With Type 2 Diabetes: The 1999-2000 AusDiab. Diabetes Care, 2005, 28, 1490-1492.	4.3	89
391	The metabolic syndrome—a new worldwide definition. Lancet, The, 2005, 366, 1059-1062.	6.3	6,696
392	Home-Based Resistance Training Is Not Sufficient to Maintain Improved Glycemic Control Following Supervised Training in Older Individuals With Type 2 Diabetes. Diabetes Care, 2005, 28, 3-9.	4.3	157
393	Prevalence of diabetes in rural Victoria. Diabetes Research and Clinical Practice, 2005, 70, 287-290.	1.1	24
394	Retinopathy in Persons With Impaired Glucose Metabolism: The Australian Diabetes Obesity and Lifestyle (AusDiab) Study. American Journal of Ophthalmology, 2005, 140, 1157-1159.	1.7	66
395	The Metabolic Syndrome. , 2005, , 463-474.		0
396	Overweight and obesity in Australia: an underestimate of the true prevalence?. Medical Journal of Australia, 2004, 180, 93-94.	0.8	2

#	Article	IF	CITATIONS
397	Overweight and obesity in Australia: the 1999–2000ÂAustralian Diabetes, Obesity and Lifestyle Study (AusDiab). Medical Journal of Australia, 2004, 180, 418-418.	0.8	368
398	Screening for Type 2 Diabetes and Impaired Glucose Metabolism: The Australian experience. Diabetes Care, 2004, 27, 367-371.	4.3	88
399	Utility of B-Type Natriuretic Peptide as a Screen for Left Ventricular Dysfunction in Patients With Diabetes: Response to Epshteyn et al Diabetes Care, 2004, 27, 848-848.	4.3	5
400	Type 2 Diabetes in the Young: The Evolving Epidemic: The International Diabetes Federation Consensus Workshop. Diabetes Care, 2004, 27, 1798-1811.	4.3	407
401	Physical Activity and Television Viewing in Relation to Risk of Undiagnosed Abnormal Glucose Metabolism in Adults. Diabetes Care, 2004, 27, 2603-2609.	4.3	198
402	Diabetes Care in an Australian Population: Frequency of screening examinations for eye and foot complications of diabetes. Diabetes Care, 2004, 27, 688-693.	4.3	79
403	Epidemiology of childhood type 2 diabetes in the developing world. Pediatric Diabetes, 2004, 5, 154-168.	1.2	57
404	Trends in diabetes management practices of patients from an Australian insulin-treated diabetes register. Diabetic Medicine, 2004, 21, 165-170.	1.2	9
405	High incidence of type 2 diabetes and increasing conversion rates from impaired fasting glucose and impaired glucose tolerance to diabetes in Mauritius. Journal of Internal Medicine, 2004, 256, 37-47.	2.7	71
406	Prevalence of albuminuria in Australia: The AusDiab Kidney Study. Kidney International, 2004, 66, S22-S24.	2.6	61
407	Independent and opposite associations of waist and hip circumferences with diabetes, hypertension and dyslipidemia: the AusDiab Study. International Journal of Obesity, 2004, 28, 402-409.	1.6	268
408	Independent Association of Hip Circumference with Metabolic Profile in Different Ethnic Groups. Obesity, 2004, 12, 1370-1374.	4.0	37
409	The metabolic syndrome: prevalence in worldwide populations. Endocrinology and Metabolism Clinics of North America, 2004, 33, 351-375.	1.2	745
410	Intensive lifestyle changes or metformin in patients with impaired glucose tolerance: Modeling the long-term health economic implications of the diabetes prevention program in Australia, France, Germany, Switzerland, and the United Kingdom. Clinical Therapeutics, 2004, 26, 304-321.	1.1	120
411	Albuminuria is evident in the early stages of diabetes onset: Results from the Australian diabetes, obesity, and lifestyle study (AusDiab). American Journal of Kidney Diseases, 2004, 44, 792-798.	2.1	138
412	Albuminuria is evident in the early stages of diabetes onset: results from the Australian Diabetes, Obesity, and Lifestyle Study (AusDiab). American Journal of Kidney Diseases, 2004, 44, 792-8.	2.1	60
413	Foot complications in Type 2 diabetes: an Australian population-based study. Diabetic Medicine, 2003, 20, 105-113.	1.2	153
414	Preventing Type 2 diabetes and the dysmetabolic syndrome in the real world: a realistic view. Diabetic Medicine, 2003, 20, 693-702.	1.2	162

#	Article	IF	CITATIONS
415	Gender differences in the prevalence of impaired fasting glycaemia and impaired glucose tolerance in Mauritius. Does sex matter?. Diabetic Medicine, 2003, 20, 915-920.	1.2	119
416	Waist circumference, waist-hip ratio and body mass index and their correlation with cardiovascular disease risk factors in Australian adults. Journal of Internal Medicine, 2003, 254, 555-563.	2.7	518
417	The prevention of type 2 diabetes — lifestyle change or pharmacotherapy? A challenge for the 21st century. Diabetes Research and Clinical Practice, 2003, 59, 165-180.	1.1	77
418	Follow-up Report on the Diagnosis of Diabetes Mellitus. Diabetes Care, 2003, 26, 3160-3167.	4.3	3,392
419	The Prevalence of and Factors Associated With Diabetic Retinopathy in the Australian Population. Diabetes Care, 2003, 26, 1731-1737.	4.3	347
420	Untreated hypertension among Australian adults: the 1999–2000 Australian Diabetes, Obesity and Lifestyle Study (AusDiab). Medical Journal of Australia, 2003, 179, 135-139.	0.8	117
421	1: Epidemiology and prevention of type 2 diabetes and the metabolic syndrome. Medical Journal of Australia, 2003, 179, 526-526.	0.8	38
422	1: Epidemiology and prevention of typeÂ2 diabetes and the metabolic syndrome. Medical Journal of Australia, 2003, 179, 379-383.	0.8	57
423	Overweight and obesity in Australia: the 1999–2000 Australian Diabetes, Obesity and Lifestyle Study (AusDiab). Medical Journal of Australia, 2003, 178, 427-432.	0.8	489
424	Guidelines for the detection of diabetes mellitus–diagnostic criteria and rationale for screening. Clinical Biochemist Reviews, 2003, 24, 77-80.	3.3	22
425	The Rising Prevalence of Diabetes and Impaired Glucose Tolerance: The Australian Diabetes, Obesity and Lifestyle Study. Diabetes Care, 2002, 25, 829-834.	4.3	732
426	High-Intensity Resistance Training Improves Glycemic Control in Older Patients With Type 2 Diabetes. Diabetes Care, 2002, 25, 1729-1736.	4.3	581
427	The Australian Diabetes, Obesity and Lifestyle Study (AusDiab)—methods and response rates. Diabetes Research and Clinical Practice, 2002, 57, 119-129.	1.1	431
428	Smoking is associated with renal impairment and proteinuria in the normal population: The AusDiab kidney study. American Journal of Kidney Diseases, 2002, 40, 704-712.	2.1	108
429	Impaired glucose tolerance and impaired fasting glycaemia: the current status on definition and intervention. Diabetic Medicine, 2002, 19, 708-723.	1.2	942
430	Global and societal implications of the diabetes epidemic. Nature, 2001, 414, 782-787.	13.7	4,911
431	Impaired fasting glucose: how low should it go?. Diabetes Care, 2000, 23, 34-39.	4.3	125
432	Impaired fasting glucose or impaired glucose tolerance. What best predicts future diabetes in Mauritius?. Diabetes Care, 1999, 22, 399-402.	4.3	305

#	Article	IF	CITATIONS
433	Impact of new diagnostic criteria for diabetes on different populations. Diabetes Care, 1999, 22, 762-766.	4.3	104
434	Isolated post-challenge hyperglycaemia confirmed as a risk factor for mortality. Diabetologia, 1999, 42, 1050-1054.	2.9	258
435	Diabetic neuropathy in Mauritius: prevalence and risk factors. Diabetes Research and Clinical Practice, 1998, 42, 131-139.	1.1	56
436	Prevention of Diabetes as a Means of Preventing Cardiovascular Disease. , 0, , 240-257.		1
437	Real-World Application of Insulin Pump Therapy Among Patients With Type 1 Diabetes in China: A Cross-Sectional Study. Frontiers in Endocrinology, 0, 13, .	1.5	2
438	Clinical Utility of Cardiovascular Risk Scores for Identification of People With Type 2 Diabetes More Likely to Benefit From Either GLP-1 Receptor Agonist or SGLT2 Inhibitor Therapy. Diabetes Care, 0, , .	4.3	3