

# Maria A Goula

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5357504/publications.pdf>

Version: 2024-02-01

81  
papers

4,592  
citations

101384

36  
h-index

102304

66  
g-index

82  
all docs

82  
docs citations

82  
times ranked

3177  
citing authors

#	ARTICLE	IF	CITATIONS
1	Agricultural and livestock sector's residues in Greece & China: Comparative qualitative and quantitative characterization for assessing their potential for biogas production. <i>Renewable and Sustainable Energy Reviews</i> , 2022, 154, 111821.	8.2	62
2	Ni/CNT/Zeolite-Y composite catalyst for efficient heptane hydrocracking: Steady-state and transient kinetic studies. <i>Applied Catalysis A: General</i> , 2022, 630, 118437.	2.2	6
3	Catalytic fast pyrolysis of agricultural residues and dedicated energy crops for the production of high energy density transportation biofuels. Part I: Chemical pathways and bio-oil upgrading. <i>Renewable Energy</i> , 2022, 185, 483-505.	4.3	29
4	A comparative study of Ni catalysts supported on Al <sub>2</sub> O <sub>3</sub> , MgO@CaO@Al <sub>2</sub> O <sub>3</sub> and La <sub>2</sub> O <sub>3</sub> @Al <sub>2</sub> O <sub>3</sub> for the dry reforming of ethane. <i>International Journal of Hydrogen Energy</i> , 2022, 47, 5337-5353.	3.8	26
5	Cerium oxide catalysts for oxidative coupling of methane reaction: Effect of lithium, samarium and lanthanum dopants. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 107259.	3.3	18
6	Hydrogenation of carbon dioxide (CO <sub>2</sub> ) to fuels in microreactors: a review of set-ups and value-added chemicals production. <i>Reaction Chemistry and Engineering</i> , 2022, 7, 795-812.	1.9	7
7	Hydrogen production via steam reforming of glycerol over Ce-La-Cu-O ternary oxide catalyst: An experimental and DFT study. <i>Applied Surface Science</i> , 2022, 586, 152798.	3.1	16
8	Oxidative coupling of methane on Li/CeO <sub>2</sub> based catalysts: Investigation of the effect of Mg- and La-doping of the CeO <sub>2</sub> support. <i>Molecular Catalysis</i> , 2022, 520, 112157.	1.0	9
9	Synthesis and Mathematical Modelling of the Preparation Process of Nickel-Alumina Catalysts with Egg-Shell Structures for Syngas Production via Reforming of Clean Model Biogas. <i>Catalysts</i> , 2022, 12, 274.	1.6	6
10	Selective Catalytic Reduction of NO <sub>x</sub> over Perovskite-Based Catalysts Using C <sub>x</sub> H <sub>y</sub> (O <sub>z</sub> ), H <sub>2</sub> and CO as Reducing Agents—A Review of the Latest Developments. <i>Nanomaterials</i> , 2022, 12, 1042.	1.9	10
11	Simultaneous supplementation of magnetite and polyurethane foam carrier can reach a Pareto-optimal point to alleviate ammonia inhibition during anaerobic digestion. <i>Renewable Energy</i> , 2022, 189, 104-116.	4.3	2
12	Catalytic fast pyrolysis of agricultural residues and dedicated energy crops for the production of high energy density transportation biofuels. Part II: Catalytic research. <i>Renewable Energy</i> , 2022, 189, 315-338.	4.3	18
13	Bioaugmentation with well-constructed consortia can effectively alleviate ammonia inhibition of practical manure anaerobic digestion. <i>Water Research</i> , 2022, 215, 118244.	5.3	33
14	Optimizing the oxide support composition in Pr-doped CeO <sub>2</sub> towards highly active and selective Ni-based CO <sub>2</sub> methanation catalysts. <i>Journal of Energy Chemistry</i> , 2022, 71, 547-561.	7.1	36
15	Calcium ion can alleviate ammonia inhibition on anaerobic digestion via balanced-strengthening dehydrogenases and reinforcing protein-binding structure: Model evaluation and microbial characterization. <i>Bioresource Technology</i> , 2022, 354, 127165.	4.8	7
16	Heterogeneous Catalyst—Microbiome Hybrids for Efficient CO-Driven C <sub>6</sub> Carboxylic Acid Synthesis via Metabolic Pathway Manipulation. <i>ACS Catalysis</i> , 2022, 12, 5834-5845.	5.5	11
17	Towards maximizing conversion of ethane and carbon dioxide into synthesis gas using highly stable Ni-perovskite catalysts. <i>Journal of CO<sub>2</sub> Utilization</i> , 2022, 61, 102046.	3.3	14
18	Bimetallic Exsolved Heterostructures of Controlled Composition with Tunable Catalytic Properties. <i>ACS Nano</i> , 2022, 16, 8904-8916.	7.3	24

#	ARTICLE	IF	CITATIONS
19	Highly selective and stable nickel catalysts supported on ceria promoted with Sm <sub>2</sub> O <sub>3</sub> , Pr <sub>2</sub> O <sub>3</sub> and MgO for the CO <sub>2</sub> methanation reaction. Applied Catalysis B: Environmental, 2021, 282, 119562.	10.8	149
20	Continuous selective deoxygenation of palm oil for renewable diesel production over Ni catalysts supported on Al <sub>2</sub> O <sub>3</sub> and La <sub>2</sub> O <sub>3</sub> . RSC Advances, 2021, 11, 8569-8584.	1.7	21
21	Adsorption of Hydrogen Sulfide at Low Temperatures Using an Industrial Molecular Sieve: An Experimental and Theoretical Study. ACS Omega, 2021, 6, 14774-14787.	1.6	29
22	Theoretical Investigation of the Deactivation of Ni Supported Catalysts for the Catalytic Deoxygenation of Palm Oil for Green Diesel Production. Catalysts, 2021, 11, 747.	1.6	8
23	Editorial "Special Issue "Catalysis for Energy Production". Catalysts, 2021, 11, 785.	1.6	1
24	Methane production from acetate, formate and H <sub>2</sub> /CO <sub>2</sub> under high ammonia level: Modified ADM1 simulation and microbial characterization. Science of the Total Environment, 2021, 783, 147581.	3.9	18
25	Highly selective and stable Ni/La-M (M=Sm, Pr, and Mg)-CeO <sub>2</sub> catalysts for CO <sub>2</sub> methanation. Journal of CO <sub>2</sub> Utilization, 2021, 51, 101618.	3.3	78
26	Cost-effective Adsorption of Oxidative Coupling-derived Ethylene Using a Molecular Sieve. Chemical Engineering and Technology, 2021, 44, 2041.	0.9	4
27	Bimetallic Ni-Based Catalysts for CO <sub>2</sub> Methanation: A Review. Nanomaterials, 2021, 11, 28.	1.9	95
28	Recent Progress in the Steam Reforming of Bio-Oil for Hydrogen Production: A Review of Operating Parameters, Catalytic Systems and Technological Innovations. Catalysts, 2021, 11, 1526.	1.6	19
29	Ni/Y <sub>2</sub> O <sub>3</sub> -ZrO <sub>2</sub> catalyst for hydrogen production through the glycerol steam reforming reaction. International Journal of Hydrogen Energy, 2020, 45, 10442-10460.	3.8	85
30	Promoting effect of CaO-MgO mixed oxide on Ni <sup>3+</sup> -Al <sub>2</sub> O <sub>3</sub> catalyst for selective catalytic deoxygenation of palm oil. Renewable Energy, 2020, 162, 1793-1810.	4.3	47
31	The Role of Alkali and Alkaline Earth Metals in the CO <sub>2</sub> Methanation Reaction and the Combined Capture and Methanation of CO <sub>2</sub> . Catalysts, 2020, 10, 812.	1.6	97
32	The Effect of Noble Metal (M: Ir, Pt, Pd) on M/Ce <sub>2</sub> O <sub>3</sub> -Al <sub>2</sub> O <sub>3</sub> Catalysts for Hydrogen Production via the Steam Reforming of Glycerol. Catalysts, 2020, 10, 790.	1.6	18
33	Hydrogen production via steam reforming of glycerol over Rh <sup>3+</sup> -Al <sub>2</sub> O <sub>3</sub> catalysts modified with CeO <sub>2</sub> , MgO or La <sub>2</sub> O <sub>3</sub> . Renewable Energy, 2020, 162, 908-925.	4.3	47
34	MOLYBDENUM SUPPORTED ON CARBON COVERED ALUMINA: ACTIVE SITES FOR n-BUTANOL DEHYDROGENATION AND KETONIZATION. Molecular Catalysis, 2020, 495, 111159.	1.0	2
35	Effect of operating parameters on the selective catalytic deoxygenation of palm oil to produce renewable diesel over Ni supported on Al <sub>2</sub> O <sub>3</sub> , ZrO <sub>2</sub> and SiO <sub>2</sub> catalysts. Fuel Processing Technology, 2020, 209, 106547.	3.7	65
36	CO <sub>2</sub> Methanation on Supported Rh Nanoparticles: The combined Effect of Support Oxygen Storage Capacity and Rh Particle Size. Catalysts, 2020, 10, 944.	1.6	35

#	ARTICLE	IF	CITATIONS
37	Hydrogen Sulfide (H <sub>2</sub> S) Removal via MOFs. <i>Materials</i> , 2020, 13, 3640.	1.3	43
38	Removal of Hydrogen Sulfide From Various Industrial Gases: A Review of The Most Promising Adsorbing Materials. <i>Catalysts</i> , 2020, 10, 521.	1.6	137
39	Graphene Nanoplatelets-Based Ni-Zeolite Composite Catalysts for Heptane Hydrocracking. <i>Journal of Carbon Research</i> , 2020, 6, 31.	1.4	5
40	Catalytic Conversion of Palm Oil to Bio-Hydrogenated Diesel over Novel N-Doped Activated Carbon Supported Pt Nanoparticles. <i>Energies</i> , 2020, 13, 132.	1.6	37
41	Investigating the correlation between deactivation and the carbon deposited on the surface of Ni/Al <sub>2</sub> O <sub>3</sub> and Ni/La <sub>2</sub> O <sub>3</sub> -Al <sub>2</sub> O <sub>3</sub> catalysts during the biogas reforming reaction. <i>Applied Surface Science</i> , 2019, 474, 42-56.	3.1	128
42	The Relationship between Reaction Temperature and Carbon Deposition on Nickel Catalysts Based on Al <sub>2</sub> O <sub>3</sub> , ZrO <sub>2</sub> or SiO <sub>2</sub> Supports during the Biogas Dry Reforming Reaction. <i>Catalysts</i> , 2019, 9, 676.	1.6	72
43	Ni Catalysts Based on Attapulgite for Hydrogen Production through the Glycerol Steam Reforming Reaction. <i>Catalysts</i> , 2019, 9, 650.	1.6	23
44	Ce- and Cu cost-efficient catalysts for H <sub>2</sub> production through the glycerol steam reforming reaction. <i>Sustainable Energy and Fuels</i> , 2019, 3, 673-691.	2.5	34
45	Nickel Supported on AlCeO <sub>3</sub> as a Highly Selective and Stable Catalyst for Hydrogen Production via the Glycerol Steam Reforming Reaction. <i>Catalysts</i> , 2019, 9, 411.	1.6	39
46	Green Diesel: Biomass Feedstocks, Production Technologies, Catalytic Research, Fuel Properties and Performance in Compression Ignition Internal Combustion Engines. <i>Energies</i> , 2019, 12, 809.	1.6	156
47	The experimental investigation of the thermal stratification in a solar hot water tank. <i>Renewable Energy</i> , 2019, 134, 862-874.	4.3	22
48	An experimental investigation on thermal stratification characteristics with PCMs in solar water tank. <i>Solar Energy</i> , 2019, 177, 8-21.	2.9	55
49	Ni supported on CaO-MgO-Al <sub>2</sub> O <sub>3</sub> as a highly selective and stable catalyst for H <sub>2</sub> production via the glycerol steam reforming reaction. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 256-273.	3.8	138
50	The influence of SiO <sub>2</sub> doping on the Ni/ZrO <sub>2</sub> supported catalyst for hydrogen production through the glycerol steam reforming reaction. <i>Catalysis Today</i> , 2019, 319, 206-219.	2.2	67
51	Studying the stability of Ni supported on modified with CeO <sub>2</sub> alumina catalysts for the biogas dry reforming reaction. <i>Materials Today: Proceedings</i> , 2018, 5, 27607-27616.	0.9	17
52	The Effect of Ni Addition onto a Cu-Based Ternary Support on the H <sub>2</sub> Production over Glycerol Steam Reforming Reaction. <i>Nanomaterials</i> , 2018, 8, 931.	1.9	24
53	An in depth investigation of deactivation through carbon formation during the biogas dry reforming reaction for Ni supported on modified with CeO <sub>2</sub> and La <sub>2</sub> O <sub>3</sub> zirconia catalysts. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 18955-18976.	3.8	165
54	Chemical looping glycerol reforming for hydrogen production by Ni@ZrO <sub>2</sub> nanocomposite oxygen carriers. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 13200-13211.	3.8	40

#	ARTICLE	IF	CITATIONS
55	The potential of glycerol and phenol towards H <sub>2</sub> production using steam reforming reaction: A review. <i>Surface and Coatings Technology</i> , 2018, 352, 92-111.	2.2	71
56	An experimental investigation of forced convection heat transfer with novel microencapsulated phase change material slurries in a circular tube under constant heat flux. <i>Energy Conversion and Management</i> , 2018, 171, 699-709.	4.4	36
57	Hydrogen production via the glycerol steam reforming reaction over nickel supported on alumina and lanthana-alumina catalysts. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 13039-13060.	3.8	100
58	Glycerol Steam Reforming for Hydrogen Production over Nickel Supported on Alumina, Zirconia and Silica Catalysts. <i>Topics in Catalysis</i> , 2017, 60, 1226-1250.	1.3	79
59	Syngas production via the biogas dry reforming reaction over Ni supported on zirconia modified with CeO <sub>2</sub> or La <sub>2</sub> O <sub>3</sub> catalysts. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 13724-13740.	3.8	160
60	The Effect of WO <sub>3</sub> Modification of ZrO <sub>2</sub> Support on the Ni-Catalyzed Dry Reforming of Biogas Reaction for Syngas Production. <i>Frontiers in Environmental Science</i> , 2017, 5, .	1.5	26
61	Halloysite Nanotubes Noncovalently Functionalised with SDS Anionic Surfactant and PS-b-P4VP Block Copolymer for Their Effective Dispersion in Polystyrene as UV-Blocking Nanocomposite Films. <i>Journal of Nanomaterials</i> , 2017, 2017, 1-11.	1.5	18
62	Effect of Active Metal Supported on SiO <sub>2</sub> for Selective Hydrogen Production from the Glycerol Steam Reforming Reaction. <i>BioResources</i> , 2016, 11, .	0.5	18
63	Comparative study of Ni, Co, Cu supported on $\gamma$ -alumina catalysts for hydrogen production via the glycerol steam reforming reaction. <i>Fuel Processing Technology</i> , 2016, 152, 156-175.	3.7	184
64	Influence of the synthesis method parameters used to prepare nickel-based catalysts on the catalytic performance for the glycerol steam reforming reaction. <i>Chinese Journal of Catalysis</i> , 2016, 37, 1949-1965.	6.9	39
65	Synthesis Gas Production via the Biogas Reforming Reaction Over Ni/MgO-Al <sub>2</sub> O <sub>3</sub> and Ni/CaO-Al <sub>2</sub> O <sub>3</sub> Catalysts. <i>Waste and Biomass Valorization</i> , 2016, 7, 725-736.	1.8	59
66	A Ni/apatite-type lanthanum silicate supported catalyst in glycerol steam reforming reaction. <i>RSC Advances</i> , 2016, 6, 78954-78958.	1.7	28
67	Effect of Alkali Promoters (K) on Nitrous Oxide Abatement Over Ir/Al <sub>2</sub> O <sub>3</sub> Catalysts. <i>Topics in Catalysis</i> , 2016, 59, 1020-1027.	1.3	3
68	Syngas production via the biogas dry reforming reaction over nickel supported on modified with CeO <sub>2</sub> and/or La <sub>2</sub> O <sub>3</sub> alumina catalysts. <i>Journal of Natural Gas Science and Engineering</i> , 2016, 31, 164-183.	2.1	167
69	A comparative study of the H <sub>2</sub> -assisted selective catalytic reduction of nitric oxide by propene over noble metal (Pt, Pd, Ir)/ $\gamma$ -Al <sub>2</sub> O <sub>3</sub> catalysts. <i>Journal of Environmental Chemical Engineering</i> , 2016, 4, 1629-1641.	3.3	23
70	Nickel on alumina catalysts for the production of hydrogen rich mixtures via the biogas dry reforming reaction: Influence of the synthesis method. <i>International Journal of Hydrogen Energy</i> , 2015, 40, 9183-9200.	3.8	181
71	Biogas reforming for syngas production over nickel supported on ceria-alumina catalysts. <i>Catalysis Today</i> , 2012, 195, 93-100.	2.2	140
72	An experimental and theoretical approach for the biogas steam reforming reaction. <i>International Journal of Hydrogen Energy</i> , 2010, 35, 9818-9827.	3.8	77

#	ARTICLE	IF	CITATIONS
73	Hydrogen production by ethanol steam reforming over a commercial Pd/ $\gamma$ -Al <sub>2</sub> O <sub>3</sub> catalyst. Applied Catalysis B: Environmental, 2004, 49, 135-144.	10.8	174
74	Performance comparison of low-temperature direct alcohol fuel cells with different anode catalysts. Journal of Power Sources, 2004, 126, 16-22.	4.0	206
75	Hydrogen production over a commercial Pd/Al <sub>2</sub> O <sub>3</sub> catalyst for fuel cell utilization. Ionics, 2003, 9, 248-252.	1.2	9
76	Carbon dioxide reforming of methane over 5wt.% nickel calcium aluminate catalysts – effect of preparation method. Catalysis Today, 1998, 46, 175-183.	2.2	141
77	Kinetics of Deposition of the Mo <sup>v</sup> Oxo Species on the Surface of $\gamma$ -Alumina. Langmuir, 1998, 14, 4819-4826.	1.6	5
78	Characterization of Carbonaceous Species Formed during Reforming of CH <sub>4</sub> with CO <sub>2</sub> over Ni/CaO- $\gamma$ -Al <sub>2</sub> O <sub>3</sub> Catalysts Studied by Various Transient Techniques. Journal of Catalysis, 1996, 161, 626-640.	3.1	191
79	Methane partial oxidation to synthesis gas using nickel on calcium aluminate catalysts. Catalysis Today, 1996, 32, 149-156.	2.2	53
80	Development of molybdena catalysts supported on $\gamma$ -alumina extrudates with four different Mo profiles: Preparation, characterization, and catalytic properties. Journal of Catalysis, 1992, 137, 285-305.	3.1	24
81	Influence of impregnation parameters on the axial Mo/ $\gamma$ -alumina profiles studied using a novel simple technique. Journal of Catalysis, 1992, 133, 486-497.	3.1	24