

Shen J Dillon

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5359424/shen-j-dillon-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

114
papers

4,440⁰
citations

32
h-index

64
g-index

120
ext. papers

5,003
ext. citations

6
avg, IF

5.81
L-index

#	Paper	IF	Citations
114	Grain boundary energies in yttria-stabilized zirconia. <i>Journal of the American Ceramic Society</i> , 2022 , 105, 2925-2931	3.8	0
113	Unraveling the Role of Grain Boundary Anisotropy in Sintering: Implications for Nanoscale Manufacturing. <i>ACS Applied Nano Materials</i> , 2021 , 4, 8039-8049	5.6	1
112	Construction of CdSe polymorphic junctions with coherent interface for enhanced photoelectrocatalytic hydrogen generation. <i>Applied Catalysis B: Environmental</i> , 2021 , 282, 119552	21.8	34
111	Ultrahigh temperature in situ transmission electron microscopy based bicrystal coble creep in Zirconia II: Interfacial thermodynamics and transport mechanisms. <i>Acta Materialia</i> , 2020 , 200, 1008-1021	8.4	2
110	Grain Boundary and Lattice Fracture Toughness of UO ₂ Measured Using Small-Scale Mechanics. <i>Jom</i> , 2020 , 72, 2075-2081	2.1	1
109	Unimolecular Polypeptide Micelles via Ultrafast Polymerization of α -Carboxyanhydrides. <i>Journal of the American Chemical Society</i> , 2020 , 142, 8570-8574	16.4	26
108	Size-induced room temperature softening of nanocrystalline yttria stabilized zirconia. <i>Journal of the European Ceramic Society</i> , 2020 , 40, 2050-2055	6	1
107	Microstructural toughening mechanisms in nanostructured Al ₂ O ₃ /GdAlO ₃ eutectic composite studied using in situ microscale fracture experiments. <i>Journal of the European Ceramic Society</i> , 2020 , 40, 3148-3157	6	3
106	Irradiation induced creep in nanocrystalline high entropy alloys. <i>Acta Materialia</i> , 2020 , 182, 68-76	8.4	14
105	In Situ Transmission Electron Microscopy for Ultrahigh Temperature Mechanical Testing of ZrO ₂ . <i>Nano Letters</i> , 2020 , 20, 1041-1046	11.5	9
104	Ultrahigh temperature in situ transmission electron microscopy based bicrystal coble creep in zirconia I: Nanowire growth and interfacial diffusivity. <i>Acta Materialia</i> , 2020 , 199, 530-541	8.4	3
103	In situ TEM Measurements of Ion Irradiation Induced Creep. <i>Microscopy and Microanalysis</i> , 2019 , 25, 1566-1567	15.67	1567
102	Sintering of translucent and single-phase nanostructured scandia-stabilized zirconia. <i>Materials Letters</i> , 2019 , 253, 246-249	3.3	9
101	Grain boundary curvatures in polycrystalline SrTiO ₃ : Dependence on grain size, topology, and crystallography. <i>Journal of the American Ceramic Society</i> , 2019 , 102, 7003-7014	3.8	7
100	In-situ microcantilever deflection to evaluate the interfacial fracture properties of binary Al ₂ O ₃ /SmAlO ₃ eutectic. <i>Journal of the European Ceramic Society</i> , 2019 , 39, 3277-3282	6	3
99	Effects of ternary alloy additions on the microstructure of highly immiscible Cu alloys subjected to severe plastic deformation: An evaluation of the effective temperature model. <i>Acta Materialia</i> , 2019 , 170, 218-230	8.4	10
98	Nanofibrillar Si Helices for Low-Stress, High-Capacity Li Anodes with Large Affine Deformations. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 11715-11721	9.5	3

97	The effect of electrochemical cycling on the strength of LiCoO ₂ . <i>Journal of the American Ceramic Society</i> , 2019 , 102, 372-381	3.8	7
96	In situ X-ray micro-CT characterization of chemo-mechanical relaxations during Sn lithiation. <i>Journal of Power Sources</i> , 2018 , 381, 181-189	8.9	9
95	High temperature irradiation induced creep in Ag nanopillars measured via in situ transmission electron microscopy. <i>Scripta Materialia</i> , 2018 , 148, 1-4	5.6	18
94	Surface redox on Li[Ni _{1/3} Mn _{1/3} Co _{1/3}]O ₂ characterized by in situ X-ray photoelectron spectroscopy and in situ Auger electron spectroscopy. <i>Electrochimica Acta</i> , 2018 , 277, 197-204	6.7	9
93	Variation in zinc dialkyldithiophosphate yield strength measured by nanopillar compression. <i>Tribology International</i> , 2018 , 123, 325-328	4.9	2
92	The influence of dopants and complexion transitions on grain boundary fracture in alumina. <i>Acta Materialia</i> , 2018 , 142, 121-130	8.4	20
91	A pseudo-solid-state cell for multiplatform in situ and operando characterization of Li-ion electrodes. <i>Journal of Power Sources</i> , 2018 , 400, 198-203	8.9	9
90	Energetic design of grain boundary networks for toughening of nanocrystalline oxides. <i>Journal of the European Ceramic Society</i> , 2018 , 38, 4260-4267	6	18
89	Effects of Commonly Evolved Solid-Electrolyte-Interphase (SEI) Reaction Product Gases on the Cycle Life of Li-Ion Full Cells. <i>Journal of the Electrochemical Society</i> , 2018 , 165, A3084-A3094	3.9	8
88	Probing buckling and post-buckling deformation of hollow amorphous carbon nanospheres: In-situ experiment and theoretical analysis. <i>Carbon</i> , 2018 , 137, 411-418	10.4	13
87	Irradiation-induced creep in metallic nanolaminates characterized by In situ TEM pillar nanocompression. <i>Journal of Nuclear Materials</i> , 2017 , 490, 59-65	3.3	15
86	The role of ceramic and glass science research in meeting societal challenges: Report from an NSF-sponsored workshop. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 1777-1803	3.8	17
85	Property Self-Optimization During Wear of MoS ₂ . <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 1953-1958	9.5	10
84	Shear strengths of FCC-FCC cube-on-cube interfaces. <i>Scripta Materialia</i> , 2017 , 130, 178-181	5.6	7
83	LiMnO Surface Chemistry Evolution during Cycling Revealed by in Situ Auger Electron Spectroscopy and X-ray Photoelectron Spectroscopy. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 33968-33978	9.5	26
82	Hardening mechanisms in irradiated Cu ₃ Ni alloys. <i>Journal of Materials Research</i> , 2017 , 32, 3156-3164	2.5	6
81	Self-organized, size-selection of precipitates during severe plastic deformation of dilute Cu-Nb alloys at low temperatures. <i>Acta Materialia</i> , 2017 , 140, 217-223	8.4	13
80	Improved Performance in FeF ₂ Conversion Cathodes through Use of a Conductive 3D Scaffold and Al ₂ O ₃ ALD Coating. <i>Advanced Functional Materials</i> , 2017 , 27, 1702783	15.6	38

79	Local chemo-mechanical insights into the efficacy of ZDDP additives from in situ single asperity growth and mechanical testing. <i>Tribology International</i> , 2017 , 112, 103-107	4.9	4
78	The Oxygen Reduction Reaction Rate of Metallic Nanoparticles during Catalyzed Oxidation. <i>Scientific Reports</i> , 2017 , 7, 7017	4.9	4
77	Insights into Solid-Electrolyte Interphase Induced Li-Ion Degradation from in Situ Auger Electron Spectroscopy. <i>Journal of Physical Chemistry Letters</i> , 2017 , 8, 6226-6230	6.4	14
76	Cr ³⁺ chemical diffusivity in aliovalent doped aluminas. <i>Journal of the European Ceramic Society</i> , 2017 , 37, 4025-4032	6	2
75	Cation grain-boundary diffusivity in SiO ₂ - and MgO-doped Al ₂ O ₃ . <i>Journal of the American Ceramic Society</i> , 2017 , 100, 5379-5384	3.8	3
74	In situ X-ray photoelectron and Auger electron spectroscopic characterization of reaction mechanisms during Li-ion cycling. <i>Chemical Communications</i> , 2016 , 52, 13257-13260	5.8	19
73	Large-deformation and high-strength amorphous porous carbon nanospheres. <i>Scientific Reports</i> , 2016 , 6, 24187	4.9	39
72	In Situ Scanning Electron Microscopy Characterization of the Mechanism for Li Dendrite Growth. <i>Journal of the Electrochemical Society</i> , 2016 , 163, A1660-A1665	3.9	45
71	The importance of grain boundary complexions in affecting physical properties of polycrystals. <i>Current Opinion in Solid State and Materials Science</i> , 2016 , 20, 324-335	12	47
70	Measuring Interfacial Shear Strength of Cu x Ni-Nb Alloys. <i>Microscopy and Microanalysis</i> , 2016 , 22, 1480-1481	14.8	0
69	Mechano-Electrochemical Interaction Gives Rise to Strain Relaxation in Sn Electrodes. <i>Journal of the Electrochemical Society</i> , 2016 , 163, A3022-A3035	3.9	32
68	X-ray microtomography characterization of Sn particle evolution during lithiation/delithiation in lithium ion batteries. <i>Journal of Power Sources</i> , 2015 , 285, 205-209	8.9	19
67	Mechanical Properties of Molybdenum Disulfide and the Effect of Doping: An in Situ TEM Study. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 20829-34	9.5	41
66	Grain Boundary Parting Limit during Dealloying. <i>Advanced Engineering Materials</i> , 2015 , 17, 157-161	3.5	1
65	Quantitative comparison of sink efficiency of Cu/Nb, Cu/V and Cu/Ni interfaces for point defects. <i>Acta Materialia</i> , 2015 , 82, 328-335	8.4	50
64	Self-organization of Cu/Ag during controlled severe plastic deformation at high temperatures. <i>Journal of Materials Research</i> , 2015 , 30, 1943-1956	2.5	9
63	Effect of porosity on electrochemical and mechanical properties of composite Li-ion anodes. <i>Journal of Composite Materials</i> , 2015 , 49, 1849-1862	2.7	28
62	Mechanically and chemically robust sandwich-structured C@Si@C nanotube array Li-ion battery anodes. <i>ACS Nano</i> , 2015 , 9, 1985-94	16.7	103

61	Compression-induced deformation of individual metal-organic framework microcrystals. <i>Journal of the American Chemical Society</i> , 2015 , 137, 1750-3	16.4	53
60	Aqueous lithium ion batteries on paper substrates. <i>Journal of Power Sources</i> , 2014 , 248, 582-587	8.9	23
59	In situ observation of electrolytic H ₂ evolution adjacent to gold cathodes. <i>Chemical Communications</i> , 2014 , 50, 1761-3	5.8	29
58	Comparative Study of Li and Na Electrochemical Reactions with Iron Oxide Nanowires. <i>Electrochimica Acta</i> , 2014 , 118, 143-149	6.7	31
57	Measuring size dependent electrical properties from nanoneedle structures: Pt/ZnO Schottky diodes. <i>Applied Physics Letters</i> , 2014 , 104, 153105	3.4	5
56	Forced atomic mixing during severe plastic deformation: Chemical interactions and kinetically driven segregation. <i>Acta Materialia</i> , 2014 , 66, 1-11	8.4	16
55	Chemical mixing and self-organization of Nb precipitates in Cu during severe plastic deformation. <i>Acta Materialia</i> , 2014 , 62, 276-285	8.4	40
54	Effect of irradiation damage on the shear strength of Cu/Nb interfaces. <i>Scripta Materialia</i> , 2014 , 90-91, 29-32	5.6	18
53	Three dimensional studies of particle failure in silicon based composite electrodes for lithium ion batteries. <i>Journal of Power Sources</i> , 2014 , 269, 334-343	8.9	66
52	Catalyzed oxidation for nanowire growth. <i>Nanotechnology</i> , 2014 , 25, 145603	3.4	12
51	Structural evolution of Fe ₂ O ₃ nanowires during lithiation and delithiation. <i>Journal of Power Sources</i> , 2014 , 245, 308-314	8.9	11
50	In-situ EM Characterization of Li-ion Battery through Multiple Cycles. <i>Microscopy and Microanalysis</i> , 2014 , 20, 968-969	0.5	3
49	Environmental Electron Microscopy: Electron Beam Effects in Electrochemistry. <i>Microscopy and Microanalysis</i> , 2014 , 20, 1616-1617	0.5	1
48	Orientation relationship formed during irradiation induced precipitation of W in Cu. <i>Journal of Nuclear Materials</i> , 2014 , 454, 126-129	3.3	7
47	In situ cryogenic transmission electron microscopy for characterizing the evolution of solidifying water ice in colloidal systems. <i>Microscopy and Microanalysis</i> , 2014 , 20, 330-7	0.5	23
46	Grain boundary complexions. <i>Acta Materialia</i> , 2014 , 62, 1-48	8.4	497
45	Growth Kinetics and Morphological Evolution of ZnO Precipitated from Solution. <i>Chemistry of Materials</i> , 2013 , 25, 2927-2933	9.6	61
44	Morphological changes in and around Sn electrodes during Li ion cycling characterized by in situ environmental TEM. <i>Scripta Materialia</i> , 2013 , 69, 658-661	5.6	22

43	The influence of Cu/Nb interfaces on local vacancy concentrations in Cu. <i>Scripta Materialia</i> , 2013 , 69, 21-24	5.6	13
42	Scaling effects on grain boundary diffusivity; Au in Cu. <i>Acta Materialia</i> , 2013 , 61, 1851-1861	8.4	7
41	Misorientation dependence of Al ₂ O ₃ grain boundary thermal resistance. <i>Applied Physics Letters</i> , 2013 , 102, 034101	3.4	26
40	3D printing of interdigitated Li-ion microbattery architectures. <i>Advanced Materials</i> , 2013 , 25, 4539-43	24	879
39	Dependence of shear-induced mixing on length scale. <i>Scripta Materialia</i> , 2013 , 68, 215-218	5.6	31
38	Kinetics and thermodynamics associated with Bi adsorption transitions at Cu and Ni grain boundaries. <i>Journal of Applied Physics</i> , 2013 , 113, 193507	2.5	7
37	Integration of microplasma with transmission electron microscopy: Real-time observation of gold sputtering and island formation. <i>Scientific Reports</i> , 2013 , 3, 1325	4.9	17
36	Challenges associated with in-situ TEM in environmental systems: The case of silver in aqueous solutions. <i>Ultramicroscopy</i> , 2012 , 116, 34-38	3.1	71
35	Microstructural design considerations for Li-ion battery systems. <i>Current Opinion in Solid State and Materials Science</i> , 2012 , 16, 153-162	12	55
34	In situ electrochemical wet cell transmission electron microscopy characterization of solid-liquid interactions between Ni and aqueous NiCl ₂ . <i>Acta Materialia</i> , 2012 , 60, 192-198	8.4	55
33	Approximating the Metastable Defect Concentration in Supersaturated Materials: A Case Study of the SrTiO ₃ /TiO ₂ System. <i>Journal of the American Ceramic Society</i> , 2012 , 95, 788-792	3.8	1
32	Electron beam induced deposition of silicon nanostructures from a liquid phase precursor. <i>Nanotechnology</i> , 2012 , 23, 385302	3.4	29
31	In situ transmission electron microscopy observation of silver oxidation in ionized/atomic gas. <i>Langmuir</i> , 2011 , 27, 14201-6	4	24
30	Crystallographic Characteristics of Grain Boundaries in Dense Yttria-Stabilized Zirconia. <i>International Journal of Applied Ceramic Technology</i> , 2011 , 8, 1218-1228	2	26
29	The Orientation Distributions of Lines, Surfaces, and Interfaces around Three-Phase Boundaries in Solid Oxide Fuel Cell Cathodes. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 4045-4051	3.8	19
28	A mechanism for the improved rate capability of cathodes by lithium phosphate surficial films. <i>Electrochemistry Communications</i> , 2011 , 13, 200-202	5.1	39
27	High-strength all-solid lithium ion electrodes based on Li ₄ Ti ₅ O ₁₂ . <i>Journal of Power Sources</i> , 2011 , 196, 6507-6511	8.9	13
26	Lithium lanthanum titanate as an electrolyte for novel lithium ion battery systems 2011 ,		1

25	The Relative Energies of Normally and Abnormally Growing Grain Boundaries in Alumina Displaying Different Complexions. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 1796	3.8	51
24	Grain boundary plane distributions in aluminas evolving by normal and abnormal grain growth and displaying different complexions. <i>International Journal of Materials Research</i> , 2010 , 101, 50-56	0.5	23
23	Influence of interface energies on solute partitioning mechanisms in doped aluminas. <i>Acta Materialia</i> , 2010 , 58, 5097-5108	8.4	32
22	Measuring the Grain Boundary Character and Energy Distributions of Ceramics From Serial Sections of Orientation Maps. <i>Microscopy and Microanalysis</i> , 2009 , 15, 608-609	0.5	1
21	Grain boundary complexions in ceramics and metals: An overview. <i>Jom</i> , 2009 , 61, 38-44	2.1	71
20	Characterization of the Grain-Boundary Character and Energy Distributions of Yttria Using Automated Serial Sectioning and EBSD in the FIB. <i>Journal of the American Ceramic Society</i> , 2009 , 92, 1580-1585	3.8	78
19	Mechanism for the development of anisotropic grain boundary character distributions during normal grain growth. <i>Acta Materialia</i> , 2009 , 57, 1-7	8.4	73
18	Relative grain boundary area and energy distributions in nickel. <i>Acta Materialia</i> , 2009 , 57, 4304-4311	8.4	129
17	Interface Stabilized Nanoscale Quasi-Liquid Films. <i>Microscopy Today</i> , 2009 , 17, 22-27	0.4	8
16	Measuring the Five Parameter Grain Boundary Character Distribution From Three-Dimensional Orientation Maps. <i>Microscopy and Microanalysis</i> , 2008 , 14, 978-979	0.5	6
15	Demystifying the role of sintering additives with "complexion" <i>Journal of the European Ceramic Society</i> , 2008 , 28, 1485-1493	6	79
14	An experimentally quantifiable solute drag factor. <i>Acta Materialia</i> , 2008 , 56, 1374-1379	8.4	26
13	The Effect of Yttrium on Oxygen Grain-Boundary Transport in Polycrystalline Alumina Measured Using Ni Marker Particles. <i>Journal of the American Ceramic Society</i> , 2008 , 91, 2002-2008	3.8	21
12	Relating Grain Boundary Complexion to Grain Boundary Kinetics II: Silica-Doped Alumina. <i>Journal of the American Ceramic Society</i> , 2008 , 91, 2314-2320	3.8	47
11	Relating Grain-Boundary Complexion to Grain-Boundary Kinetics I: Calcia-Doped Alumina. <i>Journal of the American Ceramic Society</i> , 2008 , 91, 2304-2313	3.8	61
10	Multiple grain boundary transitions in ceramics: A case study of alumina. <i>Acta Materialia</i> , 2007 , 55, 5247-5254	8.4	123
9	Complexion: A new concept for kinetic engineering in materials science. <i>Acta Materialia</i> , 2007 , 55, 6208-6218	3.8	412
8	Mechanism of Solid-State Single-Crystal Conversion in Alumina. <i>Journal of the American Ceramic Society</i> , 2007 , 90, 993-995	3.8	35

7	Direct Observation of Multilayer Adsorption on Alumina Grain Boundaries. <i>Journal of the American Ceramic Society</i> , 2007 , 90, 996-998	3.8	20
6	Comment on Effect of Interface Structure on the Microstructural Evolution of Ceramics□ <i>Journal of the American Ceramic Society</i> , 2007 , 90, 2291-2292	3.8	7
5	Diffusion Controlled Abnormal Grain Growth in Ceramics. <i>Materials Science Forum</i> , 2007 , 558-559, 1227-1236	12.4	21
4	Metallographic Preparation for Electron Backscattered Diffraction. <i>Microscopy and Microanalysis</i> , 2006 , 12, 1610-1611	0.5	8
3	Intrinsic Grain Boundary Mobility in Alumina. <i>Journal of the American Ceramic Society</i> , 2006 , 89, 3885-3887	3.8	41
2	Temperature Control in Liquid Cells for TEM	127-139	1
1	Three-Dimensional FIB-OIM of Ceramic Materials. <i>Ceramic Transactions</i> , 117-124	0.1	1