

# Satoshi Kobayashi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5360030/publications.pdf>

Version: 2024-02-01

84  
papers

670  
citations

623734

14  
h-index

642732

23  
g-index

84  
all docs

84  
docs citations

84  
times ranked

689  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of bioactivation through acid/alkali process on the flexure strength of zirconia-based ceramics and composites. <i>Advanced Composite Materials</i> , 2022, 31, 552-563.	1.9	1
2	Analysis of orientation behavior in extruded tricalcium phosphate/poly(lactic acid) composite billet using finite element method and chain network model. <i>Mechanical Engineering Journal</i> , 2021, 8, .	0.4	0
3	Gait assist brace with double carbon fiber reinforced plastic spring blades to allow ankle joint movement and change in walking direction. <i>Advanced Robotics</i> , 2021, 35, 927-938.	1.8	0
4	Mechanical behavior of hydroxyapatite-poly(lactic acid) hybrid porous scaffold. <i>Advanced Composite Materials</i> , 2020, 29, 587-602.	1.9	10
5	Effect of compatibilizing agent on the fiber-matrix adhesion and mechanical properties of lignocellulose fiber reinforced polyolefin. <i>Advanced Composite Materials</i> , 2020, 29, 377-387.	1.9	6
6	Parametric modeling of sports prostheses based on the flat spring design formulas. <i>Journal of Biomechanical Science and Engineering</i> , 2020, 15, 19-00446-19-00446.	0.3	4
7	Characterization of Splitting Growth Behavior in Unidirectional Carbon Fiber Reinforced Plastic Laminates with a Notch Subjected to Fatigue Load. <i>Journal of the Japan Society for Composite Materials</i> , 2020, 46, 39-45.	0.2	0
8	Residual Internal Pressure Strength Evaluation of Composite Vessels Subjected to Out-of-Plane Impact Loading using Plate Specimens. <i>The Proceedings of the Materials and Processing Conference</i> , 2020, 2020.28, 105.	0.0	0
9	Evaluation of Weak Bonds in the Interface of a Single Lap Joint for Carbon-Fiber Reinforced Plastic Adherends Using Acoustic Emission Measurement. <i>Journal of the Japan Society for Composite Materials</i> , 2020, 46, 137-142.	0.2	0
10	Influence of molecular chain behavior on mechanical properties of poly-L-lactic acid by molecular dynamics method. <i>Advanced Composite Materials</i> , 2019, 28, 577-589.	1.9	3
11	Analysis of orientation behavior in poly(lactic acid) billets during extrusion using a finite element method and chain network model. <i>Mechanical Engineering Journal</i> , 2019, 6, 19-00346-19-00346.	0.4	1
12	Improved mechanical properties of aligned multi-walled carbon nanotube/thermoplastic polyimide composites by hot stretching. <i>Journal of Composite Materials</i> , 2019, 53, 1241-1253.	2.4	8
13	Microscopic damage behavior in carbon fiber reinforced plastic laminates for a high accuracy antenna in a satellite under cyclic thermal loading. <i>Advanced Composite Materials</i> , 2019, 28, 259-269.	1.9	12
14	Effect of Process Parameters on Mechanical Properties of 3D Printed Continuous Carbon Fiber Reinforced Composites. <i>Journal of the Japan Society for Composite Materials</i> , 2019, 45, 135-140.	0.2	2
15	Influence of Molecular Chain Behavior on Mechanical Properties of Poly-L-lactic Acid by Molecular Dynamics Method. <i>Journal of the Japan Society for Composite Materials</i> , 2019, 45, 34-40.	0.2	0
16	Residual Internal Pressure Strength Evaluation of Composite Pipes Subjected to Out-of-Plane Impact Loading using Finite Element Method Making Research. <i>The Proceedings of the Materials and Processing Conference</i> , 2019, 2019.27, 304.	0.0	0
17	Characterization of Damage Behavior in Cross Ply Carbon Fiber Reinforced Plastic Laminates with a Notch Subjected to Tensile Load. <i>The Proceedings of the Materials and Processing Conference</i> , 2019, 2019.27, 303.	0.0	0
18	Degradation and its theoretical evaluation of poly(lactic acid) under simulated body environment (Changes in molecular weight and crystallinity). <i>Transactions of the JSME (in Japanese)</i> , 2019, 85, 19-00247-19-00247.	0.2	0

#	ARTICLE	IF	CITATIONS
19	Effect of Curing Conditions on Strength for CFRP Single Lap Adhesive Joint Using Epoxy Resin Adhesive. Journal of the Japan Society for Composite Materials, 2019, 45, 91-97.	0.2	0
20	Effect of Molding Condition on the Resin Impregnation and Mechanical Properties of Plain-Woven Carbon Fabric Reinforced Thermoplastic Polyimide Composites. Journal of the Japan Society for Composite Materials, 2019, 45, 236-241.	0.2	0
21	Experimental and analytical investigation on resin impregnation behavior in continuous carbon fiber reinforced thermoplastic polyimide composites. Mechanics of Advanced Materials and Modern Processes, 2018, 4, .	2.2	9
22	Effect of argon ion-implantation on mechanical and degradation properties of bulk-shaped poly(lactic acid) composites. Journal of Applied Polymer Science, 2018, 141, 46017.	0.5	1
23	Effect of Ca or Mg ion irradiation on the bioactivity and strength of hydroxyapatite. Journal of Biomechanical Science and Engineering, 2018, 13, 18-00036-18-00036.	0.3	1
24	Accelerated thermo-oxidative aging for carbon fiber reinforced polycyanate under high pressure atmosphere. Advanced Composite Materials, 2017, 26, 451-464.	1.9	4
25	Resin impregnation behavior in carbon fiber reinforced polyamide 6 composite: Effects of yarn thickness, fabric lamination and sizing agent. Composites Part A: Applied Science and Manufacturing, 2017, 101, 283-289.	7.6	31
26	Effects of initial crystallinity and molecular orientation on hydrolysis and mechanical properties of self-reinforced poly(lactic acid) screws. Mechanical Engineering Journal, 2016, 3, 15-00629-15-00629.	0.4	2
27	Effect of interphase properties on fracture behavior of TCP/PLA composites. Advanced Composite Materials, 2016, 25, 95-104.	1.9	1
28	Experimental characterization of damage behavior in polycyanate CFRP laminates under high temperature atmospheric exposure. Advanced Composite Materials, 2016, 25, 229-251.	1.9	2
29	The identification of damage types in carbon fiber-reinforced plastic cross-ply laminates using a novel fiber-optic acoustic emission sensor. Structural Health Monitoring, 2016, 15, 93-103.	7.5	23
30	Effect of extrusion drawing and twist-orientation on mechanical properties of self-reinforced poly(lactic acid) screws. Advanced Composite Materials, 2016, 25, 443-456.	1.9	2
31	Effect of long-term thermo-oxidative aging on weight and fracture toughness of polycyanate neat resin. Advanced Composite Materials, 2016, 25, 471-485.	1.9	4
32	Pulse electric current sintering of hydroxyapatite/ $\beta$ -tricalcium phosphate composites. Advanced Composite Materials, 2016, 25, 557-565.	1.9	1
33	Fracture behavior of wasted activated carbon powder composites. Advanced Composite Materials, 2016, 25, 375-384.	1.9	2
34	Mechanical Property Prediction of Self-reinforced Poly(lactic acid) Screw with Analytical and Experimental Approaches. The Proceedings of Mechanical Engineering Congress Japan, 2016, 2016, J0450103.	0.0	0
35	Transverse properties of hemp/PLA composite fabricated with micro-braiding technique. Advanced Composite Materials, 2015, 24, 509-518.	1.9	5
36	Effect of long-term high-temperature atmospheric exposure on damage progress and mechanical properties for carbon fiber/polycyanate 90° unidirectional composites. Advanced Composite Materials, 2015, 24, 105-123.	1.9	6

#	ARTICLE	IF	CITATIONS
37	Effects of MgO addition on sintering of calcium phosphate ceramics and composites. <i>Advanced Composite Materials</i> , 2015, 24, 137-146.	1.9	1
38	Prediction of stress-strain curves for TCP/PLLA composites: effect of hydrolysis and strain rate. <i>Advanced Composite Materials</i> , 2015, 24, 125-136.	1.9	4
39	Acoustic emission detection and position identification of transverse cracks in carbon fiber reinforced plastic laminates by using a novel optical fiber ultrasonic sensing system. <i>Structural Health Monitoring</i> , 2015, 14, 205-213.	7.5	29
40	Effect of drawing condition on mechanical properties and molecular orientation of self-reinforced poly(lactic acid) screws. <i>Advanced Composite Materials</i> , 2015, 24, 91-103.	1.9	7
41	Effect of phosphorous ion implantation on the mechanical properties and bioactivity of hydroxyapatite. <i>Journal of Materials Science: Materials in Medicine</i> , 2015, 26, 5351.	3.6	1
42	Effect of surface modification of $\beta$ -tricalcium phosphate on mechanical properties of poly(L-lactic acid) composites. <i>Journal of Materials Science: Materials in Medicine</i> , 2015, 26, 5351.	1.9	1
43	OS20-8 Effect of Ion Irradiation on Bioactivity of Hydroxyapatite (Experimental biomechanics and) of ATEM International Conference on Advanced Technology in Experimental Mechanics Asian Conference on Experimental Mechanics, 2015, 2015.14, 258.	0.0	0
44	The effect of long-term exposure to high temperature atmosphere on weight change and damage progress in carbon fiber-reinforced polycyanate ester composites. <i>Advanced Composite Materials</i> , 2014, 23, 1-16.	1.9	7
45	Processing and characterization of hemp fiber textile composites with micro-braiding technique. <i>Composites Part A: Applied Science and Manufacturing</i> , 2014, 59, 1-8.	7.6	17
46	Characterization of mechanical properties and bioactivity of hydroxyapatite/ $\beta$ -tricalcium phosphate composites. <i>Advanced Composite Materials</i> , 2014, 23, 163-177.	1.9	25
47	Analytical prediction of hydrolysis behavior of tricalcium phosphate/poly-L-lactic acid composites in simulated body environment. <i>Advanced Composite Materials</i> , 2014, 23, 211-223.	1.9	9
48	Experimental and numerical characterization of resin impregnation behavior in textile composites fabricated with micro-braiding technique. <i>Mechanical Engineering Journal</i> , 2014, 1, SMM0031-SMM0031.	0.4	2
49	Effect of in vitro hydrolysis on the compressive behavior and strain rates dependence of tricalcium phosphate/poly(L-lactic acid) composites. <i>Advanced Composite Materials</i> , 2013, 22, 1-11.	1.9	4
50	Processing of unidirectional hemp fiber reinforced composites with micro-braiding technique. <i>Composites Part A: Applied Science and Manufacturing</i> , 2013, 46, 173-179.	7.6	44
51	Damage Behavior of Hemp Fiber Reinforced Poly(L-Lactic Acid) Composites under Fatigue Loading. <i>Journal of Solid Mechanics and Materials Engineering</i> , 2013, 7, 317-323.	0.5	7
52	Effect of Molding Condition on the Mechanical Properties of Bamboo-Rayon Continuous Fiber/Poly(Lactic Acid) Composites. <i>Advanced Composite Materials</i> , 2012, 21, 79-90.	1.9	16
53	Resin Impregnation Behavior in Processing of Unidirectional Carbon Fiber Reinforced Thermoplastic Composites. <i>Advanced Composite Materials</i> , 2012, 21, 91-102.	1.9	15
54	Mechanical and thermal properties and water absorption of jute fiber reinforced poly(butylene) terephthalate composites. <i>Journal of Materials Science: Materials in Medicine</i> , 2012, 23, 1-16.	1.9	10

#	ARTICLE	IF	CITATIONS
55	Interfacial, Mechanical and Thermal Properties of Coir Fiber-Reinforced Poly(Lactic Acid) Biodegradable Composites. <i>Advanced Composite Materials</i> , 2012, 21, 103-122.	1.9	56
56	Analytical prediction of resin impregnation behavior during processing of unidirectional fiber reinforced thermoplastic composites considering pressure fluctuation. <i>Advanced Composite Materials</i> , 2012, 21, 425-432.	1.9	8
57	Mechanical properties and fracture behavior of nonwoven fabric reinforced plastics for rehabilitation of sewage pipes. <i>Advanced Composite Materials</i> , 2012, 21, 413-423.	1.9	6
58	Biodegradation of Poly(lactic acid)/ Poly(butylene succinate) Polymer Blends. <i>Journal of Environment and Engineering</i> , 2011, 6, 861-868.	0.2	4
59	Mechanical and Thermal Properties of Short Coir Fibre Reinforced Poly(Butylene Succinate) Biodegradable Composites. <i>Journal of Solid Mechanics and Materials Engineering</i> , 2011, 5, 251-262.	0.5	20
60	Degradation Properties of PLA/PBSU Polymer Blend Films. <i>Nihon Kikai Gakkai Ronbunshu, A Hen/Transactions of the Japan Society of Mechanical Engineers, Part A</i> , 2010, 76, 1514-1519.	0.2	1
61	Effect of Lamination Thickness on the Damage Behavior in FW-CFRP Composite Pipes Subjected to Out-of Plane Loading. <i>Journal of the Japan Society for Composite Materials</i> , 2010, 36, 138-150.	0.2	1
62	Bending and Compressive Properties of Crystallized TCP/PLLA Composites. <i>Advanced Composite Materials</i> , 2009, 18, 287-295.	1.9	9
63	Effect of hydrolysis on mechanical properties of tricalcium phosphate/poly-L-lactide composites. <i>Journal of Materials Science: Materials in Medicine</i> , 2009, 20, 379-386.	3.6	14
64	Interfacial Shear Strength Evaluation of Jute/Poly(Lactic Acid). <i>Journal of Solid Mechanics and Materials Engineering</i> , 2009, 3, 1063-1070.	0.5	4
65	Mechanical Properties of Plain Woven CFRP Laminates at Intermediate Strain Rate. <i>Nihon Kikai Gakkai Ronbunshu, A Hen/Transactions of the Japan Society of Mechanical Engineers, Part A</i> , 2009, 75, 1359-1367.	0.2	1
66	Effect of Strain Rate on the Mechanical Properties of Crystallized Poly(L-lactide). <i>Journal of Biomechanical Science and Engineering</i> , 2008, 3, 453-460.	0.3	2
67	Effects of Crystallinity on the Mechanical Properties of TCP/PLLA Composites. <i>Journal of Solid Mechanics and Materials Engineering</i> , 2008, 2, 1232-1241.	0.5	3
68	Biodegradation and Mechanical Properties of Poly(lactic acid)/Poly(butylene succinate) Blends. <i>Journal of Solid Mechanics and Materials Engineering</i> , 2008, 2, 15-24.	0.5	4
69	The Effect of Hydrolysis on the Mechanical Properties of Injection-Molded Poly(L-lactic acid). <i>Journal of Solid Mechanics and Materials Engineering</i> , 2008, 2, 8-14.	0.5	6
70	Effect of Heat Treatment on Mechanical and Fracture Properties of Poly (lactic acid)/Poly (butylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 Mechanical Engineers, Part A, 2007, 73, 589-594.	0.2	3
71	Burst strength evaluation of the FW-CFRP hybrid composite pipes considering plastic deformation of the liner. <i>Composites Part A: Applied Science and Manufacturing</i> , 2007, 38, 1344-1353.	7.6	36
72	Evaluation of burst strength of FW-FRP composite pipes after impact using pitch-based low-modulus carbon fiber. <i>Composites Part A: Applied Science and Manufacturing</i> , 2006, 37, 2002-2010.	7.6	38

#	ARTICLE	IF	CITATIONS
73	Experimental and Analytical Characterization of .BETA.-Tricalcium Phosphate Particle Reinforced Poly-L-Lactide Composites. JSME International Journal Series A-Solid Mechanics and Material Engineering, 2006, 49, 314-320.	0.4	9
74	AE Monitoring of Microdamages in Bioceramics for Artificial Joints under Simulated Body Environment. JSME International Journal Series A-Solid Mechanics and Material Engineering, 2006, 49, 11-14.	0.4	1
75	The effect of pressure during sintering on the strength and the fracture toughness of hydroxyapatite ceramics. Journal of Materials Science: Materials in Medicine, 2006, 17, 1089-1093.	3.6	39
76	AE Characterization of Fracture Behavior in Bioceramics under Simulated Body Environment. JSME International Journal Series A-Solid Mechanics and Material Engineering, 2003, 46, 348-352.	0.4	3
77	Evaluation of Intralaminar Fracture Toughness of CFRP Laminates. The Proceedings of the JSME Annual Meeting, 2003, 2003.1, 349-350.	0.0	0
78	Effects of Fiber Surface Morphology on Fiber/Matrix Interfacial Tensile Strength. Proceedings of the 1992 Annual Meeting of JSME/MMD, 2003, 2003, 107-108.	0.0	0
79	Evaluation of Bending Strength of Ceramic Matrix Textile. Proceedings of the 1992 Annual Meeting of JSME/MMD, 2002, 2002, 111-112.	0.0	0
80	236 Experimental Characterization of Thermal Shock Fracture Behavior in Ceramic Materials. The Proceedings of the JSME Materials and Processing Conference (M&P), 2002, 10.2, 291-296.	0.1	0
81	238 AE Characterization of Fracture Behavior in Bioceramics under Simulated Body Environment. The Proceedings of the JSME Materials and Processing Conference (M&P), 2002, 10.2, 303-306.	0.1	0
82	Effect of embedded SMA fibers on the damage progress in composite laminate. Journal of Materials Science Letters, 2001, 20, 1139-1141.	0.5	2
83	Effect of Matrix Resin Characteristics on the Fracture Behavior for Plain-Woven Carbon Fiber Reinforced Plastics fabricated by Vacuum Assisted Resin Transfer Molding. Advanced Composite Materials, 0, , 1-14.	1.9	0
84	Fracture analysis of A6063-T6 materials used as liner of composite overwrapped and type I pressure vessels under internal pressure. Advanced Composite Materials, 0, , 1-13.	1.9	0