

# Armida Mucci

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5361131/publications.pdf>

Version: 2024-02-01

171  
papers

6,291  
citations

61984

43  
h-index

79698

73  
g-index

195  
all docs

195  
docs citations

195  
times ranked

6268  
citing authors

#	ARTICLE	IF	CITATIONS
1	Negative symptoms in First-Episode Schizophrenia related to morphometric alterations in orbitofrontal and superior temporal cortex: the OPTiMISE study. <i>Psychological Medicine</i> , 2023, 53, 3471-3479.	4.5	6
2	European Validation of the Self-Evaluation of Negative Symptoms (SNS): A Large Multinational and Multicenter Study. <i>Frontiers in Psychiatry</i> , 2022, 13, 826465.	2.6	13
3	Joint structural-functional magnetic resonance imaging features are associated with diagnosis and real-world functioning in patients with schizophrenia. <i>Schizophrenia Research</i> , 2022, 240, 193-203.	2.0	4
4	The Cognitive Assessment Interview (CAI): Association with neuropsychological scores and real-life functioning in a large sample of Italian subjects with schizophrenia. <i>Schizophrenia Research</i> , 2022, 241, 161-170.	2.0	5
5	Negative Symptom Domains in Children and Adolescents at Ultra-High Risk for Psychosis: Association With Real-Life Functioning. <i>Schizophrenia Bulletin Open</i> , 2022, 3, .	1.7	4
6	Scalability of the Positive and Negative Syndrome Scale in first-episode schizophrenia assessed by Rasch models. <i>Acta Psychiatrica Scandinavica</i> , 2022, 146, 21-35.	4.5	4
7	Special Report on the Impact of the COVID-19 Pandemic on Clinical EEG and Research and Consensus Recommendations for the Safe Use of EEG. <i>Clinical EEG and Neuroscience</i> , 2021, 52, 3-28.	1.7	13
8	Can IQ moderate the response to cognitive remediation in people with schizophrenia?. <i>Journal of Psychiatric Research</i> , 2021, 133, 38-45.	3.1	12
9	Symptom Remission and Brain Cortical Networks at First Clinical Presentation of Psychosis: The OPTiMISE Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 444-455.	4.3	9
10	Identification and management of cardiometabolic risk in subjects with schizophrenia spectrum disorders: A Delphi expert consensus study. <i>European Psychiatry</i> , 2021, 64, e7.	0.2	15
11	EPA guidance on treatment of negative symptoms in schizophrenia. <i>European Psychiatry</i> , 2021, 64, e21.	0.2	70
12	Autism Rating Scale: A New Tool for Characterizing the Schizophrenia Phenotype. <i>Frontiers in Psychiatry</i> , 2021, 12, 622359.	2.6	7
13	Exploring the role of age as a moderator of cognitive remediation for people with schizophrenia. <i>Schizophrenia Research</i> , 2021, 228, 29-35.	2.0	11
14	P.307 Resting state MRI functional connectivity and negative symptoms in subjects with schizophrenia. <i>European Neuropsychopharmacology</i> , 2021, 44, S44-S45.	0.7	0
15	Factors Associated With Real-Life Functioning in Persons With Schizophrenia in a 4-Year Follow-up Study of the Italian Network for Research on Psychoses. <i>JAMA Psychiatry</i> , 2021, 78, 550.	11.0	89
16	EEG-Based Measures in At-Risk Mental State and Early Stages of Schizophrenia: A Systematic Review. <i>Frontiers in Psychiatry</i> , 2021, 12, 653642.	2.6	44
17	EPA guidance on assessment of negative symptoms in schizophrenia. <i>European Psychiatry</i> , 2021, 64, e23.	0.2	94
18	P.0589 Resting-state functional connectivity of the ventral tegmental area and negative symptoms in subjects with schizophrenia: a resting-state functional MRI study. <i>European Neuropsychopharmacology</i> , 2021, 53, S431-S432.	0.7	0

#	ARTICLE	IF	CITATIONS
19	Investigating the Relationships of P3b with Negative Symptoms and Neurocognition in Subjects with Chronic Schizophrenia. <i>Brain Sciences</i> , 2021, 11, 1632.	2.3	12
20	Gender Differences in Clinical and Psychosocial Features Among Persons With Schizophrenia: A Mini Review. <i>Frontiers in Psychiatry</i> , 2021, 12, 789179.	2.6	35
21	P.0592 Investigating the relationships of N100-P3b with symptom dimensions and cognitive impairments in subjects with chronic schizophrenia. <i>European Neuropsychopharmacology</i> , 2021, 53, S432-S433.	0.7	0
22	The interplay among psychopathology, personal resources, context-related factors and real-life functioning in schizophrenia: stability in relationships after 4 years and differences in network structure between recovered and non-recovered patients. <i>World Psychiatry</i> , 2020, 19, 81-91.	10.4	96
23	P.778 Electrophysiological indices and expressive deficit domain of negative symptoms in subjects with schizophrenia. <i>European Neuropsychopharmacology</i> , 2020, 40, S442.	0.7	0
24	P.779 Multivariate investigations of electrophysiological indices for the diagnosis and prognosis of schizophrenia. <i>European Neuropsychopharmacology</i> , 2020, 40, S442-S443.	0.7	0
25	Treating Schizophrenia: Open Conversations and Stronger Relationships Through Psychoeducation and Shared Decision-Making. <i>Frontiers in Psychiatry</i> , 2020, 11, 761.	2.6	9
26	Abnormal bodily experiences detected by Abnormal Bodily Phenomena questionnaire are more frequent and severe in schizophrenia than in bipolar disorder with psychotic features. <i>European Psychiatry</i> , 2020, 63, e49.	0.2	5
27	Rasch analysis of the PANSS negative subscale and exploration of negative symptom trajectories in first-episode schizophrenia – data from the OPTiMiSE trial. <i>Psychiatry Research</i> , 2020, 289, 112970.	3.3	11
28	Negative Symptoms of Schizophrenia and Dopaminergic Transmission: Translational Models and Perspectives Opened by iPSC Techniques. <i>Frontiers in Neuroscience</i> , 2020, 14, 632.	2.8	17
29	Schizophrenia and “unmet needs”: From diagnosis to care in Italy. <i>European Psychiatry</i> , 2020, 63, e26.	0.2	9
30	Persistent negative symptoms in recent-onset psychosis: Relationship to treatment response and psychosocial functioning. <i>European Neuropsychopharmacology</i> , 2020, 34, 76-86.	0.7	30
31	Neurobiology of Schizophrenia: Electrophysiological Indices. , 2019, , 433-459.		2
32	A large European, multicenter, multinational validation study of the Brief Negative Symptom Scale. <i>European Neuropsychopharmacology</i> , 2019, 29, 947-959.	0.7	60
33	Neuroimaging and Psychopathological Domains. , 2019, , 57-155.		3
34	White matter structural connectivity abnormalities in subjects with deficit schizophrenia: A diffusion tensor imaging study. <i>European Neuropsychopharmacology</i> , 2019, 29, S110.	0.7	0
35	17.2 NEGATIVE SYMPTOMS IN THE OPTiMiSE COHORT: PREDICTION OF SHORT-TERM REMISSION STATE AND ASSOCIATION WITH PSYCHOSOCIAL FUNCTIONING. <i>Schizophrenia Bulletin</i> , 2019, 45, S116-S116.	4.3	0
36	Academic and social functioning in early life epochs in schizophrenia patients and first-degree unaffected relatives. <i>European Neuropsychopharmacology</i> , 2019, 29, S336.	0.7	0

#	ARTICLE	IF	CITATIONS
37	A feasibility, acceptability and validation study of the Italian Version of a new cognitive remediation program for psychotic patients – CIRCuiTS. <i>European Neuropsychopharmacology</i> , 2019, 29, S318-S319.	0.7	0
38	Disorganization and cognitive impairment in schizophrenia: New insights from electrophysiological findings. <i>International Journal of Psychophysiology</i> , 2019, 145, 99-108.	1.0	23
39	&lt;p&gt;The Efficacy, Feasibility And Acceptability Of A Remotely Accessible Use Of CIRCuiTS, A Computerized Cognitive Remediation Therapy Program For Schizophrenia: A Pilot Study&lt;p&gt;. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 3103-3113.	2.2	6
40	Network Analysis Reveals the Latent Structure of Negative Symptoms in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019, 45, 1033-1041.	4.3	88
41	Assessment of de novo copy-number variations in Italian patients with schizophrenia: Detection of putative mutations involving regulatory enhancer elements. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 126-136.	2.6	12
42	Cross-cultural Validation of the 5-Factor Structure of Negative Symptoms in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019, 45, 305-314.	4.3	99
43	Functional connectivity of the ventral tegmental area and avolition in subjects with schizophrenia: a resting state functional MRI study. <i>European Neuropsychopharmacology</i> , 2018, 28, 589-602.	0.7	32
44	Interplay Among Psychopathologic Variables, Personal Resources, Context-Related Factors, and Real-life Functioning in Individuals With Schizophrenia. <i>JAMA Psychiatry</i> , 2018, 75, 396.	11.0	214
45	Electrophysiological and Neuroimaging Research on Negative Symptoms: Future Challenges. <i>Clinical EEG and Neuroscience</i> , 2018, 49, 3-5.	1.7	1
46	Negative symptoms of schizophrenia: new developments and unanswered research questions. <i>Lancet Psychiatry</i> , 2018, 5, 664-677.	7.4	316
47	Familial aggregation of MATRICS Consensus Cognitive Battery scores in a large sample of outpatients with schizophrenia and their unaffected relatives. <i>Psychological Medicine</i> , 2018, 48, 1359-1366.	4.5	37
48	Avolition-Apathy and White Matter Connectivity in Schizophrenia: Reduced Fractional Anisotropy Between Amygdala and Insular Cortex. <i>Clinical EEG and Neuroscience</i> , 2018, 49, 55-65.	1.7	31
49	Impact of Reward and Loss Anticipation on Cognitive Control: An Event-Related Potential Study in Subjects With Schizophrenia and Healthy Controls. <i>Clinical EEG and Neuroscience</i> , 2018, 49, 46-54.	1.7	8
50	T206. DOES AGE INFLUENCE RESPONSE TO COGNITIVE REMEDIATION?. <i>Schizophrenia Bulletin</i> , 2018, 44, S196-S197.	4.3	0
51	F114. DISORGANIZATION AND COGNITIVE DYSFUNCTIONS IN SCHIZOPHRENIA: A STUDY OF RESTING STATE EEG. <i>Schizophrenia Bulletin</i> , 2018, 44, S264-S264.	4.3	0
52	Experimental and Theoretical Investigation of Intercalation and Molecular Structure of Organo-Iron Complexes in Montmorillonite. <i>Journal of Physical Chemistry C</i> , 2018, 122, 25422-25432.	3.1	11
53	Acute Effects of Music Therapy in Subjects With Psychosis During Inpatient Treatment. <i>Psychiatry (New York)</i> , 2018, 81, 218-227.	0.7	16
54	Neurophysiological correlates of Avolition-apaty in schizophrenia: A resting-EEG microstates study. <i>NeuroImage: Clinical</i> , 2018, 20, 627-636.	2.7	39

#	ARTICLE	IF	CITATIONS
55	Untangling the Factors Contributing to Functional Outcome in Schizophreniaâ€”Reply. <i>JAMA Psychiatry</i> , 2018, 75, 754.	11.0	4
56	Premorbid academic and social functioning in patients with schizophrenia and its associations with negative symptoms and cognition. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 253-266.	4.5	44
57	Amisulpride and olanzapine followed by open-label treatment with clozapine in first-episode schizophrenia and schizophreniform disorder (OPTiMiSE): a three-phase switching study. <i>Lancet Psychiatry</i> , 2018, 5, 797-807.	7.4	141
58	31.3 CLINICAL UTILITY OF MRI SCANNING IN FIRST EPISODE PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018, 44, S50-S51.	4.3	2
59	F111. ELECTROPHYSIOLOGICAL CORRELATES OF AVOLITION-APATHY DOMAIN IN SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018, 44, S263-S263.	4.3	0
60	Primary and persistent negative symptoms: Concepts, assessments and neurobiological bases. <i>Schizophrenia Research</i> , 2017, 186, 19-28.	2.0	110
61	Primary, Enduring Negative Symptoms: An Update on Research. <i>Schizophrenia Bulletin</i> , 2017, 43, 730-736.	4.3	85
62	Resting state functional connectivity of the ventral tegmental area and avolition in subjects with schizophrenia. <i>European Neuropsychopharmacology</i> , 2017, 27, S67.	0.7	0
63	Neurocognitive Predictors of Social Cognition in Subjects with Schizophrenia and their First-degree Relatives. <i>European Psychiatry</i> , 2017, 41, S40-S40.	0.2	1
64	The Evolution of Negative Symptom Constructs. <i>European Psychiatry</i> , 2017, 41, S14-S15.	0.2	2
65	Applicability and Feasibility of the Italian Version of the Cognitive Remediation Program Circuits: A Pilot Study. <i>European Psychiatry</i> , 2017, 41, s786-s786.	0.2	0
66	Validation of the Italian Version of the â€œabnormal Bodily Phenomena Questionnaireâ€• in a Sample of Patients with Schizophrenia: Preliminary Data. <i>European Psychiatry</i> , 2017, 41, S80-S80.	0.2	0
67	The Impact of Premorbid Functioning on Outcome Indices in a Large Sample of Italian Patients with Schizophrenia. <i>European Psychiatry</i> , 2017, 41, S96-S96.	0.2	0
68	Effects of chronic antipsychotic treatment on neurophysiological correlates of the auditory oddball task in schizophrenia: A preliminary report from a multicentre study. <i>European Psychiatry</i> , 2017, 41, S192-S192.	0.2	0
69	VTA-insula Connectivity and Avolition in Subjects with Schizophrenia. <i>European Psychiatry</i> , 2017, 41, S57-S57.	0.2	0
70	Functional connectivity of the ventral tegmental area and avolition in schizophrenia: A resting state functional MRI study. <i>European Psychiatry</i> , 2017, 41, S196-S196.	0.2	0
71	Characterization of different subtypes of schizophrenia: Premorbid functioning, neurophysiological differences, functional outcomes. <i>European Psychiatry</i> , 2017, 41, S52.	0.2	0
72	Electrophysiological Correlates of Negative Symptom Domains in Schizophrenia. <i>European Psychiatry</i> , 2017, 41, S96-S97.	0.2	0

#	ARTICLE	IF	CITATIONS
73	Disorganization in Schizophrenia: A Resting EEG Study. <i>European Psychiatry</i> , 2017, 41, S100-S100.	0.2	0
74	Cognitive Dysfunctions in the Psychoses and their Impact on Patients's Social Functioning. <i>European Psychiatry</i> , 2017, 41, S48-S48.	0.2	0
75	A Hybrid Effectiveness-implementation Trial of Wellness Self-management Program for Patients with Severe Mental Illness in an Italian Day Hospital Setting. <i>European Psychiatry</i> , 2017, 41, S96-S96.	0.2	0
76	Personal resources and depression in schizophrenia: The role of self-esteem, resilience and internalized stigma. <i>Psychiatry Research</i> , 2017, 256, 359-364.	3.3	49
77	The relationships of personal resources with symptom severity and psychosocial functioning in persons with schizophrenia: results from the Italian Network for Research on Psychoses study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 285-294.	3.2	33
78	Resilience in people with schizophrenia. Results from the Italian Network for Research on Psychoses. <i>European Journal of Public Health</i> , 2017, 27, .	0.3	1
79	SoCIAL &ndash; training cognition in schizophrenia: a pilot study. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 1947-1956.	2.2	12
80	Negative symptoms domains: pathways to functional outcome in schizophrenia. <i>European Neuropsychopharmacology</i> , 2016, 26, S123.	0.7	0
81	Neurophysiological correlates of negative symptom domains: an auditory oddball study in schizophrenia. <i>European Neuropsychopharmacology</i> , 2016, 26, S506-S507.	0.7	1
82	Electrophysiological mechanisms underlying ERP amplitude reduction in patients with schizophrenia: A time-frequency analysis. <i>European Psychiatry</i> , 2016, 33, S104-S104.	0.2	0
83	The social cognition individualized activities lab: Implementation of a new remediation intervention for social cognition. <i>European Psychiatry</i> , 2016, 33, S567-S567.	0.2	0
84	Neurophysiological correlates of negative symptom domains in patients with schizophrenia. <i>European Psychiatry</i> , 2016, 33, s265-s265.	0.2	0
85	A multicentric study on cognitive functions in a large sample of patients with schizophrenia and their unaffected first-degree relatives. <i>European Psychiatry</i> , 2016, 33, s244-s244.	0.2	0
86	A comprehensive systematic screening protocol for assessment of medical comorbidities in schizophrenia. <i>European Psychiatry</i> , 2016, 33, S574-S574.	0.2	0
87	Relationships between neurocognition, social cognition and functional outcome in schizophrenia. <i>European Psychiatry</i> , 2016, 33, S67-S67.	0.2	1
88	Social cognition in people with schizophrenia: a cluster-analytic approach. <i>Psychological Medicine</i> , 2016, 46, 2717-2729.	4.5	65
89	Pathways to functional outcome in subjects with schizophrenia living in the community and their unaffected first-degree relatives. <i>Schizophrenia Research</i> , 2016, 175, 154-160.	2.0	66
90	Relation between EEG source functional connectivity and the negative symptom severity in schizophrenia: a preliminary report from a multicentre study. <i>European Psychiatry</i> , 2016, 33, s246-s246.	0.2	0

#	ARTICLE	IF	CITATIONS
91	Avolition in schizophrenia: associations with trait and state anhedonia. <i>European Psychiatry</i> , 2016, 33, s246-s246.	0.2	0
92	The second-generation assessment scales: Brief negative symptom scale and clinical assessment interview for negative symptoms. <i>European Psychiatry</i> , 2016, 33, S70-S70.	0.2	2
93	Reward anticipation and trait anhedonia: An electrophysiological investigation in subjects with schizophrenia. <i>Clinical Neurophysiology</i> , 2016, 127, 2149-2160.	1.5	45
94	Characterization of premorbid functioning during childhood in patients with deficit vs. non-deficit schizophrenia and in their healthy siblings. <i>Schizophrenia Research</i> , 2016, 174, 172-176.	2.0	25
95	Is avolition in schizophrenia associated with a deficit of dorsal caudate activity? A functional magnetic resonance imaging study during reward anticipation and feedback. <i>Psychological Medicine</i> , 2015, 45, 1765-1778.	4.5	108
96	Reward Anticipation and Negative Symptoms in Schizophrenia: an Electrophysiological Investigation. <i>European Psychiatry</i> , 2015, 30, 280.	0.2	0
97	Neurobiological background of negative symptoms. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 543-558.	3.2	81
98	The Brief Negative Symptom Scale (BNSS): Independent validation in a large sample of Italian patients with schizophrenia. <i>European Psychiatry</i> , 2015, 30, 641-647.	0.2	114
99	Negative Symptoms in Schizophrenia. <i>Clinical Schizophrenia and Related Psychoses</i> , 2014, 8, 28-35B.	1.4	19
100	The influence of illness-related variables, personal resources and context-related factors on real-life functioning of people with schizophrenia. <i>World Psychiatry</i> , 2014, 13, 275-287.	10.4	346
101	The Specific Level of Functioning Scale: Construct validity, internal consistency and factor structure in a large Italian sample of people with schizophrenia living in the community. <i>Schizophrenia Research</i> , 2014, 159, 144-150.	2.0	64
102	Electrophysiological Aberrations Associated with Negative Symptoms in Schizophrenia. <i>Current Topics in Behavioral Neurosciences</i> , 2014, 21, 129-156.	1.7	32
103	Physiological Correlates of Positive Symptoms in Schizophrenia. <i>Current Topics in Behavioral Neurosciences</i> , 2014, 21, 103-128.	1.7	13
104	EPA-1469 "Neurocognitive training and functional outcome: is there any evidence of a direct relationship. <i>European Psychiatry</i> , 2014, 29, 1.	0.2	0
105	Neurocognitive individualized training versus social skills individualized training: A randomized trial in patients with schizophrenia. <i>Schizophrenia Research</i> , 2013, 150, 69-75.	2.0	24
106	Categorical and dimensional approaches to negative symptoms of schizophrenia: Focus on long-term stability and functional outcome. <i>Schizophrenia Research</i> , 2013, 147, 157-162.	2.0	148
107	Persistent negative symptoms in first episode patients with schizophrenia: Results from the European First Episode Schizophrenia Trial. <i>European Neuropsychopharmacology</i> , 2013, 23, 196-204.	0.7	137
108	Impulsiveness in Patients with Bulimia Nervosa: Electrophysiological Evidence of Reduced Inhibitory Control. <i>Neuropsychobiology</i> , 2013, 68, 116-123.	1.9	8

#	ARTICLE	IF	CITATIONS
109	Dorsolateral prefrontal cortex volume in patients with deficit or nondeficit schizophrenia. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2012, 37, 264-269.	4.8	30
110	Effects of antipsychotics on cognitive functions: an ERP study in healthy controls. European Psychiatry, 2011, 26, 1267-1267.	0.2	1
111	Perception of body shape in bulimia nervosa: An ERP study. European Psychiatry, 2011, 26, 741-741.	0.2	0
112	Survival from coma induced by an intentional 36-g overdose of extended-release quetiapine. Drug and Chemical Toxicology, 2011, 34, 475-477.	2.3	5
113	Social skills vs. Neurocognitive training in psychotic patients. European Psychiatry, 2011, 26, 1475-1475.	0.2	1
114	Neurocognitive functioning in bulimia nervosa: the role of neuroendocrine, personality and clinical aspects. Psychological Medicine, 2011, 41, 839-848.	4.5	26
115	Social skills and neurocognitive individualized training in schizophrenia: comparison with structured leisure activities. European Archives of Psychiatry and Clinical Neuroscience, 2010, 260, 305-315.	3.2	47
116	NRG1 and BDNF genes in schizophrenia: An association study in an Italian case-control sample. Psychiatry Research, 2010, 176, 82-84.	3.3	24
117	Evidence-Based Medicine and Electrophysiology in Schizophrenia. Clinical EEG and Neuroscience, 2009, 40, 62-77.	1.7	85
118	Oxytocin receptor polymorphisms and adult attachment style in patients with depression. Psychoneuroendocrinology, 2009, 34, 1506-1514.	2.7	221
119	Mutation analysis of oxytocin gene in individuals with adult separation anxiety. Psychiatry Research, 2009, 168, 87-93.	3.3	21
120	Correlates of cognitive impairment in first episode schizophrenia: The EUFEST study. Schizophrenia Research, 2009, 115, 104-114.	2.0	102
121	Ala147Thr substitution in translocator protein is associated with adult separation anxiety in patients with depression. Psychiatric Genetics, 2009, 19, 110-111.	1.1	56
122	Cerebral connectivity and psychotic personality traits. European Archives of Psychiatry and Clinical Neuroscience, 2008, 258, 292-299.	3.2	23
123	Alexithymia and Cognitive Dysfunctions in Patients with Panic Disorder. Psychotherapy and Psychosomatics, 2008, 77, 182-188.	8.8	66
124	ERP changes induced by antipsychotic drugs. European Psychiatry, 2008, 23, S78.	0.2	0
125	Social skills and neurocognitive individualized training in patients with schizophrenia. European Psychiatry, 2008, 23, S137-S138.	0.2	0
126	Cognitive-enhancing effects of aripiprazole: a case report. Clinical Practice and Epidemiology in Mental Health, 2008, 4, 24.	1.2	12



#	ARTICLE	IF	CITATIONS
127	Patterns of Structural MRI Abnormalities in Deficit and Nondeficit Schizophrenia. <i>Schizophrenia Bulletin</i> , 2007, 34, 393-401.	4.3	85
128	Induced Gamma Activity and Event-Related Coherence in Schizophrenia. <i>Clinical EEG and Neuroscience</i> , 2007, 38, 96-104.	1.7	57
129	The cortical generators of P3a and P3b: A LORETA study. <i>Brain Research Bulletin</i> , 2007, 73, 220-230.	3.0	210
130	Topographic and tomographic EEG changes after a single oral dose of antipsychotic drugs in healthy young subjects. <i>European Psychiatry</i> , 2007, 22, S160-S161.	0.2	0
131	A psychophysiological investigation of emotional processing in subjects with panic disorder. <i>European Psychiatry</i> , 2007, 22, S289.	0.2	0
132	Double dissociation of N1 and P3 abnormalities in deficit and nondeficit schizophrenia. <i>Schizophrenia Research</i> , 2007, 92, 252-261.	2.0	57
133	Neurocognitive indices of executive hypercontrol in obsessive-compulsive disorder. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 380-387.	4.5	34
134	Sources of cortical rhythms in adults during physiological aging: A multicentric EEG study. <i>Human Brain Mapping</i> , 2006, 27, 162-172.	3.6	253
135	Pharmac-EEG in Psychiatry. <i>Clinical EEG and Neuroscience</i> , 2006, 37, 81-98.	1.7	59
136	Hemispheric lateralization patterns and psychotic experiences in healthy subjects. <i>Psychiatry Research - Neuroimaging</i> , 2005, 139, 141-154.	1.8	16
137	EEG microstate duration and syntax in acute, medication-naïve, first-episode schizophrenia: a multi-center study. <i>Psychiatry Research - Neuroimaging</i> , 2005, 138, 141-156.	1.8	316
138	Catechol-O-Methyltransferase Val <sup>158</sup> Met Polymorphism in Schizophrenia: Associations with Cognitive and Motor Impairment. <i>Neuropsychobiology</i> , 2005, 52, 83-89.	1.9	51
139	Modified nutritional counselling to increase motivation to treatment in anorexia nervosa. <i>European Psychiatry</i> , 2005, 20, 186-187.	0.2	48
140	Decrease of functional coupling between left and right auditory cortices during dichotic listening: An electroencephalography study. <i>Neuroscience</i> , 2005, 136, 323-332.	2.3	21
141	COMT Val158Met and BDNF C270T polymorphisms in schizophrenia: a case-control study. <i>Schizophrenia Research</i> , 2005, 73, 27-30.	2.0	42
142	Selected E-INSR 2004 Conference Presentation Abstracts. <i>Journal of Neurotherapy</i> , 2005, 9, 103-108.	0.9	0
143	Inhibition of auditory cortical responses to ipsilateral stimuli during dichotic listening: evidence from magnetoencephalography. <i>European Journal of Neuroscience</i> , 2004, 19, 2329-2336.	2.6	90
144	Executive hypercontrol in obsessive-compulsive disorder: electrophysiological and neuropsychological indices. <i>Clinical Neurophysiology</i> , 2004, 115, 1340-1348.	1.5	60

#	ARTICLE	IF	CITATIONS
145	Neurocognitive functioning in subjects with eating disorders: the influence of neuroactive steroids. <i>Biological Psychiatry</i> , 2003, 53, 921-927.	1.3	50
146	Historical, Psychopathological, Neurological, and Neuropsychological Aspects of Deficit Schizophrenia: A Multicenter Study. <i>American Journal of Psychiatry</i> , 2002, 159, 983-990.	7.2	127
147	Psychophysiology in psychiatry: new perspectives in the study of mental disorders. <i>World Psychiatry</i> , 2002, 1, 166-8.	10.4	4
148	Brain electrical microstates in subjects with panic disorder. <i>Brain Research Bulletin</i> , 2001, 54, 427-435.	3.0	15
149	Nramp1 gene affects selective early steps in macrophage-mediated anti-cryptococcal defense. <i>Medical Microbiology and Immunology</i> , 2001, 189, 209-216.	4.8	7
150	Brain Hemispheric Organization, Anxiety, and Psychoses. <i>CNS Spectrums</i> , 2000, 5, 58-69.	1.2	76
151	Emotions, Brain Development, and Psychopathologic Vulnerability. <i>CNS Spectrums</i> , 2000, 5, 44-48.	1.2	13
152	S21.02 Cognitive dysfunctions in psychotic patients: Relationship with symptoms and antipsychotic treatment. <i>European Psychiatry</i> , 2000, 15, 252s-252s.	0.2	0
153	â€˜Simple schizophreniaâ€™: a controlled MRI and clinical/neuropsychological study. <i>Psychiatry Research - Neuroimaging</i> , 1999, 91, 175-184.	1.8	16
154	Hemispheric asymmetry and psychopathological dimensions in drug-free patients with schizophrenia. <i>International Journal of Psychophysiology</i> , 1999, 34, 293-301.	1.0	38
155	EEG mapping before and after antipsychotic treatment in chronic and first-episode schizophrenics. <i>European Psychiatry</i> , 1998, 13, 197S-197S.	0.2	0
156	Quantitative EEG in Psychiatry: From Research to Clinical Applications. <i>European Psychiatry</i> , 1997, 12, 105s-105s.	0.2	0
157	Quantitative EEG reactivity to neuroleptic challenge in first-episode and chronic schizophrenics. <i>Biological Psychiatry</i> , 1997, 42, 64S.	1.3	1
158	Multilead quantitative EEG profile of clozapine in resting and vigilance-controlled conditions. <i>Psychiatry Research - Neuroimaging</i> , 1996, 67, 113-122.	1.8	24
159	Influence of Moclobemide on Cognitive Functions of Nine Depressed Patients: Pilot Trial with Neurophysiological and Neuropsychological Indices. <i>Neuropsychobiology</i> , 1996, 33, 48-54.	1.9	10
160	Neuropsychological Slowness in Obsessiveâ€“Compulsive Patients. <i>British Journal of Psychiatry</i> , 1995, 167, 394-398.	2.8	78
161	Levosulpiride: a review of its clinical use in psychiatry. <i>Pharmacological Research</i> , 1995, 31, 95-101.	7.1	40
162	QEEG alpha1 changes after a single dose of high-potency neuroleptics as a predictor of short-term response to treatment in schizophrenic patients. <i>Biological Psychiatry</i> , 1994, 35, 367-374.	1.3	50

#	ARTICLE	IF	CITATIONS
163	Haloperidol-Induced Changes of Computerized Electroencephalogram Topography in Drug-Free Schizophrenic Patients. , 1993, , 245-250.		0
164	Computerized EEG topography findings in schizophrenic patients before and after haloperidol treatment. International Journal of Psychophysiology, 1992, 13, 283-290.	1.0	35
165	Lateralization patterns of event-related potential and performance indices in schizophrenia: relationship to clinical state and neuroleptic treatment. International Journal of Psychophysiology, 1991, 10, 225-230.	1.0	13
166	Dynamic brain mapping methodology and application. International Journal of Psychophysiology, 1991, 10, 281-291.	1.0	21
167	CEEG mapping in drug-free schizophrenics. Schizophrenia Research, 1991, 6, 15-23.	2.0	56
168	C-EEG brain mapping in DSM-III schizophrenics after acute and chronic haloperidol treatment. European Neuropsychopharmacology, 1990, 1, 51-54.	0.7	15
169	Discrimination of Mode of Action of Anxiolytics using an Integrated Computer Data Bank and Dynamic Brain Mapping (CNS Effects of Diazepam and Lorazepam). International Clinical Psychopharmacology, 1989, 4, 273-284.	1.7	9
170	Lateralization patterns of verbal stimuli processing assessed by reaction time and event-related potentials in schizophrenic patients. International Journal of Psychophysiology, 1988, 6, 167-176.	1.0	19
171	Conditional Associative Learning in Drug-Free Schizophrenic Patients. Neuropsychobiology, 1987, 17, 30-34.	1.9	27