

David Roe

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5361671/david-roe-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

178
papers

5,390
citations

40
h-index

68
g-index

194
ext. papers

6,095
ext. citations

3.7
avg, IF

6
L-index

#	Paper	IF	Citations
178	The utility of patient-reported outcome measures in mental health.. <i>World Psychiatry</i> , 2022 , 21, 56-57	14.4	3
177	Exploring the relation between clinician ratings and patient-reported experience and outcomes.. <i>International Journal for Quality in Health Care</i> , 2022 , 34, ii98-ii104	1.9	0
176	Gender differences in quality of life and the course of schizophrenia: national study.. <i>BJPsych Open</i> , 2022 , 8, e35	5	0
175	Post-traumatic growth in psychosis: a systematic review and narrative synthesis. <i>BMC Psychiatry</i> , 2021 , 21, 607	4.2	5
174	Comparing outcome measures of persons with severe mental illness in vocational rehabilitation programs: a dual perspective of consumers and providers. <i>International Journal for Quality in Health Care</i> , 2021 , 33,	1.9	1
173	Implementation of NAVIGATE for first episode psychosis in Israel: Clients' characteristics, program utilization and ratings of change. <i>Microbial Biotechnology</i> , 2021 , 15, 1343-1348	3.3	2
172	The impact of illness identity on recovery from severe mental illness: A test of the model. <i>Journal of Clinical Psychology</i> , 2021 , 77, 2341-2352	2.8	0
171	Conceptualization and Study of Antipsychotic Medication Use: From Adherence to Patterns of Use. <i>Psychiatric Services</i> , 2021 , 72, 1464-1466	3.3	2
170	Metacognitive reflection and insight therapy in an inpatient setting: Transforming messianism to a coherent mission. <i>Journal of Clinical Psychology</i> , 2021 , 77, 1836-1850	2.8	5
169	Prospectively identifying adults with serious mental illness at risk for poor physical health: The role of person reported outcomes. <i>International Journal for Quality in Health Care</i> , 2021 , 33,	1.9	1
168	A systematic review of patient-reported outcome measurement (PROM) and provider assessment in mental health: goals, implementation, setting, measurement characteristics and barriers. <i>International Journal for Quality in Health Care</i> , 2021 , 33,	1.9	6
167	Patient-reported outcome measurements (PROMs) and provider assessment in mental health: a systematic review of the context of implementation. <i>International Journal for Quality in Health Care</i> , 2021 , 33,	1.9	8
166	Cultural Adaptation of the Illness Management and Recovery Intervention Among Israeli Arabs. <i>Psychiatric Services</i> , 2021 , 72, 848-852	3.3	5
165	Beliefs About the Causes of Psychosis Among Persons With Psychosis and Mental Health Professionals: A Scoping Review. <i>Psychiatric Services</i> , 2021 , 72, 1178-1192	3.3	1
164	The impact of COVID-19 on coordinated specialty care (CSC) for people with first episode psychosis (FEP): Preliminary observations, and recommendations, from the United States, Israel and China. <i>Counselling Psychology Quarterly</i> , 2020 , 1-24	2.5	3
163	Knowledge about, attitudes toward, and willingness to undergo electroconvulsive therapy among mental health patients, staff, and family members. <i>International Journal of Mental Health</i> , 2020 , 49, 215-228	1.4	0
162	The impact of illness identity on recovery from severe mental illness: A review of the evidence. <i>Psychiatry Research</i> , 2020 , 288, 112950	9.9	23

161	Applying the concept of metacognition in the field of psychiatric rehabilitation: An introduction to the special issue. <i>Psychiatric Rehabilitation Journal</i> , 2020 , 43, 271-274	2.4	
160	The scope and nature of prolonged social withdrawal in Israel: An initial quantitative and qualitative investigation. <i>International Journal of Social Psychiatry</i> , 2020 , 20764020984192	8.5	0
159	Concept and Model of Recovery 2020 , 57-70		2
158	Coping style is associated with parental distress beyond having a mental illness: A study among mothers with and without mental illness. <i>Psychiatric Rehabilitation Journal</i> , 2020 , 43, 170-173	2.4	1
157	Psychiatric Rehabilitation Journal in the era of COVID-19. <i>Psychiatric Rehabilitation Journal</i> , 2020 , 43, 83-84	2.4	2
156	Posttraumatic growth in psychosis: Challenges to the assumptive world. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2020 , 12, 3-10	7.8	5
155	Parental Efficacy Moderates the Association Between Empathy and Burden Among Parents of Children Admitted to a Psychiatric Ward. <i>Family Process</i> , 2020 , 59, 1664-1671	3.9	1
154	Film as an educational tool to train psychotherapists. <i>Journal of Clinical Psychology</i> , 2020 , 76, 1492-1503	2.8	
153	Impact of a Culturally Adapted Version of Illness Management and Recovery on Israeli Arabs With Serious Mental Illness. <i>Psychiatric Services</i> , 2020 , 71, 951-954	3.3	3
152	The use of the social skills performance assessment (SSPA) among persons with serious mental illness: psychometric assessment and network analysis. <i>Journal of Mental Health</i> , 2020 , 29, 541-548	2.7	2
151	Emotion identification among people with serious mental illnesses: The role of specific emotions and sex. <i>Psychiatry Research</i> , 2019 , 279, 378-379	9.9	2
150	A randomized-controlled trial of treatment for self-stigma among persons diagnosed with schizophrenia-spectrum disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019 , 54, 1363-1378	4.5	28
149	Disclosing Mental Illness During Dating: an Interpretative Phenomenological Analysis of the Partners' Experience. <i>International Journal of Mental Health and Addiction</i> , 2019 , 17, 1312-1327	8.8	1
148	Randomized Controlled Trial of Adjunctive Social Cognition and Interaction Training, Adjunctive Therapeutic Alliance Focused Therapy, and Treatment As Usual Among Persons With Serious Mental Illness. <i>Frontiers in Psychiatry</i> , 2019 , 10, 364	5	3
147	Post-traumatic growth in mental health recovery: qualitative study of narratives. <i>BMJ Open</i> , 2019 , 9, e029342	3	34
146	Illness representations among parents of children and adults with serious mental disorders: A systematic review and theoretical model. <i>European Psychiatry</i> , 2019 , 58, 27-37	6	6
145	Retrospective Accounts of the Process of Using and Discontinuing Psychiatric Medication. <i>Qualitative Health Research</i> , 2019 , 29, 198-210	3.9	8
144	Shared Decision Making for Psychiatric Rehabilitation Services Before Discharge from Psychiatric Hospitals. <i>Health Communication</i> , 2019 , 34, 631-637	3.2	19

143	Association of maternal exposure to terror attacks during pregnancy and the risk of schizophrenia in the offspring: A population-based study. <i>Schizophrenia Research</i> , 2018 , 199, 163-167	3.6	8
142	Re-building Trust after Physical Restraint During Involuntary Psychiatric Hospitalization. <i>Archives of Psychiatric Nursing</i> , 2018 , 32, 457-461	2.1	6
141	Quality of life disparities between persons with schizophrenia and their professional caregivers: Network analysis in a National Cohort. <i>Schizophrenia Research</i> , 2018 , 197, 109-115	3.6	6
140	Routine patient reported outcomes as predictors of psychiatric rehospitalization. <i>Schizophrenia Research</i> , 2018 , 192, 119-123	3.6	11
139	Posttraumatic growth among people with serious mental illness, psychosis and posttraumatic stress symptoms. <i>Comprehensive Psychiatry</i> , 2018 , 81, 1-9	7.3	14
138	Age of onset and quality of life among males and females with schizophrenia: A national study. <i>European Psychiatry</i> , 2018 , 53, 100-106	6	8
137	How Do Patients With Schizophrenia and Their Families Learn About the Diagnosis?. <i>Psychiatry (New York)</i> , 2018 , 81, 283-287	1	5
136	Subtle ways of stigmatization among professionals: The subjective experience of consumers and their family members. <i>Psychiatric Rehabilitation Journal</i> , 2018 , 41, 163-168	2.4	9
135	Personal recovery within positive psychiatry. <i>Nordic Journal of Psychiatry</i> , 2018 , 72, 420-430	2.3	24
134	An efficacy study of a metacognitive group intervention for people with schizophrenia. <i>Psychiatry Research</i> , 2018 , 270, 1150-1156	9.9	7
133	The interaction between sense of mastery, social support, and parental distress among mothers with and without serious mental illness. <i>Comprehensive Psychiatry</i> , 2018 , 87, 59-63	7.3	3
132	Attitudes towards motherhood of women with physical versus psychiatric disabilities. <i>Disability and Health Journal</i> , 2018 , 11, 612-617	4.2	2
131	Shared Decision Making During Active Psychiatric Hospitalization: Assessment and Psychometric Properties. <i>Health Communication</i> , 2017 , 32, 126-130	3.2	16
130	The effect of different terror exposures on the course of schizophrenia: A twenty-year follow-up of a random sample. <i>Schizophrenia Research</i> , 2017 , 189, 215-216	3.6	
129	Self-stigma, insight, and family burden among Israeli mothers of people with serious mental illness: Ethno-national considerations. <i>Transcultural Psychiatry</i> , 2017 , 54, 423-441	2.7	8
128	Individual Placement and Support (IPS): Possible Avenues to Maximize its Potential Benefits. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2017 , 44, 378-379	3.1	2
127	Recovery and serious mental illness: a review of current clinical and research paradigms and future directions. <i>Expert Review of Neurotherapeutics</i> , 2017 , 17, 1117-1130	4.3	85
126	Neuro-cognition and social cognition elements of social functioning and social quality of life. <i>Psychiatry Research</i> , 2017 , 258, 538-543	9.9	18

125	Noncompliance, Nonadherence, and Dropout: Outmoded Terms for Modern Recovery-Oriented Mental Health. <i>Psychiatric Services</i> , 2017 , 68, 1076-1078	3.3	12
124	A Qualitative Study Examining Experiences and Dilemmas in Concealment and Disclosure of People Living With Serious Mental Illness. <i>Qualitative Health Research</i> , 2017 , 27, 573-583	3.9	35
123	Relationship Between Psychiatric-Service Consumers' and Providers' Goal Concordance and Consumers' Personal Goal Attainment. <i>Psychiatric Services</i> , 2017 , 68, 1312-1314	3.3	9
122	Different Roads Lead to Rome: Exploring Patterns of Change among Narrative Enhancement and Cognitive Therapy (NECT) Participants. <i>Israel Journal of Psychiatry</i> , 2017 , 54, 62-70		1
121	Reasons for Discontinuing Attendance at a Group Intervention Among People With Serious Mental Illness. <i>Psychiatric Services</i> , 2016 , 67, 1043	3.3	5
120	Soldiers perpetrating or witnessing acts of humiliation: A community-based random sample study design.. <i>Peace and Conflict</i> , 2016 , 22, 84-90	1.8	5
119	Using Routine Outcome Measures to Provide Feedback at the Service Agency Level. <i>Community Mental Health Journal</i> , 2016 , 52, 1022-1032	2.1	5
118	Did it my way? <i>American Journal of Psychiatric Rehabilitation</i> , 2016 , 19, 23-27		
117	Integrative Psychotherapy for Schizophrenia: Its Potential for a Central Role in Recovery Oriented Treatment. <i>Journal of Clinical Psychology</i> , 2016 , 72, 117-22	2.8	11
116	The trees and the forest: mixed methods in the assessment of recovery based interventions' processes and outcomes in mental health. <i>Journal of Mental Health</i> , 2016 , 25, 543-549	2.7	12
115	Posttraumatic Growth in Psychosis. <i>Frontiers in Psychiatry</i> , 2016 , 7, 202	5	23
114	Having someone waiting for you outside: Transitions from psychiatric hospitalization to the community. <i>Psychosis</i> , 2016 , 8, 250-259	1.2	3
113	Self-clarity and different clusters of insight and self-stigma in mental illness. <i>Psychiatry Research</i> , 2016 , 240, 308-313	9.9	14
112	A strengths-based case management service for people with serious mental illness in Israel: A randomized controlled trial. <i>Psychiatry Research</i> , 2016 , 241, 182-9	9.9	12
111	Routine outcome measurement in mental health service consumers: who should provide support for the self-assessments?. <i>Evaluation and Program Planning</i> , 2015 , 50, 43-6	1.7	9
110	Implementing routine outcome measurement in psychiatric rehabilitation services in Israel. <i>International Review of Psychiatry</i> , 2015 , 27, 345-53	3.6	23
109	Interventions targeting mental health self-stigma: A review and comparison. <i>Psychiatric Rehabilitation Journal</i> , 2015 , 38, 171-178	2.4	138
108	Allowing for Psychosis to be Approachable and Understandable as a Human Experience: A Role for the Humanities in Psychotherapy Supervision. <i>American Journal of Psychotherapy</i> , 2015 , 69, 35-51	1.3	8

107	Stereotype endorsement, metacognitive capacity, and self-esteem as predictors of stigma resistance in persons with schizophrenia. <i>Comprehensive Psychiatry</i> , 2014 , 55, 792-8	7.3	45
106	Evaluating outcome domains assessing caregivers of individuals with mental illness: a review. <i>Family Process</i> , 2014 , 53, 150-74	3.9	8
105	Investigating the anatomy of the helping relationship in the context of psychiatric rehabilitation: the relation between working alliance, providers' recovery competencies and personal recovery. <i>Psychiatry Research</i> , 2014 , 220, 592-7	9.9	25
104	Age of onset group characteristics in forensic patients with schizophrenia. <i>European Psychiatry</i> , 2014 , 29, 149-52	6	13
103	Between self-clarity and recovery in schizophrenia: reducing the self-stigma and finding meaning. <i>Comprehensive Psychiatry</i> , 2014 , 55, 675-80	7.3	40
102	Strong subjective recovery as a protective factor against the effects of positive symptoms on quality of life outcomes in schizophrenia. <i>Comprehensive Psychiatry</i> , 2014 , 55, 1363-8	7.3	41
101	Adaptation and psychometric assessment of the Hebrew version of the Recovery Promoting Relationships Scale (RPRS). <i>Psychiatric Rehabilitation Journal</i> , 2014 , 37, 31-36	2.4	2
100	Social cognition and interaction training: preliminary results of an RCT in a community setting in Israel. <i>Psychiatric Services</i> , 2014 , 65, 555-8	3.3	26
99	Narrative enhancement and cognitive therapy (NECT) effectiveness: a quasi-experimental study. <i>Journal of Clinical Psychology</i> , 2014 , 70, 303-12	2.8	76
98	Challenges to assisting with the recovery of personal identity and wellness for persons with serious mental illness: Considerations for mental health professionals. <i>Psychosis</i> , 2013 , 5, 134-143	1.2	54
97	Internalized stigma and quality of life among persons with severe mental illness: the mediating roles of self-esteem and hope. <i>Psychiatry Research</i> , 2013 , 208, 15-20	9.9	106
96	Self perception of empathy in schizophrenia: emotion recognition, insight, and symptoms predict degree of self and interviewer agreement. <i>Psychiatry Research</i> , 2013 , 206, 146-50	9.9	31
95	Comparative impact of professional mental health background on ratings of consumer outcome and fidelity in an Illness Management and Recovery program. <i>Psychiatric Rehabilitation Journal</i> , 2013 , 36, 236-42	2.4	14
94	Family members' of persons living with a serious mental illness: experiences and efforts to cope with stigma. <i>Journal of Mental Health</i> , 2013 , 22, 254-62	2.7	51
93	Psychiatric diagnosis: what the recovery movement can offer the DSM-5 revision process. <i>Psychosis</i> , 2013 , 5, 144-153	1.2	2
92	The prevalence of full and partial posttraumatic stress disorder among people with severe mental illness in Israel. <i>Journal of Nervous and Mental Disease</i> , 2013 , 201, 244-50	1.8	9
91	Measuring the internalized stigma of parents of persons with a serious mental illness: the factor structure of the parents' internalized stigma of mental illness scale. <i>Journal of Nervous and Mental Disease</i> , 2013 , 201, 183-7	1.8	31
90	A narrative evaluation of a psychoeducation and a therapeutic alliance intervention for parents of persons with a severe mental illness. <i>Family Process</i> , 2012 , 51, 265-80	3.9	15

89	Change in self-stigma among persons with schizophrenia enrolled in rehabilitation: associations with self-esteem and positive and emotional discomfort symptoms. <i>Psychological Services</i> , 2012 , 9, 240-247	2.5	42
88	Psychotherapy and rehabilitation for schizophrenia: Thoughts about their parallel development and potential integration.. <i>Journal of Psychotherapy Integration</i> , 2012 , 22, 344-355	6.9	7
87	The processes of recovery from schizophrenia: The emergent role of integrative psychotherapy, recent developments, and new directions.. <i>Journal of Psychotherapy Integration</i> , 2012 , 22, 287-297	6.9	9
86	Change in internalized stigma and social functioning among persons diagnosed with severe mental illness. <i>Psychiatry Research</i> , 2012 , 200, 1032-4	9.9	36
85	Insight into mental illness and self-stigma: the mediating role of shame proneness. <i>Psychiatry Research</i> , 2012 , 200, 802-6	9.9	48
84	Recovery in Israel: a legislative recovery response to the needs-rights paradox. <i>International Review of Psychiatry</i> , 2012 , 24, 48-55	3.6	11
83	Toward a Vision for the Development, Study, and Use of Electronic Health Technology for and by People With Psychiatric and/or Substance Use Disorders: A Strengths, Weaknesses, Opportunities, and Threats Analysis and Illustration. <i>Journal of Dual Diagnosis</i> , 2012 , 8, 333-336	2.4	2
82	Group-based treatment for internalized stigma among persons with severe mental illness: findings from a randomized controlled trial. <i>Psychological Services</i> , 2012 , 9, 248-258	2.5	83
81	Relationships between stereotyped beliefs about mental illness, discrimination experiences, and distressed mood over 1 year among persons with schizophrenia enrolled in rehabilitation. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 849-55	4.5	18
80	Mental health reforms in Europe: Israel's rehabilitation in the community of persons with mental disabilities law: challenges and opportunities. <i>Psychiatric Services</i> , 2012 , 63, 110-2	3.3	36
79	Confirmatory factor analysis of the brief version of the recovery assessment scale. <i>Journal of Nervous and Mental Disease</i> , 2012 , 200, 847-51	1.8	20
78	Adherence to antipsychotic drug treatment in early-episode schizophrenia: a six-month naturalistic follow-up study. <i>Schizophrenia Research</i> , 2011 , 130, 176-81	3.6	50
77	The relation between objective and subjective domains of recovery among persons with schizophrenia-related disorders. <i>Schizophrenia Research</i> , 2011 , 131, 133-8	3.6	139
76	Insight into mental illness, self-stigma, and the family burden of parents of persons with a severe mental illness. <i>Comprehensive Psychiatry</i> , 2011 , 52, 75-80	7.3	58
75	Family psychoeducation and therapeutic alliance focused interventions for parents of a daughter or son with a severe mental illness. <i>Psychiatry Research</i> , 2011 , 189, 173-9	9.9	26
74	2011 ,		46
73	Prevalence of Internalized Stigma among Persons with Severe Mental Illness. <i>Stigma Research and Action</i> , 2011 , 1, 3-10		87
72	Learn More about It 2011 , 207-224		

71	Stigma is Personal 2011 , 1-21		
70	Understanding and Measuring Stigma 2011 , 23-54		
69	Addressing Structural Stigma 2011 , 169-188		
68	Stigma as Social Injustice 2011 , 189-198		
67	Addressing Self-Stigma and Fostering Empowerment 2011 , 115-167		
66	Experiences and motives relative to psychiatric medication choice. <i>Psychiatric Rehabilitation Journal</i> , 2011 , 35, 45-50	2.4	11
65	Challenging the Public Stigma of Mental Illness 2011 , 55-114		3
64	The relationship between consumer insight and provider-consumer agreement regarding consumer's quality of life. <i>Community Mental Health Journal</i> , 2011 , 47, 607-12	2.1	16
63	Therapeutic Alliance in Cognitive Behavior Therapy for Schizophrenia: Association with History of Sexual Assault. <i>Cognitive Therapy and Research</i> , 2011 , 35, 456-462	2.7	6
62	Narrative enhancement and cognitive therapy: a new group-based treatment for internalized stigma among persons with severe mental illness. <i>International Journal of Group Psychotherapy</i> , 2011 , 61, 577-95	0.5	133
61	Recovery and wellness amidst schizophrenia: definitions, evidence, and the implications for clinical practice. <i>Journal of the American Psychiatric Nurses Association</i> , 2010 , 16, 36-42	1.8	44
60	The Impact of Illness Identity on Recovery from Severe Mental Illness. <i>American Journal of Psychiatric Rehabilitation</i> , 2010 , 13, 73-93		174
59	Internalized stigma as a barrier to improvement in vocational functioning among people with schizophrenia-spectrum disorders. <i>Psychiatry Research</i> , 2010 , 178, 211-3	9.9	76
58	Talking about life and finding solutions to different hardships: a qualitative study on the impact of narrative enhancement and cognitive therapy on persons with serious mental illness. <i>Journal of Nervous and Mental Disease</i> , 2010 , 198, 807-12	1.8	47
57	Housing model for persons with serious mental illness moderates the relation between loneliness and quality of life. <i>Community Mental Health Journal</i> , 2010 , 46, 389-97	2.1	25
56	Association of stigma, self-esteem, and symptoms with concurrent and prospective assessment of social anxiety in schizophrenia. <i>Clinical Schizophrenia and Related Psychoses</i> , 2010 , 4, 41-8	1.6	62
55	Do persons with severe mental illness who consume the psychiatric rehabilitation basket of services in Israel have better outcomes than those who do not?. <i>Israel Journal of Psychiatry</i> , 2010 , 47, 166-70		8
54	Participant Perceptions of a Peer Wellness and Recovery Education Program. <i>Occupational Therapy in Mental Health</i> , 2009 , 25, 312-324	0.7	5

53	Why and how people decide to stop taking prescribed psychiatric medication: exploring the subjective process of choice. <i>Psychiatric Rehabilitation Journal</i> , 2009 , 33, 38-46	2.4	68
52	A one year follow-up of illness management and recovery: participants' accounts of its impact and uniqueness. <i>Psychiatric Rehabilitation Journal</i> , 2009 , 32, 285-91	2.4	34
51	The role of insight in the process of recovery from schizophrenia: A review of three views. <i>Psychosis</i> , 2009 , 1, 113-121	1.2	27
50	Partial hospitalization: compatible with evidence-based and recovery-oriented treatment?. <i>Journal of Psychosocial Nursing and Mental Health Services</i> , 2009 , 47, 41-7	1.1	6
49	Assessing psychiatric rehabilitation service (PRS) outcomes in Israel: conceptual, professional and social issues. <i>Israel Journal of Psychiatry and Related Sciences</i> , 2009 , 46, 103-10		3
48	Associations of multiple domains of self-esteem with four dimensions of stigma in schizophrenia. <i>Schizophrenia Research</i> , 2008 , 98, 194-200	3.6	88
47	Associations of metacognition and internalized stigma with quantitative assessments of self-experience in narratives of schizophrenia. <i>Psychiatry Research</i> , 2008 , 157, 31-8	9.9	61
46	The psychometric properties of the Illness Management and Recovery scale: client and clinician versions. <i>Psychiatry Research</i> , 2008 , 160, 228-35	9.9	43
45	Pathways Between Internalized Stigma and Outcomes Related to Recovery in Schizophrenia Spectrum Disorders. <i>Psychiatric Services</i> , 2008 , 59, 1437-1442	3.3	328
44	Call it a monster for lack of anything else: narrative insight in psychosis. <i>Journal of Nervous and Mental Disease</i> , 2008 , 196, 859-65	1.8	41
43	Self-criticism is a key predictor of eating disorder dimensions among inpatient adolescent females. <i>International Journal of Eating Disorders</i> , 2008 , 41, 762-5	6.3	58
42	Pathways between internalized stigma and outcomes related to recovery in schizophrenia spectrum disorders. <i>Psychiatric Services</i> , 2008 , 59, 1437-42	3.3	155
41	Recovery from versus recovery in serious mental illness: One strategy for lessening confusion plaguing recovery. <i>Journal of Mental Health</i> , 2007 , 16, 459-470	2.7	326
40	The concept of "being in recovery". <i>Psychiatric Rehabilitation Journal</i> , 2007 , 30, 171-3	2.4	44
39	A randomized controlled trial of the effectiveness of the illness management and recovery program. <i>Psychiatric Services</i> , 2007 , 58, 1461-6	3.3	102
38	The timing of psychodynamically oriented psychotherapy termination and its relation to reasons for termination, feelings about termination, and satisfaction with therapy. <i>Journal of the American Academy of Psychoanalysis and Dynamic Psychiatry</i> , 2007 , 35, 443-53		4
37	Illness Management and Recovery: Generic Issues of Group Format Implementation. <i>American Journal of Psychiatric Rehabilitation</i> , 2007 , 10, 131-147		7
36	Mental illness stigma in the Israeli context: deliberations and suggestions. <i>International Journal of Social Psychiatry</i> , 2007 , 53, 547-63	8.5	11

35	Psychotherapy and recovery in schizophrenia: A proposal of key elements for an integrative psychotherapy attuned to narrative in schizophrenia.. <i>Psychological Services</i> , 2007 , 4, 28-37	2.5	37
34	Toward understanding the insight paradox: internalized stigma moderates the association between insight and social functioning, hope, and self-esteem among people with schizophrenia spectrum disorders. <i>Schizophrenia Bulletin</i> , 2007 , 33, 192-9	1.3	407
33	A recovery-oriented approach to psychiatric medication: guidelines for nurses. <i>Journal of Psychosocial Nursing and Mental Health Services</i> , 2007 , 45, 35-40	1.1	11
32	Recognizing a Role for Structure and Agency: Integrating Sociological Perspectives into the Study of Recovery from Severe Mental Illness 2007 , 407-433		11
31	Coping with Severe Mental Illness: A Multifaceted Approach 2007 , 337-361		2
30	Selecting and implementing evidence-based practices in psychiatric rehabilitation services in Israel: a worthy and feasible challenge. <i>Israel Journal of Psychiatry and Related Sciences</i> , 2007 , 44, 47-53		7
29	Leading a horse to water: an action perspective on mental health policy. <i>Journal of Clinical Psychology</i> , 2006 , 62, 1141-55	2.8	10
28	Clients' feelings during termination of psychodynamically oriented psychotherapy. <i>Bulletin of the Menninger Clinic</i> , 2006 , 70, 68-81	1.3	19
27	Qualitative assessment of verbal and non-verbal psychosocial interventions for people with severe mental illness. <i>Journal of Mental Health</i> , 2006 , 15, 343-353	2.7	9
26	Associations of symptoms, psychosocial function and hope with qualities of self-experience in schizophrenia: comparisons of objective and subjective indicators of health. <i>Schizophrenia Research</i> , 2006 , 82, 241-9	3.6	57
25	Insight into psychosis and quality of life. <i>Comprehensive Psychiatry</i> , 2006 , 47, 265-9	7.3	106
24	A qualitative approach to the evaluation of psychosocial interventions for persons with severe mental illness.. <i>Psychological Services</i> , 2006 , 3, 262-273	2.5	22
23	Personal and interpersonal perceived control and the quality of life of persons with severe mental illness. <i>Journal of Nervous and Mental Disease</i> , 2006 , 194, 538-42	1.8	13
22	Coping with psychosis: an integrative developmental framework. <i>Journal of Nervous and Mental Disease</i> , 2006 , 194, 917-24	1.8	36
21	Overcoming Barriers to Increase the Contribution of Clinical Psychologists to Work With Persons With Severe Mental Illness. <i>Clinical Psychology: Science and Practice</i> , 2006 , 13, 376-383	3.7	14
20	Clients' reasons for terminating psychotherapy: a quantitative and qualitative inquiry. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2006 , 79, 529-38	3.5	21
19	Self and narrative in schizophrenia: time to author a new story. <i>Medical Humanities</i> , 2005 , 31, 89-94	1.4	119
18	The Al Qaeda 9/11 instructions: A study in the construction of religious martyrdom. <i>Religion</i> , 2005 , 35, 1-11	0.5	10

17	Reduced punishment in Israel in the case of murder: bridging the medico-legal gap. <i>International Journal of Law and Psychiatry</i> , 2005 , 28, 222-30	2.6	4
16	Recovering from severe mental illness: mutual influences of self and illness. <i>Journal of Psychosocial Nursing and Mental Health Services</i> , 2005 , 43, 34-40	1.1	17
15	The subjective experience of people with severe mental illness: a potentially crucial piece of the puzzle. <i>Israel Journal of Psychiatry and Related Sciences</i> , 2005 , 42, 223-30		14
14	Normal variants of competence to consent to treatment. <i>HEC Forum</i> , 2004 , 16, 129-37	1.1	
13	Persons with psychosis as active agents interacting with their disorder. <i>Psychiatric Rehabilitation Journal</i> , 2004 , 28, 122-8	2.4	28
12	The Emerging Self in Conceptualizing and Treating Mental Illness. <i>Journal of Psychosocial Nursing and Mental Health Services</i> , 2004 , 42, 32-40	1.1	13
11	The emerging self in conceptualizing and treating mental illness. <i>Journal of Psychosocial Nursing and Mental Health Services</i> , 2004 , 42, 32-40	1.1	4
10	A prospective study on the relationship between self-esteem and functioning during the first year after being hospitalized for psychosis. <i>Journal of Nervous and Mental Disease</i> , 2003 , 191, 45-9	1.8	45
9	Different ways of being aware of a psychiatric disability: a multifunctional narrative approach to insight into mental disorder. <i>Journal of Nervous and Mental Disease</i> , 2003 , 191, 417-24	1.8	54
8	Beyond coping with mental illness: toward personal growth. <i>American Journal of Orthopsychiatry</i> , 2003 , 73, 334-44	2.8	40
7	Hospitalization as experienced by the psychiatric patient: a therapeutic jurisprudence perspective. <i>International Journal of Law and Psychiatry</i> , 2003 , 26, 317-32	2.6	9
6	Physical recovery in anorexia nervosa: is this the sole purpose of a child and adolescent medical-psychiatric unit?. <i>General Hospital Psychiatry</i> , 2002 , 24, 87-92	5.6	30
5	Patients' and staff members' attitudes about the rights of hospitalized psychiatric patients. <i>Psychiatric Services</i> , 2002 , 53, 87-91	3.3	19
4	Progressing from patienthood to personhood across the multidimensional outcomes in schizophrenia and related disorders. <i>Journal of Nervous and Mental Disease</i> , 2001 , 189, 691-9	1.8	55
3	Comparing patients' and staff members' attitudes: does patients' competence to disagree mean they are not competent?. <i>Journal of Nervous and Mental Disease</i> , 2001 , 189, 307-10	1.8	7
2	Exploring the relationship between the person and the disorder among individuals hospitalized for psychosis. <i>Psychiatry (New York)</i> , 1999 , 62, 370-80	1	40
1	A Qualitative Evaluation of the Effects of Social Cognition and Interaction Training (SCIT) Versus Therapeutic Alliance Focused Therapy (TAFT) Among Persons With Serious Mental Illness. <i>International Journal of Mental Health and Addiction</i> , 1	8.8	