J Christopher Corton

List of Publications by Citations

 $\textbf{Source:} \ https://exaly.com/author-pdf/5361720/j-christopher-corton-publications-by-citations.pdf$

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85
papers

3,382
citations

32
h-index

90
ext. papers

3,848
ext. citations

32
h-index

57
g-index

5.23
L-index

| # | Paper | IF | Citations |
|----|---|------|-----------|
| 85 | Central role of peroxisome proliferator-activated receptors in the actions of peroxisome proliferators. <i>Annual Review of Pharmacology and Toxicology</i> , 2000 , 40, 491-518 | 17.9 | 285 |
| 84 | Toxicogenomic study of triazole fungicides and perfluoroalkyl acids in rat livers predicts toxicity and categorizes chemicals based on mechanisms of toxicity. <i>Toxicological Sciences</i> , 2007 , 97, 595-613 | 4.4 | 176 |
| 83 | Mode of action framework analysis for receptor-mediated toxicity: The peroxisome proliferator-activated receptor alpha (PPARDas a case study. <i>Critical Reviews in Toxicology</i> , 2014 , 44, 1-49 | 5.7 | 158 |
| 82 | Toxicogenomic dissection of the perfluorooctanoic acid transcript profile in mouse liver: evidence for the involvement of nuclear receptors PPAR alpha and CAR. <i>Toxicological Sciences</i> , 2008 , 103, 46-56 | 4.4 | 147 |
| 81 | Peroxisome proliferator-activated receptors: mediators of phthalate ester-induced effects in the male reproductive tract?. <i>Toxicological Sciences</i> , 2005 , 83, 4-17 | 4.4 | 131 |
| 80 | Role of PPARalpha in mediating the effects of phthalates and metabolites in the liver. <i>Toxicology</i> , 2005 , 207, 149-63 | 4.4 | 126 |
| 79 | Delayed liver regeneration in peroxisome proliferator-activated receptor-alpha-null mice. <i>Hepatology</i> , 2002 , 36, 544-54 | 11.2 | 108 |
| 78 | Perfluoroalkyl acids-induced liver steatosis: Effects on genes controlling lipid homeostasis. <i>Toxicology</i> , 2017 , 378, 37-52 | 4.4 | 98 |
| 77 | Down-regulation of cytochrome P450 2C family members and positive acute-phase response gene expression by peroxisome proliferator chemicals. <i>Molecular Pharmacology</i> , 1998 , 54, 463-73 | 4.3 | 96 |
| 76 | Mimetics of caloric restriction include agonists of lipid-activated nuclear receptors. <i>Journal of Biological Chemistry</i> , 2004 , 279, 46204-12 | 5.4 | 94 |
| 75 | Gene profiling in the livers of wild-type and PPARalpha-null mice exposed to perfluorooctanoic acid. <i>Toxicologic Pathology</i> , 2008 , 36, 592-607 | 2.1 | 93 |
| 74 | PPAREIndependent transcriptional targets of perfluoroalkyl acids revealed by transcript profiling. <i>Toxicology</i> , 2017 , 387, 95-107 | 4.4 | 88 |
| 73 | Peroxisome proliferator-activated receptor gamma coactivator 1 in caloric restriction and other models of longevity. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2005 , 60, 1494-509 | 6.4 | 87 |
| 72 | Overlapping transcriptional programs regulated by the nuclear receptors peroxisome proliferator-activated receptor alpha, retinoid X receptor, and liver X receptor in mouse liver. <i>Molecular Pharmacology</i> , 2004 , 66, 1440-52 | 4.3 | 85 |
| 71 | Evaluation of estrogen receptor alpha activation by glyphosate-based herbicide constituents. <i>Food and Chemical Toxicology</i> , 2017 , 108, 30-42 | 4.7 | 79 |
| 70 | Gene Expression Profiling in Wild-Type and PPARENull Mice Exposed to Perfluorooctane Sulfonate Reveals PPAREIndependent Effects. <i>PPAR Research</i> , 2010 , 2010, | 4.3 | 75 |
| 69 | The PPAREdependent rodent liver tumor response is not relevant to humans: addressing misconceptions. <i>Archives of Toxicology</i> , 2018 , 92, 83-119 | 5.8 | 73 |

(2016-2009)

| 68 | Evidence for the involvement of xenobiotic-responsive nuclear receptors in transcriptional effects upon perfluoroalkyl acid exposure in diverse species. <i>Reproductive Toxicology</i> , 2009 , 27, 266-277 | 3.4 | 72 |
|----|---|-------|----|
| 67 | The transcriptional response to a peroxisome proliferator-activated receptor alpha agonist includes increased expression of proteome maintenance genes. <i>Journal of Biological Chemistry</i> , 2004 , 279, 5239 | 0.584 | 69 |
| 66 | Identification of chemical modulators of the constitutive activated receptor (CAR) in a gene expression compendium. <i>Nuclear Receptor Signaling</i> , 2015 , 13, e002 | 1 | 61 |
| 65 | Editor 以 Highlight: Transcriptome Profiling Reveals Bisphenol A Alternatives Activate Estrogen Receptor Alpha in Human Breast Cancer Cells. <i>Toxicological Sciences</i> , 2017 , 158, 431-443 | 4.4 | 60 |
| 64 | Sources of variation in baseline gene expression levels from toxicogenomics study control animals across multiple laboratories. <i>BMC Genomics</i> , 2008 , 9, 285 | 4.5 | 58 |
| 63 | Characterization of peroxisome proliferator-activated receptor alphaindependent effects of PPARalpha activators in the rodent liver: di-(2-ethylhexyl) phthalate also activates the constitutive-activated receptor. <i>Toxicological Sciences</i> , 2010 , 113, 45-59 | 4.4 | 56 |
| 62 | Activation of PPAR-alpha in streptozotocin-induced diabetes is essential for resistance against acetaminophen toxicity. <i>FASEB Journal</i> , 2003 , 17, 1748-50 | 0.9 | 56 |
| 61 | Decreased longevity and enhancement of age-dependent lesions in mice lacking the nuclear receptor peroxisome proliferator-activated receptor alpha (PPARalpha). <i>Toxicologic Pathology</i> , 2004 , 32, 591-9 | 2.1 | 51 |
| 60 | Identification of modulators of the nuclear receptor peroxisome proliferator-activated receptor [] (PPAR) in a mouse liver gene expression compendium. <i>PLoS ONE</i> , 2015 , 10, e0112655 | 3.7 | 49 |
| 59 | Role of the peroxisome proliferator-activated receptor alpha (PPARalpha) in responses to trichloroethylene and metabolites, trichloroacetate and dichloroacetate in mouse liver. <i>Toxicology</i> , 2004 , 203, 83-98 | 4.4 | 42 |
| 58 | Screening a mouse liver gene expression compendium identifies modulators of the aryl hydrocarbon receptor (AhR). <i>Toxicology</i> , 2015 , 336, 99-112 | 4.4 | 39 |
| 57 | Constitutive expression of peroxisome proliferator-activated receptor alpha-regulated genes in dwarf mice. <i>Molecular Pharmacology</i> , 2005 , 67, 681-94 | 4.3 | 38 |
| 56 | Human relevance of rodent liver tumors: Key insights from a Toxicology Forum workshop on nongenotoxic modes of action. <i>Regulatory Toxicology and Pharmacology</i> , 2018 , 92, 1-7 | 3.4 | 36 |
| 55 | Disruption of STAT5b-Regulated Sexual Dimorphism of the Liver Transcriptome by Diverse Factors Is a Common Event. <i>PLoS ONE</i> , 2016 , 11, e0148308 | 3.7 | 35 |
| 54 | Moving Toward Integrating Gene Expression Profiling Into High-Throughput Testing: A Gene Expression Biomarker Accurately Predicts Estrogen Receptor Modulation in a Microarray Compendium. <i>Toxicological Sciences</i> , 2016 , 151, 88-103 | 4.4 | 32 |
| 53 | Does exposure to perfluoroalkyl acids present a risk to human health?. <i>Toxicological Sciences</i> , 2009 , 111, 1-3 | 4.4 | 31 |
| 52 | Role of the peroxisome proliferator-activated receptor alpha in responses to diisononyl phthalate. <i>Toxicology</i> , 2003 , 191, 211-25 | 4.4 | 30 |
| 51 | Chemical and Hormonal Effects on STAT5b-Dependent Sexual Dimorphism of the Liver Transcriptome. <i>PLoS ONE</i> , 2016 , 11, e0150284 | 3.7 | 29 |

| 50 | Meta-analysis of gene expression in the mouse liver reveals biomarkers associated with inflammation increased early during aging. <i>Mechanisms of Ageing and Development</i> , 2012 , 133, 467-78 | 5.6 | 28 |
|----|---|--------------|----|
| 49 | Evaluation of the role of peroxisome proliferator-activated receptor alpha (PPARalpha) in mouse liver tumor induction by trichloroethylene and metabolites. <i>Critical Reviews in Toxicology</i> , 2008 , 38, 857 | - 7 5 | 28 |
| 48 | Hepatic xenobiotic metabolizing enzyme and transporter gene expression through the life stages of the mouse. <i>PLoS ONE</i> , 2011 , 6, e24381 | 3.7 | 27 |
| 47 | Activation of Nrf2 in the liver is associated with stress resistance mediated by suppression of the growth hormone-regulated STAT5b transcription factor. <i>PLoS ONE</i> , 2018 , 13, e0200004 | 3.7 | 26 |
| 46 | Coordinated changes in xenobiotic metabolizing enzyme gene expression in aging male rats. <i>Toxicological Sciences</i> , 2008 , 106, 263-83 | 4.4 | 26 |
| 45 | Analysis of the heat shock response in mouse liver reveals transcriptional dependence on the nuclear receptor peroxisome proliferator-activated receptor alpha (PPARalpha). <i>BMC Genomics</i> , 2010 , 11, 16 | 4.5 | 25 |
| 44 | Compensatory changes in CYP expression in three different toxicology mouse models: CAR-null, Cyp3a-null, and Cyp2b9/10/13-null mice. <i>PLoS ONE</i> , 2017 , 12, e0174355 | 3.7 | 23 |
| 43 | Adverse outcome pathway-driven identification of rat liver tumorigens in short-term assays. <i>Toxicology and Applied Pharmacology</i> , 2018 , 356, 99-113 | 4.6 | 23 |
| 42 | Increased efficiency in screening large numbers of cDNA fragments generated by differential display. <i>BioTechniques</i> , 1997 , 22, 802-4, 806, 808 passim | 2.5 | 22 |
| 41 | Opposing mechanisms of NADPH-cytochrome P450 oxidoreductase regulation by peroxisome proliferators. <i>Biochemical Pharmacology</i> , 2003 , 65, 949-59 | 6 | 22 |
| 40 | Using a gene expression biomarker to identify DNA damage-inducing agents in microarray profiles. <i>Environmental and Molecular Mutagenesis</i> , 2018 , 59, 772-784 | 3.2 | 22 |
| 39 | Activation of peroxisome proliferator-activated receptor alpha enhances apoptosis in the mouse liver. <i>Toxicological Sciences</i> , 2006 , 92, 368-77 | 4.4 | 21 |
| 38 | Dose and Effect Thresholds for Early Key Events in a PPAREMediated Mode of Action. <i>Toxicological Sciences</i> , 2016 , 149, 312-25 | 4.4 | 20 |
| 37 | Comparative time course profiles of phthalate stereoisomers in mice. <i>Toxicological Sciences</i> , 2014 , 139, 21-34 | 4.4 | 20 |
| 36 | Chemical Activation of the Constitutive Androstane Receptor Leads to Activation of Oxidant-Induced Nrf2. <i>Toxicological Sciences</i> , 2019 , 167, 172-189 | 4.4 | 20 |
| 35 | Identification of potential endocrine disrupting chemicals using gene expression biomarkers. <i>Toxicology and Applied Pharmacology</i> , 2019 , 380, 114683 | 4.6 | 18 |
| 34 | Sources of variance in baseline gene expression in the rodent liver. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2012 , 746, 104-12 | 3 | 15 |
| 33 | Assessment of the performance of the TGx-DDI biomarker to detect DNA damage-inducing agents using quantitative RT-PCR in TK6 cells. <i>Environmental and Molecular Mutagenesis</i> , 2019 , 60, 122-133 | 3.2 | 14 |

(2020-2018)

| 32 | Identification of Androgen Receptor Modulators in a Prostate Cancer Cell Line Microarray Compendium. <i>Toxicological Sciences</i> , 2018 , 166, 146-162 | 4.4 | 14 |
|----|--|--------------|----|
| 31 | From the Cover: Genomic Effects of Androstenedione and Sex-Specific Liver Cancer Susceptibility in Mice. <i>Toxicological Sciences</i> , 2017 , 160, 15-29 | 4.4 | 10 |
| 30 | Editorly Highlight: Negative Predictors of Carcinogenicity for Environmental Chemicals. <i>Toxicological Sciences</i> , 2017 , 155, 157-169 | 4.4 | 10 |
| 29 | Regulation of Proteome Maintenance Gene Expression by Activators of Peroxisome Proliferator-Activated Receptor []PPAR Research, 2010 , 2010, 727194 | 4.3 | 10 |
| 28 | Hepatic carboxylesterases are differentially regulated in PPAREhull mice treated with perfluorooctanoic acid. <i>Toxicology</i> , 2019 , 416, 15-22 | 4.4 | 9 |
| 27 | Transcriptional changes associated with reduced spontaneous liver tumor incidence in mice chronically exposed to high dose arsenic. <i>Toxicology</i> , 2009 , 266, 6-15 | 4.4 | 9 |
| 26 | Expression of cytochrome P450 isozyme transcripts and activities in human livers. <i>Xenobiotica</i> , 2021 , 51, 279-286 | 2 | 8 |
| 25 | Mining a human transcriptome database for chemical modulators of NRF2. <i>PLoS ONE</i> , 2020 , 15, e02393 | 63 .7 | 8 |
| 24 | A Set of Six Gene Expression Biomarkers Identify Rat Liver Tumorigens in Short-term Assays. <i>Toxicological Sciences</i> , 2020 , 177, 11-26 | 4.4 | 8 |
| 23 | Transplacental arsenic exposure produced 5-methylcytosine methylation changes and aberrant microRNA expressions in livers of male fetal mice. <i>Toxicology</i> , 2020 , 435, 152409 | 4.4 | 6 |
| 22 | A gene expression biomarker identifies factors that modulate sterol regulatory element binding protein. <i>Computational Toxicology</i> , 2019 , 10, 63-77 | 3.1 | 5 |
| 21 | Identification of novel activators of the metal responsive transcription factor (MTF-1) using a gene expression biomarker in a microarray compendium. <i>Metallomics</i> , 2020 , 12, 1400-1415 | 4.5 | 4 |
| 20 | Identification of p53 Activators in a Human Microarray Compendium. <i>Chemical Research in Toxicology</i> , 2019 , 32, 1748-1759 | 4 | 4 |
| 19 | Frequent Modulation of the Sterol Regulatory Element Binding Protein (SREBP) by Chemical Exposure in the Livers of Rats. <i>Computational Toxicology</i> , 2019 , 10, 113-129 | 3.1 | 3 |
| 18 | Integrating gene expression biomarker predictions into networks of adverse outcome pathways. <i>Current Opinion in Toxicology</i> , 2019 , 18, 54-61 | 4.4 | 3 |
| 17 | Sex-, Age-, and Race/Ethnicity-Dependent Variations in Drug-Processing and NRF2-Regulated Genes in Human Livers. <i>Drug Metabolism and Disposition</i> , 2021 , 49, 111-119 | 4 | 3 |
| 16 | Mode of Action Analysis and Human Relevance of Liver Tumors Induced by PPAR[Activation 2010 , 439-4 | 181 | 2 |
| 15 | A set of six Gene expression biomarkers and their thresholds identify rat liver tumorigens in short-term assays. <i>Toxicology</i> , 2020 , 443, 152547 | 4.4 | 2 |

| 14 | Gene Expression Thresholds Derived From Short-term Exposures Identify Rat Liver Tumorigens. <i>Toxicological Sciences</i> , 2020 , 177, 41-59 | 4.4 | 2 |
|----|--|-----|---|
| 13 | Development and validation of the TGx-HDACi transcriptomic biomarker to detect histone deacetylase inhibitors in human TK6 cells. <i>Archives of Toxicology</i> , 2021 , 95, 1631-1645 | 5.8 | 2 |
| 12 | Why is elevation of serum cholesterol associated with exposure to perfluoroalkyl substances (PFAS) in humans? A workshop report on potential mechanisms. <i>Toxicology</i> , 2021 , 459, 152845 | 4.4 | 2 |
| 11 | A Gene Expression Biomarker Identifies Chemical Modulators of Estrogen Receptor In an MCF-7 Microarray Compendium. <i>Chemical Research in Toxicology</i> , 2021 , 34, 313-329 | 4 | 2 |
| 10 | Genomic comparisons between hepatocarcinogenic and non-hepatocarcinogenic organophosphate insecticides in the mouse liver. <i>Toxicology</i> , 2021 , 465, 153046 | 4.4 | 1 |
| 9 | Thresholds Derived From Common Measures in Rat Studies Are Predictive of Liver Tumorigenic Chemicals. <i>Toxicologic Pathology</i> , 2020 , 48, 857-874 | 2.1 | 1 |
| 8 | A gene expression biomarker for predictive toxicology to identify chemical modulators of NF- B <i>PLoS ONE</i> , 2022 , 17, e0261854 | 3.7 | O |
| 7 | A Gene Expression Biomarker Predicts Heat Shock Factor 1 Activation in a Gene Expression Compendium. <i>Chemical Research in Toxicology</i> , 2021 , 34, 1721-1737 | 4 | O |
| 6 | Mining a human transcriptome database for chemical modulators of NRF2 2020 , 15, e0239367 | | |
| 5 | Mining a human transcriptome database for chemical modulators of NRF2 2020 , 15, e0239367 | | |
| 4 | Mining a human transcriptome database for chemical modulators of NRF2 2020 , 15, e0239367 | | |
| 3 | Mining a human transcriptome database for chemical modulators of NRF2 2020 , 15, e0239367 | | |
| 2 | Mining a human transcriptome database for chemical modulators of NRF2 2020 , 15, e0239367 | | |
| 1 | Mining a human transcriptome database for chemical modulators of NRF2 2020 , 15, e0239367 | | |