

Jiliang Fang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5364004/publications.pdf>

Version: 2024-02-01

31
papers

1,646
citations

471509

17
h-index

454955

30
g-index

33
all docs

33
docs citations

33
times ranked

1802
citing authors

#	ARTICLE	IF	CITATIONS
1	Transcutaneous Vagus Nerve Stimulation Modulates Default Mode Network in Major Depressive Disorder. <i>Biological Psychiatry</i> , 2016, 79, 266-273.	1.3	251
2	The salient characteristics of the central effects of acupuncture needling: Limbicâ€paralimbicâ€neocortical network modulation. <i>Human Brain Mapping</i> , 2009, 30, 1196-1206.	3.6	232
3	Effect of transcutaneous auricular vagus nerve stimulation on major depressive disorder: A nonrandomized controlled pilot study. <i>Journal of Affective Disorders</i> , 2016, 195, 172-179.	4.1	174
4	Treating Depression with Transcutaneous Auricular Vagus Nerve Stimulation: State of the Art and Future Perspectives. <i>Frontiers in Psychiatry</i> , 2018, 9, 20.	2.6	124
5	Acupuncture mobilizes the brain's default mode and its anti-correlated network in healthy subjects. <i>Brain Research</i> , 2009, 1287, 84-103.	2.2	120
6	Transcutaneous vagus nerve stimulation modulates amygdala functional connectivity in patients with depression. <i>Journal of Affective Disorders</i> , 2016, 205, 319-326.	4.1	100
7	Early cortical biomarkers of longitudinal transcutaneous vagus nerve stimulation treatment success in depression. <i>NeuroImage: Clinical</i> , 2017, 14, 105-111.	2.7	81
8	Characterization of <i>De Qi</i> with Electroacupuncture at Acupoints with Different Properties. <i>Journal of Alternative and Complementary Medicine</i> , 2011, 17, 1007-1013.	2.1	69
9	A distinct biomarker of continuous transcutaneous vagus nerve stimulation treatment in major depressive disorder. <i>Brain Stimulation</i> , 2018, 11, 501-508.	1.6	64
10	White Matter Abnormalities in Major Depression: A Tract-Based Spatial Statistics and Rumination Study. <i>PLoS ONE</i> , 2012, 7, e37561.	2.5	61
11	Perception of Deqi by Chinese and American acupuncturists: a pilot survey. <i>Chinese Medicine</i> , 2011, 6, 2.	4.0	59
12	Frequency-dependent functional connectivity of the nucleus accumbens during continuous transcutaneous vagus nerve stimulation in major depressive disorder. <i>Journal of Psychiatric Research</i> , 2018, 102, 123-131.	3.1	49
13	Quantitative Evaluation of Iron Content in Idiopathic Rapid Eye Movement Sleep Behavior Disorder. <i>Movement Disorders</i> , 2020, 35, 478-485.	3.9	43
14	The effects of acupuncture on the brain networks for emotion and cognition: An observation of gender differences. <i>Brain Research</i> , 2010, 1362, 56-67.	2.2	38
15	Acupuncture for Functional Dyspepsia: A Single Blinded, Randomized, Controlled Trial. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015, 2015, 1-9.	1.2	26
16	The effect of bodyâ€mind relaxation meditation induction on major depressive disorder: A resting-state fMRI study. <i>Journal of Affective Disorders</i> , 2015, 183, 75-82.	4.1	25
17	The Instant Spontaneous Neuronal Activity Modulation of Transcutaneous Auricular Vagus Nerve Stimulation on Patients With Primary Insomnia. <i>Frontiers in Neuroscience</i> , 2020, 14, 205.	2.8	24
18	The Limbic-Prefrontal Network Modulated by Electroacupuncture at CV4 and CV12. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012, 2012, 1-11.	1.2	20

#	ARTICLE	IF	CITATIONS
19	Brain-Gut Axis Modulation of Acupuncture in Functional Dyspepsia: A Preliminary Resting-State fcMRI Study. Evidence-based Complementary and Alternative Medicine, 2015, 2015, 1-11.	1.2	20
20	Neural Encoding of Acupuncture Needling Sensations: Evidence from a fMRI Study. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-15.	1.2	13
21	Comparison of the Therapeutic Effects of Acupuncture at PC6 and ST36 for Chronic Myocardial Ischemia. Evidence-based Complementary and Alternative Medicine, 2017, 2017, 1-9.	1.2	10
22	Altered Brain Function in Drug-Naïve Major Depressive Disorder Patients With Early-Life Maltreatment: A Resting-State fMRI Study. Frontiers in Psychiatry, 2019, 10, 255.	2.6	10
23	Increased grey matter volume and associated resting-state functional connectivity in chronic spontaneous urticaria: A structural and functional MRI study. Journal of Neuroradiology, 2021, 48, 236-242.	1.1	10
24	The Dysfunction of the Cerebellum and Its Cerebellum-Reward-Sensorimotor Loops in Chronic Spontaneous Urticaria. Cerebellum, 2018, 17, 507-516.	2.5	9
25	High-pitch dual-source CT coronary angiography: analysis of the impact on image quality of altered electrocardiography waves during data acquisition. International Journal of Cardiovascular Imaging, 2012, 28, 15-20.	1.5	3
26	<i>Deqi</i> Sensations of Transcutaneous Electrical Nerve Stimulation on Auricular Points. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-5.	1.2	3
27	Toward Diverse or Standardized: A Systematic Review Identifying Transcutaneous Stimulation of Auricular Branch of the Vagus Nerve in Nomenclature. Neuromodulation, 2022, 25, 366-379.	0.8	3
28	Effects of TIP treatment on brain network topology of frontolimbic circuit in first-episode, treatment-naïve major depressive disorder. Journal of Affective Disorders, 2021, 279, 122-130.	4.1	2
29	Acupuncture as Adjuvant Therapy for Treating Stable Angina Pectoris with Moderate Coronary Artery Lesions and the Mechanism of Heart-Brain Interactions: A Randomized Controlled Trial Protocol. Evidence-based Complementary and Alternative Medicine, 2021, 2021, 1-8.	1.2	2
30	Enhanced functional connectivity between insular subregions correlates with the efficacy of music and instruction-guided relaxation in depression. NeuroReport, 2020, 31, 1215-1224.	1.2	1
31	Electro-acupuncture at different acupoints modulating the relative specific brain functional network. Proceedings of SPIE, 2010, , .	0.8	0