
## Margareth Eira

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5364892/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Once-daily atazanavir/ritonavir versus twice-daily lopinavir/ritonavir, each in combination with tenofovir and emtricitabine, for management of antiretroviral-naive HIV-1-infected patients: 48 week efficacy and safety results of the CASTLE study. Lancet, The, 2008, 372, 646-655.	13.7	442
2	Primary Antiretroviral Drug Resistance among HIV Type 1-Infected Individuals in Brazil. AIDS Research and Human Retroviruses, 2009, 25, 861-867.	1.1	47
3	Short Communication: Molecular Characteristics of HIV Type 1 Circulating in São Paulo, Brazil. AIDS Research and Human Retroviruses, 2005, 21, 673-682.	1.1	30
4	Gastrointestinal tolerability and quality of life in antiretroviral-naÃ <sup>-</sup> ve HIV-1-infected patients: data from the CASTLE study. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2010, 22, 677-686.	1.2	27
5	Terapia antirretroviral altamente eficaz para infecção pelo vÃrus da imunodeficiência humana aumenta a rigidez aórtica. Arquivos Brasileiros De Cardiologia, 2012, 99, 1100-1107.	0.8	18
6	In-vivo selection of the mutation F121Y in a patient failing raltegravir containing salvage regimen. Antiviral Research, 2012, 95, 9-11.	4.1	12
7	Urinary NO3 excretion and renal failure in indinavir-treated patients. Brazilian Journal of Medical and Biological Research, 2006, 39, 1065-1070.	1.5	11
8	Treatment of Human Immunodeficiency Virus Infection With Tenofovir Disoproxil Fumarate <i>–</i> Containing Antiretrovirals Maintains Low Bone Formation Rate, But Increases Osteoid Volume on Bone Histomorphometry. Journal of Bone and Mineral Research, 2019, 34, 1574-1584.	2.8	9
9	Safety and Immunovirologic Outcomes with Maraviroc Combination Regimens in Patients with a History of Past Treatment Failures and Virologic Resistance in Brazil: An Open-Label, Multicenter Phase 3b Study. AIDS Research and Human Retroviruses, 2013, 29, 1203-1210.	1.1	6
10	Heart Rate Variability in HIV Patients, Diabetics, and Controls: The AGATAA Study. ISRN Vascular Medicine, 2011, 2011, 1-8.	0.7	4
11	Polyserositis in a patient with acute paracoccidioidomycosis and hepatosplenic schistosomiasis. Mycopathologia, 1995, 130, 75-78.	3.1	1
12	Cerebrospinal fluid examination performed in HIV-infected patients with syphilis in an outpatient clinic in São Paulo, Brazil. International Journal of Infectious Diseases, 2012, 16, e334.	3.3	0
13	Identification of Mycobacterium tuberculosis complex in clinical specimens of HIV-infected patients at Instituto de Infectologia Emilio Ribas, São Paulo-Brazil. International Journal of Infectious Diseases, 2016, 45, 393.	3.3	0
14	Evaluation of the Bactec MGIT 960 System in the detection of mycobacteria and MPT 64 antigen production in a High HIV Prevalence Hospital at São Paulo. International Journal of Infectious Diseases, 2018, 73, 353.	3.3	0
15	Evaluation of non-treponemal tests (VDRL) in the cerebrospinal fluid (CSF) in patients with HIV/AIDS at Instituto de Infectologia Emilio Ribas, São Paulo, Brazil. International Journal of Infectious Diseases, 2018, 73, 336.	3.3	0
16	Acute Hepatitis and Esophageal Candidiasis During Primary Human Immunodeficiency Virus Infection. Journal of Medical Cases, 2012, , .	0.7	0
17	Immunochromatographic Assay for Detection of Mycobacterium Tuberculosis Complex in Clinical Isolates at Instituto de Infectologia Emilio Ribas, Brazil. Journal of Immunological Techniques in Infectious Diseases, 2016, 5, .	0.1	0