
Satoshi Hanada

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5365526/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Hypertension and anesthesia. Current Opinion in Anaesthesiology, 2006, 19, 315-319.	0.9	40
2	Dexmedetomidine was safely used for sedation during spinal anesthesia in a very elderly patient. Journal of Anesthesia, 2010, 24, 938-941.	0.7	23
3	Awake intubation under sedation using target-controlled infusion of dexmedetomidine: five case reports. Journal of Anesthesia, 2010, 24, 789-792.	0.7	20
4	Evidence of a greater functional sympatholysis in habitually aerobic trained postmenopausal women. Journal of Applied Physiology, 2018, 124, 583-591.	1.2	12
5	Greater α ₁ -adrenergic-mediated vasoconstriction in contracting skeletal muscle of patients with type 2 diabetes. American Journal of Physiology - Heart and Circulatory Physiology, 2020, 319, H797-H807.	1.5	12
6	Perioperative Right Ventricular Dysfunction: Analysis of Outcomes. Journal of Cardiothoracic and Vascular Anesthesia, 2022, 36, 309-320.	0.6	7
7	Dietary nitrate does not acutely enhance skeletal muscle blood flow and vasodilation in the lower limbs of older adults during single-limb exercise. European Journal of Applied Physiology, 2020, 120, 1357-1369.	1.2	6
8	Initial experience with percutaneous coronary sinus catheter placement in minimally invasive cardiac surgery in an academic center. BMC Anesthesiology, 2015, 16, 33.	0.7	5
9	Combined inorganic nitrate/nitrite supplementation blunts α-mediated vasoconstriction during exercise in patients with type 2 diabetes. Nitric Oxide - Biology and Chemistry, 2022, 118, 17-25.	1.2	5
10	Impaired modulation of postjunctional α ₁ ―but not α ₂ â€adrenergic vasoconstriction in contracting forearm muscle of postmenopausal women. Journal of Physiology, 2018, 596, 2507-2519.	1.3	4
11	Glycemic management is inversely related to skeletal muscle microvascular endothelial function in patients with type 2 diabetes. Physiological Reports, 2021, 9, e14764.	0.7	4
12	Ideal body weight-based remifentanil infusion is potentially insufficient for anesthetic induction in mildly obese patients. Journal of Anesthesia, 2012, 26, 790-793.	0.7	3
13	Transient phrenic nerve paralysis after carotid endarterectomy in a patient with asthma. Journal of Anesthesia, 2010, 24, 817-818.	0.7	1
14	Required decrement time to predict time of awaking in effect-site concentration can be estimated by using that in predicted blood concentration displayed on the commercial TCI pump. Journal of Anesthesia, 2010, 24, 972-973.	0.7	1
15	Need for preoperative anemia management clinics in Japan: initiatives at a university hospital in the USA. Journal of Anesthesia, 2021, 35, 710-722.	0.7	1
16	P-21 Initial experience in minimally invasive cardiac surgery with coronary sinus catheter placement by anaesthesiologists in an academic centre. Journal of Cardiothoracic and Vascular Anesthesia, 2011, 25, S43.	0.6	0
17	Inorganic Nitrate Supplementation Blunts Vasoconstrictor Responsiveness During Exercise in Patients with Type 2 Diabetes. FASEB Journal, 2020, 34, 1-1.	0.2	0
18	Aerobic Exercise Offsets Endothelial Dysfunction Induced by Repetitive Consumption of Sugar‧weetened Beverages in Young Healthy Males. FASEB Journal, 2020, 34, 1-1.	0.2	0

#	Article	IF	CITATIONS
19	Thoracic epidural analgesia in a patient with von Hippel‣indau disease. Clinical Case Reports (discontinued), 2022, 10, e05629.	0.2	0