

# Satoshi Hanada

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5365526/publications.pdf>

Version: 2024-02-01

19  
papers

144  
citations

1477746

6  
h-index

1199166

12  
g-index

19  
all docs

19  
docs citations

19  
times ranked

154  
citing authors

#	ARTICLE	IF	CITATIONS
1	Perioperative Right Ventricular Dysfunction: Analysis of Outcomes. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2022, 36, 309-320.	0.6	7
2	Combined inorganic nitrate/nitrite supplementation blunts $\hat{I}_{\pm}$ -mediated vasoconstriction during exercise in patients with type 2 diabetes. <i>Nitric Oxide - Biology and Chemistry</i> , 2022, 118, 17-25.	1.2	5
3	Thoracic epidural analgesia in a patient with von Hippel-Lindau disease. <i>Clinical Case Reports (discontinued)</i> , 2022, 10, e05629.	0.2	0
4	Glycemic management is inversely related to skeletal muscle microvascular endothelial function in patients with type 2 diabetes. <i>Physiological Reports</i> , 2021, 9, e14764.	0.7	4
5	Need for preoperative anemia management clinics in Japan: initiatives at a university hospital in the USA. <i>Journal of Anesthesia</i> , 2021, 35, 710-722.	0.7	1
6	Greater $\hat{I}_{>1}$ -adrenergic-mediated vasoconstriction in contracting skeletal muscle of patients with type 2 diabetes. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2020, 319, H797-H807.	1.5	12
7	Dietary nitrate does not acutely enhance skeletal muscle blood flow and vasodilation in the lower limbs of older adults during single-limb exercise. <i>European Journal of Applied Physiology</i> , 2020, 120, 1357-1369.	1.2	6
8	Inorganic Nitrate Supplementation Blunts Vasoconstrictor Responsiveness During Exercise in Patients with Type 2 Diabetes. <i>FASEB Journal</i> , 2020, 34, 1-1.	0.2	0
9	Aerobic Exercise Offsets Endothelial Dysfunction Induced by Repetitive Consumption of Sugar-Sweetened Beverages in Young Healthy Males. <i>FASEB Journal</i> , 2020, 34, 1-1.	0.2	0
10	Evidence of a greater functional sympatholysis in habitually aerobic trained postmenopausal women. <i>Journal of Applied Physiology</i> , 2018, 124, 583-591.	1.2	12
11	Impaired modulation of postjunctional $\hat{I}_{>1}$ -but not $\hat{I}_{>2}$ -adrenergic vasoconstriction in contracting forearm muscle of postmenopausal women. <i>Journal of Physiology</i> , 2018, 596, 2507-2519.	1.3	4
12	Initial experience with percutaneous coronary sinus catheter placement in minimally invasive cardiac surgery in an academic center. <i>BMC Anesthesiology</i> , 2015, 16, 33.	0.7	5
13	Ideal body weight-based remifentanyl infusion is potentially insufficient for anesthetic induction in mildly obese patients. <i>Journal of Anesthesia</i> , 2012, 26, 790-793.	0.7	3
14	P-21 Initial experience in minimally invasive cardiac surgery with coronary sinus catheter placement by anaesthesiologists in an academic centre. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2011, 25, S43.	0.6	0
15	Awake intubation under sedation using target-controlled infusion of dexmedetomidine: five case reports. <i>Journal of Anesthesia</i> , 2010, 24, 789-792.	0.7	20
16	Transient phrenic nerve paralysis after carotid endarterectomy in a patient with asthma. <i>Journal of Anesthesia</i> , 2010, 24, 817-818.	0.7	1
17	Required decrement time to predict time of awakening in effect-site concentration can be estimated by using that in predicted blood concentration displayed on the commercial TCI pump. <i>Journal of Anesthesia</i> , 2010, 24, 972-973.	0.7	1
18	Dexmedetomidine was safely used for sedation during spinal anesthesia in a very elderly patient. <i>Journal of Anesthesia</i> , 2010, 24, 938-941.	0.7	23

#	ARTICLE	IF	CITATIONS
19	Hypertension and anesthesia. <i>Current Opinion in Anaesthesiology</i> , 2006, 19, 315-319.	0.9	40