Xiu-min Li

List of Publications by Citations

Source: https://exaly.com/author-pdf/5366461/xiu-min-li-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109
papers5,404
citations38
h-index72
g-index117
ext. papers6,090
ext. citations4
avg, IF5.47
L-index

#	Paper	IF	Citations
109	Elevated immune response in the brain of autistic patients. <i>Journal of Neuroimmunology</i> , 2009 , 207, 11	1- <u>6</u> 5	501
108	Effects of cooking methods on peanut allergenicity. <i>Journal of Allergy and Clinical Immunology</i> , 2001 , 107, 1077-81	11.5	386
107	A murine model of peanut anaphylaxis: T- and B-cell responses to a major peanut allergen mimic human responses. <i>Journal of Allergy and Clinical Immunology</i> , 2000 , 106, 150-8	11.5	347
106	A murine model of IgE-mediated cowß milk hypersensitivity. <i>Journal of Allergy and Clinical Immunology</i> , 1999 , 103, 206-14	11.5	302
105	Ketamine-induced antidepressant effects are associated with AMPA receptors-mediated upregulation of mTOR and BDNF in rat hippocampus and prefrontal cortex. <i>European Psychiatry</i> , 2014 , 29, 419-23	6	248
104	The Chinese herbal medicine formula FAHF-2 completely blocks anaphylactic reactions in a murine model of peanut allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2005 , 115, 171-8	11.5	184
103	Persistent protective effect of heat-killed Escherichia coli producing "engineered," recombinant peanut proteins in a murine model of peanut allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2003 , 112, 159-67	11.5	165
102	Traditional Chinese herbal remedies for asthma and food allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2007 , 120, 25-31	11.5	157
101	Efficacy and mechanisms of action of traditional Chinese medicines for treating asthma and allergy. Journal of Allergy and Clinical Immunology, 2009 , 123, 297-306; quiz 307-8	11.5	138
100	Efficacy and tolerability of anti-asthma herbal medicine intervention in adult patients with moderate-severe allergic asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2005 , 116, 517-24	11.5	135
99	Food Allergy Herbal Formula-1 (FAHF-1) blocks peanut-induced anaphylaxis in a murine model. <i>Journal of Allergy and Clinical Immunology</i> , 2001 , 108, 639-46	11.5	135
98	Engineered recombinant peanut protein and heat-killed Listeria monocytogenes coadministration protects against peanut-induced anaphylaxis in a murine model. <i>Journal of Immunology</i> , 2003 , 170, 328	9. 593	130
97	Genetic susceptibility to food allergy is linked to differential TH2-TH1 responses in C3H/HeJ and BALB/c mice. <i>Journal of Allergy and Clinical Immunology</i> , 2003 , 111, 1122-8	11.5	121
96	CpG oligodeoxynucleotides can reverse Th2-associated allergic airway responses and alter the B7.1/B7.2 expression in a murine model of asthma. <i>Journal of Immunology</i> , 2000 , 165, 5906-12	5.3	108
95	Food Allergy Herbal Formula-2 silences peanut-induced anaphylaxis for a prolonged posttreatment period via IFN-gamma-producing CD8+ T cells. <i>Journal of Allergy and Clinical Immunology</i> , 2009 , 123, 44.	3 ⁻¹ 5 ¹ 1 ⁵	97
94	Safety, tolerability, and immunologic effects of a food allergy herbal formula in food allergic individuals: a randomized, double-blinded, placebo-controlled, dose escalation, phase 1 study. <i>Annals of Allergy, Asthma and Immunology</i> , 2010 , 105, 75-84	3.2	80
93	The chinese herbal medicine formula MSSM-002 suppresses allergic airway hyperreactivity and modulates TH1/TH2 responses in a murine model of allergic asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2000 , 106, 660-8	11.5	78

(2015-2009)

92	Licorice flavonoids inhibit eotaxin-1 secretion by human fetal lung fibroblasts in vitro. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 820-5	5.7	76	
91	Induction of tolerance after establishment of peanut allergy by the food allergy herbal formula-2 is associated with up-regulation of interferon-gamma. <i>Clinical and Experimental Allergy</i> , 2007 , 37, 846-55	4.1	70	
90	Role of TLR4 in allergic sensitization to food proteins in mice. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2006 , 61, 64-71	9.3	70	
89	Clinical safety of Food Allergy Herbal Formula-2 (FAHF-2) and inhibitory effect on basophils from patients with food allergy: Extended phase I study. <i>Journal of Allergy and Clinical Immunology</i> , 2011 , 128, 1259-1265.e2	11.5	68	
88	Chronic exposure to TNF-alpha increases airway mucus gene expression in vivo. <i>Journal of Allergy and Clinical Immunology</i> , 2005 , 116, 1256-63	11.5	65	
87	Investigation of peanut oral immunotherapy with CpG/peanut nanoparticles in a murine model of peanut allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 138, 536-543.e4	11.5	65	
86	The false alarm hypothesis: Food allergy is associated with high dietary advanced glycation end-products and proglycating dietary sugars that mimic alarmins. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 139, 429-437	11.5	64	
85	Complementary and alternative medicine in pediatric allergic disorders. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2009 , 9, 161-7	3.3	61	
84	Correlations between basophil activation, allergen-specific IgE with outcome and severity of oral food challenges. <i>Annals of Allergy, Asthma and Immunology</i> , 2015 , 114, 319-26	3.2	60	
83	Safety and tolerability of an antiasthma herbal Formula (ASHMI) in adult subjects with asthma: a randomized, double-blinded, placebo-controlled, dose-escalation phase I study. <i>Journal of Alternative and Complementary Medicine</i> , 2009 , 15, 735-43	2.4	60	
82	Glycyrrhiza uralensis flavonoids present in anti-asthma formula, ASHMIIInhibit memory Th2 responses in vitro and in vivo. <i>Phytotherapy Research</i> , 2013 , 27, 1381-91	6.7	59	
81	Oral administration of IL-12 suppresses anaphylactic reactions in a murine model of peanut hypersensitivity. <i>Clinical Immunology</i> , 2001 , 101, 220-8	9	59	
80	Food allergy herbal formula 2 protection against peanut anaphylactic reaction is via inhibition of mast cells and basophils. <i>Journal of Allergy and Clinical Immunology</i> , 2010 , 126, 1208-17.e3	11.5	58	
79	Safety, clinical, and immunologic efficacy of a Chinese herbal medicine (Food Allergy Herbal Formula-2) for food allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 136, 962-970.e1	11.5	57	
78	Effect of ageing on pulmonary inflammation, airway hyperresponsiveness and T and B cell responses in antigen-sensitized and -challenged mice. <i>Clinical and Experimental Allergy</i> , 2007 , 37, 1392-	4 6 3	57	
77	Maternal peanut exposure during pregnancy and lactation reduces peanut allergy risk in offspring. Journal of Allergy and Clinical Immunology, 2009 , 124, 1039-46	11.5	50	
76	Comparison of toxicokinetic and tissue distribution of triptolide-loaded solid lipid nanoparticles vs free triptolide in rats. <i>European Journal of Pharmaceutical Sciences</i> , 2012 , 47, 713-7	5.1	46	
75	Berberine-loaded solid lipid nanoparticles are concentrated in the liver and ameliorate hepatosteatosis in db/db mice. <i>International Journal of Nanomedicine</i> , 2015 , 10, 5049-57	7.3	44	

(2013-2008)

56	Pharmacological and immunological effects of individual herbs in the Food Allergy Herbal Formula-2 (FAHF-2) on peanut allergy. <i>Phytotherapy Research</i> , 2008 , 22, 651-9	6.7	23	
55	The Flavonoid 7,4PDihydroxyflavone Inhibits MUC5AC Gene Expression, Production, and Secretion via Regulation of NF- B , STAT6, and HDAC2. <i>Phytotherapy Research</i> , 2015 , 29, 925-32	6.7	22	
54	Efficacy, safety and immunological actions of butanol-extracted Food Allergy Herbal Formula-2 on peanut anaphylaxis. <i>Clinical and Experimental Allergy</i> , 2011 , 41, 582-91	4.1	21	
53	Decrease in airway mucous gene expression caused by treatment with anti-tumor necrosis factor alpha in a murine model of allergic asthma. <i>Annals of Allergy, Asthma and Immunology</i> , 2009 , 103, 295-3	303 ^{.2}	19	
52	Therapeutic effects of a fermented soy product on peanut hypersensitivity is associated with modulation of T-helper type 1 and T-helper type 2 responses. <i>Clinical and Experimental Allergy</i> , 2008 , 38, 1808-18	4.1	19	
51	Novel approaches for the treatment of food allergy. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2002 , 2, 273-8	3.3	19	
50	B-FAHF-2 plus oral immunotherapy (OIT) is safer and more effective than OIT alone in a murine model of concurrent peanut/tree nut allergy. <i>Clinical and Experimental Allergy</i> , 2017 , 47, 1038-1049	4.1	18	
49	Traditional Chinese medicine for the therapy of allergic disorders. <i>Current Opinion in Otolaryngology and Head and Neck Surgery</i> , 2006 , 14, 191-6	2	16	
48	The potential use of Chinese herbal medicines in treating allergic asthma. <i>Annals of Allergy, Asthma and Immunology</i> , 2004 , 93, S35-44	3.2	16	
47	IgE-binding epitope mapping of tropomyosin allergen (Exo m 1) from Exopalaemon modestus, the freshwater Siberian prawn. <i>Food Chemistry</i> , 2020 , 309, 125603	8.5	15	
46	A small molecule compound berberine as an orally active therapeutic candidate against COVID-19 and SARS: A computational and mechanistic study. <i>FASEB Journal</i> , 2021 , 35, e21360	0.9	14	
45	Complementary and alternative medicine use at a single pediatric inflammatory bowel disease center. <i>Gastroenterology Nursing</i> , 2014 , 37, 265-71	1	13	
44	Beyond allergen avoidance: update on developing therapies for peanut allergy. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2005 , 5, 287-92	3.3	13	
43	Insight into the allergenicity of shrimp tropomyosin glycated by functional oligosaccharides containing advanced glycation end products. <i>Food Chemistry</i> , 2020 , 302, 125348	8.5	13	
42	Chinese herbal therapy for the treatment of food allergy. <i>Current Allergy and Asthma Reports</i> , 2012 , 12, 332-8	5.6	12	
41	The anti-asthma herbal medicine ASHMI acutely inhibits airway smooth muscle contraction via prostaglandin E2 activation of EP2/EP4 receptors. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2013 , 305, L1002-10	5.8	12	
40	Anti-inflammatory effects of the Chinese herbal formula FAHF-2 in experimental and human IBD. <i>Inflammatory Bowel Diseases</i> , 2014 , 20, 144-53	4.5	10	
39	Immunosuppressive effects of the traditional Chinese herb Qu Mai on human alloreactive T cells. American Journal of Transplantation, 2013, 13, 1159-67	8.7	10	

38	Successful prevention of extremely frequent and severe food anaphylaxis in three children by combined traditional Chinese medicine therapy. <i>Allergy, Asthma and Clinical Immunology</i> , 2014 , 10, 66	3.2	9
37	Alternative and complementary treatment for food allergy. <i>Immunology and Allergy Clinics of North America</i> , 2012 , 32, 135-50	3.3	9
36	Maternal peanut consumption provides protection in offspring against peanut sensitization that is further enhanced when co-administered with bacterial mucosal adjuvant. <i>Food Research International</i> , 2011 , 44, 1649-1656	7	9
35	Effects and mechanisms of actions of Chinese herbal medicines for asthma. <i>Chinese Journal of Integrative Medicine</i> , 2011 , 17, 483-91	2.9	9
34	Modulation of antigen-induced anaphylaxis in mice by a traditional chinese medicine formula, Guo Min Kang. <i>The American Journal of Chinese Medicine</i> , 2009 , 37, 113-25	6	9
33	Complementary and Alternative Medicine for Treatment of Food Allergy. <i>Immunology and Allergy Clinics of North America</i> , 2018 , 38, 103-124	3.3	9
32	Study on neuroendocrine-immune function of Phenylethanoid Glycosides of Desertliving Cistanche herb in perimenopausal rat model. <i>Journal of Ethnopharmacology</i> , 2019 , 238, 111884	5	8
31	Maternal Antiasthma Simplified Herbal Medicine Intervention therapy prevents airway inflammation and modulates pulmonary innate immune responses in young offspring mice. <i>Annals of Allergy, Asthma and Immunology</i> , 2015 , 114, 43-51.e1	3.2	8
30	The effect of oral tolerance on the allergic airway response in younger and aged mice. <i>Journal of Asthma</i> , 2013 , 50, 122-32	1.9	8
29	The Flavonoid 7,4PDihydroxyflavone Prevents Dexamethasone Paradoxical Adverse Effect on Eotaxin Production by Human Fibroblasts. <i>Phytotherapy Research</i> , 2017 , 31, 449-458	6.7	7
28	Dietary Elimination of Soybean Components Enhances Allergic Immune Response to Peanuts in BALB/c Mice. <i>International Archives of Allergy and Immunology</i> , 2015 , 166, 304-10	3.7	6
27	Synthesis of Zinc Tetraaminophthalocyanine Functionalized Graphene Nanosheets as an Enhanced Material for Sensitive Electrochemical Determination of Uric Acid. <i>Electroanalysis</i> , 2020 , 32, 1507-1515	3	6
26	4?-O-Methylglycosylation of Curcumin by Beauveria bassiana. <i>Natural Product Communications</i> , 2010 , 5, 1934578X1000500	0.9	6
25	Novel approaches to immunotherapy for food allergy. Clinical Allergy and Immunology, 2004 , 18, 663-79		6
24	New Approaches for the Treatment of Anaphylaxis. <i>Novartis Foundation Symposium</i> , 2008 , 248-264		5
23	PEGylated Phthalocyanine-Functionalized Graphene Oxide with Ultrahigh-Efficient Photothermal Performance for Triple-Mode Antibacterial Therapy. <i>ACS Biomaterials Science and Engineering</i> , 2021 , 7, 2638-2648	5.5	5
22	Effect of traditional Chinese medicine on skin lesions and quality of life in patients with moderate to severe eczema. <i>Annals of Allergy, Asthma and Immunology</i> , 2018 , 121, 135-136	3.2	4
21	Development of an Orally Bioavailable Isoliquiritigenin Self-Nanoemulsifying Drug Delivery System to Effectively Treat Ovalbumin-Induced Asthma. <i>International Journal of Nanomedicine</i> , 2020 , 15, 8945-8	89 8 1	4

(2021-2021)

20	Traditional Chinese medicine for food allergy and eczema. <i>Annals of Allergy, Asthma and Immunology</i> , 2021 , 126, 639-654	3.2	4
19	Berberine as a chemical and pharmacokinetic marker of the butanol-extracted Food Allergy Herbal Formula-2. <i>International Immunopharmacology</i> , 2017 , 45, 120-127	5.8	3
18	Glycyrrhiza uralensis flavonoids inhibit brain microglial cell TNF-Isecretion, p-IB expression, and increase brain-derived neurotropic factor (BDNF) secretion. <i>Journal of Traditional Chinese Medical Sciences</i> , 2014 , 1, 28-37	0.6	3
17	Genetic susceptibility and other factors influencing the induction of cowß milk hypersensitivity. Journal of Allergy and Clinical Immunology, 2002, 109, S287-S287	11.5	3
16	Weight loss herbal intervention therapy (W-LHIT) a non-appetite suppressing natural product controls weight and lowers cholesterol and glucose levels in a murine model. <i>BMC Complementary and Alternative Medicine</i> , 2014 , 14, 261	4.7	2
15	Ganoderic Acid L Suppressed Th2 Responses and Induced Th1/Tregs in Cultures of Peripheral Blood Mononuclear Cells From Asthmatic Patients. <i>Journal of Allergy and Clinical Immunology</i> , 2013 , 131, AB1	11.5	2
14	Development of an ultra-performance liquid chromatography-electrospray ionization-Orbitrap mass spectrometry method for determination of xanthopurpurin in rat plasma and its application to pharmacokinetic study. <i>Biomedical Chromatography</i> , 2020 , 34, e4838	1.7	1
13	Sinomenine Relieves Airway Remodeling By Inhibiting Epithelial-Mesenchymal Transition Through Downregulating TGF-II and Smad3 Expression and. <i>Frontiers in Immunology</i> , 2021 , 12, 736479	8.4	0
12	Inflammatory Components of the Thyroid Cancer Microenvironment: An Avenue for Identification of Novel Biomarkers. <i>Advances in Experimental Medicine and Biology</i> , 2021 , 1350, 1-31	3.6	0
11	Systems Pharmacology and Docking Analysis Uncover Association of CA2, PPARG, RXRA, and VDR with the Mechanisms Underlying the Shi Zhen Tea Formula Effect on Eczema. <i>Evidence-based Complementary and Alternative Medicine</i> , 2021 , 2021, 8406127	2.3	О
10	2D Accordion-like MXene Nanosheets as a Sensitive Electrode Material for Baicalin Sensing. <i>Electroanalysis</i> , 2021 , 33, 1308-1314	3	О
9	Improvement of skin lesions in corticosteroid withdrawal-associated severe eczema by multicomponent traditional Chinese medicine therapy. <i>Allergy, Asthma and Clinical Immunology</i> , 2021 , 17, 68	3.2	O
8	Using a System Pharmacology Method to Search for the Potential Targets and Pathways of Yinqiaosan against COVID-19 <i>Journal of Healthcare Engineering</i> , 2022 , 2022, 9248674	3.7	О
7	Mechanistic Studies of Gypenosides in Microglial State Transition and its Implications in Depression-Like Behaviors: Role of TLR4/MyD88/NF-B Signaling <i>Frontiers in Pharmacology</i> , 2022 , 13, 838261	5.6	O
6	Alkaloids and Corticosteroid Synergistically Augment IL-10/IL-5 Ratio with -Gene-Epigenetic Modification in Asthma PBMCs <i>Journal of Asthma and Allergy</i> , 2021 , 14, 1559-1571	3.1	O
5	Reply. Journal of Allergy and Clinical Immunology, 2017 , 140, 319-320	11.5	
4	Successful Management of Eosinophilic Esophagitis Using Traditional Chinese Medicine: A Case Report. <i>Yale Journal of Biology and Medicine</i> , 2020 , 93, 685-688	2.4	
3	Butanol Purified Food Allergy Herbal Formula-2 Has an Immunomodulating Effect in Pediatric Crohnß Disease Subjects <i>Frontiers in Medicine</i> , 2021 , 8, 782859	4.9	

Disruption of Cell-Cell Communication in Anaplastic Thyroid Cancer as an Immunotherapeutic Opportunity. *Advances in Experimental Medicine and Biology*, **2021**, 1350, 33-66

3.6

Alternative/Integrative Medical Approaches in Allergy and Sleep: Basic Principles and Clinical Practice **2019**, 409-422