

Lin Feng

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5367051/lin-feng-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

95
papers

15,459
citations

49
h-index

97
g-index

97
ext. papers

16,718
ext. citations

9
avg, IF

6.44
L-index

#	Paper	IF	Citations
95	Bioinspired surfaces with special wettability. <i>Accounts of Chemical Research</i> , 2005 , 38, 644-52	24.3	1750
94	Petal effect: a superhydrophobic state with high adhesive force. <i>Langmuir</i> , 2008 , 24, 4114-9	4	1416
93	A novel superhydrophilic and underwater superoleophobic hydrogel-coated mesh for oil/water separation. <i>Advanced Materials</i> , 2011 , 23, 4270-3	24	1283
92	A super-hydrophobic and super-oleophilic coating mesh film for the separation of oil and water. <i>Angewandte Chemie - International Edition</i> , 2004 , 43, 2012-4	16.4	1232
91	Reversible super-hydrophobicity to super-hydrophilicity transition of aligned ZnO nanorod films. <i>Journal of the American Chemical Society</i> , 2004 , 126, 62-3	16.4	1043
90	Reversible switching between superhydrophilicity and superhydrophobicity. <i>Angewandte Chemie - International Edition</i> , 2004 , 43, 357-60	16.4	948
89	Special wettable materials for oil/water separation. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 2445-2460 ¹³		880
88	Super-hydrophobic surface of aligned polyacrylonitrile nanofibers. <i>Angewandte Chemie - International Edition</i> , 2002 , 41, 1221-3	16.4	584
87	Creation of a superhydrophobic surface from an amphiphilic polymer. <i>Angewandte Chemie - International Edition</i> , 2003 , 42, 800-2	16.4	356
86	Super-Hydrophobic PDMS Surface with Ultra-Low Adhesive Force. <i>Macromolecular Rapid Communications</i> , 2005 , 26, 1805-1809	4.8	302
85	Mussel-inspired chemistry and Michael addition reaction for efficient oil/water separation. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 4438-42	9.5	282
84	Dual-scaled porous nitrocellulose membranes with underwater superoleophobicity for highly efficient oil/water separation. <i>Advanced Materials</i> , 2014 , 26, 1771-5	24	277
83	Integrated oil separation and water purification by a double-layer TiO ₂ -based mesh. <i>Energy and Environmental Science</i> , 2013 , 6, 1147	35.4	275
82	Directly Coating Hydrogel on Filter Paper for Effective Oil/Water Separation in Highly Acidic, Alkaline, and Salty Environment. <i>Advanced Functional Materials</i> , 2015 , 25, 5368-5375	15.6	263
81	A Super-Hydrophobic and Super-Oleophilic Coating Mesh Film for the Separation of Oil and Water. <i>Angewandte Chemie</i> , 2004 , 116, 2046-2048	3.6	263
80	CO ₂ -Responsive Nanofibrous Membranes with Switchable Oil/Water Wettability. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 8934-8	16.4	232
79	Thermo and pH dual-responsive materials for controllable oil/water separation. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 2026-30	9.5	229

78	A Solvothermal Route Decorated on Different Substrates: Controllable Separation of an Oil/Water Mixture to a Stabilized Nanoscale Emulsion. <i>Advanced Materials</i> , 2015 , 27, 7349-55	24	187
77	Cellular responses of aniline oligomers: a preliminary study. <i>Toxicology Research</i> , 2012 , 1, 201	2.6	157
76	Smart responsive surfaces switching reversibly between super-hydrophobicity and super-hydrophilicity. <i>Soft Matter</i> , 2009 , 5, 275-281	3.6	157
75	A general approach for fabrication of superhydrophobic and superamphiphobic surfaces. <i>Applied Physics Letters</i> , 2008 , 92, 053102	3.4	135
74	Superwetting Porous Materials for Wastewater Treatment: from Immiscible Oil/Water Mixture to Emulsion Separation. <i>Advanced Materials Interfaces</i> , 2017 , 4, 1600029	4.6	128
73	Reversible Switching between Superhydrophilicity and Superhydrophobicity. <i>Angewandte Chemie</i> , 2004 , 116, 361-364	3.6	127
72	A facile solvent-manipulated mesh for reversible oil/water separation. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 12821-6	9.5	122
71	Interfacial materials with special wettability. <i>MRS Bulletin</i> , 2013 , 38, 366-371	3.2	118
70	Thermo-Driven Controllable Emulsion Separation by a Polymer-Decorated Membrane with Switchable Wettability. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 5740-5745	16.4	115
69	Superoleophilic and superhydrophobic biodegradable material with porous structures for oil absorption and oil/water separation. <i>RSC Advances</i> , 2013 , 3, 23432	3.7	108
68	One-Step Coating toward Multifunctional Applications: Oil/Water Mixtures and Emulsions Separation and Contaminants Adsorption. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 3333-9	9.5	101
67	PolyPEGylated nanodiamond for intracellular delivery of a chemotherapeutic drug. <i>Polymer Chemistry</i> , 2012 , 3, 2716	4.9	98
66	Superhydrophobicity of nanostructured carbon films in a wide range of pH values. <i>Angewandte Chemie - International Edition</i> , 2003 , 42, 4217-20	16.4	90
65	PANI nanowire film with underwater superoleophobicity and potential-modulated tunable adhesion for no loss oil droplet transport. <i>Soft Matter</i> , 2012 , 8, 9064	3.6	88
64	Ultralight free-standing reduced graphene oxide membranes for oil-in-water emulsion separation. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 20113-20117	13	87
63	In situ ultrafast separation and purification of oil/water emulsions by superwetting TiO ₂ nanocluster-based mesh. <i>Nanoscale</i> , 2016 , 8, 8525-9	7.7	87
62	Straightforward oxidation of a copper substrate produces an underwater superoleophobic mesh for oil/water separation. <i>ChemPhysChem</i> , 2013 , 14, 3489-94	3.2	80
61	Chemical Dual-Responsive Wettability of Superhydrophobic PANI-PAN Coaxial Nanofibers. <i>Macromolecular Rapid Communications</i> , 2007 , 28, 1135-1141	4.8	79

60	Creation of a Superhydrophobic Surface from an Amphiphilic Polymer. <i>Angewandte Chemie</i> , 2003 , 115, 824-826	3.6	76
59	Mussel-inspired chemistry and StBer method for highly stabilized water-in-oil emulsions separation. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 20439-20443	13	75
58	Surfactant-Mediated Conformal Overgrowth of Core-Shell Metal-Organic Framework Materials with Mismatched Topologies. <i>Small</i> , 2015 , 11, 5551-5	11	73
57	A pure inorganic ZnO-Co ₃ O ₄ overlapped membrane for efficient oil/water emulsions separation. <i>Scientific Reports</i> , 2015 , 5, 9688	4.9	63
56	Antioil Ag ₃ PO ₄ Nanoparticle/Polydopamine/Al ₂ O ₃ Sandwich Structure for Complex Wastewater Treatment: Dynamic Catalysis under Natural Light. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 8019-8028	8.3	63
55	Nanocomposite Deposited Membrane for Oil-in-Water Emulsion Separation with in Situ Removal of Anionic Dyes and Surfactants. <i>Langmuir</i> , 2017 , 33, 7380-7388	4	62
54	Janus membrane decorated via a versatile immersion-spray route: controllable stabilized oil/water emulsion separation satisfying industrial emission and purification criteria. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 4941-4949	13	62
53	The structural color of red rose petals and their duplicates. <i>Langmuir</i> , 2010 , 26, 14885-8	4	60
52	The effect of surface microstructures and surface compositions on the wettabilities of flower petals. <i>Soft Matter</i> , 2011 , 7, 2977	3.6	57
51	Fast formation of superhydrophobic octadecylphosphonic acid (ODPA) coating for self-cleaning and oil/water separation. <i>Soft Matter</i> , 2014 , 10, 8116-21	3.6	56
50	Breathing Demulsification: A Three-Dimensional (3D) Free-Standing Superhydrophilic Sponge. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 22264-71	9.5	55
49	Wettability Alteration of Polymer Surfaces Produced by Scraping. <i>Journal of Adhesion Science and Technology</i> , 2008 , 22, 395-402	2	55
48	One-step breaking and separating emulsion by tungsten oxide coated mesh. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 8108-13	9.5	54
47	CO ₂ -Responsive Nanofibrous Membranes with Switchable Oil/Water Wettability. <i>Angewandte Chemie</i> , 2015 , 127, 9062-9066	3.6	54
46	Biocompatibility evaluation of aniline oligomers with different end-functional groups. <i>Toxicology Research</i> , 2013 , 2, 427	2.6	49
45	Fabrication of robust mesh with anchored Ag nanoparticles for oil removal and in situ catalytic reduction of aromatic dyes. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 15822-15827	13	47
44	Fast photo-switched wettability and color of surfaces coated with polymer brushes containing spiropyran. <i>Journal of Applied Polymer Science</i> , 2012 , 125, 870-875	2.9	44
43	Lotus- and Mussel-Inspired PDA-PET/PTFE Janus Membrane: Toward Integrated Separation of Light and Heavy Oils from Water. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 20545-20556	9.5	43

42	Electricity-induced switchable wettability and controllable water permeation based on 3D copper foam. <i>Chemical Communications</i> , 2015 , 51, 16237-40	5.8	43
41	Fabrication of a silica gel coated quartz fiber mesh for oil/water separation under strong acidic and concentrated salt conditions. <i>RSC Advances</i> , 2014 , 4, 11447	3.7	41
40	Superwetting copper meshes based on self-organized robust CuO nanorods: efficient water purification for in situ oil removal and visible light photodegradation. <i>Nanoscale</i> , 2018 , 10, 4561-4569	7.7	37
39	Asymmetric superwetting configuration of Janus membranes based on thiol-ene clickable silane nanospheres enabling on-demand and energy-efficient oil/water remediation. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 10047-10057	13	36
38	A fast and convenient cellulose hydrogel-coated colander for high-efficiency oil/water separation. <i>RSC Advances</i> , 2014 , 4, 32544-32548	3.7	36
37	In situ dual-functional water purification with simultaneous oil removal and visible light catalysis. <i>Nanoscale</i> , 2016 , 8, 18558-18564	7.7	35
36	A novel solution-controlled hydrogel coated mesh for oil/water separation based on monolayer electrostatic self-assembly. <i>RSC Advances</i> , 2014 , 4, 51404-51410	3.7	30
35	Aminoazobenzene@Ag modified meshes with large extent photo-response: towards reversible oil/water removal from oil/water mixtures. <i>Chemical Science</i> , 2019 , 10, 4089-4096	9.4	27
34	Smart Nylon Membranes with pH-Responsive Wettability: High-Efficiency Separation on Demand for Various Oil/Water Mixtures and Surfactant-Stabilized Emulsions. <i>Advanced Materials Interfaces</i> , 2018 , 5, 1801179	4.6	27
33	A versatile CeO/CoO coated mesh for food wastewater treatment: Simultaneous oil removal and UV catalysis of food additives. <i>Water Research</i> , 2018 , 137, 144-152	12.5	26
32	Elaborate architecture of the hierarchical hen's eggshell. <i>Nano Research</i> , 2011 , 4, 171-179	10	26
31	Polyacrylamide-Polydivinylbenzene Decorated Membrane for Sundry Ionic Stabilized Emulsions Separation via a Facile Solvothermal Method. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 21816-23	9.5	24
30	Fabrication of Silica Nanospheres Coated Membranes: towards the Effective Separation of Oil-in-Water Emulsion in Extremely Acidic and Concentrated Salty Environments. <i>Scientific Reports</i> , 2016 , 6, 32540	4.9	23
29	A dual functional Janus membrane combining superwettability with electrostatic force for controllable anionic/cationic emulsion separation and in situ surfactant removal. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 27156-27163	13	23
28	A bifunctional MnO mesh for expeditious and ambient degradation of dyes in activation of peroxymonosulfate (PMS) and simultaneous oil removal from water. <i>Journal of Colloid and Interface Science</i> , 2020 , 579, 412-424	9.3	22
27	One-step fabrication of fluoropolymer transparent films with superhydrophobicity by dry method. <i>Journal of Applied Polymer Science</i> , 2011 , 120, 524-529	2.9	22
26	A Facile Approach for Fabricating Dual-Function Membrane: Simultaneously Removing Oil from Water and Adsorbing Water-Soluble Proteins. <i>Advanced Materials Interfaces</i> , 2016 , 3, 1600291	4.6	22
25	Facile fabrication of hydrogel coated membrane for controllable and selective oil-in-water emulsion separation. <i>Soft Matter</i> , 2018 , 14, 2649-2654	3.6	20

24	Recycling of PE glove waste as highly valuable products for efficient separation of oil-based contaminants from water. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 18128-18133	13	20
23	Superhydrophobicity of Nanostructured Carbon Films in a Wide Range of pH Values. <i>Angewandte Chemie</i> , 2003 , 115, 4349-4352	3.6	20
22	Hierarchical architectures of Ag clusters deposited biomimetic membrane: Synthesis, emulsion separation, catalytic and antibacterial performance. <i>Separation and Purification Technology</i> , 2020 , 241, 116733	8.3	19
21	A smart nano-V2O5/ODA-coated mesh for a co-responsive photo-induced wettability transition and ROS generation for in situ water purification. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 18003-18009	13	19
20	Crown ether modified membranes for Na ⁺ -responsive controllable emulsion separation suitable for hypersaline environments. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 2684-2690	13	16
19	Universal and tunable liquid-liquid separation by nanoparticle-embedded gating membranes based on a self-defined interfacial parameter. <i>Nature Communications</i> , 2021 , 12, 80	17.4	15
18	Polymer-Decorated Filter Material for Wastewater Treatment: In Situ Ultrafast Oil/Water Emulsion Separation and Azo Dye Adsorption. <i>Langmuir</i> , 2018 , 34, 13192-13202	4	14
17	Superwetting Patterned Membranes with an Anisotropy/Isotropy Transition: Towards Signal Expression and Liquid Permeation. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 13437-13443	16.4	12
16	Peanut Leaf-Inspired Hybrid Metal-Organic Framework with Humidity-Responsive Wettability: toward Controllable Separation of Diverse Emulsions. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 6309-6318	9.5	12
15	Photothermally induced in situ double emulsion separation by a carbon nanotube/poly(N-isopropylacrylamide) modified membrane with superwetting properties. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 7677-7686	13	12
14	Thermo-Driven Controllable Emulsion Separation by a Polymer-Decorated Membrane with Switchable Wettability. <i>Angewandte Chemie</i> , 2018 , 130, 5842-5847	3.6	11
13	A MoS ₂ nanosheet-coated mesh for pH-induced multi-pollutant water remediation with in situ electrocatalysis. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 6435-6441	13	11
12	Morphology-Induced TiO ₂ Bandgap Change for Super Rapid Treatment of Dye Wastewater under Visible Light. <i>Advanced Materials Technologies</i> , 2017 , 2, 1700125	6.8	9
11	PG-PEI-Ag NPs-Decorated Membrane for Pretreatment of Laboratory Wastewater: Simultaneous Removal of Water-Insoluble Organic Solvents and Water-Soluble Anionic Organic Pollutants. <i>Langmuir</i> , 2019 , 35, 7680-7690	4	5
10	Synthesis of a Re-usable Cellobiase Enzyme Catalyst through In situ Encapsulation in Nonsurfactant Templated Sol-Gel Mesoporous Silica. <i>Topics in Catalysis</i> , 2012 , 55, 1247-1253	2.3	5
9	Mesoporous SiO ₂ -Supported Pt Nanoparticles for Catalytic Application. <i>ISRN Nanomaterials</i> , 2013 , 2013, 1-7		3
8	Integration of catalytic capability and pH-responsive wettability in a VxOy-based dual-mesh system: towards solving the trade-off between the separation flow rate and degradation efficiency. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 5454-5467	13	3
7	One-step reduction and simultaneous decoration on various porous substrates: toward oil filtration from water. <i>RSC Advances</i> , 2016 , 6, 86019-86024	3.7	2

6	Titelbild: Reversible Switching between Superhydrophilicity and Superhydrophobicity (Angew. Chem. 3/2004). <i>Angewandte Chemie</i> , 2004 , 116, 263-263	3.6	2
5	Novel superwetting nanofibrous skins for removing stubborn soluble oil in emulsified wastewater. <i>Journal of Materials Chemistry A</i> ,	13	1
4	Discarded cigarette butts regenerated hydrophobic-oleophilic materials for both immiscible and emulsified oil/water separation through a wettability reversal strategy. <i>Applied Surface Science</i> , 2020 , 532, 147350	6.7	0
3	A Dually Charged Membrane for Seawater Utilization: Combining Marine Pollution Remediation and Desalination by Simultaneous Removal of Polluted Dispersed Oil, Surfactants, and Ions. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 48171-48178	9.5	0
2	Superwetting Patterned Membranes with an Anisotropy/Isotropy Transition: Towards Signal Expression and Liquid Permeation. <i>Angewandte Chemie</i> , 2020 , 132, 13539-13545	3.6	
1	Cover Picture: Reversible Switching between Superhydrophilicity and Superhydrophobicity (Angew. Chem. Int. Ed. 3/2004). <i>Angewandte Chemie - International Edition</i> , 2004 , 43, 261-261	16.4	