

Joannes F M Jacobs

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5367151/joannes-f-m-jacobs-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73
papers

3,077
citations

27
h-index

55
g-index

76
ext. papers

3,521
ext. citations

7.2
avg, IF

4.74
L-index

#	Paper	IF	Citations
73	Clonotypic Features of Rearranged Immunoglobulin Genes Yield Personalized Biomarkers for Minimal Residual Disease Monitoring in Multiple Myeloma. <i>Clinical Chemistry</i> , 2021 , 67, 867-875	5.5	2
72	FLC polymerization: Another hurdle towards standardization of FLC measurements. <i>Clinica Chimica Acta</i> , 2021 , 515, 42-43	6.2	1
71	Allogeneic and autologous serum eye drops: a pilot double-blind randomized crossover trial. <i>Acta Ophthalmologica</i> , 2021 , 99, 837-842	3.7	3
70	Monitoring the M-protein of multiple myeloma patients treated with a combination of monoclonal antibodies: the laboratory solution to eliminate interference. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021 , 59, 1963-1971	5.9	1
69	External quality assessment of M-protein diagnostics: a realistic impression of the accuracy and precision of M-protein quantification. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021 , 59, 1063-1068	5.9	1
68	Multiple Myeloma Minimal Residual Disease Detection: Targeted Mass Spectrometry in Blood vs Next-Generation Sequencing in Bone Marrow. <i>Clinical Chemistry</i> , 2021 , 67, 1689-1698	5.5	3
67	An international multi-center serum protein electrophoresis accuracy and M-protein isotyping study. Part I: factors impacting limit of quantitation of serum protein electrophoresis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020 , 58, 533-546	5.9	17
66	An international multi-center serum protein electrophoresis accuracy and M-protein isotyping study. Part II: limit of detection and follow-up of patients with small M-proteins. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020 , 58, 547-559	5.9	17
65	Clone-directed therapy for proliferative glomerulonephritis with monoclonal immunoglobulin depositions: is it always necessary? : Two case reports and literature review. <i>Journal of Nephrology</i> , 2020 , 33, 611-617	4.8	4
64	Minimal Residual Disease in Multiple Myeloma: Targeted Mass Spectrometry in Blood Vs Next Generation Sequencing in Bone Marrow. <i>Blood</i> , 2020 , 136, 9-9	2.2	1
63	Integrating Serum Protein Electrophoresis with Mass Spectrometry, A New Workflow for M-Protein Detection and Quantification. <i>Journal of Proteome Research</i> , 2020 , 19, 2845-2853	5.6	7
62	Cerebrospinal Fluid Penetrance of Daratumumab in Leptomeningeal Multiple Myeloma. <i>HemaSphere</i> , 2020 , 4, e413	0.3	3
61	Plasma therapy leads to an increase in functional IgA and IgM concentration in the blood and saliva of a patient with X-linked agammaglobulinemia. <i>Journal of Translational Medicine</i> , 2019 , 17, 174	8.5	5
60	Broad Bands Observed in Serum Electrophoresis Should Not Be Taken. <i>Clinical Chemistry</i> , 2019 , 65, 618-621	5.5	2
59	Method comparison of four clinically available assays for serum free light chain analysis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019 , 58, 85-94	5.9	10
58	Analytical validation of the Hevylite assays for M-protein quantification. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, 1169-1175	5.9	3
57	Development of a Targeted Mass-Spectrometry Serum Assay To Quantify M-Protein in the Presence of Therapeutic Monoclonal Antibodies. <i>Journal of Proteome Research</i> , 2018 , 17, 1326-1333	5.6	25

56	Recognition and management of common, rare, and novel serum protein electrophoresis and immunofixation interferences. <i>Clinical Biochemistry</i> , 2018 , 51, 72-79	3.5	16
55	Simultaneous Presence of Non- and Highly Mutated Keyhole Limpet Hemocyanin (KLH)-Specific Plasmablasts Early after Primary KLH Immunization Suggests Cross-Reactive Memory B Cell Activation. <i>Journal of Immunology</i> , 2018 , 200, 3981-3992	5.3	12
54	Single-cell analysis reveals that stochasticity and paracrine signaling control interferon-alpha production by plasmacytoid dendritic cells. <i>Nature Communications</i> , 2018 , 9, 3317	17.4	68
53	Evaluation of a new free light chain ELISA assay: bringing coherence with electrophoretic methods. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, 312-322	5.9	15
52	Reference ranges of the Sebia free light chain ratio in patients with chronic kidney disease. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, e232-e234	5.9	8
51	The Role of FcRn in the Pharmacokinetics of Biologics in Patients With Multiple Myeloma. <i>Clinical Pharmacology and Therapeutics</i> , 2017 , 102, 903-904	6.1	4
50	Development of a rapid and quantitative lateral flow assay for the simultaneous measurement of serum IgA and Immunoglobulin free light chains (FLC): inception of a new near-patient FLC screening tool. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017 , 55, 424-434	5.9	18
49	Response to: Interference of daratumumab on the serum protein electrophoresis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017 , 55, e29-e30	5.9	1
48	Monitoring of dynamic changes in Keyhole Limpet Hemocyanin (KLH)-specific B cells in KLH-vaccinated cancer patients. <i>Scientific Reports</i> , 2017 , 7, 43486	4.9	10
47	Changes in peripheral immune cell numbers and functions in octogenarian walkers - an acute exercise study. <i>Immunity and Ageing</i> , 2017 , 14, 5	9.7	11
46	Assessment of serum free light chain levels in healthy adults immediately after marathon running. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016 , 54, 459-65	5.9	4
45	Fast, robust and high-resolution glycosylation profiling of intact monoclonal IgG antibodies using nanoLC-chip-QTOF. <i>Clinica Chimica Acta</i> , 2016 , 461, 90-7	6.2	18
44	Interference of daratumumab in monitoring multiple myeloma patients using serum immunofixation electrophoresis can be abrogated using the daratumumab IFE reflex assay (DIRA). <i>Clinical Chemistry and Laboratory Medicine</i> , 2016 , 54, 1105-9	5.9	54
43	Long-lasting multifunctional CD8 T cell responses in end-stage melanoma patients can be induced by dendritic cell vaccination. <i>Oncotarget</i> , 2016 , 7, e1067745	7.2	37
42	Effective Clinical Responses in Metastatic Melanoma Patients after Vaccination with Primary Myeloid Dendritic Cells. <i>Clinical Cancer Research</i> , 2016 , 22, 2155-66	12.9	151
41	Dendritic Cells as Vaccines: Key Regulators of Tolerance and Immunity. <i>Mediators of Inflammation</i> , 2016 , 2016, 5789725	4.3	2
40	Monitoring multiple myeloma patients treated with daratumumab: teasing out monoclonal antibody interference. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016 , 54, 1095-104	5.9	87
39	Quantitative measurement of immunoglobulins and free light chains using mass spectrometry. <i>Analytical Chemistry</i> , 2015 , 87, 8268-74	7.8	19

38	Humoral and cellular immune responses after influenza vaccination in patients with postcancer fatigue. <i>Human Vaccines and Immunotherapeutics</i> , 2015 , 11, 1634-40	4.4	1
37	The role of interleukin-1 beta in the pathophysiology of Schnitzler's syndrome. <i>Arthritis Research and Therapy</i> , 2015 , 17, 187	5.7	32
36	Intranodal vaccination with mRNA-optimized dendritic cells in metastatic melanoma patients. <i>Oncolmmunology</i> , 2015 , 4, e1019197	7.2	43
35	Antigen excess in modern immunoassays: to anticipate on the unexpected. <i>Autoimmunity Reviews</i> , 2015 , 14, 160-7	13.6	44
34	Anti-SSA antibodies are present in immunoglobulin preparations. <i>Transfusion</i> , 2015 , 55, 832-7	2.9	11
33	Relatively restricted migration of polyclonal IgG4 may mimic a monoclonal gammopathy in IgG4-related disease. <i>American Journal of Clinical Pathology</i> , 2014 , 142, 76-81	1.9	22
32	Early predictive value of multifunctional skin-infiltrating lymphocytes in anticancer immunotherapy. <i>Oncolmmunology</i> , 2014 , 3, e27219	7.2	3
31	The impact of exercise on the variation of serum free light chains. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014 , 52, e239-42	5.9	3
30	Reply to Berlanga et al. (DOI 10.1515/cclm-2014-0420). <i>Clinical Chemistry and Laboratory Medicine</i> , 2014 , 52, e247-8	5.9	
29	N Latex FLC serum free light-chain assays in patients with renal impairment. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014 , 52, 853-9	5.9	23
28	Severe exacerbation of Crohn's disease during sunitinib treatment. <i>European Journal of Gastroenterology and Hepatology</i> , 2014 , 26, 234-6	2.2	5
27	Targeting CD4(+) T-helper cells improves the induction of antitumor responses in dendritic cell-based vaccination. <i>Cancer Research</i> , 2013 , 73, 19-29	10.1	120
26	Regulatory T cells in melanoma: the final hurdle towards effective immunotherapy?. <i>Lancet Oncology, The</i> , 2012 , 13, e32-42	21.7	174
25	Humoral anti-KLH responses in cancer patients treated with dendritic cell-based immunotherapy are dictated by different vaccination parameters. <i>Cancer Immunology, Immunotherapy</i> , 2012 , 61, 2003-17	17.4	23
24	Skin-test infiltrating lymphocytes early predict clinical outcome of dendritic cell-based vaccination in metastatic melanoma. <i>Cancer Research</i> , 2012 , 72, 6102-10	10.1	42
23	Effect of sample dilution on two free light chain nephelometric assays. <i>Clinica Chimica Acta</i> , 2012 , 413, 1708-9	6.2	17
22	Vaccination with mRNA-electroporated dendritic cells induces robust tumor antigen-specific CD4+ and CD8+ T cells responses in stage III and IV melanoma patients. <i>Clinical Cancer Research</i> , 2012 , 18, 5460-70	12.8	75
21	PD-1 blockade augments Th1 and Th17 and suppresses Th2 responses in peripheral blood from patients with prostate and advanced melanoma cancer. <i>Journal of Immunotherapy</i> , 2012 , 35, 169-78	5	203

20	Route of administration modulates the induction of dendritic cell vaccine-induced antigen-specific T cells in advanced melanoma patients. <i>Clinical Cancer Research</i> , 2011 , 17, 5725-35	12.9	138
19	Sorafenib reduces the percentage of tumour infiltrating regulatory T cells in renal cell carcinoma patients. <i>International Journal of Cancer</i> , 2011 , 129, 507-12	7.5	110
18	Anaphylaxis from passive transfer of peanut allergen in a blood product. <i>New England Journal of Medicine</i> , 2011 , 364, 1981-2	59.2	56
17	Cancer patients treated with sunitinib or sorafenib have sufficient antibody and cellular immune responses to warrant influenza vaccination. <i>Clinical Cancer Research</i> , 2011 , 17, 4541-9	12.9	24
16	Frequency of circulating Tregs with demethylated FOXP3 intron 1 in melanoma patients receiving tumor vaccines and potentially Treg-depleting agents. <i>Clinical Cancer Research</i> , 2011 , 17, 841-8	12.9	68
15	Early identification of antigen-specific immune responses in vivo by [18F]-labeled 3Sfluoro-3Sdeoxy-thymidine ([18F]FLT) PET imaging. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 18396-9	11.5	56
14	Dendritic cell vaccination in combination with anti-CD25 monoclonal antibody treatment: a phase I/II study in metastatic melanoma patients. <i>Clinical Cancer Research</i> , 2010 , 16, 5067-78	12.9	185
13	Overestimation of serum kappa free light chain concentration by immunonephelometry. <i>Clinical Chemistry</i> , 2010 , 56, 1188-90	5.5	29
12	Detecting only light chains, now what?. <i>Clinical Chemistry</i> , 2010 , 56, 1368	5.5	1
11	Prognostic significance and mechanism of Treg infiltration in human brain tumors. <i>Journal of Neuroimmunology</i> , 2010 , 225, 195-9	3.5	152
10	Limited amounts of dendritic cells migrate into the T-cell area of lymph nodes but have high immune activating potential in melanoma patients. <i>Clinical Cancer Research</i> , 2009 , 15, 2531-40	12.9	152
9	Regulatory T cells and the PD-L1/PD-1 pathway mediate immune suppression in malignant human brain tumors. <i>Neuro-Oncology</i> , 2009 , 11, 394-402	1	164
8	Regulation of MYCN expression in human neuroblastoma cells. <i>BMC Cancer</i> , 2009 , 9, 239	4.8	22
7	Vaccine-specific local T cell reactivity in immunotherapy-associated vitiligo in melanoma patients. <i>Cancer Immunology, Immunotherapy</i> , 2009 , 58, 145-51	7.4	25
6	Toll-like receptor signalling on Tregs: to suppress or not to suppress?. <i>Immunology</i> , 2008 , 124, 445-52	7.8	81
5	Elimination of regulatory T cells is essential for an effective vaccination with tumor lysate-pulsed dendritic cells in a murine glioma model. <i>International Journal of Cancer</i> , 2008 , 122, 1794-802	7.5	71
4	Selective cancer-germline gene expression in pediatric brain tumors. <i>Journal of Neuro-Oncology</i> , 2008 , 88, 273-80	4.8	24
3	Maturation of monocyte-derived dendritic cells with Toll-like receptor 3 and 7/8 ligands combined with prostaglandin E2 results in high interleukin-12 production and cell migration. <i>Cancer Immunology, Immunotherapy</i> , 2008 , 57, 1589-97	7.4	119

- 2 Cancer-germline gene expression in pediatric solid tumors using quantitative real-time PCR.
International Journal of Cancer, **2007**, 120, 67-74 7.5 67
- 1 Phenotypic and functional characterization of mature dendritic cells from pediatric cancer patients.
Pediatric Blood and Cancer, **2007**, 49, 924-7 3 9