

# Ming-Chia Lee

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5367425/publications.pdf>

Version: 2024-02-01

25  
papers

470  
citations

949033

11  
h-index

799663

21  
g-index

26  
all docs

26  
docs citations

26  
times ranked

850  
citing authors

#	ARTICLE	IF	CITATIONS
1	Advantages of Short-Course Rifamycin-based Regimens for Latent Tuberculosis Infection: An Updated Network Meta-Analysis. <i>Journal of Global Antimicrobial Resistance</i> , 2022, , .	0.9	1
2	Statin use and depression risk: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2021, 282, 308-315.	2.0	16
3	Effects of various statins on depressive symptoms: A network meta-analysis. <i>Journal of Affective Disorders</i> , 2021, 293, 205-213.	2.0	13
4	Effect of Î²-Blocker in Treatment-Naïve Patients With Advanced Lung Adenocarcinoma Receiving First-Generation EGFR-TKIs. <i>Frontiers in Oncology</i> , 2020, 10, 583529.	1.3	11
5	Survival After Treatable Hepatocellular Carcinoma Recurrence in Liver Recipients: A Nationwide Cohort Analysis. <i>Frontiers in Oncology</i> , 2020, 10, 616094.	1.3	16
6	Use of Antiplatelet Agents and Survival of Tuberculosis Patients: A Population-Based Cohort Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 923.	1.0	16
7	Association of Metformin Use With End-stage Renal Disease in Patients With Type 2 Diabetes Mellitus: A Nationwide Cohort Study Under the Pay-for-Performance Program. <i>Journal of Clinical Pharmacology</i> , 2019, 59, 1443-1452.	1.0	7
8	Impact of metformin use among tuberculosis close contacts with diabetes mellitus in a nationwide cohort study. <i>BMC Infectious Diseases</i> , 2019, 19, 936.	1.3	7
9	Metformin use is associated with a low risk of tuberculosis among newly diagnosed diabetes mellitus patients with normal renal function: A nationwide cohort study with validated diagnostic criteria. <i>PLoS ONE</i> , 2018, 13, e0205807.	1.1	30
10	Acute biliary events during anti-tuberculosis treatment: hospital case series and a nationwide cohort study. <i>BMC Infectious Diseases</i> , 2018, 18, 64.	1.3	6
11	Comparative effectiveness of angiotensin-converting enzyme inhibitors and angiotensin II receptor blockers in chemoprevention of hepatocellular carcinoma: a nationwide high-risk cohort study. <i>BMC Cancer</i> , 2018, 18, 401.	1.1	23
12	Gefitinib or erlotinib in previously treated non-small-cell lung cancer patients: a cohort study in Taiwan. <i>Cancer Medicine</i> , 2017, 6, 1563-1572.	1.3	13
13	Tuberculosis contact investigation in an intermediate burden setting: implications from a large tuberculosis contact cohort in Taiwan. <i>European Respiratory Journal</i> , 2017, 50, 1700851.	3.1	21
14	Inhaled Corticosteroids Increase the Risk of Pneumonia in Patients With Chronic Obstructive Pulmonary Disease. <i>Medicine (United States)</i> , 2015, 94, e1723.	0.4	20
15	<i>Mycobacterium tuberculosis</i> nucleic acid amplification tests reduce nosocomial tuberculosis exposure in intensive care units: A nationwide cohort study. <i>Respirology</i> , 2015, 20, 1233-1240.	1.3	9
16	Optimal Duration of Anti-TB Treatment in Patients With Diabetes. <i>Chest</i> , 2015, 147, 520-528.	0.4	60
17	Fluoroquinolone use delays tuberculosis treatment despite immediate mycobacteriology study. <i>European Respiratory Journal</i> , 2015, 46, 567-570.	3.1	11
18	Suspected ketamine-associated lower urinary tract symptoms. <i>Urology Journal</i> , 2014, 11, 1508-10.	0.3	5

#	ARTICLE	IF	CITATIONS
19	Risk factors for pulmonary tuberculosis in patients with chronic obstructive airway disease in Taiwan: a nationwide cohort study. <i>BMC Infectious Diseases</i> , 2013, 13, 194.	1.3	69
20	The impact of diabetes mellitus and its control on the development of tuberculosis: a nationwide longitudinal study in Taiwan. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 995-1003.	0.9	5
21	Suspected Clonazepam-Induced Bullous Dermatitis in a Patient With Respiratory Failure. <i>Journal of Clinical Pharmacology</i> , 2012, 52, 1607-1609.	1.0	4
22	Pulmonary Tuberculosis and Delay in Anti-Tuberculous Treatment Are Important Risk Factors for Chronic Obstructive Pulmonary Disease. <i>PLoS ONE</i> , 2012, 7, e37978.	1.1	89
23	<i>Listeria monocytogenes</i> meningitis in a young woman with systemic lupus erythematosus. <i>Rheumatology International</i> , 2011, 31, 555-557.	1.5	8
24	Caspofungin-Induced Severe Toxic Epidermal Necrolysis. <i>Annals of Pharmacotherapy</i> , 2010, 44, 1116-1118.	0.9	10
25	Bisphosphonate Use Is Not Associated with Tuberculosis Risk Among Patients With Osteoporosis: A Nationwide Cohort Study. <i>Journal of Clinical Pharmacology</i> , 0, , .	1.0	0