Anthony Pak-Hin Kong

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5368324/publications.pdf

Version: 2024-02-01

586496 620720 118 1,091 16 26 citations g-index h-index papers 127 127 127 825 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Adaptation and validation of the main concept analysis of spoken discourse by native Japanese adults. Clinical Linguistics and Phonetics, 2022, 36, 17-33.	0.5	5
2	Utilising a systematic review-based approach to create a database of individual participant data for meta- and network meta-analyses: the RELEASE database of aphasia after stroke. Aphasiology, 2022, 36, 513-533.	1.4	3
3	Dosage, Intensity, and Frequency of Language Therapy for Aphasia: A Systematic Review–Based, Individual Participant Data Network Meta-Analysis. Stroke, 2022, 53, 956-967.	1.0	44
4	Precision rehabilitation for aphasia by patient age, sex, aphasia severity, and time since stroke? A prespecified, systematic review-based, individual participant data, network, subgroup meta-analysis. International Journal of Stroke, 2022, 17, 1067-1077.	2.9	12
5	Mental Health of Persons with Aphasia during the COVID-19 Pandemic: Challenges and Opportunities for Addressing Emotional Distress. Open Journal of Social Sciences, 2021, 09, 562-569.	0.1	3
6	Dialectally-sensitive norms of the Spanish version of Main Concept Analysis (Span-MCA) for quantifying neurogenically impaired spoken discourse. Revista De Investigacion En Logopedia, 2021, 11, e69932.	0.2	2
7	Predictors of Poststroke Aphasia Recovery. Stroke, 2021, 52, 1778-1787.	1.0	46
8	The Dutch Main Concept Analysis: Translation and Establishment of Normative Data. American Journal of Speech-Language Pathology, 2021, 30, 1750-1766.	0.9	3
9	Communication and Social Inactivity During COVID-19 Lockdown in Hong Kong: Psychosocial Implications to Individuals With Aphasia, Their Primary Caretakers, and Healthy Adults. Perspectives of the ASHA Special Interest Groups, 2021, 6, 964-967.	0.4	2
10	The Impact of COVID-19 on Speakers With Aphasia: What Is Currently Known and Missing?. Journal of Speech, Language, and Hearing Research, 2021, 64, 176-180.	0.7	19
11	COVID-19 and Aphasia. Current Neurology and Neuroscience Reports, 2021, 21, 61.	2.0	3
12	Sentence types and complexity of spontaneous discourse productions by Cantonese-speakers with traumatic brain injury a preliminary report. Clinical Linguistics and Phonetics, 2021, , 1-17.	0.5	2
13	Systematic Review of Training Communication Partners of Chinese-speaking Persons With Aphasia. Archives of Rehabilitation Research and Clinical Translation, 2021, 3, 100152.	0.5	4
14	Proposing a quick, objective, comprehensive analysis of impaired spoken discourse in post-stroke aphasia. Clinical Archives of Communication Disorders, 2021, 6, 172-186.	0.3	1
15	The use of free non-dementia-specific Apps on iPad to conduct group communication exercises for individuals with Alzheimer's disease (Innovative Practice). Dementia, 2020, 19, 1252-1264.	1.0	6
16	Analysing coherence of oral discourse among Cantonese speakers in Mainland China with traumatic brain injury and cerebrovascular accident. International Journal of Speech-Language Pathology, 2020, 22, 37-47.	0.6	5
17	Automatic Assessment of Speech Impairment in Cantonese-Speaking People with Aphasia. IEEE Journal on Selected Topics in Signal Processing, 2020, 14, 331-345.	7.3	13
18	Communicating simply, but not too simply: Reporting of participants and speech and language interventions for aphasia after stroke. International Journal of Speech-Language Pathology, 2020, 22, 302-312.	0.6	15

#	Article	IF	CITATIONS
19	An End-to-End Approach to Automatic Speech Assessment for Cantonese-speaking People with Aphasia. Journal of Signal Processing Systems, 2020, 92, 819-830.	1.4	14
20	Impact of COVID-19 on college seniors' learning and performance in communication sciences and disorders: Students' self-reflections. Clinical Archives of Communication Disorders, 2020, 5, 137-146.	0.3	2
21	Development and preliminary psychometric analysis of a quick screening form for referrals of individuals with neurogenic communication disorders to speechlanguage pathologists by laypersons. Clinical Archives of Communication Disorders, 2020, 5, 18-30.	0.3	1
22	The Effect of Metalinguistic Sentence Combining on Eighth-Grade Students' Understanding and Written Expression of Comparison and Contrast in Science. Journal of Speech, Language, and Hearing Research, 2020, 63, 3068-3083.	0.7	5
23	Combining Phone Posteriorgrams from Strong and Weak Recognizers for Automatic Speech Assessment of People with Aphasia. , 2019, , .		3
24	Use of co-verbal gestures during word-finding difficulty among Cantonese speakers with fluent aphasia and unimpaired controls. Aphasiology, 2019, 33, 216-233.	1.4	7
25	Cantonese AphasiaBank: An annotated database of spoken discourse and co-verbal gestures by healthy and language-impaired native Cantonese speakers. Behavior Research Methods, 2019, 51, 1131-1144.	2.3	13
26	Chinese and aphasia. , 2019, , 567-588.		0
27	Measuring discourse coherence in anomic aphasia using Rhetorical Structure Theory. International Journal of Speech-Language Pathology, 2018, 20, 406-421.	0.6	14
28	Verbal short-term memory and language impairments in Cantonese speakers after stroke. International Journal of Speech-Language Pathology, 2018, 20, 383-392.	0.6	2
29	Developing a Cantonese Version of Birmingham Cognitive Screen for Stroke Survivors in Hong Kong. Communication Disorders Quarterly, 2018, 39, 387-401.	0.5	11
30	An analysis of topics and vocabulary in Chinese oral narratives by normal speakers and speakers with fluent aphasia. Clinical Linguistics and Phonetics, 2018, 32, 88-99.	0.5	9
31	Research and clinical services in Chinese aphasia: a recent update. Aphasiology, 2018, 32, 115-116.	1.4	O
32	An End-to-End Approach to Automatic Speech Assessment for People with Aphasia. , 2018, , .		4
33	Automatic Speech Assessment for Aphasic Patients Based on Syllable-Level Embedding and Supra-Segmental Duration Features. , 2018, , .		10
34	An Integrative Analysis of Spontaneous Storytelling Discourse in Aphasia: Relationship With Listeners' Rating and Prediction of Severity and Fluency Status of Aphasia. American Journal of Speech-Language Pathology, 2018, 27, 1491-1505.	0.9	10
35	Main Concept Analysis for Acquired Deficits of Spoken Narratives: Preliminary Data on Inter-rater Agreement and Potential Application to the Korean-Speaking Population. Clinical Archives of Communication Disorders, 2018, 3, 14-21.	0.3	5
36	Clinician Survey on Speech Pathology Services for People with Aphasia in Hong Kong. Clinical Archives of Communication Disorders, 2018, 3, 201-212.	0.3	15

#	Article	IF	CITATIONS
37	Which outcomes are most important to people with aphasia and their families? an international nominal group technique study framed within the ICF. Disability and Rehabilitation, 2017, 39, 1364-1379.	0.9	156
38	A Comparison of Coverbal Gesture Use in Oral Discourse Among Speakers With Fluent and Nonfluent Aphasia. Journal of Speech, Language, and Hearing Research, 2017, 60, 2031-2046.	0.7	17
39	A Quantitative Study of Right Dislocation in Cantonese Spoken Discourse. Language and Speech, 2017, 60, 633-642.	0.6	4
40	Speech-Language Services for Chinese-Speaking People With Aphasia (C-PWA): Considerations for Assessment and Intervention. Perspectives of the ASHA Special Interest Groups, 2017, 2, 100-109.	0.4	5
41	Let's call it "aphasia― Rationales for eliminating the term "dysphasia― International Journal of Stroke 2016, 11, 848-851.	² 2.9	22
42	Towards automatic assessment of aphasia speech using automatic speech recognition techniques. , 2016, , .		5
43	Automatic speech recognition for acoustical analysis and assessment of cantonese pathological voice and speech., 2016,,.		24
44	The Hong Kong version of the Oxford Cognitive Screen (HK-OCS): validation study for Cantonese-speaking chronic stroke survivors. Aging, Neuropsychology, and Cognition, 2016, 23, 530-548.	0.7	31
45	The Main Concept Analysis: Validation and sensitivity in differentiating discourse produced by unimpaired English speakers from individuals with aphasia and dementia of Alzheimer type. Logopedics Phoniatrics Vocology, 2016, 41, 129-141.	0.5	27
46	Early recovery of a multi-lingual speaker with aphasia using Cantonese and English. Speech, Language and Hearing, 2015, 18, 133-139.	0.6	6
47	A Taiwanese Mandarin Main Concept Analysis (TMâ€MCA) for quantification of aphasic oral discourse. International Journal of Language and Communication Disorders, 2015, 50, 580-592.	0.7	11
48	Preliminary findings on the reliability and validity of the Cantonese Birmingham Cognitive Screen in patients with acute ischemic stroke. Neuropsychiatric Disease and Treatment, 2015, 11, 2377.	1.0	9
49	Analysis of intonation patterns in Cantonese aphasia speech. , 2015, 2015, 86-89.		1
50	Conducting Cognitive Exercises for Early Dementia With the Use of Apps on iPads. Communication Disorders Quarterly, 2015, 36, 102-106.	0.5	14
51	A Coding System with Independent Annotations of Gesture Forms and Functions During Verbal Communication: Development of a Database of Speech and GEsture (DoSaGE). Journal of Nonverbal Behavior, 2015, 39, 93-111.	0.6	32
52	Co-verbal gestures among speakers with aphasia: Influence of aphasia severity, linguistic and semantic skills, and hemiplegia on gesture employment in oral discourse. Journal of Communication Disorders, 2015, 56, 88-102.	0.8	30
53	Effects of context and word class on lexical retrieval in Chinese speakers with anomic aphasia. Aphasiology, 2015, 29, 81-100.	1.4	16
54	Students' perceptions of using Problem-Based Learning (PBL) in teaching cognitive communicative disorders. Clinical Linguistics and Phonetics, 2014, 28, 60-71.	0.5	8

#	Article	IF	Citations
55	Executive and Language Control in the Multilingual Brain. Behavioural Neurology, 2014, 2014, 1-7.	1.1	32
56	Analysing speech problems in a longitudinal case study of logopenic variant PPA. Aphasiology, 2014, 28, 840-861.	1.4	15
57	A Validation of the Cantonese Version of the Birmingham Cognitive Screen (BCoS) for Stroke Survivors in Hong Kong. Procedia, Social and Behavioral Sciences, 2013, 94, 240-241.	0.5	2
58	A Pilot Study of Using the Tagalog Version of the Western Aphasia Battery-Revised in the Philippines. Procedia, Social and Behavioral Sciences, 2013, 94, 232-233.	0.5	1
59	Production of Nouns and Verbs in Picture Naming and Narrative Tasks by Chinese Speakers with Aphasia. Procedia, Social and Behavioral Sciences, 2013, 94, 63-64.	0.5	1
60	Employment of Gestures in Spontaneous Verbal Discourse by Speakers with Aphasia. Procedia, Social and Behavioral Sciences, 2013, 94, 200-201.	0.5	2
61	Analysis of Auto-aligned and Auto-segmented Oral Discourse by Speakers with Aphasia: A Preliminary Study on the Acoustic Parameter of Duration. Procedia, Social and Behavioral Sciences, 2013, 94, 71-72.	0.5	8
62	Age of Acquisition Effects on Object Naming in Chinese Speakers with Dementia. Procedia, Social and Behavioral Sciences, 2013, 94, 67-68.	0.5	O
63	Recovery of naming and discourse production: A bilingual anomic case study. Aphasiology, 2012, 26, 737-756.	1.4	14
64	A Novel Approach to Analyze Gesture Forms and Functions in Spontaneous Oral Discourse Production of Normal Speakers. Procedia, Social and Behavioral Sciences, 2012, 61, 242-243.	0.5	1
65	Development of the Tagalog Version of the Western Aphasia Battery-Revised: A Preliminary Report. Procedia, Social and Behavioral Sciences, 2012, 61, 174-176.	0.5	1
66	Capturing Sound Errors in Aphasic Narration: A Supplement to Existing Measures of Narrative Quality. Procedia, Social and Behavioral Sciences, 2012, 61, 232-233.	0.5	0
67	Impaired Word Retrieval in Aphasia: A Trilingual Cantonese-English-Mandarin Case Study. Procedia, Social and Behavioral Sciences, 2012, 61, 204-205.	0.5	O
68	Using Forced Alignment for Automatic Acoustic-Phonetic Segmentation of Aphasic Discourse. Procedia, Social and Behavioral Sciences, 2012, 61, 92-93.	0.5	3
69	A Main Concept Analysis for Aphasic Discourse in Irish-English Speakers. Journal of Clinical Speech & Language Studies, 2012, 19, 19-43.	0.2	10
70	Family members' report on speech-language pathology and community services for persons with aphasia in Hong Kong. Disability and Rehabilitation, 2011, 33, 2633-2645.	0.9	25
71	Spontaneous Recovery of Linguistic, Narrative, and Cognitive Skills from Bilingual Aphasia in Cantonese and English: A Case Study. Procedia, Social and Behavioral Sciences, 2011, 23, 20-21.	0.5	1
72	Naming and Discourse Production: A Bilingual Case Study. Procedia, Social and Behavioral Sciences, 2011, 23, 24-26.	0.5	0

#	Article	IF	CITATIONS
73	Longitudinal Output Changes in a Case of Logopenic Bilingual PPA. Procedia, Social and Behavioral Sciences, 2011, 23, 31-32.	0.5	1
74	Use of the BAT with a Cantonese–Putonghua speaker with aphasia. Clinical Linguistics and Phonetics, 2011, 25, 540-552.	0.5	5
75	The Main Concept Analysis in Cantonese Aphasic Oral Discourse: External Validation and Monitoring Chronic Aphasia. Journal of Speech, Language, and Hearing Research, 2011, 54, 148-159.	0.7	64
76	Aphasia Assessment in Chinese Speakers. ASHA Leader, 2011, 16, 36-38.	0.2	4
77	An Investigation of Use of Non-Verbal Behaviors Among Individuals With Aphasia in Hong Kong: Preliminary Data. Procedia, Social and Behavioral Sciences, 2010, 6, 57-58.	0.5	3
78	Effect of Intonation on Tone Production in Cantonese Speakers with Aphasia. Procedia, Social and Behavioral Sciences, 2010, 6, 125-127.	0.5	0
79	A linguistic communication measure for monitoring changes in Chinese aphasic narrative production. Clinical Linguistics and Phonetics, 2009, 23, 255-269.	0.5	19
80	The use of main concept analysis to measure discourse production in Cantonese-speaking persons with aphasia: A preliminary report. Journal of Communication Disorders, 2009, 42, 442-464.	0.8	46
81	Direct access from meaning to orthography in Chinese: A case study of superior written to oral naming. Aphasiology, 2006, 20, 565-578.	1.4	6
82	External validation of the Cantonese linguistic communication measure. Brain and Language, 2005, 95, 197-199.	0.8	0
83	A Cantonese linguistic communication measure for evaluating aphasic narrative production: normative and preliminary aphasic data. Clinical Linguistics and Phonetics, 2004, 2, 124-146.	0.3	26
84	A Cantonese linguistic communication measure. Asia Pacific Journal of Speech Language and Hearing, 2003, 8, 229-234.	0.2	2
85	Automatic Speech Assessment for People with Aphasia Using TDNN-BLSTM with Multi-Task Learning. , 0,		17
86	Applying Main Concept Analysis (MCA) to analyze spoken discourse by Cantonese speakers with aphasia and unimpaired individuals. Frontiers in Human Neuroscience, $0,11,1$	1.0	1
87	Establishing geographically specific norms for a content-based analysis of spoken narratives in Spanish speakers. Frontiers in Human Neuroscience, $0,12,.$	1.0	1
88	A Japanese version of Main Concept Analysis: Preliminary report. Frontiers in Human Neuroscience, 0, 12, .	1.0	1
89	Validation of the Japanese version of Main Concept Analysis (J-MCA). Frontiers in Human Neuroscience, 0, 13, .	1.0	1
90	Cantonese version of the Oxford Cognitive Screen (OCS): Validation for stroke survivors in Hong Kong. Frontiers in Psychology, 0, 5, .	1.1	2

#	Article	IF	CITATIONS
91	An investigation of the use of co-verbal gestures in oral discourse among Chinese speakers with fluent versus non-fluent aphasia and healthy adults. Frontiers in Psychology, 0, 6, .	1.1	3
92	Production of main concepts by Mandarin-speakers with traumatic brain injury in China: A pilot study. Frontiers in Psychology, 0, 7, .	1.1	1
93	An investigation of global and local coherence of spontaneous personal versus descriptive narratives in native Chinese speakers with traumatic brain injury: Preliminary data. Frontiers in Psychology, 0, 7, .	1.1	1
94	Analysis of Neurogenic Disordered Discourse Production., 0,,.		22
95	Relationship between deficits of verbal short-term memory and auditory impairment among Cantonese speakers with aphasia. Frontiers in Psychology, 0, 5, .	1.1	0
96	Measuring prosodic deficits in oral discourse by speakers with fluent aphasia. Frontiers in Psychology, 0, 6, .	1.1	1
97	Can co-verbal gestures facilitate word finding difficulties during production of spontaneous discourse?. Frontiers in Psychology, 0, 7, .	1.1	0
98	Cohesion in oral discourse of Mandarin-speaking adults with traumatic brain injury: Report of pilot data on story telling. Frontiers in Psychology, 0, 7, .	1.1	0
99	A preliminary report of the narrative abilities and verb production among Mandarin-speaking individuals with traumatic brain injury. Frontiers in Psychology, 0, 7, .	1.1	0
100	Bilingualism and cognitive control. Frontiers in Psychology, 0, 7, .	1.1	0
101	Pathological switching and mixing in bi-/multi-lingual speakers with acquired language disorders. Frontiers in Psychology, 0, 7, .	1.1	0
102	Conducting corpus-based analyses of linguistic, acoustic, and co-verbal performances in aphasia using the Cantonese AphasiaBank database. Frontiers in Psychology, 0, 7, .	1.1	0
103	Propositional analysis of discourse produced by Chinese speakers with traumatic brain injury. Frontiers in Psychology, 0, 7, .	1.1	0
104	Cohesion in oral discourse among speakers with aphasia induced by closed head traumatic brain injury (TBI) and cerebrovascular accident (CVA): Preliminary Data. Frontiers in Human Neuroscience, 0, 11, .	1.0	0
105	Cantonese Apps for Speech Therapy-Adult (CASTA): Development and application to native Cantonese speakers in Hong Kong with stroke-induced aphasia and motor-speech disorders. Frontiers in Human Neuroscience, $0,11,\ldots$	1.0	0
106	Measuring sentence types and complexity of spontaneous discourse productions by Cantonese-speakers with traumatic brain injury in Guangzhou: A pilot study. Frontiers in Human Neuroscience, $0,11,\ldots$	1.0	0
107	A comparison of coherence in oral discourse between Cantonese speakers in Mainland China with cerebrovascular accident (CVA) and traumatic brain injury (TBI): A pilot study. Frontiers in Human Neuroscience, $0,11,\ldots$	1.0	0
108	Sensitivity of macrostructural measures in story narratives to severity of traumatic brain injury among Cantonese speakers in Mainland China. Frontiers in Human Neuroscience, 0, 12, .	1.0	0

#	Article	IF	CITATIONS
109	Application of automatic speech recognition (ASR) techniques for automatic speech assessment in people with aphasia. Frontiers in Human Neuroscience, $0,12,.$	1.0	O
110	The inhibitory effect of anodal HD-tDCS over right inferior frontal gyrus on naming accuracy in people with aphasia. Frontiers in Human Neuroscience, $0,12,.$	1.0	1
111	A preliminary report of effects of psycholinguistic variables on open-class word production in discourse among Cantonese speakers with traumatic brain injury and controls. Frontiers in Human Neuroscience, 0, 12, .	1.0	O
112	A multi-level analysis of spoken discourse production in healthyÂCantoneseÂspeaking adults. Frontiers in Human Neuroscience, 0, 12, .	1.0	0
113	A comprehensive and integrated clinical rating for storytelling produced by individuals with traumatic brain injury: A preliminary report. Frontiers in Human Neuroscience, 0, 12, .	1.0	O
114	Analyzing the macrolinguistic features of oral discourse produced by people with acquired neurogenic communication disorders. Frontiers in Human Neuroscience, 0, 13, .	1.0	O
115	Project BRIDGE: Building Research Initiatives by Developing Group Effort. Frontiers in Human Neuroscience, 0, 13, .	1.0	1
116	Measuring tangentiality of discourse output among Chinese-speaking individuals with acquired neurogenic disorders: A pilot study. Frontiers in Human Neuroscience, $0,13,1$	1.0	1
117	Automatic Assessment of Language Impairment Based on Raw ASR Output. , 0, , .		2
118	Keeping people with aphasia worldwide "COVID-informed―amid and after the pandemic. Advances in Clinical Neuroscience & Rehabilitation: ACNR, 0, , .	0.1	O