

Yasuaki Saijo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5368693/publications.pdf>

Version: 2024-02-01

151
papers

4,152
citations

136740

32
h-index

143772

57
g-index

167
all docs

167
docs citations

167
times ranked

5557
citing authors

#	ARTICLE	IF	CITATIONS
1	Prenatal alcohol exposure and adverse fetal growth restriction: findings from the Japan Environment and Children's Study. <i>Pediatric Research</i> , 2022, 92, 291-298.	1.1	7
2	Relations of mold, stove, and fragrance products on childhood wheezing and asthma: A prospective cohort study from the Japan Environment and Children's Study. <i>Indoor Air</i> , 2022, 32, .	2.0	7
3	Association between pre-pregnancy body mass index and gestational weight gain and perinatal outcomes in pregnant women diagnosed with gestational diabetes mellitus: The Japan Environment and Children's Study. <i>Journal of Diabetes Investigation</i> , 2022, 13, 889-899.	1.1	9
4	Five-minute test to prevent postcardiotomy reexploration. <i>JTCVS Techniques</i> , 2022, 12, 121-129.	0.2	0
5	Severity of low pre-pregnancy body mass index and perinatal outcomes: the Japan Environment and Children's Study. <i>BMC Pregnancy and Childbirth</i> , 2022, 22, 121.	0.9	10
6	Cross-sectional associations between oral diseases and work productivity loss among regular employees in Japan. <i>Industrial Health</i> , 2022, 61, 3-13.	0.4	4
7	Silent cerebral ischemia detected by magnetic resonance imaging can predict postoperative delirium after total arch replacement for aneurysm. <i>JTCVS Open</i> , 2022, 10, 87-96.	0.2	2
8	Post-cardiotomy pericardial effusion and postoperative atrial fibrillation risk. <i>International Journal of Cardiovascular Imaging</i> , 2022, 38, 1873-1879.	0.2	0
9	Recombinant Activated Factor VII in Aortic Surgery for Patients Under Hypothermic Circulatory Arrest. <i>Therapeutics and Clinical Risk Management</i> , 2022, Volume 18, 337-348.	0.9	1
10	Relationship between Alcohol Intake and Stroke Severity in Japanese Patients: a Sex- and Subtype-Stratified Analysis. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2022, 31, 106513.	0.7	3
11	Association between maternal caffeine intake during pregnancy and child development at 6 and 12 months: The Japan Environment and Children's Study. <i>Early Human Development</i> , 2022, 171, 105607.	0.8	0
12	Population Attributable Fractions of Modifiable Risk Factors for Nonsyndromic Orofacial Clefts: A Prospective Cohort Study From the Japan Environment and Children's Study. <i>Journal of Epidemiology</i> , 2021, 31, 272-279.	1.1	14
13	Trajectories of the Psychological Status of Mothers of Infants With Nonsyndromic Orofacial Clefts: A Prospective Cohort Study From the Japan Environment and Children's Study. <i>Cleft Palate-Craniofacial Journal</i> , 2021, 58, 369-377.	0.5	2
14	Geography of suicide in Japan: spatial patterning and rural-urban differences. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 731-746.	1.6	13
15	Lower Respiratory Tract Infections and Orofacial Clefts: A Prospective Cohort Study From the Japan Environment and Children's Study. <i>Journal of Epidemiology</i> , 2021, .	1.1	3
16	Gender disparities in academic dermatology in Japan: Results from the first national survey. <i>Journal of Dermatological Science</i> , 2021, 102, 2-6.	1.0	1
17	Parental educational level and childhood wheezing and asthma: A prospective cohort study from the Japan Environment and Children's Study. <i>PLoS ONE</i> , 2021, 16, e0250255.	1.1	2
18	Work stress and oral conditions: a systematic review of observational studies. <i>BMJ Open</i> , 2021, 11, e046532.	0.8	6

#	ARTICLE	IF	CITATIONS
19	Comparing Conscious Sedation With Regional Anesthesia Versus General Anesthesia in Minimally Invasive Mitral Valve Surgery With Right-Sided Minithoracotomy: A Retrospective Study. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2021, , .	0.6	0
20	Association between Early Life Child Development and Family Dog Ownership: A Prospective Birth Cohort Study of the Japan Environment and Children's Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7082.	1.2	2
21	Maternal psychological distress, education, household income, and congenital heart defects: a prospective cohort study from the Japan environment and children's study. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 544.	0.9	0
22	Association between the Concentrations of Metallic Elements in Maternal Blood during Pregnancy and Prevalence of Abdominal Congenital Malformations: The Japan Environment and Children's Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10103.	1.2	1
23	Accidental hypothermia: Factors related to a prolonged hospital stay – A nationwide observational study in Japan. <i>American Journal of Emergency Medicine</i> , 2021, 47, 169-175.	0.7	4
24	Association between frailty and mortality among patients with accidental hypothermia: a nationwide observational study in Japan. <i>BMC Geriatrics</i> , 2021, 21, 507.	1.1	4
25	Effort-reward imbalance at work and tooth loss: a cross-sectional study from the J-SHINE project. <i>Industrial Health</i> , 2020, 58, 26-34.	0.4	2
26	Student Loans and Psychological Distress: A Cross-sectional Study of Young Adults in Japan. <i>Journal of Epidemiology</i> , 2020, 30, 436-441.	1.1	6
27	Cat and Dog Ownership in Early Life and Infant Development: A Prospective Birth Cohort Study of Japan Environment and Children's Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 205.	1.2	14
28	Assessment of suitable antihypertensive therapies: Combination with high-dose amlodipine/irbesartan vs triple combination with amlodipine/irbesartan/indapamide (ASAHI study). <i>Journal of Clinical Hypertension</i> , 2020, 22, 1577-1584.	1.0	3
29	Sick Building/House Syndrome. <i>Current Topics in Environmental Health and Preventive Medicine</i> , 2020, , 21-38.	0.1	0
30	Factors correlating with serum birch pollen IgE status in pregnant women in Hokkaido, Japan: The Japan Environment and Children's Study (JECS). <i>World Allergy Organization Journal</i> , 2020, 13, 100128.	1.6	2
31	Higher Density of Primary Care Facilities Is Inversely Associated with Ischemic Heart Disease Mortality, but Not with Stroke Mortality: A Japanese Secondary Medical Service Area Level Ecological Count Data. <i>Tohoku Journal of Experimental Medicine</i> , 2020, 251, 217-224.	0.5	3
32	Identifying a risk score for childhood obesity based on predictors identified in pregnant women and 1-year-old infants: An analysis of the data of the Hokkaido Study on Environment and Children's Health. <i>Clinical Pediatric Endocrinology</i> , 2019, 28, 81-89.	0.4	4
33	The relationship between prenatal psychological stress and placental abruption in Japan, The Japan Environment and Children's Study (JECS). <i>PLoS ONE</i> , 2019, 14, e0219379.	1.1	6
34	Acute myocardial infarction and stroke after the enactment of smoke-free legislation in public places in Bibai city: data analysis of hospital admissions and ambulance transports. <i>Hypertension Research</i> , 2019, 42, 1801-1807.	1.5	1
35	Dose-dependent associations between prenatal caffeine consumption and small for gestational age, preterm birth, and reduced birthweight in the Japan Environment and Children's Study. <i>Paediatric and Perinatal Epidemiology</i> , 2019, 33, 185-194.	0.8	14
36	Relationships between Alcohol Intake and Ischemic Stroke Severity in Sex Stratified Analysis for Japanese Acute Stroke Patients. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2019, 28, 1604-1617.	0.7	9

#	ARTICLE	IF	CITATIONS
37	Association of blood mercury levels during pregnancy with infant birth size by blood selenium levels in the Japan Environment and Children's Study: A prospective birth cohort. <i>Environment International</i> , 2019, 125, 418-429.	4.8	36
38	Relationships between road distance to primary care facilities and ischemic heart disease and stroke mortality in Hokkaido, Japan: A Bayesian hierarchical approach to ecological count data. <i>Journal of General and Family Medicine</i> , 2018, 19, 4-8.	0.3	7
39	A prospective cohort study of insomnia and chronic kidney disease in Japanese workers. <i>Sleep and Breathing</i> , 2018, 22, 257-265.	0.9	13
40	Effects of low-level prenatal exposure to dioxins on cognitive development in Japanese children at 42 months. <i>Science of the Total Environment</i> , 2018, 618, 1423-1430.	3.9	23
41	Impacts of Diabetes and an SGLT2 Inhibitor on the Glomerular Number and Volume in db/db Mice, as Estimated by Synchrotron Radiation Micro-CT at SPring-8. <i>EBioMedicine</i> , 2018, 36, 329-346.	2.7	25
42	Job Stress Factors Affect Workplace Resignation and Burnout among Japanese Rural Physicians. <i>Tohoku Journal of Experimental Medicine</i> , 2018, 245, 167-177.	0.5	13
43	An association study of the single-nucleotide polymorphism c190C>T (Arg64Cys) in the human testis-specific histone variant, H3t, of Japanese patients with Sertoli cell-only syndrome. <i>Asian Journal of Andrology</i> , 2018, 20, 527.	0.8	3
44	Single-nucleotide polymorphisms in the human <i>RAD21L</i> gene may be a genetic risk factor for Japanese patients with azoospermia caused by meiotic arrest and Sertoli cell-only syndrome. <i>Human Fertility</i> , 2017, 20, 217-220.	0.7	8
45	Association of premorbid personality with behavioral and psychological symptoms in dementia with Lewy bodies: Comparison with Alzheimer's disease patients. <i>Psychiatry and Clinical Neurosciences</i> , 2017, 71, 409-416.	1.0	12
46	Social support and its interrelationships with demand-control model factors on presenteeism and absenteeism in Japanese civil servants. <i>International Archives of Occupational and Environmental Health</i> , 2017, 90, 539-553.	1.1	29
47	Sex-specific differences in effect of prenatal exposure to dioxin-like compounds on neurodevelopment in Japanese children: Sapporo cohort study. <i>Environmental Research</i> , 2017, 159, 222-231.	3.7	28
48	An analysis of secular trends in method-specific suicides in Japan, 1950-1975. <i>Population Health Metrics</i> , 2017, 15, 14.	1.3	3
49	Functional characteristics of left ventricular synchronization via right ventricular outflow tract pacing detected by two-dimensional strain echocardiography. <i>Journal of Arrhythmia</i> , 2017, 33, 28-34.	0.5	2
50	Relationships of job demand, job control, and social support on intention to leave and depressive symptoms in Japanese nurses. <i>Industrial Health</i> , 2016, 54, 32-41.	0.4	25
51	The Association between Prenatal Yoga and the Administration of Ritodrine Hydrochloride during Pregnancy: An Adjunct Study of the Japan Environment and Children's Study. <i>PLoS ONE</i> , 2016, 11, e0158155.	1.1	2
52	Late Gadolinium Enhancement on Cardiac MRI Correlates with QT Dynamicity Represented by QT/RR Relationship in Patients with Ventricular Arrhythmias. <i>Annals of Noninvasive Electrocardiology</i> , 2016, 21, 126-135.	0.5	2
53	Time trends in method-specific suicide rates in Japan, 1990-2011. <i>Epidemiology and Psychiatric Sciences</i> , 2016, 25, 58-68.	1.8	18
54	The Risk of Developing Diabetes in Association With Long Working Hours Differs by Shift Work Schedules. <i>Journal of Epidemiology</i> , 2016, 26, 481-487.	1.1	24

#	ARTICLE	IF	CITATIONS
55	PS 14-43 CHRONOTHERAPY WITH AN ARB AND CCB COMBINATION. <i>Journal of Hypertension</i> , 2016, 34, e446.	0.3	0
56	Spatial and temporal evolution of the epidemic of charcoal-burning suicide in Japan. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 857-868.	1.6	11
57	Insight into specific pro-arrhythmic triggers in Brugada and early repolarization syndromes: results of long-term follow-up. <i>Heart and Vessels</i> , 2016, 31, 2035-2044.	0.5	5
58	The relationship between repolarization parameters and serum electrolyte levels in patients with J wave syndromes. <i>Magnesium Research</i> , 2015, 28, 1-13.	0.4	1
59	Late gadolinium enhancement on cardiac magnetic resonance represents the depolarizing and repolarizing electrically damaged foci causing malignant ventricular arrhythmia in hypertrophic cardiomyopathy. <i>Heart Rhythm</i> , 2015, 12, 1276-1284.	0.3	23
60	Biomonitoring of mercury, cadmium, and lead exposure in Japanese children: a cross-sectional study. <i>Environmental Health and Preventive Medicine</i> , 2015, 20, 18-27.	1.4	52
61	Late gadolinium enhancement of cardiac magnetic resonance imaging indicates abnormalities of time-domain T-wave alternans in hypertrophic cardiomyopathy with ventricular tachycardia. <i>Heart Rhythm</i> , 2015, 12, 1747-1755.	0.3	7
62	Demographic, behavioral, dietary, and socioeconomic characteristics related to persistent organic pollutants and mercury levels in pregnant women in Japan. <i>Chemosphere</i> , 2015, 133, 13-21.	4.2	37
63	Visit-to-visit variability and seasonal variation in blood pressure: Combination of Antihypertensive Therapy in the Elderly, Multicenter Investigation (CAMUI) Trial subanalysis. <i>Clinical and Experimental Hypertension</i> , 2015, 37, 411-419.	0.5	19
64	Synergistic interaction between job control and social support at work on depression, burnout, and insomnia among Japanese civil servants. <i>International Archives of Occupational and Environmental Health</i> , 2015, 88, 143-152.	1.1	28
65	Epidemic of charcoal burning suicide in Japan. <i>British Journal of Psychiatry</i> , 2014, 204, 274-282.	1.7	32
66	Effects of work burden, job strain and support on depressive symptoms and burnout among Japanese physicians. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2014, 27, 980-992.	0.6	34
67	Repolarization Characteristics in Early Repolarization and Brugada Syndromes: Insight into an Overlapping Mechanism of Lethal Arrhythmias. <i>Journal of Cardiovascular Electrophysiology</i> , 2014, 25, 1376-1384.	0.8	13
68	Short Sleep Duration Increases the Risk of Chronic Kidney Disease in Shift Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2014, 56, 1243-1248.	0.9	32
69	Exposure to house dust phthalates in relation to asthma and allergies in both children and adults. <i>Science of the Total Environment</i> , 2014, 485-486, 153-163.	3.9	124
70	Relationships of gamma-glutamyltransferase and beta 2-microglobulin on high sensitivity C-reactive protein among Japanese elementary school children. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2014, 27, 643-50.	0.4	0
71	Prognostic factors in 105 Japanese cases of mycosis fungoides and SÅ©zary syndrome: Clusterin expression as a novel prognostic factor. <i>Journal of Dermatological Science</i> , 2013, 71, 160-166.	1.0	20
72	Effect of the Interaction Between Employment Level and Psychosocial Work Environment on Insomnia in Male Japanese Public Service Workers. <i>International Journal of Behavioral Medicine</i> , 2013, 20, 355-364.	0.8	28

#	ARTICLE	IF	CITATIONS
73	Relation between alcohol consumption and arterial stiffness: A cross-sectional study of middle-aged Japanese women and men. <i>Alcohol</i> , 2013, 47, 643-649.	0.8	22
74	Genetic association of aromatic hydrocarbon receptor (AHR) and cytochrome P450, family 1, subfamily A, polypeptide 1 (CYP1A1) polymorphisms with dioxin blood concentrations among pregnant Japanese women. <i>Toxicology Letters</i> , 2013, 219, 269-278.	0.4	27
75	Clinicopathologic risk factors for recurrence of ovarian endometrioma following laparoscopic cystectomy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 278-284.	1.3	21
76	Job stress and burnout among urban and rural hospital physicians in Japan. <i>Australian Journal of Rural Health</i> , 2013, 21, 225-231.	0.7	30
77	Spouse caregivers and behavioral and psychological symptoms of dementia. <i>Aging and Mental Health</i> , 2013, 17, 966-972.	1.5	2
78	Combination of antihypertensive therapy in the elderly, multicenter investigation (CAMUI) trial. <i>Journal of Hypertension</i> , 2013, 31, 1245-1255.	0.3	11
79	Post-Traumatic Stress Disorder and Job Stress among Firefighters of Urban Japan. <i>Prehospital and Disaster Medicine</i> , 2012, 27, 59-63.	0.7	19
80	Short Sleep Duration and Poor Sleep Quality Increase the Risk of Diabetes in Japanese Workers With No Family History of Diabetes. <i>Diabetes Care</i> , 2012, 35, 313-318.	4.3	93
81	Prenatal exposure to perfluorinated chemicals and relationship with allergies and infectious diseases in infants. <i>Environmental Research</i> , 2012, 112, 118-125.	3.7	116
82	Single Nucleotide Polymorphisms in the <i>SEPTIN12</i> Gene May Be a Genetic Risk Factor for Japanese Patients With Sertoli Cell-Only Syndrome. <i>Journal of Andrology</i> , 2012, 33, 483-487.	2.0	21
83	Combination of Antihypertensive Therapy in The Elderly, Multicenter Investigation (CAMUI) Trial. <i>International Heart Journal</i> , 2012, 53, 244-248.	0.5	3
84	Gender differences in insomnia and the role of paid work and family responsibilities. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 651-662.	1.6	34
85	Enhanced Transmural Dispersion of Repolarization in Patients with J Wave Syndromes. <i>Journal of Cardiovascular Electrophysiology</i> , 2012, 23, 1109-1114.	0.8	23
86	A longitudinal study of aldehydes and volatile organic compounds associated with subjective symptoms related to sick building syndrome in new dwellings in Japan. <i>Science of the Total Environment</i> , 2012, 417-418, 61-67.	3.9	67
87	The relationship between exposure to microbial volatile organic compound and allergy prevalence in single-family homes. <i>Science of the Total Environment</i> , 2012, 423, 18-26.	3.9	69
88	Blood persistent organochlorine pesticides in pregnant women in relation to physical and environmental variables in The Hokkaido Study on Environment and Children's Health. <i>Science of the Total Environment</i> , 2012, 426, 73-82.	3.9	32
89	Single nucleotide polymorphisms in the <i>SEPTIN12</i> gene may be associated with azoospermia by meiotic arrest in Japanese men. <i>Journal of Assisted Reproduction and Genetics</i> , 2012, 29, 47-51.	1.2	9
90	Single-nucleotide polymorphisms in <i>HORMAD1</i> may be a risk factor for azoospermia caused by meiotic arrest in Japanese patients. <i>Asian Journal of Andrology</i> , 2012, 14, 580-583.	0.8	12

#	ARTICLE	IF	CITATIONS
91	Cohort Profile: The Hokkaido Study on Environment and Children's Health in Japan. <i>International Journal of Epidemiology</i> , 2011, 40, 611-618.	0.9	109
92	Effects of prenatal exposure to dioxin-like compounds on allergies and infections during infancy. <i>Environmental Research</i> , 2011, 111, 551-558.	3.7	59
93	Relation between Self-Reported Sleep Duration and Arterial Stiffness: A Cross-Sectional Study of Middle-Aged Japanese Civil Servants. <i>Sleep</i> , 2011, 34, 1681-1686.	0.6	37
94	Dampness, Food Habits, and Sick Building Syndrome Symptoms Among Elementary School Pupils. <i>Epidemiology</i> , 2011, 22, S39.	1.2	1
95	Prevalence of Asthma, Atopic Dermatitis, and Rhinitis and MVOC Exposure in Single Family Homes—A Survey in 6 Cities of Japan. <i>Epidemiology</i> , 2011, 22, S40-S41.	1.2	2
96	Single nucleotide polymorphism in the UBR2 gene may be a genetic risk factor for Japanese patients with azoospermia by meiotic arrest. <i>Journal of Assisted Reproduction and Genetics</i> , 2011, 28, 743-746.	1.2	10
97	Brachial-ankle pulse wave velocity is an independent predictor of incident hypertension in Japanese normotensive male subjects. <i>Environmental Health and Preventive Medicine</i> , 2011, 16, 217-223.	1.4	20
98	Potential impact of renin-angiotensin system inhibitors and calcium channel blockers on plasma high-molecular-weight adiponectin levels in hemodialysis patients. <i>Hypertension Research</i> , 2011, 34, 592-598.	1.5	13
99	Nationwide Study of Sick House Syndrome. <i>Japanese Journal of Hygiene</i> , 2010, 65, 447-458.	0.6	11
100	Relationship between indoor chemical concentrations and subjective symptoms associated with sick building syndrome in newly built houses in Japan. <i>International Archives of Occupational and Environmental Health</i> , 2010, 83, 225-235.	1.1	77
101	Association between lifestyle habits and bone mineral density in Japanese juveniles. <i>Environmental Health and Preventive Medicine</i> , 2010, 15, 222-228.	1.4	19
102	Dampness, food habits, and sick building syndrome symptoms in elementary school pupils. <i>Environmental Health and Preventive Medicine</i> , 2010, 15, 276-284.	1.4	23
103	Relationship between selected indoor volatile organic compounds, so-called microbial VOC, and the prevalence of mucous membrane symptoms in single family homes. <i>Science of the Total Environment</i> , 2010, 408, 2208-2215.	3.9	93
104	Helicobacter Pylori Infection is a Significant Risk for Modified Lipid Profile in Japanese Male Subjects. <i>Journal of Atherosclerosis and Thrombosis</i> , 2010, 17, 1041-1048.	0.9	83
105	Serological Studies of Neurologic Helminthic Infections in Rural Areas of Southwest Cameroon: Toxocariasis, Cysticercosis and Paragonimiasis. <i>PLoS Neglected Tropical Diseases</i> , 2010, 4, e732.	1.3	28
106	The Effects of a Stress Inoculation Training Program for Civil Servants in Japan: a Pilot Study of a Non-randomized Controlled Trial. <i>Industrial Health</i> , 2009, 47, 173-182.	0.4	18
107	Correlations between Prenatal Exposure to Perfluorinated Chemicals and Reduced Fetal Growth. <i>Environmental Health Perspectives</i> , 2009, 117, 660-667.	2.8	250
108	Relationship between two alternative occupational stress models and arterial stiffness: a cross-sectional study among Japanese workers. <i>International Archives of Occupational and Environmental Health</i> , 2009, 82, 175-183.	1.1	32

#	ARTICLE	IF	CITATIONS
109	Relationship between sick building syndrome and indoor environmental factors in newly built Japanese dwellings. <i>International Archives of Occupational and Environmental Health</i> , 2009, 82, 583-593.	1.1	85
110	Relation of dampness to sick building syndrome in Japanese public apartment houses. <i>Environmental Health and Preventive Medicine</i> , 2009, 14, 26-35.	1.4	31
111	Inflammation as a cardiovascular risk factor and pulse wave velocity as a marker of early-stage atherosclerosis in the Japanese population. <i>Environmental Health and Preventive Medicine</i> , 2009, 14, 159-164.	1.4	24
112	Lipoprotein Metabolism, Insulin Resistance, and Adipocytokine Levels in Japanese Female Adolescents With a Normal Body Mass Index and High Body Fat Mass. <i>Circulation Journal</i> , 2009, 73, 534-539.	0.7	9
113	Relation of Dampness to Sick Building Syndrome in Japanese Public Apartment Houses. <i>Epidemiology</i> , 2009, 20, S150.	1.2	1
114	Association between duration of daily visual display terminal work and insomnia among local government clerks in Japan. <i>American Journal of Industrial Medicine</i> , 2008, 51, 148-156.	1.0	23
115	Twenty-four-hour shift work, depressive symptoms, and job dissatisfaction among Japanese firefighters. <i>American Journal of Industrial Medicine</i> , 2008, 51, 380-391.	1.0	63
116	Effects of social relationships on mortality of the elderly: How do the influences change with the passage of time?. <i>Archives of Gerontology and Geriatrics</i> , 2008, 47, 327-339.	1.4	23
117	Relationship of socioeconomic status to C-reactive protein and arterial stiffness in urban Japanese civil servants. <i>Social Science and Medicine</i> , 2008, 67, 971-981.	1.8	12
118	The relationship of gamma-glutamyltransferase to C-reactive protein and arterial stiffness. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2008, 18, 211-219.	1.1	37
119	Concentrations of polychlorinated dibenzo-p-dioxins, polychlorinated dibenzofurans, and dioxin-like polychlorinated biphenyls in blood and breast milk collected from 60 mothers in Sapporo City, Japan. <i>Chemosphere</i> , 2008, 72, 1152-1158.	4.2	41
120	Congener-specific analysis of non-dioxin-like polychlorinated biphenyls in blood collected from 195 pregnant women in Sapporo City, Japan. <i>Chemosphere</i> , 2008, 73, 923-931.	4.2	14
121	A Newly Estimated Glomerular Filtration Rate Is Independently Associated with Arterial Stiffness in Japanese Patients. <i>Hypertension Research</i> , 2008, 31, 193-201.	1.5	48
122	A Novel Role of the NRF2 Transcription Factor in the Regulation of Arsenite-Mediated Keratin 16 Gene Expression in Human Keratinocytes. <i>Environmental Health Perspectives</i> , 2008, 116, 873-879.	2.8	29
123	Adverse Birth Outcomes Associated with Maternal Smoking and Polymorphisms in the N-Nitrosamine-Metabolizing Enzyme Genes NQO1 and CYP2E1. <i>American Journal of Epidemiology</i> , 2007, 167, 719-726.	1.6	44
124	Effects of the Interaction between Interleukin-6-634C/G Polymorphism and Smoking on Serum C-Reactive Protein Concentrations. <i>Hypertension Research</i> , 2007, 30, 593-599.	1.5	25
125	Cut-off values of fasting plasma glucose for detecting impaired glucose tolerance in Japanese population – Relation between fasting and 2-h plasma glucose. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2007, 17, e5-e6.	1.1	0
126	Concentrations of polychlorinated dibenzo-p-dioxins, polychlorinated dibenzofurans, and dioxin-like polychlorinated biphenyls in blood collected from 195 pregnant women in Sapporo City, Japan. <i>Chemosphere</i> , 2007, 69, 1228-1237.	4.2	22

#	ARTICLE	IF	CITATIONS
127	Relations of Occupational Stress to Occupational Class in Japanese Civil Servants-Analysis by Two Occupational Stress Models. <i>Industrial Health</i> , 2007, 45, 247-255.	0.4	18
128	Job stress and depressive symptoms among Japanese fire fighters. <i>American Journal of Industrial Medicine</i> , 2007, 50, 470-480.	1.0	47
129	Comparative study of simple semiquantitative dust mite allergen tests. <i>Environmental Health and Preventive Medicine</i> , 2007, 12, 187-192.	1.4	3
130	$\Delta\pm$ H pylori $\frac{1}{2}$ $\frac{1}{2}$ seropositivity and cytokine gene polymorphisms. <i>World Journal of Gastroenterology</i> , 2007, 13, 4445.	1.4	13
131	Metabolic Syndrome, C-Reactive Protein and Increased Arterial Stiffness in Japanese Subjects. <i>Hypertension Research</i> , 2006, 29, 589-596.	1.5	28
132	Risk Factors and the Incidence of Coronary Artery Disease in Young Middleaged Japanese Men: Results from a 10Year Cohort Study. <i>Internal Medicine</i> , 2006, 45, 235-239.	0.3	22
133	Functional maternal catechol-O-methyltransferase polymorphism and fetal growth restriction. <i>Pharmacogenetics and Genomics</i> , 2006, 16, 775-781.	0.7	29
134	Pregnancy-associated plasma protein-A polymorphism and the risk of recurrent pregnancy loss. <i>Journal of Reproductive Immunology</i> , 2006, 70, 99-108.	0.8	24
135	Effects of Prenatal Exposure to Polychlorinated Biphenyls and Dioxins on Mental and Motor Development in Japanese Children at 6 Months of Age. <i>Environmental Health Perspectives</i> , 2006, 114, 773-778.	2.8	118
136	Low HDL-cholesterol, hypertension and impaired glucose tolerance as predictors of acute myocardial infarction in northern area of Japan. <i>Hokkaido Journal of Medical Science</i> , 2006, 81, 25-30.	0.1	1
137	Relationship of .BETA.2-Microglobulin to Arterial Stiffness in Japanese Subjects. <i>Hypertension Research</i> , 2005, 28, 505-511.	1.5	48
138	Relationships of C-reactive protein, uric acid, and glomerular filtration rate to arterial stiffness in Japanese subjects. <i>Journal of Human Hypertension</i> , 2005, 19, 907-913.	1.0	30
139	Hypothermic circulatory arrest is not a risk factor for neurologic morbidity in aortic surgery: A propensity score analysis. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2005, 130, 712-718.	0.4	45
140	Indoor airborne mold spores in newly built dwellings. <i>Environmental Health and Preventive Medicine</i> , 2005, 10, 157-161.	1.4	5
141	Relationships of Occupational Stress to Insomnia and Short Sleep in Japanese Workers. <i>Sleep</i> , 2005, 28, 728-735.	0.6	96
142	Genetic Factors in Fetal Growth Restriction and Miscarriage. <i>Seminars in Thrombosis and Hemostasis</i> , 2005, 31, 334-345.	1.5	35
143	Caffeine intake, CYP1A2 polymorphism and the risk of recurrent pregnancy loss. <i>Molecular Human Reproduction</i> , 2005, 11, 357-360.	1.3	48
144	Relationship of Helicobacter pylori Infection to Arterial Stiffness in Japanese Subjects. <i>Hypertension Research</i> , 2005, 28, 283-292.	1.5	32

#	ARTICLE	IF	CITATIONS
145	Influence of genetic polymorphisms of styrene-metabolizing enzymes and smoking habits on levels of urinary metabolites after occupational exposure to styrene. <i>Toxicology Letters</i> , 2005, 160, 84-91.	0.4	19
146	Perfluorooctane Sulfonate (PFOS) and Related Perfluorinated Compounds in Human Maternal and Cord Blood Samples: Assessment of PFOS Exposure in a Susceptible Population during Pregnancy. <i>Environmental Health Perspectives</i> , 2004, 112, 1204-1207.	2.8	394
147	A polymorphism in the CYP17 gene and intrauterine fetal growth restriction. <i>Molecular Human Reproduction</i> , 2004, 10, 49-53.	1.3	22
148	Interleukin-4 Gene Polymorphism is not Involved in the Risk of Recurrent Pregnancy Loss. <i>American Journal of Reproductive Immunology</i> , 2004, 52, 143-146.	1.2	14
149	Naloxone lowers cerebrospinal fluid levels of excitatory amino acids after thoracoabdominal aortic surgery. <i>Journal of Vascular Surgery</i> , 2004, 40, 681-690.	0.6	60
150	Single nucleotide polymorphisms in the promoter region of the interleukin-6 gene and the risk of recurrent pregnancy loss in Japanese women. <i>Fertility and Sterility</i> , 2004, 81, 374-378.	0.5	41
151	Diffuse Abdominal Uptake of Ga-67 Citrate in Two Cases. <i>Clinical Nuclear Medicine</i> , 2000, 25, 74.	0.7	0