Ji-Jing Xu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5369187/publications.pdf

Version: 2024-02-01

74 papers	8,511 citations	41 h-index	75 g-index
78	78	78	8127 citing authors
all docs	docs citations	times ranked	

#	Article	IF	CITATIONS
1	Oxygen electrocatalysts in metal–air batteries: from aqueous to nonaqueous electrolytes. Chemical Society Reviews, 2014, 43, 7746-7786.	18.7	1,264
2	Tailoring deposition and morphology of discharge products towards high-rate and long-life lithium-oxygen batteries. Nature Communications, 2013, 4, 2438.	5.8	519
3	Synthesis of Perovskiteâ€Based Porous La _{0.75} Sr _{0.25} MnO ₃ Nanotubes as a Highly Efficient Electrocatalyst for Rechargeable Lithium–Oxygen Batteries. Angewandte Chemie - International Edition, 2013, 52, 3887-3890.	7.2	482
4	Artificial Protection Film on Lithium Metal Anode toward Long ycleâ€Life Lithium–Oxygen Batteries. Advanced Materials, 2015, 27, 5241-5247.	11.1	439
5	Graphene Oxide Gelâ€Derived, Freeâ€Standing, Hierarchically Porous Carbon for Highâ€Capacity and Highâ€Rate Rechargeable Liâ€O ₂ Batteries. Advanced Functional Materials, 2012, 22, 3699-3705.	7.8	390
6	3D ordered macroporous LaFeO3 as efficient electrocatalyst for Li–O2 batteries with enhanced rate capability and cyclic performance. Energy and Environmental Science, 2014, 7, 2213.	15.6	339
7	Homogeneous CoO on Graphene for Binderâ€Free and Ultralongâ€Life Lithium Ion Batteries. Advanced Functional Materials, 2013, 23, 4345-4353.	7.8	333
8	A highly stable and flexible zeolite electrolyte solid-state Li–air battery. Nature, 2021, 592, 551-557.	13.7	306
9	Novel DMSO-based electrolyte for high performance rechargeable Li–O2 batteries. Chemical Communications, 2012, 48, 6948.	2.2	281
10	Flexible lithium–oxygen battery based on a recoverable cathode. Nature Communications, 2015, 6, 7892.	5.8	279
11	Recent Progress in Electrocatalyst for Liâ€O ₂ Batteries. Advanced Energy Materials, 2017, 7, 1700875.	10.2	235
12	Cathode Surfaceâ€Induced, Solvationâ€Mediated, Micrometerâ€Sized Li ₂ O ₂ Cycling for Li–O ₂ Batteries. Advanced Materials, 2016, 28, 9620-9628.	11.1	232
13	Electrostatic Induced Stretch Growth of Homogeneous β-Ni(OH)2 on Graphene with Enhanced High-Rate Cycling for Supercapacitors. Scientific Reports, 2014, 4, 3669.	1.6	222
14	Tuning lithium-peroxide formation and decomposition routes with single-atom catalysts for lithium–oxygen batteries. Nature Communications, 2020, 11, 2191.	5.8	181
15	Macroporous Interconnected Hollow Carbon Nanofibers Inspired by Goldenâ€Toad Eggs toward a Binderâ€Free, Highâ€Rate, and Flexible Electrode. Advanced Materials, 2016, 28, 7494-7500.	11.1	162
16	In Situ Construction of Stable Tissueâ€Directed/Reinforced Bifunctional Separator/Protection Film on Lithium Anode for Lithium–Oxygen Batteries. Advanced Materials, 2017, 29, 1606552.	11.1	162
17	Recent Progress on Stability Enhancement for Cathode in Rechargeable Nonâ€Aqueous Lithiumâ€Oxygen Battery. Advanced Energy Materials, 2015, 5, 1500633.	10.2	128
18	Perovskite Quantum Dots Encapsulated in a Mesoporous Metal–Organic Framework as Synergistic Photocathode Materials. Journal of the American Chemical Society, 2021, 143, 14253-14260.	6.6	118

#	Article	IF	CITATIONS
19	Flexible and Foldable Li–O ₂ Battery Based on Paperâ€Ink Cathode. Advanced Materials, 2015, 27, 8095-8101.	11.1	117
20	Porous Materials Applied in Nonaqueous Li–O ₂ Batteries: Status and Perspectives. Advanced Materials, 2020, 32, e2002559.	11.1	115
21	High aspect ratio γ-MnOOH nanowires for high performance rechargeable nonaqueous lithium–oxygen batteries. Chemical Communications, 2012, 48, 7598.	2.2	109
22	Nanoengineered Ultralight and Robust All-Metal Cathode for High-Capacity, Stable Lithium–Oxygen Batteries. ACS Central Science, 2017, 3, 598-604.	5.3	109
23	Bloodâ€Capillaryâ€Inspired, Freeâ€Standing, Flexible, and Lowâ€Cost Superâ€Hydrophobic Nâ€CNTs@SS Cathod for Highâ€Capacity, Highâ€Rate, and Stable Liâ€Air Batteries. Advanced Energy Materials, 2018, 8, 1702242.	es 10.2	108
24	A Bifunctional Photoâ€Assisted Li–O ₂ Battery Based on a Hierarchical Heterostructured Cathode. Advanced Materials, 2020, 32, e1907098.	11.1	105
25	Cableâ€Type Waterâ€Survivable Flexible Liâ€O ₂ Battery. Small, 2016, 12, 3101-3105.	5.2	102
26	Influence of Nd3+ substitution on the microstructure and electromagnetic properties of barium W-type hexaferrite. Journal of Alloys and Compounds, 2010, 490, 552-556.	2.8	100
27	A stable sulfone based electrolyte for high performance rechargeable Li–O2 batteries. Chemical Communications, 2012, 48, 11674.	2.2	99
28	Light/Electricity Energy Conversion and Storage for a Hierarchical Porous In ₂ S ₃ @CNT/SS Cathode towards a Flexible Liâ€CO ₂ Battery. Angewandte Chemie - International Edition, 2020, 59, 19518-19524.	7.2	94
29	Direct electrodeposition of cobalt oxide nanosheets on carbon paper as free-standing cathode for Li–O ₂ battery. Journal of Materials Chemistry A, 2014, 2, 6081-6085.	5.2	83
30	Electromagnetic and microwave absorbing properties of Co2Z-type hexaferrites doped with La3+. Journal of Magnetism and Magnetic Materials, 2009, 321, 3231-3235.	1.0	78
31	Highâ€Performance Integrated Selfâ€Package Flexible Li–O ₂ Battery Based on Stable Composite Anode and Flexible Gas Diffusion Layer. Advanced Materials, 2017, 29, 1700378.	11.1	72
32	Ultrathin, Lightweight, and Wearable Liâ€O ₂ Battery with High Robustness and Gravimetric/Volumetric Energy Density. Small, 2017, 13, 1602952.	5.2	69
33	Hierarchical Co3O4 porous nanowires as an efficient bifunctional cathode catalyst for long life Li-O2 batteries. Nano Research, 2015, 8, 576-583.	5.8	65
34	Effect of different rare-earth elements substitution on microstructure and microwave absorbing properties of Ba0.9RE0.1Co2Fe16O27 (RE=La, Nd, Sm) particles. Journal of Magnetism and Magnetic Materials, 2012, 324, 1209-1213.	1.0	60
35	Magnetic and Optical Field Multiâ€Assisted Li–O ₂ Batteries with Ultrahigh Energy Efficiency and Cycle Stability. Advanced Materials, 2022, 34, e2104792.	11.1	59
36	Process for a Free-Standing and Stable All-Metal Structure for Symmetrical Lithium–Oxygen Batteries. ACS Nano, 2020, 14, 3281-3289.	7.3	51

#	Article	IF	Citations
37	Oxygen Vacancyâ€Mediated Growth of Amorphous Discharge Products toward an Ultrawide Band Lightâ€Assisted Li–O ₂ Batteries. Advanced Materials, 2022, 34, e2107826.	11.1	51
38	Structural, dielectric and magnetic properties of Nd-doped Co2Z-type hexaferrites. Journal of Alloys and Compounds, 2011, 509, 4290-4294.	2.8	49
39	Li–air batteries: Decouple to stabilize. Nature Energy, 2017, 2, .	19.8	46
40	Highly Stable Co Single Atom Confined in Hierarchical Carbon Molecular Sieve as Efficient Electrocatalysts in Metal–Air Batteries. Advanced Energy Materials, 2022, 12, .	10.2	44
41	Preparation and properties of silica nanoparticles from oil shale ash. Powder Technology, 2009, 191, 47-51.	2.1	43
42	Preparation and application of 4-amino-4′-nitro azobenzene modified chitosan as a selective adsorbent for the determination of Au(III) and Pd(II). Mikrochimica Acta, 2010, 168, 99-105.	2.5	40
43	Preparation of nano-sized α-Al2O3 from oil shale ash. Energy, 2010, 35, 45-49.	4.5	35
44	Preparation and luminescent properties of CaAl2O4:Eu3+,R+ (R=Li, Na, K) phosphors. Journal of Rare Earths, 2010, 28, 22-25.	2.5	34
45	Growth of Ruâ€Modified Co ₃ O ₄ Nanosheets on Carbon Textiles toward Flexible and Efficient Cathodes for Flexible Li–O ₂ Batteries. Particle and Particle Systems Characterization, 2016, 33, 500-505.	1.2	33
46	<i>In situ</i> fabricated photo-electro-catalytic hybrid cathode for light-assisted lithium–CO ₂ batteries. Journal of Materials Chemistry A, 2020, 8, 14799-14806.	5.2	33
47	Metal–Organic Frameworks Derived Electrolytes Build Multiple Wetting Interfaces for Integrated Solidâ€State Lithium–Oxygen Battery. Advanced Functional Materials, 2022, 32, .	7.8	30
48	Realizing Formation and Decomposition of Li2O2 on Its Own Surface with a Highly Dispersed Catalyst for High Round-Trip Efficiency Li-O2 Batteries. IScience, 2019, 14, 36-46.	1.9	28
49	Photoinduced decoration of NiO nanosheets/Ni foam with Pd nanoparticles towards a carbon-free and self-standing cathode for a lithium–oxygen battery with a low overpotential and long cycle life. Materials Horizons, 2018, 5, 298-302.	6.4	27
50	A Renewable Lightâ€Promoted Flexible Liâ€CO ₂ Battery with Ultrahigh Energy Efficiency of 97.9%. Small, 2021, 17, e2100642.	5.2	27
51	CeO2@NiCo2O4 nanowire arrays on carbon textiles as high performance cathode for Li-O2 batteries. Science China Chemistry, 2017, 60, 1540-1545.	4.2	24
52	Electromagnetic properties and microwave absorption enhancement of Ba0.85RE0.15Co2Fe16O27-polyaniline composites: RE = Gd, Tb, Ho. Colloid and Polymer Science, 2014, 2173-2183.	, 21902,	20
53	\hat{l}_{\pm} -MnO2 hollow clews for rechargeable Li-air batteries with improved cyclability. Science Bulletin, 2012, 57, 4210-4214.	1.7	19
54	Synthesis of ultrafine silica powders based on oil shale ash by fluidized bed drying of wet-gel slurry. Fuel, 2009, 88, 1223-1227.	3.4	17

#	Article	lF	CITATIONS
55	Batteries: Homogeneous CoO on Graphene for Binderâ€Free and Ultralongâ€Life Lithium Ion Batteries (Adv. Funct. Mater. 35/2013). Advanced Functional Materials, 2013, 23, 4274-4274.	7.8	17
56	Driving Oxygen Electrochemistry in Lithium–Oxygen Battery by Local Surface Plasmon Resonance. ACS Applied Materials & Driving Oxygen Electrochemistry in Lithium–Oxygen Battery by Local Surface Plasmon Resonance. ACS Applied Materials & Driving Oxygen Electrochemistry in Lithium–Oxygen Battery by Local Surface Plasmon Resonance. ACS Applied Materials & Driving Oxygen Electrochemistry in Lithium–Oxygen Battery by Local Surface Plasmon Resonance. ACS Applied Materials & Driving Oxygen Electrochemistry in Lithium–Oxygen Battery by Local Surface Plasmon Resonance. ACS Applied Materials & Driving Oxygen Electrochemistry in Lithium–Oxygen Battery by Local Surface Plasmon Resonance. ACS Applied Materials & Driving Oxygen Electrochemistry in Lithium— Driving Oxygen Electrochemistry in Lithium–Oxygen Battery by Local Surface Plasmon Resonance. ACS Applied Materials & Driving Oxygen Electrochemistry in Lithium–Oxygen Electrochemistry in Lithium— Driving Oxygen Electrochemistry in Lithium–Oxygen Electrochemistry in Lithium— Driving Oxygen Electrochemistry in Lithium†Driving Oxygen Electrochemistry in Lithium†Driving Electrochemistry in Lithium†Driving Driving Electrochemistry in Lithium†Driving Electrochemistry in Lithiumâ Electrochemistry i	4.0	17
57	Localized surface plasmon resonance enhanced electrochemical kinetics and product selectivity in aprotic Li–O2 batteries. Energy Storage Materials, 2021, 42, 618-627.	9.5	17
58	Fundamental Understanding and Construction of Solidâ€State Liâ^'Air Batteries. Small Science, 2022, 2, .	5.8	17
59	Influence of Sm-substitution on structure and electromagnetic properties of Ba3â^xSmxCo2Fe24O41 powders. Journal of Magnetism and Magnetic Materials, 2011, 323, 156-161.	1.0	14
60	A TEMPO-grafted multi-functional cathode with strong anchoring ability towards redox mediators for high energy efficiency Li-O2 batteries. Energy Storage Materials, 2022, 45, 191-200.	9.5	14
61	Azeotropic distillation-assisted preparation of nanoscale gamma-alumina powder from waste oil shale ash. Chemical Engineering Journal, 2010, 157, 67-72.	6.6	13
62	Light/Electricity Energy Conversion and Storage for a Hierarchical Porous In ₂ S ₃ @CNT/SS Cathode towards a Flexible Li O ₂ Battery. Angewandte Chemie, 2020, 132, 19686-19692.	1.6	13
63	Bioinspired Fabrication of Strong Self-Standing Egg-Sugarcane Cathodes for Rechargeable Lithium–Oxygen Batteries. CCS Chemistry, 2021, 3, 1764-1774.	4.6	12
64	Synthesis and Properties Investigation of Non-equivalent Substituted W-Type Hexaferrite. Journal of Superconductivity and Novel Magnetism, 2014, 27, 411-420.	0.8	11
65	Stabilizing electrochemical Li–O ₂ batteries with a metal-based cathode of PdNi on Ni nonwoven fabric. Nanoscale, 2019, 11, 11513-11520.	2.8	7
66	Strategies with Functional Materials in Tackling Instability Challenges of Non-aqueous Lithium-Oxygen Batteries. Chemical Research in Chinese Universities, 2021, 37, 232-245.	1.3	7
67	Enabling shuttle-free of high concentration redox mediators by metal organic framework derivatives in lithium–oxygen batteries. Journal of Power Sources, 2021, 492, 229575.	4.0	7
68	Nature-inspired Three-dimensional Au/Spinach as a Binder-free and Self-standing Cathode for High-performance Li-O2 Batteries. Chemical Research in Chinese Universities, 2022, 38, 200-208.	1.3	7
69	Resolving the cathode passivation of lithium–oxygen batteries with an amination SiO2/TiO2 functional separator. Journal of Power Sources, 2021, 483, 229180.	4.0	6
70	Bio-inspired design of strong self-standing cathode toward highly stable reversible Li-CO2 batteries. Chemical Engineering Journal, 2021, 426, 131101.	6.6	6
71	Facile Route to Constructing Ternary Nanoalloy Bifunctional Oxygen Cathode for Metal-Air Batteries. Chemical Research in Chinese Universities, 2020, 36, 1153-1160.	1.3	5
72	Lithium Ion Batteries: Graphene Oxide Gelâ€Derived, Freeâ€Standing, Hierarchically Porous Carbon for Highâ€Capacity and Highâ€Rate Rechargeable Liâ€O ₂ Batteries (Adv. Funct. Mater. 17/2012). Advanced Functional Materials, 2012, 22, 3745-3745.	7.8	2

 #	Article	IF	CITATIONS
73	Design and Preparation of Advanced Materials for Lithium-Air Batteries. Acta Chimica Sinica, 2017, 75, 137.	0.5	2
74	Reply to the Comments on "Preparation and application of 4-amino-4′-nitroazobenzene modified chitosan as a selective adsorbent for the determination of Au(III) and Pd(II)― Mikrochimica Acta, 2010, 170, 189-189.	2.5	0