Norinsan Kamil Othman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5369951/publications.pdf

Version: 2024-02-01

92 papers

893 citations

759233 12 h-index 27 g-index

93 all docs 93
docs citations

93 times ranked 1095 citing authors

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | The Critical Behaviour and Magnetism of MnCoGe0.97Al0.03 Compounds. Crystals, 2022, 12, 205. | 2.2 | 2 |
| 2 | Combining Heat Treatment and High-Pressure Torsion to Enhance the Hardness and Corrosion Resistance of A356 Alloy. Metals, 2022, 12, 853. | 2.3 | 5 |
| 3 | Experimental and Theoretical Studies on Extract of Date Palm Seed as a Green Anti-Corrosion Agent in Hydrochloric Acid Solution. Molecules, 2021, 26, 3535. | 3.8 | 12 |
| 4 | The Effect of H ₂ S Pressure on the Formation of Multiple Corrosion Products on 316L Stainless Steel Surface. Scientific World Journal, The, 2020, 2020, 1-11. | 2.1 | 6 |
| 5 | The Effect of Different Concentrations of Calcium Silicate-Maghemite Coating Towards Magnetic Behavior and Bioactivity. Sains Malaysiana, 2020, 49, 653-660. | 0.5 | 2 |
| 6 | The morphology of Pb-free Sn – 3.0Ag – 0.5Cu solder reinforced by NiO nanoparticles. AIP Conference Proceedings, 2019, , . | 0.4 | 3 |
| 7 | Microstructural Evaluation and Corrosion Resistance of Semisolid Cast A356 Alloy Processed by Equal Channel Angular Pressing. Metals, 2019, 9, 303. | 2.3 | 12 |
| 8 | Electrochemical migration and corrosion behaviours of SAC305 reinforced by NiO, Fe ₂ O ₃ , TiO ₂ nanoparticles in NaCl solution. IOP Conference Series: Materials Science and Engineering, 2019, 701, 012044. | 0.6 | 8 |
| 9 | Characterization of SAC – x NiO nano-reinforced lead-free solder joint in an ultra-fine package assembly. Soldering and Surface Mount Technology, 2019, 31, 109-124. | 1.5 | 14 |
| 10 | The correlation between structural and reduction kinetics of carbon from agricultural waste with hematite. Journal of Materials Research and Technology, 2019, 8, 1720-1728. | 5.8 | 10 |
| 11 | Optimisation of gaseous nitriding process parameters for hard surface layer of duplex stainless steel. International Journal of Materials Engineering Innovation, 2019, 10, 165. | 0.5 | 1 |
| 12 | The influence of Fe2O3 nano-reinforced SAC lead-free solder in the ultra-fine electronics assembly. International Journal of Advanced Manufacturing Technology, 2018, 96, 717-733. | 3.0 | 14 |
| 13 | The effect of molten salt on high temperature behavior of stainless steel and titanium alloy with the presence of water vapor. AIP Conference Proceedings, 2018, , . | 0.4 | O |
| 14 | SAC–xTiO ₂ nano-reinforced lead-free solder joint characterizations in ultra-fine package assembly. Soldering and Surface Mount Technology, 2018, 30, 1-13. | 1.5 | 30 |
| 15 | In Vitro Biodegradation and Mechanical Properties of Mg-Zn Alloy and Mg-Zn-Hydroxyapatite Composite Produced by Mechanical Alloying for Potential Application in Bone Repair. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2018, 49, 5888-5903. | 2.2 | 15 |
| 16 | Effect of Phosphorus and Nickel on Electrochemical Migration of Sn-3Ag-0.7Cu Solder Paste in Simulated Body Fluid. Solid State Phenomena, 2018, 273, 61-65. | 0.3 | 4 |
| 17 | Kesan Suhu Celupan ke atas Mikrostruktur dan Kekerasan Salutan Aluminium pada Keluli Karbon. Sains Malaysiana, 2018, 47, 1251-1257. | 0.5 | 1 |
| 18 | Kelakuan Migrasi Elektrokimia Pateri SAC305 dalam Larutan Natrium Hidroksida pada Kepekatan yang Pelbagai. Sains Malaysiana, 2018, 47, 1867-1872. | 0.5 | 1 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 19 | Investigation of corrosion on SAC 305, SAC 0307 and SAC 0307-0.03 P-0.005 Ni solder paste alloys in simulated body fluid (SBF). AIP Conference Proceedings, 2017, , . | 0.4 | 2 |
| 20 | Synthesis of Magnesium-Doped ZnO Rods via Hydrothermal Method: A Study of the Structural and Optical Properties. ECS Journal of Solid State Science and Technology, 2017, 6, P571-P577. | 1.8 | 7 |
| 21 | Nano-silicate inhibitor derived from rice husk for corrosion mitigation of steel in distilled water. AIP Conference Proceedings, 2017, , . | 0.4 | 2 |
| 22 | Mechanical and structural evaluation of friction stir welded 6061 aluminium alloy lap joints at different welding speeds. Metallic Materials, 2016, 54, 351-361. | 0.3 | 5 |
| 23 | High Sensitivity pH Sensor Based on Porous Silicon (PSi) Extended Gate Field-Effect Transistor. Sensors, 2016, 16, 839. | 3.8 | 68 |
| 24 | Amperometric Non-Enzymatic Hydrogen Peroxide Sensor Based on Aligned Zinc Oxide Nanorods. Sensors, 2016, 16, 1004. | 3.8 | 23 |
| 25 | Backward Compatibility Solder Joint Formation at High Peak Reflow Temperature for Aerospace Applications. Arabian Journal for Science and Engineering, 2016, 41, 1813-1823. | 1.1 | 4 |
| 26 | Perlindungan Biokakisan Keluli Karbon akibat Bakteria Penurun Sulfat yang Dipencil daripada Minyak Mentah Tropika. Sains Malaysiana, 2016, 45, 1835-1841. | 0.5 | 1 |
| 27 | Efficiency of inhibitor for biocorrosion influenced by consortium sulfate reducing bacteria on carbon steel. AIP Conference Proceedings, 2015, , . | 0.4 | 1 |
| 28 | Enhancement of corrosion resistance of carbon steel by Dioscorea Hispida starch in NaCl. AIP Conference Proceedings, 2015, , . | 0.4 | 3 |
| 29 | A New Approach towards Improving the Specific Energy and Specific Power of a Carbon-Based Supercapacitor using Platinum-Nanoparticles on Etched Stainless Steel Current Collector. Electrochemistry, 2015, 83, 1053-1060. | 1.4 | 9 |
| 30 | Investigation of electrochemical migration on Sn-0.7Cu-0.3Ag-0.03P-0.005Ni solder alloy in HNO3 solution. AIP Conference Proceedings, $2015,$ | 0.4 | 6 |
| 31 | The influence of temperature on the inhibition of carbon steel corrosion in acidic lignin. Anti-Corrosion Methods and Materials, 2015, 62, 301-306. | 1.5 | 13 |
| 32 | Corrosion behavior of Al6061 alloy weldment produced by friction stir welding process. Journal of Materials Research and Technology, 2015, 4, 314-322. | 5.8 | 64 |
| 33 | Reflow Optimization Process: Thermal Stress Using Numerical Analysis and Intermetallic Spallation in Backwards Compatibility Solder Joints. Arabian Journal for Science and Engineering, 2015, 40, 1669-1679. | 1.1 | 9 |
| 34 | A Study on the UV Photoresponse of Hydrothermally Grown Zinc Oxide Nanorods With Different Aspect Ratios. IEEE Sensors Journal, 2015, 15, 6811-6818. | 4.7 | 26 |
| 35 | Corrosion behavior of friction stir welded lap joints of AA6061-T6 aluminum alloy. Materials Research, 2014, 17, 672-681. | 1.3 | 29 |
| 36 | Radiolytic Formation of Fe3O4 Nanoparticles: Influence of Radiation Dose on Structure and Magnetic Properties. PLoS ONE, 2014, 9, e90055. | 2.5 | 54 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Investigation of the nugget zone corrosion behavior in friction stir welded lap joints of 6061-T6 aluminum alloy. Materials Research, 2014, 17, 1563-1574. | 1.3 | 7 |
| 38 | Effects of thermal cycling on the mechanical properties of gold wire bonding. , 2014, , . | | 0 |
| 39 | High Temperature Storage and Gamma Radiation Effects on Mechanical Properties of Stacked Die Package. Advanced Materials Research, 2014, 895, 567-570. | 0.3 | O |
| 40 | Investigation of high temperature corrosion behavior on 304L austenite stainless steel in corrosive environments. AIP Conference Proceedings, 2014, , . | 0.4 | 11 |
| 41 | Tannin bark Melalauca cajuputi powell (gelam) as green corrosion inhibitor of mild steel. AIP Conference Proceedings, 2014, , . | 0.4 | 11 |
| 42 | Characterization of Oxide Growth on Surface of Al-Mg-Si Welded Joint. Advances in Materials Science and Engineering, 2014, 2014, 1-10. | 1.8 | 10 |
| 43 | Properties and Growth Rate of Intermetallic Al-Fe through Hot Dipped Aluminizing. Advanced Materials Research, 2014, 980, 3-7. | 0.3 | 4 |
| 44 | Microstructural evolution and micromechanical properties of gamma-irradiated Au ball bonds. Materials Characterization, 2014, 93, 129-135. | 4.4 | 15 |
| 45 | Influence of rotational speed on mechanical properties of friction stir lap welded 6061-T6 Al alloy. Transactions of Nonferrous Metals Society of China, 2014, 24, 1004-1011. | 4.2 | 22 |
| 46 | pH-dependent magnetic phase transition of iron oxide nanoparticles synthesized by gamma-radiation reduction method. Journal of Radioanalytical and Nuclear Chemistry, 2014, 301, 399-407. | 1.5 | 7 |
| 47 | Effect of Applied Load in the Nanoindentation of Gold Ball Bonds. Journal of Electronic Materials, 2013, 42, 1063-1072. | 2.2 | 5 |
| 48 | A review on radiation-induced nucleation and growth of colloidal metallic nanoparticles. Nanoscale Research Letters, 2013, 8, 474. | 5.7 | 191 |
| 49 | Effect of silicate-based corrosion inhibitor from rice husk ash on aluminum alloy in 0.5M HCl., 2013, , . | | 2 |
| 50 | The inhibition of carbon steel corrosion by lignin in HCl and H2SO4. , 2013, , . | | 1 |
| 51 | Morphological and microstructural studies on aluminizing coating of carbon steel. , 2013, , . | | O |
| 52 | Gamma-irradiation effect on material properties behaviour of semiconductor package. , 2013, , . | | 2 |
| 53 | High temperature corrosion of welded ferritic stainless steel in flowing CO[sub 2] gas. , 2013, , . | | O |
| 54 | Inhibitive effects of palm kernel oil on carbon steel corrosion by alkaline solution., 2013,,. | | 2 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Electrochemical impedance spectroscopy study on corrosion inhibition of benzyltriethylammonium chloride. AIP Conference Proceedings, 2013, , . | 0.4 | 13 |
| 56 | Influence of temperature on corrosion inhibition for carbon steel by rice straw extract in HCl solution: Synergistic effect of cationic surfactant. , $2013, \dots$ | | 5 |
| 57 | Investigation of SiO2:Na2O ratio as a corrosion inhibitor for metal alloys. , 2013, , . | | 1 |
| 58 | Oxidation behaviour of ferritic stainless steel grade Crofer 22 APU at 700 °C in flowing Arâ^15%CO2â^12%H2O., 2013,,. | | 1 |
| 59 | The Effect of Double Sided Gas Metal Arc Weld with ER4043 and ER5356 Filler Metals on AA 6061-T6 Plates. Advanced Science Letters, 2013, 19, 918-921. | 0.2 | 0 |
| 60 | Radiation exposure induced failure on semiconductor package material., 2012,,. | | 1 |
| 61 | Nanoindentation creep analysis of gold ball bond. , 2012, , . | | 1 |
| 62 | Characteristics of ZnO nanostructures produced with [DMIm]BF[sub 4] using ultrasonic radiation., 2012,,. | | 0 |
| 63 | Some thoughts on bondability and strength of gold wire bonding. Gold Bulletin, 2012, 45, 115-125. | 2.4 | 23 |
| 64 | Synthesis and Characterization of ZnO, CuO and CuO/ZnO Nanostructures by a Novel Sol-Gel Route under Ultrasonic Conditions. Advanced Materials Research, 2012, 545, 64-70. | 0.3 | 2 |
| 65 | Nanoindentation Stereometry of Wire Bonding. Advanced Science Letters, 2012, 13, 474-477. | 0.2 | 0 |
| 66 | Effect of water vapour on cyclic oxidation of Fe–Cr alloys. Materials and Corrosion - Werkstoffe Und Korrosion, 2011, 62, 496-503. | 1.5 | 12 |
| 67 | Gamma Irradiation Effect on Load-Deflection Curve of Semiconductor Package. Advanced Materials Research, 2011, 399-401, 912-915. | 0.3 | 1 |
| 68 | Effect of Gamma-Irradiation towards Stress-Strain Curve of Single Die QFN Package. Materials Science Forum, 2011, 694, 620-624. | 0.3 | 3 |
| 69 | Corrosion Behavior of Fe-Cr Alloys in Ar-10%O ₂ Atmosphere. Key Engineering Materials, 2011, 462-463, 1250-1254. | 0.4 | 1 |
| 70 | The re-evaluation of mechanical properties of wire bonding. , 2011, , . | | 1 |
| 71 | Effect of Different Filler Towards Welding of AA6061 Al Alloy by X-Ray CT Scan. Advanced Materials Research, 2010, 146-147, 1402-1405. | 0.3 | 2 |
| 72 | The Effect of Filler ER4043 and ER5356 on Porosity Distribution of Welded AA6061 Aluminum Alloy. Advanced Materials Research, 2010, 146-147, 987-990. | 0.3 | 1 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 73 | Nanoindentation Test for the Stiffness Distribution Analysis of Bonded Au Ball Bonds. Advanced Materials Research, 0, 154-155, 674-677. | 0.3 | 2 |
| 74 | The Effect of Underfill Fillet Geometry to Die Edge Stress for Flip Chip Packaging. Advanced Materials Research, 0, 148-149, 1108-1111. | 0.3 | 1 |
| 75 | Effects of Lanthanum on Fe-25Cr Alloys under Cyclic Oxidation. Advanced Materials Research, 0, 97-101, 1212-1215. | 0.3 | 6 |
| 76 | The Effect of Filler Metals on Mechanical Properties of 6 Mm AA 6061-T6 Welded Joints. Advanced Materials Research, 0, 154-155, 873-876. | 0.3 | 4 |
| 77 | Effect of Porosity on Tensile Behaviour of Welded AA6061-T6 Aluminium Alloy. Applied Mechanics and Materials, 0, 66-68, 534-539. | 0.2 | 10 |
| 78 | Oxidation Effect of Welded AA6061 Al Alloy Using ER5356 Filler Metal. Applied Mechanics and Materials, 0, 66-68, 42-45. | 0.2 | 2 |
| 79 | Oxidation Effect on Welded AA6061 Al Alloy Using ER4043 Filler Metal. Applied Mechanics and Materials, 0, 66-68, 46-49. | 0.2 | O |
| 80 | Post-Weld Oxidation Behavior of AA6061 Al Alloy. Advanced Materials Research, 0, 399-401, 2087-2090. | 0.3 | 0 |
| 81 | The Effect of Double Pass GMAW Process on Microstructure and Mechanical Properties of Aa 6061-T6 Joining Plates. Key Engineering Materials, 0, 510-511, 98-104. | 0.4 | 2 |
| 82 | High Temperature Corrosion of Fe-30Cr in Flowing CO ₂ Gas. Advanced Materials Research, 0, 501, 165-168. | 0.3 | O |
| 83 | The Performance of Nanosilicate from Rice Husk Ash as Green Corrosion Inhibitor for Carbon Steel in 0.5M HCl. Materials Science Forum, 0, 756, 266-272. | 0.3 | 6 |
| 84 | Synthesis of CdS Nanoparticles via AOT-Water- <i>n-</i> Heptane Microemulsion Technique. Materials Science Forum, 0, 756, 85-90. | 0.3 | 2 |
| 85 | Bondability and Strength Evaluation of Gold Ball Bond Using Nanoindentation Approach. Key Engineering Materials, 0, 700, 132-141. | 0.4 | O |
| 86 | Electrochemical Migration Behaviours of Low Silver Content Solder Alloy SAC 0307 on Printed Circuit Boards (PCBs) in NaCl Solution. Materials Science Forum, 0, 846, 3-12. | 0.3 | 8 |
| 87 | Nanoindentation Study on Heat Treated Gold Wire Bonding. Materials Science Forum, 0, 857, 31-35. | 0.3 | O |
| 88 | The Relationship between XRD Peak Intensity and Mechanical Properties of Irradiated Lead-Free Solder. Materials Science Forum, 0, 888, 423-427. | 0.3 | 6 |
| 89 | Electrochemical and XPS Studies of Benzalkonium Chloride for Carbon Steel Protection in Hydrochloric Acid. Materials Science Forum, 0, 888, 382-388. | 0.3 | 2 |
| 90 | High Temperature Oxidation Behaviour of Ni-Cr-, Ti- and Fe-Based Alloys in Flowing Wet Gas Environment. Materials Science Forum, 0, 888, 418-422. | 0.3 | 1 |

| # | Article | lF | CITATIONS |
|----|---|-----|-----------|
| 91 | Characterisation of Reduction of Iron Ore with Carbonaceous Materials. Solid State Phenomena, 0, 280, 433-439. | 0.3 | 10 |
| 92 | Dimethyl Sulfoxide-Treated Starch of Dioescorea hispida as a Green Corrosion Inhibitor for Low Carbon Steel in Sodium Chloride Medium. , 0, , . | | 7 |