

Jeffrey K Wickliffe

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5371193/jeffrey-k-wickliffe-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87
papers

1,463
citations

21
h-index

33
g-index

93
ext. papers

1,612
ext. citations

3.7
avg, IF

4.19
L-index

#	Paper	IF	Citations
87	The Cumulative Risk of Prenatal Exposures to Chemical and Non-Chemical Stressors on Birth Outcomes in Suriname. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
86	Exposure to total and methylmercury among pregnant women in Suriname: sources and public health implications. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2021 , 31, 117-125	6.7	8
85	Self-reported oil spill exposure and birth outcomes among southern Louisiana women at the time of the Gulf oil spill: The GROWH study. <i>International Journal of Hygiene and Environmental Health</i> , 2021 , 237, 113829	6.9	0
84	The distribution of disease in the Republic of Suriname - A pharmacoepidemiological analysis using the claims database of the State Health Foundation of the year 2017.. <i>Journal of Public Health and Epidemiology</i> , 2021 , 13, 272-281	0.3	
83	Prenatal Mercury Exposure in Pregnant Women from Suriname's Interior and Its Effects on Birth Outcomes. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	3
82	Influence of Prenatal Exposure to Mercury, Perceived Stress, and Depression on Birth Outcomes in Suriname: Results from the MeKiTamara Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	3
81	Arsenic Concentrations in Household Drinking Water: A Cross-Sectional Survey of Pregnant Women in Tacna, Peru, 2019. <i>Exposure and Health</i> , 2020 , 12, 555-560	8.8	2
80	Caribbean Consortium for Research in Environmental and Occupational Health (CCREOH) Cohort Study: influences of complex environmental exposures on maternal and child health in Suriname. <i>BMJ Open</i> , 2020 , 10, e034702	3	5
79	Increased long-term health risks attributable to select volatile organic compounds in residential indoor air in southeast Louisiana. <i>Scientific Reports</i> , 2020 , 10, 21649	4.9	10
78	Aryl hydrocarbon receptor signaling, toxicity, and gene expression responses to mono-methylchrysenes. <i>Environmental Toxicology</i> , 2019 , 34, 992-1000	4.2	5
77	Determinants of vitamin D status among Black and White low-income pregnant and non-pregnant reproductive-aged women from Southeast Louisiana. <i>BMC Pregnancy and Childbirth</i> , 2019 , 19, 111	3.2	1
76	An Assessment of Environmental Health Measures in the Deepwater Horizon Research Consortia. <i>Current Opinion in Toxicology</i> , 2019 , 16, 75-82	4.4	2
75	The Cumulative Risk of Chemical and Nonchemical Exposures on Birth Outcomes in Healthy Women: The Fetal Growth Study. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	7
74	Advancing Environmental Health Literacy: Validated Scales of General Environmental Health and Environmental Media-Specific Knowledge, Attitudes and Behaviors. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	8
73	Assessing science motivation among high school students participating in a supplemental science programme: the Emerging Scholars Environmental Health Sciences Academy. <i>International Journal of Science Education</i> , 2019 , 41, 2508-2523	2.2	2
72	Consumption of Fish and Shrimp from Southeast Louisiana Poses No Unacceptable Lifetime Cancer Risks Attributable to High-Priority Polycyclic Aromatic Hydrocarbons. <i>Risk Analysis</i> , 2018 , 38, 1944-1961	3.9	16
71	Mercury Levels in Women and Children from Interior Villages in Suriname, South America. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	13

70	compMS2Miner: An Automatable Metabolite Identification, Visualization, and Data-Sharing R Package for High-Resolution LC-MS Data Sets. <i>Analytical Chemistry</i> , 2017 , 89, 3919-3928	7.8	23
69	Presence of pesticide residues on produce cultivated in Suriname. <i>Environmental Monitoring and Assessment</i> , 2017 , 189, 303	3.1	10
68	Elevated mitochondrial genome variation after 50 generations of radiation exposure in a wild rodent. <i>Evolutionary Applications</i> , 2017 , 10, 784-791	4.8	24
67	Advanced Collaborative Emissions Study Auxiliary Findings on 2007-Compliant Diesel Engines: A Comparison With Diesel Exhaust Genotoxicity Effects Prior to 2007. <i>Environmental Health Insights</i> , 2017 , 11, 1178630217714215	1.4	
66	Cultural influences on the management of environmental health risks among low-income pregnant women. <i>Health, Risk and Society</i> , 2017 , 19, 369-386	2	3
65	Assessment of an irritant gas plume model for epidemiologic study. <i>International Journal of Environmental Health Research</i> , 2017 , 27, 276-292	3.6	2
64	Correlations of Biomarkers and Self-Reported Seafood Consumption among Pregnant and Non-Pregnant Women in Southeastern Louisiana after the Gulf Oil Spill: The GROWH Study. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	12
63	Diet-induced obesity increases the frequency of Pig-a mutant erythrocytes in male C57BL/6J mice. <i>Environmental and Molecular Mutagenesis</i> , 2016 , 57, 668-677	3.2	11
62	Louisiana residents self-reported lack of information following the Deepwater Horizon oil spill: Effects on seafood consumption and risk perception. <i>Journal of Environmental Management</i> , 2016 , 180, 526-37	7.9	26
61	Analysis of Pesticides and Toxic Heavy Metals Contained in Mosquito Coils. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2016 , 97, 614-618	2.7	3
60	A targeted health risk assessment following the Deepwater Horizon oil spill: polycyclic aromatic hydrocarbon exposure in Vietnamese-American shrimp consumers. <i>Environmental Health Perspectives</i> , 2015 , 123, 152-9	8.4	39
59	The RPTEC/TERT1 Cell Line as an Improved Tool for In Vitro Nephrotoxicity Assessments. <i>Biological Trace Element Research</i> , 2015 , 166, 66-71	4.5	17
58	Genetic Evidence for XPC-KRAS Interactions During Lung Cancer Development. <i>Journal of Genetics and Genomics</i> , 2015 , 42, 589-596	4	5
57	Part 3. Assessment of genotoxicity and oxidative damage in rats after chronic exposure to new-technology diesel exhaust in the ACES bioassay. <i>Research Report (health Effects Institute)</i> , 2015 , 87-105; discussion 141-71	0.9	2
56	Influence of promoter/enhancer region haplotypes on MGMT transcriptional regulation: a potential biomarker for human sensitivity to alkylating agents. <i>Carcinogenesis</i> , 2014 , 35, 564-71	4.6	12
55	Cadmium alters the formation of benzo[a]pyrene DNA adducts in the RPTEC/TERT1 human renal proximal tubule epithelial cell line. <i>Toxicology Reports</i> , 2014 , 1, 391-400	4.8	13
54	A critique of the manuscript: "Distribution and concentrations of petroleum hydrocarbons associated with the BP/Deepwater Horizon oil spill, Gulf of Mexico". <i>Marine Pollution Bulletin</i> , 2014 , 79, 389-90	6.7	5
53	Major concerns about study design and clinical biomarker interpretation. <i>American Journal of Medicine</i> , 2014 , 127, e21-2	2.4	3

52	The RPTEC/TERT1 cell line models key renal cell responses to the environmental toxicants, benzo[a]pyrene and cadmium. <i>Toxicology Reports</i> , 2014 , 1, 231-242	4.8	17
51	Evaluation of polycyclic aromatic hydrocarbons using analytical methods, toxicology, and risk assessment research: seafood safety after a petroleum spill as an example. <i>Environmental Health Perspectives</i> , 2014 , 122, 6-9	8.4	43
50	Evolution of the ABPA subunit of androgen-binding protein expressed in the submaxillary glands in New and Old World rodent taxa. <i>Journal of Molecular Evolution</i> , 2013 , 76, 324-31	3.1	6
49	Limitation of the MTT and XTT assays for measuring cell viability due to superoxide formation induced by nano-scale TiO ₂ . <i>Toxicology in Vitro</i> , 2011 , 25, 2147-51	3.6	109
48	CYP1A2*1F and GSTM1 alleles are associated with susceptibility to porphyria cutanea tarda. <i>Molecular Medicine</i> , 2011 , 17, 241-7	6.2	15
47	Nanoparticles: small and mighty. <i>International Journal of Dermatology</i> , 2011 , 50, 247-54	1.7	101
46	Chronic exposure to nanosized, anatase titanium dioxide is not cyto- or genotoxic to Chinese hamster ovary cells. <i>Environmental and Molecular Mutagenesis</i> , 2011 , 52, 614-22	3.2	39
45	Persistence and repair of bifunctional DNA adducts in tissues of laboratory animals exposed to 1,3-butadiene by inhalation. <i>Chemical Research in Toxicology</i> , 2011 , 24, 809-17	4	31
44	A comprehensive haplotype analysis of the XPC genomic sequence reveals a cluster of genetic variants associated with sensitivity to tobacco-smoke mutagens. <i>Toxicological Sciences</i> , 2010 , 115, 41-50 ^{4.4}	4.4	8
43	Regulatory regions responsive to oxidative stress in the promoter of the human DNA glycosylase gene NEIL2. <i>Mutagenesis</i> , 2010 , 25, 171-7	2.8	11
42	Association of polymorphisms in proinflammatory cytokine genes with the development of oral cancer in Southern Thailand. <i>International Journal of Hygiene and Environmental Health</i> , 2010 , 213, 146-52 ^{6.9}	6.9	19
41	Evaluation of frequencies of HPRT mutant lymphocytes in butadiene polymer workers in a Southeast Texas facility. <i>Environmental and Molecular Mutagenesis</i> , 2009 , 50, 82-7	3.2	8
40	Single nucleotide polymorphisms 5Pupstream the coding region of the NEIL2 gene influence gene transcription levels and alter levels of genetic damage. <i>Genes Chromosomes and Cancer</i> , 2008 , 47, 923-32 ⁵	3.2	14
39	Butadiene-Mediated Mutagenesis and Carcinogenesis 2008 , 1-31		
38	HPLC-ESI+-MS/MS analysis of N7-guanine-N7-guanine DNA cross-links in tissues of mice exposed to 1,3-butadiene. <i>Chemical Research in Toxicology</i> , 2007 , 20, 839-47	4	41
37	New Information for Systematics, Taxonomy, and Phylogeography of the Rodent Genus Apodemus (Sylvaemus) in Ukraine. <i>Journal of Mammalogy</i> , 2007 , 88, 330-342	1.8	18
36	Detoxification of olefinic epoxides and nucleotide excision repair of epoxide-mediated DNA damage: Insights from animal models examining human sensitivity to 1,3-butadiene. <i>Chemico-Biological Interactions</i> , 2007 , 166, 226-31	5	12
35	Mitochondrial control region variation in bank voles (<i>Clethrionomys glareolus</i>) is not related to Chernobyl radiation exposure. <i>Environmental Toxicology and Chemistry</i> , 2007 , 26, 361-9	3.8	15

34	Single nucleotide polymorphisms of the DNA repair gene XPD/ERCC2 alter mRNA expression. <i>Pharmacogenetics and Genomics</i> , 2007 , 17, 897-905	1.9	52
33	The L84F polymorphism in the O6-Methylguanine-DNA-Methyltransferase (MGMT) gene is associated with increased hypoxanthine phosphoribosyltransferase (HPRT) mutant frequency in lymphocytes of tobacco smokers. <i>Pharmacogenetics and Genomics</i> , 2007 , 17, 743-53	1.9	14
32	3,4-Epoxy-1-butene, a reactive metabolite of 1,3-butadiene, induces somatic mutations in Xpc-null mice. <i>Environmental and Molecular Mutagenesis</i> , 2006 , 47, 67-70	3.2	8
31	MOLECULAR SYSTEMATICS OF POCKET GOPHERS OF THE GENUS GEOMYS. <i>Journal of Mammalogy</i> , 2006 , 87, 668-676	1.8	15
30	Variation in mitochondrial DNA control region haplotypes in populations of the bank vole, <i>Clethrionomys glareolus</i> , living in the Chernobyl environment, Ukraine. <i>Environmental Toxicology and Chemistry</i> , 2006 , 25, 503-8	3.8	10
29	VARIATION OF MITOCHONDRIAL CONTROL REGION SEQUENCES OF STELLER SEA LIONS: THE THREE-STOCK HYPOTHESIS. <i>Journal of Mammalogy</i> , 2005 , 86, 1075-1084	1.8	43
28	The L84F and the I143V polymorphisms in the O6-methylguanine-DNA-methyltransferase (MGMT) gene increase human sensitivity to the genotoxic effects of the tobacco-specific nitrosamine carcinogen NNK. <i>Pharmacogenetics and Genomics</i> , 2005 , 15, 571-8	1.9	30
27	Variability in human sensitivity to 1,3-butadiene: influence of polymorphisms in the 5Pflanking region of the microsomal epoxide hydrolase gene (EPHX1). <i>Toxicological Sciences</i> , 2005 , 85, 624-31	4.4	27
26	Reconstruction of radioactive plume characteristics along Chernobyl's Western Trace. <i>Journal of Environmental Radioactivity</i> , 2004 , 71, 147-57	2.4	19
25	Exposure to chronic, low-dose rate gamma-radiation at Chornobyl does not induce point mutations in Big Blue mice. <i>Environmental and Molecular Mutagenesis</i> , 2003 , 42, 11-8	3.2	22
24	A model of sensitivity: 1,3-butadiene increases mutant frequencies and genomic damage in mice lacking a functional microsomal epoxide hydrolase gene. <i>Environmental and Molecular Mutagenesis</i> , 2003 , 42, 106-10	3.2	20
23	Mitochondrial DNA heteroplasmy in laboratory mice experimentally enclosed in the radioactive Chernobyl environment. <i>Radiation Research</i> , 2003 , 159, 458-64	3.1	20
22	IDENTIFYING VOUCHER SPECIMENS INVOLVING RISK: SHREWS FROM CHORNOBYL, UKRAINE. <i>Journal of Mammalogy</i> , 2003 , 84, 117-122	1.8	1
21	Response to the Letter of Y. Dubrova. <i>Radiation Research</i> , 2003 , 160, 611-612	3.1	2
20	Assessing the genotoxicity of chronic environmental irradiation by using mitochondrial dna heteroplasmy in the bank vole (<i>Clethrionomys glareolus</i>) at Chornobyl, Ukraine. <i>Environmental Toxicology and Chemistry</i> , 2002 , 21, 1249-1254	3.8	28
19	K-ras oncogene DNA sequences in pink salmon in streams impacted by the Exxon Valdez oil spill: no evidence of oil-induced heritable mutations. <i>Ecotoxicology</i> , 2002 , 11, 233-41	2.9	10
18	. <i>Environmental Toxicology and Chemistry</i> , 2002 , 21, 1249	3.8	10
17	Gene expression, cell localization, and evolution of rodent submandibular gland androgen-binding protein. <i>European Journal of Morphology</i> , 2002 , 40, 257-60		10

16	Assessing the genotoxicity of chronic environmental irradiation by using mitochondrial DNA heteroplasmy in the bank vole (<i>Clethrionomys glareolus</i>) at Chernobyl, Ukraine. <i>Environmental Toxicology and Chemistry</i> , 2002 , 21, 1249-54	3.8	4
15	Accumulation of ¹³⁷ Cesium and ⁹⁰ Strontium from abiotic and biotic sources in rodents at Chernobyl, Ukraine. <i>Environmental Toxicology and Chemistry</i> , 2001 , 20, 1927-1935	3.8	28
14	Experimental exposure of naive bank voles (<i>Clethrionomys glareolus</i>) to the Chernobyl, Ukraine, environment: A test of radioresistance. <i>Environmental Toxicology and Chemistry</i> , 2001 , 20, 1936-1941	3.8	19
13	Subchronic exposure of BALB/c and C57BL/6 strains of <i>Mus musculus</i> to the radioactive environment of the Chernobyl, Ukraine exclusion zone. <i>Environmental Toxicology and Chemistry</i> , 2001 , 20, 2830-2835	3.8	16
12	Consequences of polluted environments on population structure: the bank vole (<i>Clethrionomys glareolus</i>) at Chernobyl. <i>Ecotoxicology</i> , 2001 , 10, 211-6	2.9	38
11	Re: Dubrova et al. "Induction of minisatellite mutations in the mouse germline by low-dose chronic exposure to gamma-radiation and fission neutrons". <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2001 , 478, 207-10	3.3	1
10	. <i>Environmental Toxicology and Chemistry</i> , 2001 , 20, 1927	3.8	17
9	. <i>Environmental Toxicology and Chemistry</i> , 2001 , 20, 1936	3.8	8
8	. <i>Environmental Toxicology and Chemistry</i> , 2001 , 20, 2830	3.8	3
7	Mixed-function oxygenases, oxidative stress, and chromosomal damage measured in lesser scaup wintering on the Indiana Harbor Canal. <i>Archives of Environmental Contamination and Toxicology</i> , 2000 , 38, 522-9	3.2	54
6	Cell cycle disruption in wild rodent populations as an endpoint in detecting exposure and effect. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2000 , 64, 448-54	2.7	5
5	Multiparametric assessment of bursal lymphocyte apoptosis. <i>Developmental and Comparative Immunology</i> , 1999 , 23, 487-500	3.2	14
4	Flow cytometric analysis of hematocytes from brown pelicans (<i>Pelecanus occidentalis</i>) exposed to planar halogenated hydrocarbons and heavy metals. <i>Bulletin of Environmental Contamination and Toxicology</i> , 1998 , 61, 239-46	2.7	13
3	Genetic Variability and Population Decline in Steller Sea Lions from the Gulf of Alaska. <i>Journal of Mammalogy</i> , 1998 , 79, 1390-1395	1.8	25
2	Contaminant concentrations and biomarker response in great blue heron eggs from 10 colonies on the upper Mississippi River, USA. <i>Environmental Toxicology and Chemistry</i> , 1997 , 16, 260-271	3.8	55
1	Soil Contaminant Concentrations at Urban Agricultural Sites in New Orleans, Louisiana: A Comparison of Two Analytical Methods. <i>Journal of Agriculture, Food Systems, and Community Development</i> , 1-11	2.4	3