
## Pellegrino Mazzone

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5371264/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Gastric Cancer Stem Cells: A Glimpse on Metabolic Reprogramming. Frontiers in Oncology, 2021, 11, 698394.	2.8	16
2	Cationic Channel TRPV2 Overexpression Promotes Resistance to Cisplatin-Induced Apoptosis in Gastric Cancer Cells. Frontiers in Pharmacology, 2021, 12, 746628.	3.5	10
3	The Role of Toll-like Receptors (TLRs) Mediated Inflammation in Pancreatic Cancer Pathophysiology. International Journal of Molecular Sciences, 2021, 22, 12743.	4.1	14
4	A novel member of Prame family, Gm12794c, counteracts retinoic acid differentiation through the methyltransferase activity of PRC2. Cell Death and Differentiation, 2020, 27, 345-362.	11.2	13
5	Micro RNA facilitated chemoresistance in gastric cancer: a novel biomarkers and potential therapeutics. Alexandria Journal of Medicine, 2020, 56, 81-92.	0.6	5
6	UBAC1/KPC2 Regulates TLR3 Signaling in Human Keratinocytes through Functional Interaction with the CARD14/CARMA2sh-TANK Complex. International Journal of Molecular Sciences, 2020, 21, 9365.	4.1	7
7	Adapting and Surviving: Intra and Extra-Cellular Remodeling in Drug-Resistant Gastric Cancer Cells. International Journal of Molecular Sciences, 2019, 20, 3736.	4.1	51
8	Exploring the Molecular Crosstalk between Pancreatic Bud and Mesenchyme in Embryogenesis: Novel Signals Involved. International Journal of Molecular Sciences, 2019, 20, 4900.	4.1	3
9	Retinoic Acid Induces Embryonic Stem Cells (ESCs) Transition to 2 Cell-Like State Through a Coordinated Expression of Dux and Duxbl1. Frontiers in Cell and Developmental Biology, 2019, 7, 385.	3.7	24
10	CARMA2sh and ULK2 control pathogen-associated molecular patterns recognition in human keratinocytes: psoriasis-linked CARMA2sh mutants escape ULK2 censorship. Cell Death and Disease, 2017, 8, e2627-e2627.	6.3	10
11	The E3 Ubiquitin Ligase RNF7 Negatively Regulates CARD14/CARMA2sh Signaling. International Journal of Molecular Sciences, 2017, 18, 2581.	4.1	10
12	NF-κB Essential Modulator (NEMO) Is Critical for Thyroid Function. Journal of Biological Chemistry, 2016, 291, 5765-5773.	3.4	25
13	Functional characterization of a BCL10 isoform in the rainbow trout <i>Oncorhynchus mykiss</i> . FEBS Open Bio, 2015, 5, 175-181.	2.3	2
14	Functional Characterization of Zebrafish (Danio rerio) Bcl10. PLoS ONE, 2015, 10, e0122365.	2.5	12
15	Functional Characterization of Porcine ( <i>Sus scrofa</i> ) BCL10. Open Journal of Immunology, 2015, 05, 64-71.	0.2	0
16	TRAF6-mediated ubiquitination of NEMO requires p62/sequestosome-1. Molecular Immunology, 2014, 58, 27-31.	2.2	51
17	The Dishevelled, EGL-10 and Pleckstrin (DEP) Domain-Containing Protein DEPDC7 Binds to CARMA2 and CARMA3 Proteins, and Regulates NF-κB Activation. PLoS ONE, 2014, 9, e116062.	2.5	30