
Ingrid Wybo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5371272/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A comparison of the antimicrobial resistance of fecal Bacteroides isolates and assessment of the composition of the intestinal microbiotas of carbapenem-treated and non-treated persons from Belgium and Hungary. Anaerobe, 2022, 73, 102480.	1.0	4
2	Validation of Rapid Antimicrobial Susceptibility Testing directly from blood cultures using WASPLab®, including ColibrAâ,,¢ and Radian® in-Line Carousel. European Journal of Clinical Microbiology and Infectious Diseases, 2022, 41, 733-739.	1.3	3
3	Validation of the ColibrÃ-Instrument for Automated Preparation of MALDI-TOF MS Targets for Yeast Identification. Journal of Clinical Microbiology, 2022, 60, .	1.8	6
4	SARS-CoV-2 RNA and antibodies in tear fluid. BMJ Open Ophthalmology, 2021, 6, e000733.	0.8	10
5	Antimicrobial susceptibility testing of Eggerthella lenta blood culture isolates at a university hospital in Belgium from 2004 to 2018. Anaerobe, 2021, 69, 102348.	1.0	3
6	Symptomatic severe acute respiratory syndrome coronavirusÂ2 reinfection in a lupus patient treated with hydroxychloroquine: a case report. Journal of Medical Case Reports, 2021, 15, 572.	0.4	2
7	A Europe-wide assessment of antibiotic resistance rates in Bacteroides and Parabacteroides isolates from intestinal microbiota of healthy subjects. Anaerobe, 2020, 62, 102182.	1.0	26
8	Diphtheria in Belgium: 2010–2017. Journal of Medical Microbiology, 2019, 68, 1517-1525.	0.7	17
9	Extensive evaluation of fastidious anaerobic bacteria recovery from the Copan eSwab® transport system. Journal of Microbiological Methods, 2018, 144, 73-78.	0.7	13
10	The sink as a potential source of transmission of carbapenemase-producing Enterobacteriaceae in the intensive care unit. Antimicrobial Resistance and Infection Control, 2017, 6, 24.	1.5	79
11	Anaerobic bacteraemia: a 10-year retrospective epidemiological survey. Anaerobe, 2016, 39, 54-59.	1.0	40
12	Performance of BacT/Alert resin-based FN plus bottles compared with BacT/Alert charcoal-based FN bottles for the detection of anaerobes in experimentally seeded blood cultures. Anaerobe, 2015, 35, 92-95.	1.0	9
13	Fourth Belgian multicentre survey of antibiotic susceptibility of anaerobic bacteria. Journal of Antimicrobial Chemotherapy, 2014, 69, 155-161.	1.3	83
14	Staphylococcus jettensis sp. nov., a coagulase-negative staphylococcal species isolated from human clinical specimens. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3250-3256.	0.8	15
15	Species Identification of Clinical Prevotella Isolates by Matrix-Assisted Laser Desorption Ionization–Time of Flight Mass Spectrometry. Journal of Clinical Microbiology, 2012, 50, 1415-1418.	1.8	42
16	Acceptance criteria for identification results of Gram-negative rods by mass spectrometry. Journal of Medical Microbiology, 2011, 60, 684-686.	0.7	30
17	Differentiation of cfiA-Negative and cfiA-Positive Bacteroides fragilis Isolates by Matrix-Assisted Laser Desorption Ionization-Time of Flight Mass Spectrometry. Journal of Clinical Microbiology, 2011, 49, 1961-1964.	1.8	85