

# Pier Luigi Temporelli

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5372731/publications.pdf>

Version: 2024-02-01

143  
papers

6,848  
citations

109264

35  
h-index

60583

81  
g-index

164  
all docs

164  
docs citations

164  
times ranked

7316  
citing authors

#	ARTICLE	IF	CITATIONS
1	Exercise training meta-analysis of trials in patients with chronic heart failure (ExTraMATCH). <i>BMJ: British Medical Journal</i> , 2004, 328, 189-0.	2.4	580
2	Independent prognostic value of functional mitral regurgitation in patients with heart failure. A quantitative analysis of 1256 patients with ischaemic and non-ischaemic dilated cardiomyopathy. <i>Heart</i> , 2011, 97, 1675-1680.	1.2	479
3	Tricuspid annular plane systolic excursion and pulmonary arterial systolic pressure relationship in heart failure: an index of right ventricular contractile function and prognosis. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2013, 305, H1373-H1381.	1.5	442
4	Doppler-derived mitral deceleration time of early filling as a strong predictor of pulmonary capillary wedge pressure in postinfarction patients with left ventricular systolic dysfunction. <i>Journal of the American College of Cardiology</i> , 1994, 23, 1630-1637.	1.2	348
5	Global Secondary Prevention Strategies to Limit Event Recurrence After Myocardial Infarction. <i>Archives of Internal Medicine</i> , 2008, 168, 2194.	4.3	320
6	Antiremodeling Effect of Long-Term Exercise Training in Patients With Stable Chronic Heart Failure. <i>Circulation</i> , 2003, 108, 554-559.	1.6	297
7	Independent and incremental prognostic value of doppler-derived mitral deceleration time of early filling in both symptomatic and asymptomatic patients with left ventricular dysfunction. <i>Journal of the American College of Cardiology</i> , 1996, 28, 383-390.	1.2	242
8	Independent and Incremental Prognostic Value of Doppler-Derived Mitral Deceleration Time of Early Filling in Both Symptomatic and Asymptomatic Patients With Left Ventricular Dysfunction. <i>Journal of the American College of Cardiology</i> , 1996, 28, 383-390.	1.2	209
9	Different correlates but similar prognostic implications for right ventricular dysfunction in heart failure patients with reduced or preserved ejection fraction. <i>European Journal of Heart Failure</i> , 2017, 19, 873-879.	2.9	194
10	Increased fibrin turnover and high PAI-1 activity as predictors of ischemic events in atherosclerotic patients. A case-control study. The PLAT Group.. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1993, 13, 1412-1417.	3.8	193
11	Attenuation of Unfavorable Remodeling by Exercise Training in Postinfarction Patients With Left Ventricular Dysfunction. <i>Circulation</i> , 1997, 96, 1790-1797.	1.6	161
12	Long-term physical training and left ventricular remodeling after anterior myocardial infarction: Results of the exercise in anterior myocardial infarction (EAMI) trial. <i>Journal of the American College of Cardiology</i> , 1993, 22, 1821-1829.	1.2	159
13	In-hospital and 1-year mortality associated with diabetes in patients with acute heart failure: results from the ESC-HFA Heart Failure Long-Term Registry. <i>European Journal of Heart Failure</i> , 2017, 19, 54-65.	2.9	150
14	Independent relationship of left atrial size and mortality in patients with heart failure: an individual patient meta-analysis of longitudinal data (MeRGE Heart Failure). <i>European Journal of Heart Failure</i> , 2009, 11, 929-936.	2.9	146
15	Doppler-derived mitral deceleration time as a strong prognostic marker of left ventricular remodeling and survival after acute myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2004, 43, 1646-1653.	1.2	137
16	Prognostic relevance of a non-invasive evaluation of right ventricular function and pulmonary artery pressure in patients with chronic heart failure. <i>European Journal of Heart Failure</i> , 2013, 15, 408-414.	2.9	132
17	Prognostic Relevance of Pulmonary Arterial Compliance in Patients With Chronic Heart Failure. <i>Chest</i> , 2014, 145, 1064-1070.	0.4	127
18	Reversible Restrictive Left Ventricular Diastolic Filling With Optimized Oral Therapy Predicts a More Favorable Prognosis in Patients With Chronic Heart Failure. <i>Journal of the American College of Cardiology</i> , 1998, 31, 1591-1597.	1.2	123

#	ARTICLE	IF	CITATIONS
19	Echocardiography of Right Ventriculoarterial Coupling Combined With Cardiopulmonary Exercise Testing to Predict Outcome in Heart Failure. <i>Chest</i> , 2015, 148, 226-234.	0.4	123
20	Spontaneous delayed recovery of perfusion and contraction after the first 5 weeks after anterior infarction. Evidence for the presence of hibernating myocardium in the infarcted area.. <i>Circulation</i> , 1994, 90, 1386-1397.	1.6	119
21	Association Between Diabetes and 1-Year Adverse Clinical Outcomes in a Multinational Cohort of Ambulatory Patients With Chronic Heart Failure: Results From the ESC-HFA Heart Failure Long-Term Registry. <i>Diabetes Care</i> , 2017, 40, 671-678.	4.3	103
22	Accurate noninvasive estimation of pulmonary vascular resistance by Doppler echocardiography in patients with chronic heart failure. <i>Journal of the American College of Cardiology</i> , 2001, 37, 1813-1819.	1.2	100
23	Heterogeneity of left ventricular remodeling after acute myocardial infarction: Results of the Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto Miocardico-3 Echo Substudy. <i>American Heart Journal</i> , 2001, 141, 131-138.	1.2	92
24	Estimation of pulmonary wedge pressure by transmitral Doppler in patients with chronic heart failure and atrial fibrillation. <i>American Journal of Cardiology</i> , 1999, 83, 724-727.	0.7	90
25	Doppler Echocardiography in Advanced Systolic Heart Failure. <i>Circulation: Heart Failure</i> , 2010, 3, 387-394.	1.6	88
26	Characteristics, treatments and 1-year prognosis of hospitalized and ambulatory heart failure patients with chronic obstructive pulmonary disease in the European Society of Cardiology Heart Failure Long-Term Registry. <i>European Journal of Heart Failure</i> , 2018, 20, 100-110.	2.9	86
27	Effective secondary prevention through cardiac rehabilitation after coronary revascularization and predictors of poor adherence to lifestyle modification and medication. Results of the ICAROS Survey. <i>International Journal of Cardiology</i> , 2013, 167, 1390-1395.	0.8	84
28	Right ventricular functional recovery after acute myocardial infarction: relation with left ventricular function and interventricular septum motion. GISSI-3 echo substudy. <i>Heart</i> , 2005, 91, 484-488.	1.2	57
29	Prognostic Impact of Diabetes and Prediabetes on Survival Outcomes in Patients With Chronic Heart Failure: A Post-Hoc Analysis of the GISSI-HF (Gruppo Italiano per lo Studio della Sopravvivenza nella) Tj ETQq1 11067843141gBT /O		
30	Prevalence and Prognostic Impact of Chronic Obstructive Pulmonary Disease in Patients with Chronic Heart Failure: Data from the GISSI-HF Trial. <i>Cardiology</i> , 2017, 136, 128-137.	0.6	46
31	Electrocardiographic evolutionary changes and left ventricular remodeling after acute myocardial infarction11The Investigators and Institutions participating in the GISSI-3 Echo Substudy are listed in the Appendix.. <i>Journal of the American College of Cardiology</i> , 2000, 35, 127-135.	1.2	44
32	The Impact of Growth Hormone/Insulin-Like Growth Factor-I Axis and Nocturnal Breathing Disorders on Cardiovascular Features of Adult Patients with Prader-Willi Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 5639-5646.	1.8	42
33	Validation of an echo-Doppler decision model to predict left ventricular filling pressure in patients with heart failure independently of ejection fraction. <i>European Journal of Echocardiography</i> , 2010, 11, 703-710.	2.3	41
34	Right ventricular recovery during follow-up is associated with improved survival in patients with chronic heart failure with reduced ejection fraction. <i>European Journal of Heart Failure</i> , 2016, 18, 1462-1471.	2.9	41
35	Association of Hypertriglyceridemia with All-Cause Mortality and Atherosclerotic Cardiovascular Events in a Low-Risk Italian Population: The TG-REAL Retrospective Cohort Analysis. <i>Journal of the American Heart Association</i> , 2020, 9, e015801.	1.6	38
36	Effects on survival of loop diuretic dosing in ambulatory patients with chronic heart failure using a propensity score analysis. <i>International Journal of Clinical Practice</i> , 2013, 67, 656-664.	0.8	37

#	ARTICLE	IF	CITATIONS
37	Worksite Health and Wellness in the European Union. <i>Progress in Cardiovascular Diseases</i> , 2014, 56, 508-514.	1.6	37
38	Pulmonary hemodynamics in heart failure patients with reduced or preserved ejection fraction and pulmonary hypertension: Similarities and disparities. <i>American Heart Journal</i> , 2017, 192, 120-127.	1.2	35
39	Flow-Mediated Dilation Normalization Predicts Outcome in Chronic Heart Failure Patients. <i>Journal of Cardiac Failure</i> , 2013, 19, 260-267.	0.7	34
40	Hypertriglyceridemia and omega-3 fatty acids: Their often overlooked role in cardiovascular disease prevention. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018, 28, 197-205.	1.1	34
41	Prevalence and management of familial hypercholesterolemia in patients with coronary artery disease: The heredity survey. <i>International Journal of Cardiology</i> , 2018, 252, 193-198.	0.8	34
42	Limited predictive value of cardiopulmonary exercise indices in patients with moderate chronic heart failure treated with carvedilol. <i>American Heart Journal</i> , 2004, 147, 553-560.	1.2	33
43	Prognostic impact of in-hospital hyperglycemia in hospitalized patients with acute heart failure: Results of the IN-HF (Italian Network on Heart Failure) Outcome registry. <i>International Journal of Cardiology</i> , 2016, 203, 587-593.	0.8	33
44	A retrospective multicenter study on long-term prevalence of chronic pain after cardiac surgery. <i>Journal of Cardiovascular Medicine</i> , 2015, 16, 768-774.	0.6	31
45	Frequent coexistence of chronic heart failure and chronic obstructive pulmonary disease in respiratory and cardiac outpatients: Evidence from SUSPIRIUM, a multicentre Italian survey. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 567-576.	0.8	30
46	Prognostic impact of elevated serum uric acid levels on long-term outcomes in patients with chronic heart failure: A post-hoc analysis of the GISSI-HF (Gruppo Italiano per lo Studio della Sopravvivenza) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 205-215.	1.5	30
47	Haemodynamic effects of an acute vasodilator challenge in heart failure patients with reduced ejection fraction and different forms of postcapillary pulmonary hypertension. <i>European Journal of Heart Failure</i> , 2018, 20, 725-734.	2.9	27
48	Prediction of 6 months left ventricular dilatation after myocardial infarction in relation to cardiac morbidity and mortality. Application of a new dilatation model to GISSI-3 data. <i>European Heart Journal</i> , 2002, 23, 536-542.	1.0	26
49	Left atrium remodeling after acute myocardial infarction (results of the GISSI-3 Echo Substudy). <i>American Journal of Cardiology</i> , 2004, 93, 1156-1159.	0.7	26
50	Echo and natriuretic peptide guided therapy improves outcome and reduces worsening renal function in systolic heart failure: An observational study of 1137 outpatients. <i>International Journal of Cardiology</i> , 2016, 224, 416-423.	0.8	26
51	Current management and treatment of patients with stable coronary artery diseases presenting to cardiologists in different clinical contexts: A prospective, observational, nationwide study. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 43-53.	0.8	25
52	External applicability of the ISCHEMIA trial: an analysis of a prospective, nationwide registry of patients with stable coronary artery disease. <i>EuroIntervention</i> , 2020, 16, e966-e973.	1.4	24
53	Late postoperative atrial fibrillation after cardiac surgery: a national survey within the cardiac rehabilitation setting. <i>Journal of Cardiovascular Medicine</i> , 2011, 12, 390-395.	0.6	23
54	Current lipid lowering treatment and attainment of LDL targets recommended by ESC/EAS guidelines in very high-risk patients with established atherosclerotic cardiovascular disease: Insights from the START registry. <i>International Journal of Cardiology</i> , 2020, 316, 229-235.	0.8	23

#	ARTICLE	IF	CITATIONS
55	Mitral and aortic valve sclerosis/calcification and carotid atherosclerosis: results from 1065 patients. <i>Heart and Vessels</i> , 2014, 29, 776-783.	0.5	22
56	Residual exertional ischemia and unfavorable left ventricular remodeling in patients with systolic dysfunction after anterior myocardial infarction. <i>Journal of the American College of Cardiology</i> , 1995, 25, 1539-1546.	1.2	21
57	Gender differences in cardiac rehabilitation programs from the Italian survey on cardiac rehabilitation (ISYDE-2008). <i>International Journal of Cardiology</i> , 2012, 160, 133-139.	0.8	19
58	Chronic mitral regurgitation and doppler estimation of left ventricular filling pressures in patients with heart failure. <i>Journal of the American Society of Echocardiography</i> , 2001, 14, 1094-1099.	1.2	18
59	Relation between early mitral regurgitation and left ventricular thrombus formation after acute myocardial infarction: results of the GISSI-3 echo substudy. <i>British Heart Journal</i> , 2002, 88, 131-136.	2.2	17
60	Cardiac Prevention and Rehabilitation – From acute to chronic phase. Position Paper of the Italian Association for Cardiovascular Prevention and Rehabilitation (GICR-IACPR). <i>Monaldi Archives for Chest Disease</i> , 2018, 88, 1004.	0.3	17
61	Left atrial strain predicts exercise capacity in heart failure independently of left ventricular ejection fraction. <i>ESC Heart Failure</i> , 2022, 9, 842-852.	1.4	17
62	Beta-blockers can improve survival in medically-treated patients with severe symptomatic aortic stenosis. <i>International Journal of Cardiology</i> , 2015, 190, 15-17.	0.8	16
63	Prognostic effects of rosuvastatin in patients with co-existing chronic obstructive pulmonary disease and chronic heart failure: A sub-analysis of GISSI-HF trial. <i>Pulmonary Pharmacology and Therapeutics</i> , 2017, 44, 16-23.	1.1	16
64	Left atrial dilatation in systolic heart failure: a marker of poor prognosis, not just a buffer between the left ventricle and pulmonary circulation. <i>Journal of Echocardiography</i> , 2018, 16, 155-161.	0.4	16
65	Lower extremities peripheral arterial disease among patients admitted to cardiac rehabilitation: The THINKPAD registry. <i>International Journal of Cardiology</i> , 2014, 171, 192-198.	0.8	15
66	Technetium-99m sestamibi tomographic evaluation of residual ischemia after anterior myocardial infarction. <i>Journal of the American College of Cardiology</i> , 1995, 25, 590-596.	1.2	14
67	Cardiovascular Risk Profile and Lifestyle Habits in a Cohort of Italian Cardiologists (from the Tj ETQq1 1 0.784314 rrgBT /Overlock 10 1 0.7	0.7	14
68	Clinical outcomes, pharmacological treatment, and quality of life of patients with stable coronary artery diseases managed by cardiologists: 1-year results of the START study. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , 2019, 5, 334-342.	1.8	14
69	Doppler-Derived Acceleration Rate of Right Ventricular Early Filling as a Measurement of Right Atrial Pressure in Chronic Heart Failure Secondary to Ischemic or Idiopathic Dilated Cardiomyopathy. <i>American Journal of Cardiology</i> , 1998, 81, 513-515.	0.7	13
70	The prognostic impact of diastolic dysfunction in patients with chronic heart failure and post-acute myocardial infarction: Can age-stratified E/A ratio alone predict survival?. <i>International Journal of Cardiology</i> , 2015, 181, 362-368.	0.8	13
71	Persistent abnormalities in pulmonary arterial compliance after heart transplantation in patients with combined post-capillary and pre-capillary pulmonary hypertension. <i>PLoS ONE</i> , 2017, 12, e0188383.	1.1	13
72	Exercise gas exchange in continuous-flow left ventricular assist device recipients. <i>PLoS ONE</i> , 2018, 13, e0187112.	1.1	13

#	ARTICLE	IF	CITATIONS
73	Global Secondary Prevention strategies to Limit event recurrence after myocardial infarction: the GOSPEL study. A trial from the Italian Cardiac Rehabilitation Network: rationale and design. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005, 12, 555-561.	3.1	13
74	Obesity paradox in patients with aortic valve stenosis. Protective effect of body mass index independently of age, disease severity, treatment modality and non-cardiac comorbidities. <i>International Journal of Cardiology</i> , 2014, 176, 1441-1443.	0.8	12
75	Effects of Polyunsaturated Fatty Acid Treatment on Postdischarge Outcomes After Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2016, 117, 340-346.	0.7	12
76	Relation between plasma ceramides and cardiovascular death in chronic heart failure: A subset analysis of the GISSI-HF trial. <i>ESC Heart Failure</i> , 2020, 7, 3288-3297.	1.4	12
77	The inability to perform a 6 minute walking test after cardio-thoracic surgery is a marker of clinical severity and poor outcome. Data from the ISYDE-2008 Italian survey. <i>International Journal of Cardiology</i> , 2011, 151, 115-116.	0.8	11
78	EAMI"Exercise Training in Anterior Myocardial Infarction": An Ongoing Multicenter Randomized Study*. <i>Chest</i> , 1992, 101, 315S-321S.	0.4	10
79	Long-term secondary prevention programs after cardiac rehabilitation for the reduction of future cardiovascular events: focus on regular physical activity. <i>Future Cardiology</i> , 2009, 5, 297-314.	0.5	10
80	Inaccuracy of various proposed electrocardiographic criteria in the diagnosis of apical myocardial infarction " a critical review. <i>European Heart Journal</i> , 1989, 10, 880-886.	1.0	9
81	Fifteen-Year Trends of Cardiogenic Shock and Mortality in Patients with Diabetes and Acute Coronary Syndromes. <i>American Journal of Medicine</i> , 2020, 133, 331-339.e2.	0.6	9
82	Early right coronary vasospasm presenting with malignant arrhythmias in a heart transplantation recipient without allograft vasculopathy. <i>International Journal of Cardiology</i> , 2009, 131, e120-e123.	0.8	8
83	How to face emergencies in heart failure patients with ventricular assist device. <i>International Journal of Cardiology</i> , 2013, 168, 5143-5148.	0.8	8
84	Characteristics, treatment and quality of life of stable coronary artery disease patients with or without angina: Insights from the START study. <i>PLoS ONE</i> , 2018, 13, e0199770.	1.1	8
85	Is physical activity always good for you? The physical activity paradox. <i>European Heart Journal Supplements</i> , 2021, 23, E168-E171.	0.0	8
86	Perioperative and postoperative predictors of outcome in patients with low ejection fraction early after coronary artery bypass grafting: the additional value of left ventricular remodeling. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008, 15, 441-447.	3.1	7
87	Severe aortic valve stenosis with normal left ventricular function and low vs. high pressure gradient: Different hemodynamic profiles but similar clinical presentation, comorbidity and outcome. <i>International Journal of Cardiology</i> , 2013, 167, 2326-2328.	0.8	7
88	Prevalence and pharmacologic management of familial hypercholesterolemia in an unselected contemporary cohort of patients with stable coronary artery disease. <i>Clinical Cardiology</i> , 2018, 41, 1075-1083.	0.7	7
89	Which patients with atrial fibrillation undergo an ablation procedure today in Europe? A report from the ESC-EHRA-EORP Atrial Fibrillation Ablation Long-Term and Atrial Fibrillation General Pilot Registries. <i>Europace</i> , 2020, 22, 250-258.	0.7	7
90	Lipid Lowering Treatment and Eligibility for PCSK9 Inhibition in Post-Myocardial Infarction Patients in Italy: Insights from Two Contemporary Nationwide Registries. <i>Cardiovascular Therapeutics</i> , 2020, 2020, 1-8.	1.1	7

#	ARTICLE	IF	CITATIONS
91	Italian survey on Cardiac Rehabilitation and Secondary prevention after cardiac revascularization: ICAROS study. A survey from the Italian cardiac rehabilitation network: rationale and design. Monaldi Archives for Chest Disease, 2008, 70, 99-104, 106.	0.3	6
92	Additive Value of Biomarkers and Echocardiography to Stratify the Risk of Death in Heart Failure Patients with Reduced Ejection Fraction. Cardiology Research and Practice, 2019, 2019, 1-9.	0.5	6
93	Aortic valve sclerosis is a marker of atherosclerosis independently of traditional clinical risk factors. Analysis in 712 patients without ischemic heart disease. International Journal of Cardiology, 2012, 158, 163-164.	0.8	5
94	Functional mitral regurgitation. Journal of Cardiovascular Medicine, 2016, 17, 767-773.	0.6	5
95	Prognostic relevance of Doppler echocardiographic re-assessment in HFrEF patients. International Journal of Cardiology, 2021, 327, 111-116.	0.8	5
96	Lipid-Lowering Therapy in Patients with Coronary Heart Disease and Prior Stroke: Mission Impossible?. Journal of Clinical Medicine, 2021, 10, 886.	1.0	5
97	Heart valve calcification and cardiac hemodynamics. Echocardiography, 2021, 38, 525-530.	0.3	5
98	Cardiac rehabilitation after cardiac surgery: a valuable opportunity that should not be missed. European Journal of Cardiovascular Prevention and Rehabilitation, 2008, 15, 128-129.	3.1	4
99	Italian survey on prevalence and disease management of chronic heart failure and chronic obstructive pulmonary disease comorbidity in ambulatory patients. SUSPIRIUM study rationale and design. Monaldi Archives for Chest Disease, 2015, 82, 29-34.	0.3	4
100	Nonresponse to Acute Vasodilator Challenge and Prognosis in Heart Failure With Pulmonary Hypertension. Journal of Cardiac Failure, 2021, 27, 869-876.	0.7	4
101	Statement on cardiopulmonary exercise testing in chronic heart failure due to left ventricular dysfunction: recommendations for performance and interpretation Part II: How to perform cardiopulmonary exercise testing in chronic heart failure. European Journal of Cardiovascular Prevention and Rehabilitation, 2006, 13, 300-311.	3.1	3
102	Prevalence and 1-year prognosis of transient heart failure following coronary revascularization. Internal and Emergency Medicine, 2013, 9, 641-7.	1.0	3
103	Refined 4â€group classification of left ventricular hypertrophy based on ventricular concentricity and volume dilatation outlines distinct noninvasive hemodynamic profiles in a large contemporary echocardiographic population. Echocardiography, 2018, 35, 1258-1265.	0.3	3
104	Awareness and appropriateness of the management of preclinical heart failure in outpatient clinics in Italy: Insights from the VASTISSIMO study - Evaluation of the Appropriateness of The preclinical phase (Stage A and Stage B) of Heart Failure Management in Outpatient Clinics in Italy. Monaldi Archives for Chest Disease, 2019, 89, .	0.3	3
105	Clinical characteristics of heart failure patients undergoing atrial fibrillation ablation today in Europe. Data from the atrial fibrillation registries of the European Society of Cardiology and the European Heart Rhythm Association. European Journal of Heart Failure, 2019, 21, 690-693.	2.9	3
106	Impact of history of depression on 1-year outcomes in patients with chronic coronary syndromes: An analysis of a contemporary, prospective, nationwide registry. International Journal of Cardiology, 2021, 331, 273-280.	0.8	3
107	Impact of serum uric acid levels on cardiovascular events and quality of life in patients with chronic coronary syndromes: Insights from a contemporary, prospective, nationwide registry. Nutrition, Metabolism and Cardiovascular Diseases, 2022, 32, 393-401.	1.1	3
108	Clinical Impact and Prognostic Role of Triglyceride to High-Density Lipoprotein Cholesterol Ratio in Patients With Chronic Coronary Syndromes at Very High Risk: Insights From the START Study. Frontiers in Cardiovascular Medicine, 2022, 9, 874087.	1.1	3

#	ARTICLE	IF	CITATIONS
109	Soho: A modular spacecraft concept to allow flexible payload integration and efficient development. <i>Acta Astronautica</i> , 1995, 37, 277-291.	1.7	2
110	Echo and BNP serial assessment in ambulatory heart failure care: Data on loop diuretic use and renal function. <i>Data in Brief</i> , 2016, 9, 1074-1076.	0.5	2
111	Association between decreasing estimated glomerular filtration rate and risk of cardiac conduction defects in patients with type 2 diabetes. <i>Diabetes and Metabolism</i> , 2018, 44, 473-481.	1.4	2
112	Similar predictive value of six-minute walking distance and B-type natriuretic peptide in heart failure with reduced to mid-range ejection fraction. <i>Monaldi Archives for Chest Disease</i> , 2019, 89, .	0.3	2
113	Brachial pulse pressure in acute heart failure. Results of the Heart Failure Registry. <i>ESC Heart Failure</i> , 2019, 6, 1167-1177.	1.4	2
114	Atrial fibrillation ablation in heart failure: Findings from the ESC-EHRA EORP Atrial Fibrillation Ablation long-term (AFA LT) registry. <i>International Journal of Cardiology</i> , 2022, 346, 19-26.	0.8	2
115	Impact of eGFR rate on 1-year all-cause mortality in patients with stable coronary artery disease. <i>European Journal of Internal Medicine</i> , 2022, 101, 98-105.	1.0	2
116	Negative U Waves as an Indicator of Stress-Induced Myocardial Ischemia. <i>New England Journal of Medicine</i> , 1994, 330, 1791-1791.	13.9	1
117	Amlodipine Improves the Anti-Ischaemic Effect of Atenolol in Postinfarction Patients with Effort-Induced Ischaemia. <i>Clinical Drug Investigation</i> , 1997, 13, 22-28.	1.1	1
118	Heterogeneous fate of perfusion and contraction after anterior wall acute myocardial infarction and effects on left ventricular remodeling. <i>American Journal of Cardiology</i> , 1998, 82, 1457-1462.	0.7	1
119	Intelsat's next generation satellite for the Americas. <i>Acta Astronautica</i> , 2001, 48, 385-400.	1.7	1
120	Low plasma levels of brain natriuretic peptide in severe acute heart failure: Merely a case?. <i>International Journal of Cardiology</i> , 2007, 122, e18-e20.	0.8	1
121	Pulmonary complications after cardiac surgery: breathing down the patient's neck. <i>Monaldi Archives for Chest Disease</i> , 2011, 75, 109-111.	0.3	1
122	Prognostic Implications of Left Ventricular Dilation in Patients With Nonischemic Heart Failure: Interactions With Restrictive Filling Pattern and Mitral Regurgitation. <i>Congestive Heart Failure</i> , 2012, 18, 198-204.	2.0	1
123	Cardiopulmonary rehabilitation in patients with heart failure and chronic pulmonary disease. <i>Monaldi Archives for Chest Disease</i> , 2016, 84, 739.	0.3	1
124	Jogging and mortality. <i>Journal of Cardiovascular Medicine</i> , 2017, 18, e177-e179.	0.6	1
125	Searching for the holy grail of cardiovascular prevention. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 154-156.	0.8	1
126	Questioning the Associations of $\omega$ -3 Fatty Acid Supplement Use With Cardiovascular Disease Risks. <i>JAMA Cardiology</i> , 2018, 3, 781.	3.0	1



#	ARTICLE	IF	CITATIONS
127	Referral from vascular surgery to cardiovascular rehabilitation and related outcomes in patients with peripheral arterial disease: the THINKPAD-RELOADED survey. <i>Monaldi Archives for Chest Disease</i> , 2019, 89, .	0.3	1
128	Pre-existing type 2 diabetes is associated with increased all-cause death independently of echocardiographic predictors of poor prognosis only in ischemic heart disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 2036-2040.	1.1	1
129	Timing and Magnitude of Left Ventricular Remodeling After Acute Myocardial Infarction in the GISSI3 - Echo Substudy. <i>Journal of the American College of Cardiology</i> , 1998, 31, 491A-492A.	1.2	1
130	The Prognostic Power of Mitral Filling Pattern: Is it the same in all Patients? Results From an Individual Patient Meta-Analysis (MeRGE). <i>Heart Lung and Circulation</i> , 2008, 17, S86.	0.2	0
131	Relationship of pulmonary hypertension and right ventricular dysfunction with survival of elderly patients with chronic systolic heart failure. <i>European Heart Journal</i> , 2013, 34, 3630-3630.	1.0	0
132	A retrospective multicenter study on long-term prevalence of chronic pain after cardiac surgery. <i>Journal of Cardiovascular Medicine</i> , 2015, 16, 857.	0.6	0
133	P95â€¦Chronic obstructive pulmonary disease in symptomatic aortic stenosis: a main underlying diagnostic confounder and prognostic factor. , 2017, , .		0
134	Four golden rules to halve the risk of cardiovascular events. <i>European Heart Journal Supplements</i> , 2019, 21, B103-B104.	0.0	0
135	Prevention after acute coronary syndrome the â€less is moreâ€™ philosophy. <i>European Heart Journal Supplements</i> , 2020, 22, E153-E156.	0.0	0
136	Risk scores, atherosclerotic cardiovascular disease and the crystal ball. <i>European Journal of Preventive Cardiology</i> , 2021, 28, e14-e15.	0.8	0
137	Comparing the Prognostic Impact of Prediabetes with Diabetes in a Nationwide Cohort of Patients with Chronic Coronary Syndromes: An Analysis of the START Registry. <i>Cardiology</i> , 2021, 146, 547-555.	0.6	0
138	257 Different prognostic relevance of left ventricular volumes and ejection fraction in heart failure patients with ischemic or non ischemic aetiology: a meta analysis. <i>European Journal of Heart Failure, Supplement</i> , 2007, 6, 51-51.	0.2	0
139	Long-term T-Wave Evolutionary Changes Predict Unfavorable Remodeling After Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 1998, 31, 228A.	1.2	0
140	Long-term Reproducibility of Residual Ischemia in Stable Patients After Anterior Q-Wave Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 1998, 31, 260A.	1.2	0
141	Prognostic impact of chronic obstructive pulmonary disease in severe symptomatic aortic stenosis. , 2016, , .		0
142	COPD in symptomatic aortic stenosis: the importance of correct assessment for defining prognosis. , 2018, , .		0
143	ANMCO/GICR-IACPR/SICI-GISE Consensus Document: the clinical management of chronic ischaemic cardiomyopathy. <i>European Heart Journal Supplements</i> , 2017, 19, D163-D189.	0.0	0