

# Ann D Mcneill

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5374192/publications.pdf>

Version: 2024-02-01

249  
papers

10,122  
citations

44069

48  
h-index

45317

90  
g-index

256  
all docs

256  
docs citations

256  
times ranked

7807  
citing authors

#	ARTICLE	IF	CITATIONS
1	Characterisation of vaping liquids used in vaping devices across four countries: results from an analysis of selected vaping liquids reported by users in the 2016 ITC Four Country Smoking and Vaping Survey. Tobacco Control, 2023, 32, 51-59.	3.2	5
2	Smokersâ€™ awareness of filter ventilation, and how they believe it affects them: findings from the ITC Four Country Survey. Tobacco Control, 2023, 32, 93-98.	3.2	5
3	Increased support for standardised packaging in the UK: a longitudinal online survey. Tobacco Control, 2022, 31, 119-120.	3.2	3
4	Impact of cigarette package warnings on attitudes towards sharing and gifting cigarettes in China: a nationwide study of smokers and non-smokers. Tobacco Control, 2022, 31, 750-753.	3.2	10
5	Characteristics and changes over time of nicotine vaping products used by vapers in the 2016 and 2018 ITC Four Country Smoking and Vaping Surveys. Tobacco Control, 2022, 31, e66-e73.	3.2	8
6	Increasing Cannabis Use Is Associated With Poorer Cigarette Smoking Cessation Outcomes: Findings From the ITC Four Country Smoking and Vaping Surveys, 2016â€“2018. Nicotine and Tobacco Research, 2022, 24, 53-59.	2.6	18
7	Responses to potential nicotine vaping product flavor restrictions among regular vapers using non-tobacco flavors: Findings from the 2020 ITC Smoking and Vaping Survey in Canada, England and the United States. Addictive Behaviors, 2022, 125, 107152.	3.0	18
8	Age-Related Interactions on Key Theoretical Determinants of Smoking Cessation: Findings from the ITC Four Country Smoking and Vaping Surveys (2016â€“2020). Nicotine and Tobacco Research, 2022, 24, 679-689.	2.6	3
9	Attitudes towards smoking and COVID-19, and changes in smoking behaviors before and after the outbreak of COVID-19: A nationwide cross-sectional survey study in China. Tobacco Induced Diseases, 2022, 20, 1-5.	0.6	5
10	Electronic cigarettes and subsequent cigarette smoking in young people. The Cochrane Library, 2022, .	2.8	13
11	Smokeless Tobacco in Uganda: Perceptions among Tobacco Control Stakeholders. International Journal of Environmental Research and Public Health, 2022, 19, 3398.	2.6	0
12	Exposure to Negative News Stories About Vaping, and Harm Perceptions of Vaping, Among Youth in England, Canada, and the United States Before and After the Outbreak of E-cigarette or Vaping-Associated Lung Injury (â€EVALIâ€™). Nicotine and Tobacco Research, 2022, 24, 1386-1395.	2.6	17
13	Do postâ€quitting experiences predict smoking relapse among former smokers in Australia and the United Kingdom? Findings from the International Tobacco Control Surveys. Drug and Alcohol Review, 2022, 41, 883-889.	2.1	3
14	The Use of Tobacco Industry Vaping Products in the UK and Product Characteristics: A Cross-Sectional Survey. Nicotine and Tobacco Research, 2022, 24, 1003-1011.	2.6	4
15	Differences in cigarette smoking quit attempts and cessation between adults who did and did not take up nicotine vaping: Findings from the ITC four country smoking and vaping surveys. Addictive Behaviors, 2022, 132, 107339.	3.0	13
16	E-Cigarette Flavors, Devices, and Brands Used by Youths Before and After Partial Flavor Restrictions in the United States: Canada, England, and the United States, 2017â€“2020. American Journal of Public Health, 2022, 112, 1014-1024.	2.7	23
17	Factors that influence smokersâ€™ and ex-smokersâ€™ use of IQOS: a qualitative study of IQOS users and ex-users in the UK. Tobacco Control, 2021, 30, 16-23.	3.2	60
18	Effectiveness of the WeChatâ€based smoking cessation intervention (â€WeChat WeQuitâ€™ program) in China: study protocol for a randomized controlled trial. Addiction, 2021, 116, 1279-1290.	3.3	4

#	ARTICLE	IF	CITATIONS
19	Harm Perceptions of E-cigarettes Among Smokers With and Without Mental Health Conditions in England: A Cross-Sectional Population Survey. <i>Nicotine and Tobacco Research</i> , 2021, 23, 511-517.	2.6	11
20	Predictive Power of Dependence Measures for Quitting Smoking. Findings From the 2016 to 2018 ITC Four Country Smoking and Vaping Surveys. <i>Nicotine and Tobacco Research</i> , 2021, 23, 276-285.	2.6	15
21	Contingency management for tobacco smoking during opioid addiction treatment: Implementation challenges. <i>Drug and Alcohol Review</i> , 2021, 40, 658-661.	2.1	2
22	Gender Differences in Reasons for Using Electronic Cigarettes and Product Characteristics: Findings From the 2018 ITC Four Country Smoking and Vaping Survey. <i>Nicotine and Tobacco Research</i> , 2021, 23, 678-686.	2.6	15
23	England SimSmoke: the impact of nicotine vaping on smoking prevalence and smoking-attributable deaths in England. <i>Addiction</i> , 2021, 116, 1196-1211.	3.3	13
24	Trends in Social Norms Towards Smoking Between 2002 and 2015 Among Daily Smokers: Findings From the International Tobacco Control Four Country Survey (ITC 4C). <i>Nicotine and Tobacco Research</i> , 2021, 23, 203-211.	2.6	8
25	Smokeless tobacco products, supply chain and retailers' practices in England: a multimethods study to inform policy. <i>Tobacco Control</i> , 2021, 30, tobaccocontrol-2020-055830.	3.2	4
26	The Response of Smokers to Health Warnings on Packs in the United Kingdom and Norway Following the Introduction of Standardized Packaging. <i>Nicotine and Tobacco Research</i> , 2021, 23, 1551-1558.	2.6	7
27	Vaping in Pregnancy: A Systematic Review. <i>Nicotine and Tobacco Research</i> , 2021, 23, 1451-1458.	2.6	25
28	How Does the Use of Flavored Nicotine Vaping Products Relate to Progression Toward Quitting Smoking? Findings From the 2016 and 2018 ITC 4CV Surveys. <i>Nicotine and Tobacco Research</i> , 2021, 23, 1490-1497.	2.6	17
29	Age as a predictor of quit attempts and quit success in smoking cessation: findings from the International Tobacco Control Four-Country survey (2002-14). <i>Addiction</i> , 2021, 116, 2509-2520.	3.3	22
30	Patterns of Non-Cigarette Tobacco and Nicotine Use Among Current Cigarette Smokers and Recent Quitters: Findings From the 2020 ITC Four Country Smoking and Vaping Survey. <i>Nicotine and Tobacco Research</i> , 2021, 23, 1611-1616.	2.6	23
31	Drug-related deaths associated with vaping product use in the United Kingdom. <i>Addiction</i> , 2021, 116, 2908-2911.	3.3	5
32	Social norms as a predictor of smoking uptake among youth: a systematic review, meta-analysis and meta-regression of prospective cohort studies. <i>Addiction</i> , 2021, 116, 2953-2967.	3.3	38
33	Self-Reported Quit Aids and Assistance Used By Smokers At Their Most Recent Quit Attempt: Findings from the 2020 International Tobacco Control Four Country Smoking and Vaping Survey. <i>Nicotine and Tobacco Research</i> , 2021, 23, 1699-1707.	2.6	22
34	"I perceive it to be less harmful, I have no idea if it is or not:" a qualitative exploration of the harm perceptions of IQOS among adult users. <i>Harm Reduction Journal</i> , 2021, 18, 42.	3.2	19
35	The effectiveness of using e-cigarettes for quitting smoking compared to other cessation methods among adults in the United Kingdom. <i>Addiction</i> , 2021, 116, 2825-2836.	3.3	20
36	Smokers' cognitive and behavioural reactions during the early phase of the COVID-19 pandemic: Findings from the 2020 ITC Four Country Smoking and Vaping Survey. <i>PLoS ONE</i> , 2021, 16, e0252427.	2.5	48

#	ARTICLE	IF	CITATIONS
37	Response to Brillon (2021): No, not the exception. <i>Addiction</i> , 2021, 116, 2924-2926.	3.3	0
38	Donat Knowledge: Responses for Nicotine Vaping Product Features among Adult Vapers: Findings from the 2018 and 2020 ITC Four Country Smoking and Vaping Surveys. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7928.	2.6	2
39	Impact of standardised packaging in the UK on warning salience, appeal, harm perceptions and cessation-related behaviours: a longitudinal online survey. <i>Tobacco Control</i> , 2021, , tobaccocontrol-2021-056634.	3.2	2
40	Heated Tobacco Products and Nicotine Pouches: A Survey of People with Experience of Smoking and/or Vaping in the UK. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8852.	2.6	22
41	Which tobacco control policies do smokers support? Findings from the International Tobacco Control Four Country Smoking and Vaping Survey. <i>Preventive Medicine</i> , 2021, 149, 106600.	3.4	15
42	Harm perceptions of nicotine-containing products and associated sources of information in UK adults with and without mental ill health: A cross-sectional survey. <i>Addiction</i> , 2021, , .	3.3	1
43	The impacts of including information about the number of carcinogens in smoke on standardized cigarette packs in the UK. <i>European Journal of Public Health</i> , 2021, 31, 1031-1037.	0.3	2
44	The impact of cigarette smoking on life expectancy in schizophrenia, schizoaffective disorder and bipolar affective disorder: An electronic case register cohort study. <i>Schizophrenia Research</i> , 2021, 238, 29-35.	2.0	19
45	The SPECTRUM Consortium: a new UK Prevention Research Partnership consortium focussed on the commercial determinants of health, the prevention of non-communicable diseases, and the reduction of health inequalities. <i>Wellcome Open Research</i> , 2021, 6, 6.	1.8	7
46	Tobacco Use Disorders. , 2021, , 207-229.		0
47	The Impact of Including Cessation Resource Information on Health Warnings on Standardized Tobacco Packaging on Awareness and Use: A Longitudinal Online Survey in the United Kingdom. <i>Nicotine and Tobacco Research</i> , 2021, 23, 1068-1073.	2.6	3
48	Awareness of Changes in E-cigarette Regulations and Behavior Before and After Implementation: A Longitudinal Survey of Smokers, Ex-smokers, and Vapers in the United Kingdom. <i>Nicotine and Tobacco Research</i> , 2020, 22, 705-712.	2.6	8
49	Smoking-related violence in a mental health setting following the implementation of a comprehensive smoke-free policy: A content analysis of incident reports. <i>International Journal of Mental Health Nursing</i> , 2020, 29, 202-211.	3.8	7
50	Challenges to implementing the WHO Framework Convention on Tobacco Control guidelines on tobacco cessation treatment: a qualitative analysis. <i>Addiction</i> , 2020, 115, 527-533.	3.3	14
51	T82. THE IMPACT OF SMOKING ON LIFE EXPECTANCY IN PSYCHOTIC DISORDERS, AN ELECTRONIC CASE REGISTER COHORT STUDY. <i>Schizophrenia Bulletin</i> , 2020, 46, S263-S263.	4.3	0
52	Transitions in product use during the implementation of the European Tobacco Products Directive: cohort study findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii10-iii17.	0.3	5
53	Smokers who have not tried alternative nicotine products: a 2019 survey of adults in Great Britain. <i>Harm Reduction Journal</i> , 2020, 17, 46.	3.2	3
54	A systematic review and Bayesian meta-analysis of interventions which target or assess co-use of tobacco and cannabis in single or multi-substance interventions. <i>Addiction</i> , 2020, 115, 1800-1814.	3.3	24

#	ARTICLE	IF	CITATIONS
55	Changes in responses to nicotine vaping product warnings and leaflets in England compared with Canada, the US and Australia: findings from the 2016–2018 ITC Four Country Smoking and Vaping Surveys. Tobacco Control, 2020, , tobaccocontrol-2020-055739.	3.2	5
56	Transitions in smoking and nicotine use from 2016 to 2017 among a <scp>UK</scp> cohort of adult smokers and ex-smokers. Drug and Alcohol Review, 2020, 39, 994-1005.	2.1	10
57	Mental health, smoking, harm reduction and quit attempts – a population survey in England. BMC Public Health, 2020, 20, 1237.	2.9	25
58	Evaluating the impact of the Tobacco Products Directive within the context of the FCTC in Europe – findings from the EUREST-PLUS ITC Europe Surveys: introductory Commentary. European Journal of Public Health, 2020, 30, iii1-iii3.	0.3	0
59	Support for e-cigarette policies among smokers in seven European countries: longitudinal findings from the 2016–18 EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii68-iii77.	0.3	5
60	Social norms for e-cigarettes and smoking: associations with initiation of e-cigarette use, intentions to quit smoking and quit attempts: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii46-iii54.	0.3	10
61	Quitting behaviours and cessation methods used in eight European Countries in 2018: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii26-iii33.	0.3	10
62	Fire Incidents in a Mental Health Setting: Effects of Implementing Smokefree Policies and Permitting the Use of Different Types of E-Cigarettes. International Journal of Environmental Research and Public Health, 2020, 17, 8951.	2.6	1
63	Evaluating the impact of introducing standardized packaging with larger health-warning labels in England: findings from adult smokers within the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii91-iii97.	0.3	13
64	Cessation behaviours among smokers of menthol and flavoured cigarettes following the implementation of the EU Tobacco Products Directive: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii34-iii37.	0.3	10
65	Changes in Smoking and Vaping over 18 Months among Smokers and Recent Ex-Smokers: Longitudinal Findings from the 2016 and 2018 ITC Four Country Smoking and Vaping Surveys. International Journal of Environmental Research and Public Health, 2020, 17, 7084.	2.6	8
66	Response to Commentary on Smoking-related violence in a mental health setting following the implementation of a comprehensive smoke-free policy: A content analysis of incident reports (Spaducci) Tj ETQq3.0 rgBT0Overlock 1	0.3	0
67	Potential gains in life expectancy from reducing amenable mortality among people diagnosed with serious mental illness in the United Kingdom. PLoS ONE, 2020, 15, e0230674.	2.5	22
68	Comparing Factors Related to Any Conventional Cigarette Smokers, Exclusive New Alternative Product Users, and Non-Users among Japanese Youth: A Nationwide Survey. International Journal of Environmental Research and Public Health, 2020, 17, 3128.	2.6	2
69	European adult smokers’ perceptions of the harmfulness of e-cigarettes relative to combustible cigarettes: cohort findings from the 2016 and 2018 EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii38-iii45.	0.3	11
70	Mental health and smoking cessation – a population survey in England. BMC Medicine, 2020, 18, 161.	5.5	16
71	The need for an evidence-based and rational debate on e-cigarettes. Lancet, The, 2020, 395, 688.	13.7	3
72	A rational approach to e-cigarettes: challenging ERS policy on tobacco harm reduction. European Respiratory Journal, 2020, 55, 2000166.	6.7	9

#	ARTICLE	IF	CITATIONS
73	An observational study of system-level changes to improve the recording of very brief advice for smoking cessation in an inpatient mental health setting. BMC Public Health, 2020, 20, 559.	2.9	1
74	International differences in patterns of cannabis use among adult cigarette smokers: Findings from the 2018 ITC Four Country Smoking and Vaping Survey. International Journal of Drug Policy, 2020, 79, 102754.	3.3	31
75	Impact of tobacco tax increases and industry pricing on smoking behaviours and inequalities: a mixed-methods study. Public Health Research, 2020, 8, 1-140.	1.3	10
76	Nicotine replacement treatment, e-cigarettes and an online behavioural intervention to reduce relapse in recent ex-smokers: a multinational four-arm RCT. Health Technology Assessment, 2020, 24, 1-82.	2.8	2
77	Are health conditions and concerns about health effects of smoking predictive of quitting? Findings from the ITC 4CV Survey (2016â€“2018). Tobacco Prevention and Cessation, 2020, 6, 1-10.	0.4	6
78	Title is missing!. , 2020, 15, e0230674.		0
79	Title is missing!. , 2020, 15, e0230674.		0
80	Title is missing!. , 2020, 15, e0230674.		0
81	Title is missing!. , 2020, 15, e0230674.		0
82	A pre-post pilot study of electronic cigarettes to reduce smoking in people with severe mental illness. Psychological Medicine, 2019, 49, 1033-1040.	4.5	29
83	Prevalence of tobacco use in healthcare workers: A systematic review and meta-analysis. PLoS ONE, 2019, 14, e0220168.	2.5	60
84	Social norms towards smoking and vaping and associations with product use among youth in England, Canada, and the US. Drug and Alcohol Dependence, 2019, 205, 107635.	3.2	24
85	E-Cigarette Regulation in the United States and the United Kingdom: Two Countries Divided by a Common Language. American Journal of Public Health, 2019, 109, e26-e27.	2.7	6
86	Prevalence of awareness, ever-use and current use of nicotine vaping products (NVPs) among adult current smokers and ex-smokers in 14 countries with differing regulations on sales and marketing of NVPs: cross-sectional findings from the ITC Project. Addiction, 2019, 114, 1060-1073.	3.3	66
87	Methods of the ITC Four Country Smoking and Vaping Survey, wave 1 (2016). Addiction, 2019, 114, 6-14.	3.3	74
88	A new classification system for describing concurrent use of nicotine vaping products alongside cigarettes (so-called "dual use"): findings from the ITC 4 Country Smoking and Vaping wave 1 Survey. Addiction, 2019, 114, 24-34.	3.3	57
89	Characteristics of nicotine vaping products used by participants in the 2016 ITC Four Country Smoking and Vaping Survey. Addiction, 2019, 114, 15-23.	3.3	27
90	Prevalence of vaping and smoking among adolescents in Canada, England, and the United States: repeat national cross sectional surveys. BMJ: British Medical Journal, 2019, 365, l2219.	2.3	217



#	ARTICLE	IF	CITATIONS
91	Indicators of cigarette smoking dependence and relapse in former smokers who vape compared with those who do not: findings from the 2016 International Tobacco Control Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 49-60.	3.3	19
92	Cross-country comparison of cigarette and vaping product marketing exposure and use: findings from 2016 ITC Four Country Smoking and Vaping Survey. <i>Tobacco Control</i> , 2019, 29, tobaccocontrol-2018-054650.	3.2	8
93	Mental health professionals' perceptions, judgements and decision-making practices regarding the use of electronic cigarettes as a tobacco harm reduction intervention in mental healthcare: A qualitative focus group study. <i>Addictive Behaviors Reports</i> , 2019, 10, 100184.	1.9	7
94	Tobacco smoking and nicotine dependence in first episode and established psychosis. <i>Asian Journal of Psychiatry</i> , 2019, 43, 125-131.	2.0	25
95	Differences in norms towards the use of nicotine vaping products among adult smokers, former smokers and nicotine vaping product users: cross-sectional findings from the 2016 ITC Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 97-106.	3.3	13
96	How Are Self-Reported Physical and Mental Health Conditions Related to Vaping Activities among Smokers and Quitters: Findings from the ITC Four Country Smoking and Vaping Wave 1 Survey. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1412.	2.6	9
97	Reasons for regular vaping and for its discontinuation among smokers and recent ex-smokers: findings from the 2016 ITC Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 35-48.	3.3	74
98	Cutting edge smoking cessation support: SCIMITAR+. <i>Lancet Psychiatry</i> , 2019, 6, 358-359.	7.4	3
99	Rules about smoking and vaping in the home: findings from the 2016 International Tobacco Control Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 107-114.	3.3	6
100	Where Do Vapers Buy Their Vaping Supplies? Findings from the International Tobacco Control (ITC) 4 Country Smoking and Vaping Survey. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 338.	2.6	37
101	Exploring mental health professionals' practice in relation to smoke-free policy within a mental health trust: a qualitative study using the COM-B model of behaviour. <i>BMC Psychiatry</i> , 2019, 19, 54.	2.6	20
102	Individualised tobacco affordability in the UK 2002-2014: findings from the International Tobacco Control Policy Evaluation Project. <i>Tobacco Control</i> , 2019, 28, s9-s19.	3.2	13
103	UK tobacco price increases: driven by industry or public health?. <i>Tobacco Control</i> , 2019, 28, e148-e150.	3.2	15
104	Smokers' strategies across social grades to minimise the cost of smoking in a period with annual tax increases: evidence from a national survey in England. <i>BMJ Open</i> , 2019, 9, e026320.	1.9	21
105	Associations between vaping and relapse to smoking: preliminary findings from a longitudinal survey in the UK. <i>Harm Reduction Journal</i> , 2019, 16, 76.	3.2	20
106	Heat-not-burn tobacco products: a systematic literature review. <i>Tobacco Control</i> , 2019, 28, 582-594.	3.2	235
107	Discussions between health professionals and smokers about nicotine vaping products: results from the 2016 ITC Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 71-85.	3.3	17
108	Rejoinder relating to correspondence by Dr Eleanor Woodward, Professor Robyn Richmond on Brose LS, Simonavicius E, McNeill A (2018). Maintaining abstinence from smoking after a period of enforced abstinence. <i>Psychological Medicine</i> , 2019, 49, 347-348.	4.5	0

#	ARTICLE	IF	CITATIONS
109	Exposure to and perceptions of health warning labels on nicotine vaping products: findings from the 2016 International Tobacco Control Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 134-143.	3.3	10
110	Harm perceptions of e-cigarettes and other nicotine products in a UK sample. <i>Addiction</i> , 2019, 114, 879-888.	3.3	62
111	Smoking and quitting behaviours by mental health conditions in Great Britain (1993-2014). <i>Addictive Behaviors</i> , 2019, 90, 14-19.	3.0	68
112	Tobacco smoking and vulnerable groups: Overcoming the barriers to harm reduction. <i>Addictive Behaviors</i> , 2019, 90, 134-135.	3.0	3
113	Does the nicotine metabolite ratio moderate smoking cessation treatment outcomes in real-world settings? A prospective study. <i>Addiction</i> , 2019, 114, 304-314.	3.3	12
114	Does free or lower cost smoking cessation medication stimulate quitting? Findings from the International Tobacco Control (ITC) Netherlands and UK Surveys. <i>Tobacco Control</i> , 2019, 28, s61-s67.	3.2	6
115	The association between smokers' self-reported health problems and quitting: Findings from the ITC Four Country Smoking and Vaping Wave 1 Survey. <i>Tobacco Prevention and Cessation</i> , 2019, 5, 49.	0.4	12
116	Missed opportunities: a qualitative study of views and experiences of smoking cessation amongst adults in substance misuse treatment. <i>Addiction Research and Theory</i> , 2018, 26, 507-513.	1.9	4
117	The Association Between Smoking and Electronic Cigarette Use in a Cohort of Young People. <i>Journal of Adolescent Health</i> , 2018, 62, 539-547.	2.5	101
118	A survey of tobacco dependence treatment guidelines content in 61 countries. <i>Addiction</i> , 2018, 113, 1499-1506.	3.3	8
119	Acceptance and patterns of personal vaporizer use in Australia and the United Kingdom: Results from the International Tobacco Control survey. <i>Drug and Alcohol Dependence</i> , 2018, 185, 142-148.	3.2	16
120	Answering the question or questioning the answer?. <i>Addiction</i> , 2018, 113, 407-409.	3.3	3
121	Violence in mental health settings: A systematic review. <i>International Journal of Mental Health Nursing</i> , 2018, 27, 33-45.	3.8	12
122	Recommended core items to assess e-cigarette use in population-based surveys. <i>Tobacco Control</i> , 2018, 27, 341-346.	3.2	77
123	Response to Letter to the Editor by Benmarhnia T, Leas E, Hendrickson E, Trinidad D, Strong D, Pierce J. The Potential Influence of Regulatory Environment for e-cigarettes on the Effectiveness of e-cigarettes for Smoking Cessation: Different Reasons to Temper the Conclusions From Inadequate Data. <i>Nicotine and Tobacco Research</i> , 2018, 20, 660-661.	2.6	0
124	Factors associated with future intentions to use personal vaporisers among those with some experience of vaping. <i>Drug and Alcohol Review</i> , 2018, 37, 216-225.	2.1	16
125	Tobacco industry strategies undermine government tax policy: evidence from commercial data. <i>Tobacco Control</i> , 2018, 27, 488-497.	3.2	70
126	A man before his time: Russell's insights into nicotine, smoking, treatment and curbing the smoking problem. <i>Addiction</i> , 2018, 113, 759-763.	3.3	9



#	ARTICLE	IF	CITATIONS
127	Availability and Use of Cheap Tobacco in the United Kingdom 2002â€“2014: Findings From the International Tobacco Control Project. <i>Nicotine and Tobacco Research</i> , 2018, 20, 714-724.	2.6	41
128	Reducing Smoking Among People With Schizophrenia: Perspectives on Priorities for Advancing Research. <i>Frontiers in Psychiatry</i> , 2018, 9, 711.	2.6	3
129	Keeping smoking affordable in higher tax environments via smoking thinner roll-your-own cigarettes: Findings from the International Tobacco Control Four Country Survey 2006â€“15. <i>Drug and Alcohol Dependence</i> , 2018, 193, 110-116.	3.2	22
130	Harm perceptions of electronic cigarettes and nicotine: A nationally representative cross-sectional survey of young people in Great Britain. <i>Drug and Alcohol Dependence</i> , 2018, 192, 257-263.	3.2	33
131	The Authors reply. <i>Journal of Adolescent Health</i> , 2018, 63, 118-119.	2.5	0
132	Social norms towards smoking and electronic cigarettes among adult smokers in seven European Countries: Findings from the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , 2018, 16, A15.	0.6	13
133	Quitting activity and use of cessation assistance reported by smokers in eight European countries: Findings from the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , 2018, 16, .	0.6	31
134	Knowledge of the health risks of smoking and impact of cigarette warning labels among tobacco users in six European countries: Findings from the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , 2018, 16, A10.	0.6	20
135	The Conceptual Model and Methods of Wave 1 ( 2016 ) of the EUREST-PLUS ITC 6 European Countries Survey. <i>Tobacco Induced Diseases</i> , 2018, 16, A3.	0.6	35
136	Prevalence and Impact of Long-term Use of Nicotine Replacement Therapy in UK Stop-Smoking Services: Findings From the ELONS Study. <i>Nicotine and Tobacco Research</i> , 2017, 20, ntw258.	2.6	11
137	What factors are associated with current smokers using or stopping e-cigarette use?. <i>Drug and Alcohol Dependence</i> , 2017, 173, 139-143.	3.2	53
138	Nicotine, Carcinogen, and Toxin Exposure in Long-Term E-Cigarette and Nicotine Replacement Therapy Users. <i>Annals of Internal Medicine</i> , 2017, 166, 390.	3.9	401
139	Does the Regulatory Environment for E-Cigarettes Influence the Effectiveness of E-Cigarettes for Smoking Cessation?: Longitudinal Findings From the ITC Four Country Survey. <i>Nicotine and Tobacco Research</i> , 2017, 19, 1268-1276.	2.6	56
140	Tobacco packaging design for reducing tobacco use. <i>The Cochrane Library</i> , 2017, 2017, CD011244.	2.8	65
141	Restrictions on the use of e-cigarettes in public and private placesâ€”current practice and support among adults in Great Britain. <i>European Journal of Public Health</i> , 2017, 27, 729-736.	0.3	15
142	Effect of implementation of a smoke-free policy on physical violence in a psychiatric inpatient setting: an interrupted time series analysis. <i>Lancet Psychiatry</i> , 2017, 4, 540-546.	7.4	51
143	Progress in implementation of WHO FCTC Article 14 and its guidelines: a survey of tobacco dependence treatment provision in 142 countries. <i>Addiction</i> , 2017, 112, 2023-2031.	3.3	40
144	Impact on smoking of England's 2012 partial tobacco point of sale display ban: a repeated cross-sectional national study. <i>Tobacco Control</i> , 2017, 26, 141-148.	3.2	24

#	ARTICLE	IF	CITATIONS
145	Cohort study investigating the effects of first stage of the English tobacco point-of-sale display ban on awareness, susceptibility and smoking uptake among adolescents. <i>BMJ Open</i> , 2017, 7, e012451.	1.9	11
146	Support for e-cigarette policies: a survey of smokers and ex-smokers in Great Britain. <i>Tobacco Control</i> , 2017, 26, e7-e15.	3.2	28
147	Recommendations for the implementation of WHO Framework Convention on Tobacco Control Article 14 on tobacco cessation support. <i>Addiction</i> , 2017, 112, 1703-1708.	3.3	17
148	Cross-country comparison of smokers' reasons for thinking about quitting over time: findings from the International Tobacco Control Four Country Survey (ITC-4C), 2002-2015. <i>Tobacco Control</i> , 2017, 26, 641-648.	3.2	12
149	Contingency Management interventions for non-prescribed drug use during treatment for opiate addiction: A systematic review and meta-analysis. <i>Drug and Alcohol Dependence</i> , 2017, 178, 318-339.	3.2	54
150	Characterising the nicotine metabolite ratio and its association with treatment choice: A cross sectional analysis of Stop Smoking Services in England. <i>Scientific Reports</i> , 2017, 7, 17613.	3.3	15
151	Contingency management for tobacco smoking during opioid addiction treatment: a randomised pilot study. <i>BMJ Open</i> , 2017, 7, e017467.	1.9	8
152	Young People's Use of E-Cigarettes across the United Kingdom: Findings from Five Surveys 2015-2017. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 973.	2.6	100
153	Effectiveness of a mobile, drop-in stop smoking service in reaching and supporting disadvantaged UK smokers to quit. <i>Tobacco Control</i> , 2016, 25, tobaccocontrol-2014-051760.	3.2	5
154	How and Why Do Smokers Start Using E-Cigarettes? Qualitative Study of Vapers in London, UK. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 661.	2.6	39
155	A qualitative evaluation of a novel intervention using insight into tobacco industry tactics to prevent the uptake of smoking in school-aged children. <i>BMC Public Health</i> , 2016, 16, 539.	2.9	6
156	Efficacy and tolerability of pharmacotherapy for smoking cessation in adults with serious mental illness: a systematic review and network meta-analysis. <i>Addiction</i> , 2016, 111, 599-612.	3.3	92
157	UK government should fund stop smoking media campaigns not give tax breaks to films with smoking imagery. <i>Addiction</i> , 2016, 111, 2066-2067.	3.3	4
158	Nicotine without smoke-putting electronic cigarettes in context. <i>BMJ</i> , The, 2016, 353, i1745.	6.0	46
159	A mixed-method systematic review and meta-analysis of mental health professionals' attitudes toward smoking and smoking cessation among people with mental illnesses. <i>Addiction</i> , 2016, 111, 1536-1553.	3.3	129
160	Should Clinicians Recommend E-cigarettes to Their Patients Who Smoke? Yes.. <i>Annals of Family Medicine</i> , 2016, 14, 300-301.	1.9	13
161	Protecting children from secondhand smoke: a mixed-methods feasibility study of a novel smoke-free home intervention. <i>Pilot and Feasibility Studies</i> , 2016, 2, 53.	1.2	10
162	Time to Smoke: Facilitating Smoking Breaks in Mental Health Inpatient Settings: Table 1.. <i>Nicotine and Tobacco Research</i> , 2016, 18, 1794-1797.	2.6	11

#	ARTICLE	IF	CITATIONS
163	Tobacco Dependence Treatment Training Programs: An International Survey. <i>Nicotine and Tobacco Research</i> , 2016, 18, 1012-1018.	2.6	17
164	A Systematic Review of Smoking Cessation Interventions for Adults in Substance Abuse Treatment or Recovery. <i>Nicotine and Tobacco Research</i> , 2016, 18, 993-1001.	2.6	118
165	Small Retailersâ€™ Tobacco Sales and Profit Margins in Two Disadvantaged Areas of England. <i>AIMS Public Health</i> , 2016, 3, 110-115.	2.6	17
166	Trends and socioeconomic differences in policy triggers for thinking about quitting smoking: Findings from the International Tobacco Control (ITC) Europe Surveys. <i>Drug and Alcohol Dependence</i> , 2015, 155, 154-162.	3.2	8
167	Perceived relative harm of electronic cigarettes over time and impact on subsequent use. A survey with 1-year and 2-year follow-ups. <i>Drug and Alcohol Dependence</i> , 2015, 157, 106-111.	3.2	131
168	Does deterioration in mental health after smoking cessation predict relapse to smoking?. <i>BMC Public Health</i> , 2015, 15, 1150.	2.9	11
169	Understanding increases in smoking prevalence: case study from France in comparison with England 2000-10. <i>Addiction</i> , 2015, 110, 392-400.	3.3	19
170	Is the use of electronic cigarettes while smoking associated with smoking cessation attempts, cessation and reduced cigarette consumption? A survey with a 1â€‘year followâ€‘up. <i>Addiction</i> , 2015, 110, 1160-1168.	3.3	218
171	E-Cigarette Uptake Amongst UK Youth: Experimentation, but Little or No Regular Use in Nonsmokers. <i>Nicotine and Tobacco Research</i> , 2015, 18, ntv132.	2.6	40
172	Healthâ€‘care interventions to promote and assist tobacco cessation: a review of efficacy, effectiveness and affordability for use in national guideline development. <i>Addiction</i> , 2015, 110, 1388-1403.	3.3	208
173	Associations Between E-Cigarette Type, Frequency of Use, and Quitting Smoking: Findings From a Longitudinal Online Panel Survey in Great Britain. <i>Nicotine and Tobacco Research</i> , 2015, 17, 1187-1194.	2.6	244
174	Has growth in electronic cigarette use by smokers been responsible for the decline in use of licensed nicotine products? Findings from repeated cross-sectional surveys. <i>Thorax</i> , 2015, 70, 974-978.	5.6	24
175	Individual and interpersonal triggers to quit smoking in China: a cross-sectional analysis. <i>Tobacco Control</i> , 2015, 24, iv40-iv47.	3.2	21
176	Ann McNeill and colleagues reply to Martin McKee and Simon Capewell. <i>BMJ</i> , The, 2015, 351, h5010.	6.0	4
177	â€‘You Just Went In and You Got It All Sorted Straightawayâ€™ â€‘ What is the Appeal of a Community-Based Mobile Stop Smoking Service?. <i>Journal of Smoking Cessation</i> , 2015, 10, 65-73.	1.0	1
178	International Tobacco Control. <i>Current Addiction Reports</i> , 2015, 2, 1-7.	3.4	3
179	Diverging Trends in Smoking Behaviors According to Mental Health Status. <i>Nicotine and Tobacco Research</i> , 2015, 17, 356-360.	2.6	115
180	Smoking Cessation Education and Training in U.K. Medical Schools: A National Survey. <i>Nicotine and Tobacco Research</i> , 2015, 17, 372-375.	2.6	35

#	ARTICLE	IF	CITATIONS
181	E-cigarettes: the need for clear communication on relative risks. <i>Lancet</i> , The, 2015, 386, 1237.	13.7	29
182	Australian smokers's support for plain or standardised packs before and after implementation: findings from the ITC Four Country Survey. <i>Tobacco Control</i> , 2015, 24, 616-621.	3.2	29
183	Does smoking reduction worsen mental health? A comparison of two observational approaches. <i>BMJ Open</i> , 2015, 5, e007812-e007812.	1.9	3
184	European Code against Cancer, 4th Edition: Tobacco and cancer. <i>Cancer Epidemiology</i> , 2015, 39, S20-S33.	1.9	64
185	Does smoking cessation result in improved mental health? A comparison of regression modelling and propensity score matching. <i>BMJ Open</i> , 2015, 5, e008774.	1.9	11
186	Trends in E-Cigarette Awareness, Trial, and Use Under the Different Regulatory Environments of Australia and the United Kingdom. <i>Nicotine and Tobacco Research</i> , 2015, 17, 1203-1211.	2.6	66
187	Awareness, Trial, and Current Use of Electronic Cigarettes in 10 Countries: Findings from the ITC Project. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 11691-11704.	2.6	129
188	Change in mental health after smoking cessation: systematic review and meta-analysis. <i>BMJ</i> , The, 2014, 348, g1151-g1151.	6.0	743
189	Socioeconomic and country variations in cross-border cigarette purchasing as tobacco tax avoidance strategy. Findings from the ITC Europe Surveys. <i>Tobacco Control</i> , 2014, 23, i30-i38.	3.2	32
190	Countering the demand for, and supply of, illicit tobacco: an assessment of the 'North of England Tackling Illicit Tobacco for Better Health' Programme. <i>Tobacco Control</i> , 2014, 23, e44-e50.	3.2	15
191	How does the emotive content of televised anti-smoking mass media campaigns influence monthly calls to the NHS Stop Smoking helpline in England?. <i>Preventive Medicine</i> , 2014, 69, 43-48.	3.4	32
192	Did hardening occur among smokers in England from 2000 to 2010?. <i>Addiction</i> , 2014, 109, 147-154.	3.3	35
193	The freeze on mass media campaigns in England: a natural experiment of the impact of tobacco control campaigns on quitting behaviour. <i>Addiction</i> , 2014, 109, 995-1002.	3.3	41
194	Commentary on Zacher et al. (2014): Emerging behavioural impact of packaging changes in Australia: time for action elsewhere. <i>Addiction</i> , 2014, 109, 704-705.	3.3	0
195	Smoking and its treatment in addiction services: Clients' and staff behaviour and attitudes. <i>BMC Health Services Research</i> , 2014, 14, 304.	2.2	74
196	A critique of a World Health Organization-commissioned report and associated paper on electronic cigarettes. <i>Addiction</i> , 2014, 109, 2128-2134.	3.3	48
197	Prevalence and characteristics of e-cigarette users in Great Britain: Findings from a general population survey of smokers. <i>Addictive Behaviors</i> , 2014, 39, 1120-1125.	3.0	203
198	A survey of tobacco dependence treatment guidelines in 121 countries. <i>Addiction</i> , 2013, 108, 1470-1475.	3.3	26

#	ARTICLE	IF	CITATIONS
199	The delivery of smoking cessation interventions to primary care patients with mental health problems. <i>Addiction</i> , 2013, 108, 1487-1494.	3.3	49
200	Feasibility of offering nicotine replacement therapy as a relapse prevention treatment in routine smoking cessation services. <i>BMC Health Services Research</i> , 2013, 13, 38.	2.2	8
201	Electronic Nicotine Delivery Systems. <i>American Journal of Preventive Medicine</i> , 2013, 44, 207-215.	3.0	563
202	The effectiveness of mass media campaigns in reducing smoking in England: an observational study. <i>Lancet</i> , The, 2013, 382, S15.	13.7	2
203	Does Use of Nicotine Replacement Therapy While Continuing to Smoke Undermine Cessation?: A Systematic Review. <i>Journal of Smoking Cessation</i> , 2013, 8, 45-56.	1.0	12
204	Reducing harm from tobacco use. <i>Journal of Psychopharmacology</i> , 2013, 27, 13-18.	4.0	80
205	E-Cigarettes: Prevalence and Attitudes in Great Britain. <i>Nicotine and Tobacco Research</i> , 2013, 15, 1737-1744.	2.6	264
206	A survey of tobacco dependence treatment services in 121 countries. <i>Addiction</i> , 2013, 108, 1476-1484.	3.3	91
207	Characterizing tobacco control mass media campaigns in England. <i>Addiction</i> , 2013, 108, 2001-2008.	3.3	17
208	“No-one actually goes to a shop and buys them do they?”: attitudes and behaviours regarding illicit tobacco in a multiply disadvantaged community in England. <i>Addiction</i> , 2013, 108, 2212-2219.	3.3	18
209	Is Consumer Response to Plain/Standardised Tobacco Packaging Consistent with Framework Convention on Tobacco Control Guidelines? A Systematic Review of Quantitative Studies. <i>PLoS ONE</i> , 2013, 8, e75919.	2.5	87
210	Tobacco control in Europe: A deadly lack of progress. <i>European Journal of Public Health</i> , 2012, 22, 1-3.	0.3	10
211	Struggling to make ends meet: exploring pathways to understand why smokers in financial difficulties are less likely to quit successfully. <i>European Journal of Public Health</i> , 2012, 22, 41-48.	0.3	34
212	Developing the evidence base for addressing inequalities and smoking in the United Kingdom. <i>Addiction</i> , 2012, 107, 1-7.	3.3	7
213	Tailored tobacco dependence support for mental health patients: a model for inpatient and community services. <i>Addiction</i> , 2012, 107, 18-25.	3.3	22
214	Cigarette price, affordability and smoking prevalence in the European Union. <i>Addiction</i> , 2012, 107, 188-196.	3.3	25
215	Cessation assistance reported by smokers in 15 countries participating in the International Tobacco Control (ITC) policy evaluation surveys. <i>Addiction</i> , 2012, 107, 197-205.	3.3	97
216	The impact of media campaigns on smoking cessation activity: a structural vector autoregression analysis. <i>Addiction</i> , 2012, 107, 2043-2050.	3.3	33

#	ARTICLE	IF	CITATIONS
217	Retail Price and Point of Sale Display of Tobacco in the UK: A Descriptive Study of Small Retailers. PLoS ONE, 2012, 7, e29871.	2.5	26
218	Economic evaluation of the removal of tobacco promotional displays in Ireland. Tobacco Control, 2011, 20, 151-155.	3.2	29
219	A randomized, controlled trial of adding expired carbon monoxide feedback to brief stop smoking advice: Evaluation of cognitive and behavioral effects.. Health Psychology, 2011, 30, 49-57.	1.6	34
220	RESPONSE TO KOTZ <i>et al</i> . (2011): ESTIMATING THE RATE OF USAGE OF VARENICLINE AND OTHER MEDICATION FOR SMOKING CESSATION. Addiction, 2011, 106, 1869-1869.	3.3	0
221	Trends in beliefs about the harmfulness and use of stop-smoking medications and smokeless tobacco products among cigarettes smokers: Findings from the ITC four-country survey. Harm Reduction Journal, 2011, 8, 21.	3.2	45
222	Evaluation of the removal of point-of-sale tobacco displays in Ireland. Tobacco Control, 2011, 20, 137-143.	3.2	104
223	Beyond the smokescreen: reducing smoking among people with mental health problems. Mental Health and Substance Use: Dual Diagnosis, 2011, 4, 93-95.	0.5	0
224	A systematic review of the effectiveness of smoking relapse prevention interventions for abstinent smokers. Addiction, 2010, 105, 1362-1380.	3.3	131
225	A comparison of four international surveys of tobacco dependence treatment provision: implications for monitoring the Framework Convention on Tobacco Control. Addiction, 2010, 105, 2184-2191.	3.3	8
226	Impact of a total smoking ban in a high secure hospital. The Psychiatrist, 2010, 34, 413-417.	0.3	19
227	The impact of the United Kingdom's national smoking cessation strategy on quit attempts and use of cessation services: Findings from the International Tobacco Control Four Country Survey. Nicotine and Tobacco Research, 2010, 12, S64-S71.	2.6	33
228	Motivational factors predict quit attempts but not maintenance of smoking cessation: Findings from the International Tobacco Control Four country project. Nicotine and Tobacco Research, 2010, 12, S4-S11.	2.6	187
229	Smoke-free policy in acute mental health wards: avoiding the pitfalls. General Hospital Psychiatry, 2009, 31, 131-136.	2.4	43
230	A survey of tobacco dependence treatment services in 36 countries. Addiction, 2009, 104, 279-287.	3.3	66
231	How reactions to cigarette packet health warnings influence quitting: findings from the ITC Four Country survey. Addiction, 2009, 104, 669-675.	3.3	238
232	A survey of tobacco dependence treatment guidelines in 31 countries. Addiction, 2009, 104, 1243-1250.	3.3	28
233	CLINICAL STUDY: A comparison of exposure to carcinogens among roll-your-own and factory-made cigarette smokers. Addiction Biology, 2009, 14, 315-320.	2.6	38
234	Implementation of smoke-free policies in mental health in-patient settings in England. British Journal of Psychiatry, 2009, 194, 547-551.	2.8	34



#	ARTICLE	IF	CITATIONS
235	Are Smoke-free Buildings and Grounds in Mental Health Units a Realistic Aspiration?. Mental Health Review Journal, 2008, 13, 27-32.	0.7	4
236	Smoking by people with mental illness and benefits of smoke-free mental health services. Advances in Psychiatric Treatment, 2008, 14, 217-228.	0.5	66
237	Revising the machine smoking regime for cigarette emissions: implications for tobacco control policy. Tobacco Control, 2007, 16, 8-14.	3.2	72
238	Text and Graphic Warnings on Cigarette Packages. American Journal of Preventive Medicine, 2007, 32, 202-209.	3.0	376
239	Tony Blair's 10 years of tobacco control. Lancet, The, 2007, 370, 110-112.	13.7	0
240	Assessing drug-related harm. Lancet, The, 2007, 369, 1856-1857.	13.7	1
241	Exempting mental health units from smoke-free laws. BMJ: British Medical Journal, 2006, 333, 407-408.	2.3	22
242	A national strategy for smoking cessation treatment in England. Addiction, 2005, 100, 1-11.	3.3	103
243	Lessons from the English smoking treatment services. Addiction, 2005, 100, 84-91.	3.3	29
244	Treating Nicotine Addiction. American Journal of Respiratory and Critical Care Medicine, 2001, 164, 13-15.	5.6	12
245	Children's purchases of single cigarettes: evidence for drug pushing?. Addiction, 1990, 85, 1317-1322.	3.3	16
246	Bandits on the run: the oral snuff debate. Addiction, 1990, 85, 1095-1096.	3.3	2
247	Cigarette withdrawal symptoms in adolescent smokers. Psychopharmacology, 1986, 90, 533-6.	3.1	123
248	Tobacco packaging design for preventing tobacco uptake. The Cochrane Library, 0, , .	2.8	1
249	Smoking cessation for improving mental health. The Cochrane Library, 0, , .	2.8	9