Giovanni Pezzotti

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/537449/publications.pdf

Version: 2024-02-01

20 papers 865

840776 11 h-index 752698 20 g-index

20 all docs

 $\begin{array}{c} 20 \\ \\ \text{docs citations} \end{array}$

times ranked

20

1561 citing authors

#	Article	IF	CITATIONS
1	Host genotype and amoxicillin administration affect the incidence of diarrhoea and faecal microbiota of weaned piglets during a natural multiresistant ETEC infection. Journal of Animal Breeding and Genetics, 2020, 137, 60-72.	2.0	12
2	Transport to the Slaughterhouse Affects the Salmonella Shedding and Modifies the Fecal Microbiota of Finishing Pigs. Animals, 2020, 10, 676.	2.3	13
3	Detection in Italy of a porcine <i>Enterococcus faecium</i> isolate carrying the novel phenicol-oxazolidinone-tetracycline resistance gene <i>poxtA</i> . Journal of Antimicrobial Chemotherapy, 2019, 74, 817-818.	3.0	39
4	Multiresistant <i>Brachyspira hyodysenteriae</i> shedding by pigs during the fattening period. Veterinary Record, 2018, 183, 264-264.	0.3	7
5	Mobile colistin resistance genes in Escherichia coli from pigs affected by colibacillosis. International Journal of Antimicrobial Agents, 2018, 52, 744-746.	2.5	9
6	Detection of the colistin resistance gene mcr-1 in pathogenic Escherichia coli from pigs affected by post-weaning diarrhoea in Italy. Journal of Global Antimicrobial Resistance, 2017, 10, 80-83.	2.2	29
7	Expression of deleted, atoxic atypical recombinant beta 2 toxin in a baculovirus system and production of polyclonal and monoclonal antibodies. Microbial Cell Factories, 2017, 16, 94.	4.0	6
8	Novel plasmid-mediated colistin resistance mcr-4 gene in Salmonella and Escherichia coli, Italy 2013, Spain and Belgium, 2015 to 2016. Eurosurveillance, 2017, 22, .	7.0	450
9	Molecular characterization and antimicrobial susceptibility of Pasteurella multocida strains isolated from hosts affected by various diseases in Italy. Veterinaria Italiana, 2017, 53, 21-27.	0.5	3
10	Biodiversity and Genetic Polymorphisms Against Scrapie in <i>Sopravissana</i> Sheep Breed. Italian Journal of Animal Science, 2015, 14, 4251.	1.9	3
11	Prevalence and risk factors associated with Clostridium difficile shedding in veal calves in Italy. Anaerobe, 2015, 33, 42-47.	2.1	18
12	PRNP polymorphisms in four Italian sheep breeds. Livestock Science, 2015, 181, 38-42.	1.6	3
13	Salmonella enterica Serovar Typhimurium Exploits Inflammation to Modify Swine Intestinal Microbiota. Frontiers in Cellular and Infection Microbiology, 2015, 5, 106.	3.9	61
14	Identification of a novel overlapping sequential E epitope (E′) on the bovine leukaemia virus SU glycoprotein and analysis of immunological data. Veterinary Microbiology, 2014, 172, 157-167.	1.9	4
15	Development of a multilevel approach for the evaluation of nanomaterials' toxicity. Nanomedicine, 2012, 7, 393-409.	3.3	16
16	Occurrence of Listeria monocytogenes in Salami Manufactured in the Marche Region (Central Italy). Journal of Veterinary Medical Science, 2010, 72, 499-502.	0.9	18
17	Evaluation of a rapid molecular method for detection of Listeria monocytogenes directly from enrichment broth media. Food Control, 2008, 19, 750-756.	5 . 5	16
18	Prevalence of group C rotaviruses in weaning and post-weaning pigs with enteritis. Veterinary Microbiology, 2007, 123, 26-33.	1.9	59

#	Article	IF	CITATIONS
19	Severe weight loss in lambs infected with Giardia duodenalis assemblage B. Veterinary Parasitology, 2006, 142, 154-158.	1.8	87
20	Molecular genotyping of Salmonella enterica Abortusovis by pulsed field gel electrophoresis. Veterinary Microbiology, 2006, 116, 217-223.	1.9	12