

Philipp Kickingeder

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5374510/philipp-kickingeder-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85
papers

4,402
citations

36
h-index

66
g-index

90
ext. papers

5,506
ext. citations

6.7
avg, IF

5.57
L-index

#	Paper	IF	Citations
85	Gadolinium retention in the dentate nucleus and globus pallidus is dependent on the class of contrast agent. <i>Radiology</i> , 2015 , 275, 783-91	20.5	424
84	Radiomic Profiling of Glioblastoma: Identifying an Imaging Predictor of Patient Survival with Improved Performance over Established Clinical and Radiologic Risk Models. <i>Radiology</i> , 2016 , 280, 880-9 ^{20.5}	20.5	247
83	IDH mutation status is associated with a distinct hypoxia/angiogenesis transcriptome signature which is non-invasively predictable with rCBV imaging in human glioma. <i>Scientific Reports</i> , 2015 , 5, 16238 ^{4.9}	4.9	182
82	Radiogenomics of Glioblastoma: Machine Learning-based Classification of Molecular Characteristics by Using Multiparametric and Multiregional MR Imaging Features. <i>Radiology</i> , 2016 , 281, 907-918	20.5	177
81	Large-scale Radiomic Profiling of Recurrent Glioblastoma Identifies an Imaging Predictor for Stratifying Anti-Angiogenic Treatment Response. <i>Clinical Cancer Research</i> , 2016 , 22, 5765-5771	12.9	173
80	High-Signal Intensity in the Dentate Nucleus and Globus Pallidus on Unenhanced T1-Weighted Images: Evaluation of the Macrocyclic Gadolinium-Based Contrast Agent Gadobutrol. <i>Investigative Radiology</i> , 2015 , 50, 805-10	10.1	165
79	Automated quantitative tumour response assessment of MRI in neuro-oncology with artificial neural networks: a multicentre, retrospective study. <i>Lancet Oncology, The</i> , 2019 , 20, 728-740	21.7	160
78	Brain Tumor Segmentation and Radiomics Survival Prediction: Contribution to the BRATS 2017 Challenge. <i>Lecture Notes in Computer Science</i> , 2018 , 287-297	0.9	158
77	Increased Signal Intensity in the Dentate Nucleus on Unenhanced T1-Weighted Images After Gadobenate Dimeglumine Administration. <i>Investigative Radiology</i> , 2015 , 50, 743-8	10.1	136
76	Radiomic subtyping improves disease stratification beyond key molecular, clinical, and standard imaging characteristics in patients with glioblastoma. <i>Neuro-Oncology</i> , 2018 , 20, 848-857	1	111
75	Primary central nervous system lymphoma and atypical glioblastoma: multiparametric differentiation by using diffusion-, perfusion-, and susceptibility-weighted MR imaging. <i>Radiology</i> , 2014 , 272, 843-50	20.5	110
74	Classification of Cancer at Prostate MRI: Deep Learning versus Clinical PI-RADS Assessment. <i>Radiology</i> , 2019 , 293, 607-617	20.5	109
73	Radiomic Machine Learning for Characterization of Prostate Lesions with MRI: Comparison to ADC Values. <i>Radiology</i> , 2018 , 289, 128-137	20.5	100
72	Prediction of malignancy by a radiomic signature from contrast agent-free diffusion MRI in suspicious breast lesions found on screening mammography. <i>Journal of Magnetic Resonance Imaging</i> , 2017 , 46, 604-616	5.6	87
71	No Signal Intensity Increase in the Dentate Nucleus on Unenhanced T1-weighted MR Images after More than 20 Serial Injections of Macrocyclic Gadolinium-based Contrast Agents. <i>Radiology</i> , 2017 , 282, 699-707	20.5	85
70	Tumor Infiltration in Enhancing and Non-Enhancing Parts of Glioblastoma: A Correlation with Histopathology. <i>PLoS ONE</i> , 2017 , 12, e0169292	3.7	83
69	Downfield-NOE-suppressed amide-CEST-MRI at 7 Tesla provides a unique contrast in human glioblastoma. <i>Magnetic Resonance in Medicine</i> , 2017 , 77, 196-208	4.4	82

68	BRAF V600E-specific immunohistochemistry for the exclusion of Lynch syndrome in MSI-H colorectal cancer. <i>International Journal of Cancer</i> , 2013 , 133, 1624-30	7.5	81
67	Automated brain extraction of multisequence MRI using artificial neural networks. <i>Human Brain Mapping</i> , 2019 , 40, 4952-4964	5.9	80
66	BIMG-22. DEEP LEARNING SUPER-RESOLUTION MR SPECTROSCOPIC IMAGING TO MAP TUMOR METABOLISM IN MUTANT IDH GLIOMA PATIENTS. <i>Neuro-Oncology Advances</i> , 2021 , 3, i5-i6	0.9	78
65	NIMG-09. NONINVASIVE PERFUSION IMAGING BIOMARKER OF MALIGNANT GENOTYPE IN ISOCITRATE DEHYDROGENASE MUTANT GLIOMAS. <i>Neuro-Oncology</i> , 2019 , 21, vi163-vi163	1	78
64	Intraindividual Analysis of Signal Intensity Changes in the Dentate Nucleus After Consecutive Serial Applications of Linear and Macrocyclic Gadolinium-Based Contrast Agents. <i>Investigative Radiology</i> , 2016 , 51, 683-690	10.1	77
63	Pseudoprogession in patients with glioblastoma: clinical relevance despite low incidence. <i>Neuro-Oncology</i> , 2015 , 17, 151-9	1	74
62	AKT1E17K mutations cluster with meningothelial and transitional meningiomas and can be detected by SFRP1 immunohistochemistry. <i>Acta Neuropathologica</i> , 2013 , 126, 757-62	14.3	69
61	Evaluation of microvascular permeability with dynamic contrast-enhanced MRI for the differentiation of primary CNS lymphoma and glioblastoma: radiologic-pathologic correlation. <i>American Journal of Neuroradiology</i> , 2014 , 35, 1503-8	4.4	68
60	Pediatric Brain: No Increased Signal Intensity in the Dentate Nucleus on Unenhanced T1-weighted MR Images after Consecutive Exposure to a Macrocyclic Gadolinium-based Contrast Agent. <i>Radiology</i> , 2017 , 283, 828-836	20.5	66
59	Diagnostic value and safety of stereotactic biopsy for brainstem tumors: a systematic review and meta-analysis of 1480 cases. <i>Neurosurgery</i> , 2013 , 72, 873-81; discussion 882; quiz 882	3.2	65
58	Relative cerebral blood volume is a potential predictive imaging biomarker of bevacizumab efficacy in recurrent glioblastoma. <i>Neuro-Oncology</i> , 2015 , 17, 1139-47	1	64
57	Update on the diagnostic value and safety of stereotactic biopsy for pediatric brainstem tumors: a systematic review and meta-analysis of 735 cases. <i>Journal of Neurosurgery: Pediatrics</i> , 2017 , 20, 261-268	2.1	63
56	Diagnostic challenges in meningioma. <i>Neuro-Oncology</i> , 2017 , 19, 1588-1598	1	57
55	Heterogeneity of response to immune checkpoint blockade in hypermutated experimental gliomas. <i>Nature Communications</i> , 2020 , 11, 931	17.4	57
54	nnU-Net for Brain Tumor Segmentation. <i>Lecture Notes in Computer Science</i> , 2021 , 118-132	0.9	55
53	MR Perfusion-derived Hemodynamic Parametric Response Mapping of Bevacizumab Efficacy in Recurrent Glioblastoma. <i>Radiology</i> , 2016 , 279, 542-52	20.5	43
52	Nuclear overhauser enhancement mediated chemical exchange saturation transfer imaging at 7 Tesla in glioblastoma patients. <i>PLoS ONE</i> , 2014 , 9, e104181	3.7	43
51	Can Virtual Contrast Enhancement in Brain MRI Replace Gadolinium?: A Feasibility Study. <i>Investigative Radiology</i> , 2019 , 54, 653-660	10.1	40

50	Asymmetry of deep medullary veins on susceptibility weighted MRI in patients with acute MCA stroke is associated with poor outcome. <i>PLoS ONE</i> , 2015 , 10, e0120801	3.7	39
49	Evaluation of dynamic contrast-enhanced MRI derived microvascular permeability in recurrent glioblastoma treated with bevacizumab. <i>Journal of Neuro-Oncology</i> , 2015 , 121, 373-80	4.8	35
48	Intracavitary brachytherapy using stereotactically applied phosphorus-32 colloid for treatment of cystic craniopharyngiomas in 53 patients. <i>Journal of Neuro-Oncology</i> , 2012 , 109, 365-74	4.8	35
47	Risk factors of intracranial hemorrhage after mechanical thrombectomy of anterior circulation ischemic stroke. <i>Neuroradiology</i> , 2019 , 61, 461-469	3.2	32
46	Differentiation of pseudoprogression and real progression in glioblastoma using ADC parametric response maps. <i>PLoS ONE</i> , 2017 , 12, e0174620	3.7	30
45	Low-dose rate stereotactic iodine-125 brachytherapy for the treatment of inoperable primary and recurrent glioblastoma: single-center experience with 201 cases. <i>Journal of Neuro-Oncology</i> , 2014 , 120, 615-23	4.8	29
44	Assessment of tumor oxygenation and its impact on treatment response in bevacizumab-treated recurrent glioblastoma. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017 , 37, 485-494	7.3	28
43	Lateral cephalometric analysis for treatment planning in orthodontics based on MRI compared with radiographs: A feasibility study in children and adolescents. <i>PLoS ONE</i> , 2017 , 12, e0174524	3.7	28
42	Nuclear Overhauser Enhancement imaging of glioblastoma at 7 Tesla: region specific correlation with apparent diffusion coefficient and histology. <i>PLoS ONE</i> , 2015 , 10, e0121220	3.7	28
41	Clinical parameters outweigh diffusion- and perfusion-derived MRI parameters in predicting survival in newly diagnosed glioblastoma. <i>Neuro-Oncology</i> , 2016 , 18, 1673-1679	1	27
40	Stereotactic iodine-125 brachytherapy for treatment of inoperable focal brainstem gliomas of WHO grades I and II: feasibility and long-term outcome. <i>Journal of Neuro-Oncology</i> , 2012 , 109, 273-83	4.8	25
39	Voxel-wise radiogenomic mapping of tumor location with key molecular alterations in patients with glioma. <i>Neuro-Oncology</i> , 2018 , 20, 1517-1524	1	24
38	Quantification of tumor vessels in glioblastoma patients using time-of-flight angiography at 7 Tesla: a feasibility study. <i>PLoS ONE</i> , 2014 , 9, e110727	3.7	24
37	Stereotactic biopsy combined with stereotactic (125)iodine brachytherapy for diagnosis and treatment of locally recurrent single brain metastases. <i>Journal of Neuro-Oncology</i> , 2011 , 105, 109-18	4.8	24
36	Factors triggering an additional resection and determining residual tumor volume on intraoperative MRI: analysis from a prospective single-center registry of supratentorial gliomas. <i>Neurosurgical Focus</i> , 2016 , 40, E4	4.2	21
35	Stereotactic iodine-125 brachytherapy for the treatment of WHO grades II and III gliomas located in the central sulcus region. <i>Neuro-Oncology</i> , 2013 , 15, 1721-31	1	19
34	Automatic Analysis of Cellularity in Glioblastoma and Correlation with ADC Using Trajectory Analysis and Automatic Nuclei Counting. <i>PLoS ONE</i> , 2016 , 11, e0160250	3.7	19
33	Prognostic value of combined visualization of MR diffusion and perfusion maps in glioblastoma. <i>Journal of Neuro-Oncology</i> , 2016 , 126, 463-72	4.8	18

32	Multimodal Predictive Modeling of Endovascular Treatment Outcome for Acute Ischemic Stroke Using Machine-Learning. <i>Stroke</i> , 2020 , 51, 3541-3551	6.7	18
31	Brain Tumor Segmentation Using Large Receptive Field Deep Convolutional Neural Networks. <i>Informatik Aktuell</i> , 2017 , 86-91	0.3	17
30	Radiologic progression of glioblastoma under therapy-an exploratory analysis of AVAglio. <i>Neuro-Oncology</i> , 2018 , 20, 557-566	1	16
29	Radiomics, Metabolic, and Molecular MRI for Brain Tumors. <i>Seminars in Neurology</i> , 2018 , 38, 32-40	3.2	15
28	T2/FLAIR-mismatch sign for noninvasive detection of IDH-mutant 1p/19q non-codeleted gliomas: validity and pathophysiology. <i>Neuro-Oncology Advances</i> , 2020 , 2, vdaa004	0.9	14
27	Radiomics and Deep Learning from Research to Clinical Workflow: Neuro-Oncologic Imaging. <i>Korean Journal of Radiology</i> , 2020 , 21, 1126-1137	6.9	13
26	Feasibility, Risk Profile and Diagnostic Yield of Stereotactic Biopsy in Children and Young Adults with Brain Lesions. <i>Klinische Padiatrie</i> , 2017 , 229, 133-141	0.9	10
25	Simulated clinical deployment of fully automatic deep learning for clinical prostate MRI assessment. <i>European Radiology</i> , 2021 , 31, 302-313	8	9
24	Methylome analyses of three glioblastoma cohorts reveal chemotherapy sensitivity markers within DDR genes. <i>Cancer Medicine</i> , 2020 , 9, 8373-8385	4.8	7
23	Noninvasive Characterization of Tumor Angiogenesis and Oxygenation in Bevacizumab-treated Recurrent Glioblastoma by Using Dynamic Susceptibility MRI: Secondary Analysis of the European Organization for Research and Treatment of Cancer 26101 Trial. <i>Radiology</i> , 2020 , 297, 164-175	20.5	7
22	Impact of slice thickness on clinical utility of automated Alberta Stroke Program Early Computed Tomography Scores. <i>European Radiology</i> , 2020 , 30, 3137-3145	8	6
21	Deep-learning-based synthesis of post-contrast T1-weighted MRI for tumour response assessment in neuro-oncology: a multicentre, retrospective cohort study. <i>The Lancet Digital Health</i> , 2021 , 3, e784-e794	14.4	6
20	Automated volumetric assessment with artificial neural networks might enable a more accurate assessment of disease burden in patients with multiple sclerosis. <i>European Radiology</i> , 2020 , 30, 2356-2364	8	6
19	Validation of diffusion MRI phenotypes for predicting response to bevacizumab in recurrent glioblastoma: post-hoc analysis of the EORTC-26101 trial. <i>Neuro-Oncology</i> , 2020 , 22, 1667-1676	1	4
18	Dynamics of cerebral perfusion and oxygenation parameters following endovascular treatment of acute ischemic stroke. <i>Journal of NeuroInterventional Surgery</i> , 2021 ,	7.8	4
17	VXM01 phase I study in patients with progressive glioblastoma: Final results.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 2017-2017	2.2	3
16	Response. <i>Radiology</i> , 2016 , 279, 324-5	20.5	3
15	Accuracy of 1H magnetic resonance spectroscopy for quantification of 2-hydroxyglutarate using linear combination and J-difference editing at 9.4T. <i>Zeitschrift Fur Medizinische Physik</i> , 2017 , 27, 300-309	7.6	2

14	Advanced Physiologic Imaging: Perfusion Theory and Applications 2020 , 61-91		2
13	Increased Delay Between Gadolinium Chelate Administration and T1-Weighted Magnetic Resonance Imaging Acquisition Increases Contrast-Enhancing Tumor Volumes and T1 Intensities in Brain Tumor Patients. <i>Investigative Radiology</i> , 2018 , 53, 223-228	10.1	2
12	Diagnostic biomarkers from proteomic characterization of cerebrospinal fluid in patients with brain malignancies. <i>Journal of Neurochemistry</i> , 2021 , 158, 522-538	6	1
11	NIMG-02. NON-INVASIVE DETECTION OF IDH MUTANT 1p19q NON-CODELETED GLIOMAS USING THE T2-FLAIR MISMATCH SIGN. <i>Neuro-Oncology</i> , 2019 , 21, vi161-vi161	1	1
10	Tryptophan metabolism is inversely regulated in the tumor and blood of patients with glioblastoma. <i>Theranostics</i> , 2021 , 11, 9217-9233	12.1	1
9	Continuous-Time Deep Glioma Growth Models. <i>Lecture Notes in Computer Science</i> , 2021 , 83-92	0.9	0
8	ATIM-35. VXM01 PHASE I STUDY IN PATIENTS WITH PROGRESSIVE GLIOBLASTOMA FINAL RESULTS. <i>Neuro-Oncology</i> , 2018 , 20, vi9-vi9	1	0
7	Optimal thresholds to predict long-term outcome after complete endovascular recanalization in acute anterior ischemic stroke. <i>Journal of NeuroInterventional Surgery</i> , 2021 , 13, 1124-1127	7.8	0
6	Glial Tumors and Primary CNS Lymphoma 2019 , 1-25		
5	Glial Tumors and Primary CNS Lymphoma 2019 , 1051-1074		
4	Brain Metastases: Treatment with Stereotactic Iodine-125 Brachytherapy. <i>Tumors of the Central Nervous System</i> , 2014 , 173-186		
3	Improved risk stratification via integration of radiomics and dosiomics features in patients with recurrent high-grade glioma undergoing carbon ion radiotherapy (CIRT).. <i>Journal of Clinical Oncology</i> , 2021 , 39, 2043-2043	2.2	
2	MR-Bildgebung bei Gliomen. <i>Neuroradiologie Scan</i> , 2016 , 06, 323-333		0.4
1	Response by Brugnara et al Regarding Article, "The Sense or Futility of Outcome Prediction in Acute Stroke for Endovascular Treatment Decision-Making". <i>Stroke</i> , 2021 , 52, e85-e86		6.7