

Luca Musante

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5375372/luca-musante-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70 papers	6,941 citations	27 h-index	70 g-index
70 ext. papers	9,077 ext. citations	5.9 avg, IF	4.56 L-index

#	Paper	IF	Citations
70	Acute exercise decreases insulin-stimulated extracellular vesicles in conjunction with augmentation index in adults with obesity.. <i>Journal of Physiology</i> , 2022 ,	3.9	2
69	Urinary extracellular vesicles: A position paper by the Urine Task Force of the International Society for Extracellular Vesicles. <i>Journal of Extracellular Vesicles</i> , 2021 , 10, e12093	16.4	38
68	Rigorous characterization of urinary extracellular vesicles (uEVs) in the low centrifugation pellet - a neglected source for uEVs. <i>Scientific Reports</i> , 2020 , 10, 3701	4.9	23
67	T cell-derived extracellular vesicles are elevated in essential HTN. <i>American Journal of Physiology - Renal Physiology</i> , 2020 , 319, F868-F875	4.3	7
66	An Oral Glucose Load Decreases Postprandial Extracellular Vesicles in Obese Adults with and without Prediabetes. <i>Nutrients</i> , 2019 , 11,	6.7	4
65	Management of Tamm-Horsfall Protein for Reliable Urinary Analytics. <i>Proteomics - Clinical Applications</i> , 2019 , 13, e1900018	3.1	14
64	Extracellular vesicles from Wistar Kyoto and spontaneously hypertensive rats have differential vasodilatory responses in resistance arteries. <i>FASEB Journal</i> , 2019 , 33, 829.3	0.9	
63	A miRNA signature in endothelial cell-derived extracellular vesicles in tumor-bearing mice. <i>Scientific Reports</i> , 2019 , 9, 16743	4.9	8
62	Purification and Identification of Membrane Proteins from Urinary Extracellular Vesicles using Triton X-114 Phase Partitioning. <i>Journal of Proteome Research</i> , 2018 , 17, 86-96	5.6	10
61	Low cardiorespiratory fitness is associated with higher extracellular vesicle counts in obese adults. <i>Physiological Reports</i> , 2018 , 6, e13701	2.6	12
60	Minimal information for studies of extracellular vesicles 2018 (MISEV2018): a position statement of the International Society for Extracellular Vesicles and update of the MISEV2014 guidelines. <i>Journal of Extracellular Vesicles</i> , 2018 , 7, 1535750	16.4	3642
59	Summary of the ISEV workshop on extracellular vesicles as disease biomarkers, held in Birmingham, UK, during December 2017. <i>Journal of Extracellular Vesicles</i> , 2018 , 7, 1473707	16.4	42
58	Soluble CD40 ligand directly alters glomerular permeability and may act as a circulating permeability factor in FSGS. <i>PLoS ONE</i> , 2017 , 12, e0188045	3.7	14
57	Residual urinary extracellular vesicles in ultracentrifugation supernatants after hydrostatic filtration dialysis enrichment. <i>Journal of Extracellular Vesicles</i> , 2017 , 6, 1267896	16.4	20
56	Protein and Molecular Characterization of a Clinically Compliant Amniotic Fluid Stem Cell-Derived Extracellular Vesicle Fraction Capable of Accelerating Muscle Regeneration Through Enhancement of Angiogenesis. <i>Stem Cells and Development</i> , 2017 , 26, 1316-1333	4.4	28
55	Urinary extracellular vesicles for RNA extraction: optimization of a protocol devoid of prokaryote contamination. <i>Journal of Extracellular Vesicles</i> , 2016 , 5, 30281	16.4	27
54	Proteases and protease inhibitors of urinary extracellular vesicles in diabetic nephropathy. <i>Journal of Diabetes Research</i> , 2015 , 2015, 289734	3.9	39

53	Intraluminal proteome and peptidome of human urinary extracellular vesicles. <i>Proteomics - Clinical Applications</i> , 2015 , 9, 568-73	3.1	22
52	N-linked (N-) glycoproteomics of urinary exosomes. [Corrected]. <i>Molecular and Cellular Proteomics</i> , 2015 , 14, 263-76	7.6	48
51	Glycosylation patterns of kidney proteins differ in rat diabetic nephropathy. <i>Kidney International</i> , 2015 , 87, 963-74	9.9	21
50	Ezrin is down-regulated in diabetic kidney glomeruli and regulates actin reorganization and glucose uptake via GLUT1 in cultured podocytes. <i>American Journal of Pathology</i> , 2014 , 184, 1727-39	5.8	27
49	A simplified method to recover urinary vesicles for clinical applications, and sample banking. <i>Scientific Reports</i> , 2014 , 4, 7532	4.9	81
48	Use and isolation of urinary exosomes as biomarkers for diabetic nephropathy. <i>Frontiers in Endocrinology</i> , 2014 , 5, 149	5.7	56
47	Recovery of urinary nanovesicles from ultracentrifugation supernatants. <i>Nephrology Dialysis Transplantation</i> , 2013 , 28, 1425-33	4.3	33
46	Preparative purification of recombinant proteins: current status and future trends. <i>BioMed Research International</i> , 2013 , 2013, 312709	3	105
45	Biochemical and physical characterisation of urinary nanovesicles following CHAPS treatment. <i>PLoS ONE</i> , 2012 , 7, e37279	3.7	58
44	Proteomic analysis of the retinal rod outer segment disks. <i>Journal of Proteome Research</i> , 2008 , 7, 2654-69.6	5.6	50
43	Proteomics of plasma and urine in primary nephrotic syndrome in children. <i>Contributions To Nephrology</i> , 2008 , 160, 17-28	1.6	9
42	Determination of the oxido-redox status of plasma albumin in hemodialysis patients. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2008 , 864, 29-37	3.2	16
41	Post-transplant proteinuria associated with everolimus: Definition of main features with proteomics. <i>Proteomics - Clinical Applications</i> , 2008 , 2, 1327-37	3.1	1
40	High-resolution 2-DE for resolving proteins, protein adducts and complexes in plasma. <i>Electrophoresis</i> , 2008 , 29, 682-94	3.6	9
39	Comparative study of thermal stability of healthy and focal segmental glomerulosclerosis plasma albumin. <i>Journal of Thermal Analysis and Calorimetry</i> , 2007 , 87, 27-31	4.1	5
38	Protracted remission of proteinuria after combined therapy with plasmapheresis and anti-CD20 antibodies/cyclophosphamide in a child with oligoclonal IgM and glomerulosclerosis. <i>Pediatric Nephrology</i> , 2007 , 22, 1953-6	3.2	2
37	Proteomic analysis of the airway surface liquid: modulation by proinflammatory cytokines. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2007 , 292, L185-98	5.8	45
36	Expression of adenylate kinase 1 in bovine retinal cytosol. <i>Current Eye Research</i> , 2007 , 32, 249-57	2.9	3

35	ANTI-ATP SYNTHASE ECHAIN AUTOANTIBODIES 2007 , 547-552		1
34	Active focal segmental glomerulosclerosis is associated with massive oxidation of plasma albumin. <i>Journal of the American Society of Nephrology: JASN</i> , 2007 , 18, 799-810	12.7	71
33	Transitions of serum albumin in patients with glomerulosclerosis in vivo characterization by electrophoretic titration curves. <i>Electrophoresis</i> , 2006 , 27, 2960-9	3.6	10
32	Repetitive fragmentation products of albumin and alpha1-antitrypsin in glomerular diseases associated with nephrotic syndrome. <i>Journal of the American Society of Nephrology: JASN</i> , 2006 , 17, 3139-48	12.7	128
31	Application of 2D-HPLC system for plasma protein separation. <i>Journal of Medical Biochemistry</i> , 2006 , 25, 211-220		
30	Characterization of oxidation end product of plasma albumin in vivo <i>Biochemical and Biophysical Research Communications</i> , 2006 , 349, 668-73	3.4	62
29	crv4, a mouse model for human ataxia associated with kyphoscoliosis caused by an mRNA splicing mutation of the metabotropic glutamate receptor 1 (Grm1). <i>International Journal of Molecular Medicine</i> , 2006 , 18, 593	4.4	3
28	Non-muscle myosin heavy chain IIA and IIB interact and co-localize in living cells: Relevance for MYH9-related disease. <i>International Journal of Molecular Medicine</i> , 2006 , 17, 729	4.4	
27	Glomerular clusterin is associated with PKC-alpha/beta regulation and good outcome of membranous glomerulonephritis in humans. <i>Kidney International</i> , 2006 , 70, 477-85	9.9	20
26	Direct effect of plasma permeability factors from patients with idiopathic FSGS on nephrin and podocin expression in human podocytes. <i>International Journal of Molecular Medicine</i> , 2005 , 16, 49	4.4	1
25	Proteomic analysis of erythrocyte membranes by soft Immobililine gels combined with differential protein extraction. <i>Journal of Proteome Research</i> , 2005 , 4, 1304-9	5.6	46
24	Circulating anti-actin and anti-ATP synthase antibodies identify a sub-set of patients with idiopathic nephrotic syndrome. <i>Clinical and Experimental Immunology</i> , 2005 , 141, 491-9	6.2	31
23	Separation of human serum proteins using the Beckman-Coulter PF2D system: analysis of ion exchange-based first dimension chromatography. <i>Clinical Chemistry and Laboratory Medicine</i> , 2005 , 43, 1327-33	5.9	11
22	The effect of proteinase inhibitors on glomerular albumin permeability induced in vitro by serum from patients with idiopathic focal segmental glomerulosclerosis. <i>Nephrology Dialysis Transplantation</i> , 2004 , 19, 1969-75	4.3	13
21	Blue silver: a very sensitive colloidal Coomassie G-250 staining for proteome analysis. <i>Electrophoresis</i> , 2004 , 25, 1327-33	3.6	1491
20	Glomerular albumin permeability as an in vitro model for characterizing the mechanism of focal glomerulosclerosis and predicting post-transplant recurrence. <i>Pediatric Transplantation</i> , 2004 , 8, 339-43	1.8	13
19	Nephrotic urine prevents increased rat glomerular albumin permeability induced by serum from the same patient with idiopathic nephrotic syndrome. <i>Nephrology Dialysis Transplantation</i> , 2003 , 18, 689-93	4.3	11
18	Apolipoprotein E in idiopathic nephrotic syndrome and focal segmental glomerulosclerosis. <i>Kidney International</i> , 2003 , 63, 686-95	9.9	18

17	Soft immobilized pH gradient gels in proteome analysis: a follow-up. <i>Proteomics</i> , 2003 , 3, 821-5	4.8	50
16	Two-dimensional maps in soft immobilized pH gradient gels: a new approach to the proteome of the Third Millennium. <i>Electrophoresis</i> , 2002 , 23, 292-7	3.6	50
15	Characterization of plasma factors that alter the permeability to albumin within isolated glomeruli. <i>Proteomics</i> , 2002 , 2, 197-205	4.8	35
14	Depletion of clusterin in renal diseases causing nephrotic syndrome. <i>Kidney International</i> , 2002 , 62, 2184-94	9.9	47
13	Serum glomerular permeability activity in patients with podocin mutations (NPHS2) and steroid-resistant nephrotic syndrome. <i>Journal of the American Society of Nephrology: JASN</i> , 2002 , 13, 1946-52	12.7	64
12	Inhibition of renal permeability towards albumin: a new function of apolipoproteins with possible pathogenetic relevance in focal glomerulosclerosis. <i>Electrophoresis</i> , 2001 , 22, 1819-25	3.6	9
11	Apolipoproteins prevent glomerular albumin permeability induced in vitro by serum from patients with focal segmental glomerulosclerosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2001 , 12, 143-150	12.7	47
10	Prevalence, genetics, and clinical features of patients carrying podocin mutations in steroid-resistant nonfamilial focal segmental glomerulosclerosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2001 , 12, 2742-2746	12.7	125
9	A DNA element in the alpha1 type III collagen promoter mediates a stimulatory response by angiotensin II. <i>Kidney International</i> , 2000 , 58, 537-48	9.9	10
8	Characterization of a DNA binding site that mediates the stimulatory effect of cyclosporin-A on type III collagen expression in renal cells. <i>Nephrology Dialysis Transplantation</i> , 2000 , 15, 778-85	4.3	7
7	Identification of HSP-60 as the specific antigen of IgM produced by BRG-lymphoma cells. <i>Electrophoresis</i> , 1999 , 20, 1092-7	3.6	2
6	Analytical titration curves of glycosyl hydrolase Cel45 by combined isoelectric focusing-electrophoresis. <i>Electrophoresis</i> , 1999 , 20, 1403-11	3.6	6
5	Resolution of fibronectin and other uncharacterized proteins by two-dimensional polyacrylamide electrophoresis with thiourea. <i>Biomedical Applications</i> , 1998 , 705, 351-6		32
4	Measurements of (Na ⁺ ,K ⁺)ATPase after in vitro hypoxia and reoxygenation are affected by methods of membrane preparation. <i>Journal of Neuroscience Methods</i> , 1998 , 79, 201-6	3	5
3	Activation of COL3A1 promoter activity by cyclosporine. <i>Transplantation Proceedings</i> , 1998 , 30, 955-6	1.1	1
2	Ca(2 ⁺)-ATPase pump forms and an endogenous inhibitor in bovine brain synaptosomes. <i>Neurochemical Research</i> , 1997 , 22, 297-304	4.6	
1	Identification of HSP-60 as the specific antigen of IgM produced by BRG-lymphoma cells		512-517