

Antonios N Papadopoulos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5375673/publications.pdf>

Version: 2024-02-01

88
papers

1,722
citations

331259

21
h-index

344852

36
g-index

90
all docs

90
docs citations

90
times ranked

968
citing authors

#	ARTICLE	IF	CITATIONS
1	Wood Composites and Their Polymer Binders. <i>Polymers</i> , 2020, 12, 1115.	2.0	112
2	Nanomaterials and Chemical Modifications for Enhanced Key Wood Properties: A Review. <i>Nanomaterials</i> , 2019, 9, 607.	1.9	91
3	Recent Developments in Lignin- and Tannin-Based Non-Isocyanate Polyurethane Resins for Wood Adhesives—A Review. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 4242.	1.3	83
4	The biological effectiveness of wood modified with linear chain carboxylic acid anhydrides against <i>Coniophora puteana</i> . <i>European Journal of Wood and Wood Products</i> , 2002, 60, 329-332.	1.3	81
5	Recent progress in ultra-low formaldehyde emitting adhesive systems and formaldehyde scavengers in wood-based panels: a review. <i>Wood Material Science and Engineering</i> , 2023, 18, 763-782.	1.1	80
6	The potential for using flax (<i>Linum usitatissimum</i> L.) shiv as a lignocellulosic raw material for particleboard. <i>Industrial Crops and Products</i> , 2003, 17, 143-147.	2.5	78
7	Innovative Wood Surface Treatments Based on Nanotechnology. <i>Coatings</i> , 2019, 9, 866.	1.2	65
8	Properties of High-Density Fiberboard Bonded with Urea—Formaldehyde Resin and Ammonium Lignosulfonate as a Bio-Based Additive. <i>Polymers</i> , 2021, 13, 2775.	2.0	45
9	Eco-Friendly Fiberboard Panels from Recycled Fibers Bonded with Calcium Lignosulfonate. <i>Polymers</i> , 2021, 13, 639.	2.0	40
10	The sorption of water vapour of wood treated with a nanotechnology compound. <i>Wood Science and Technology</i> , 2010, 44, 515-522.	1.4	38
11	Natural Tannins as New Cross-Linking Materials for Soy-Based Adhesives. <i>Polymers</i> , 2021, 13, 595.	2.0	37
12	Mechanical and physical properties of cement-bonded OSB. <i>European Journal of Wood and Wood Products</i> , 2006, 64, 517-518.	1.3	32
13	Effects of silver and copper nanoparticles in particleboard to control <i>Trametes versicolor</i> fungus. <i>International Biodeterioration and Biodegradation</i> , 2014, 94, 69-72.	1.9	32
14	Physical and Mechanical Properties of Thermally-Modified Beech Wood Impregnated with Silver Nano-Suspension and Their Relationship with the Crystallinity of Cellulose. <i>Polymers</i> , 2019, 11, 1538.	2.0	32
15	Bio-Based Polyurethane Resins Derived from Tannin: Source, Synthesis, Characterisation, and Application. <i>Forests</i> , 2021, 12, 1516.	0.9	30
16	Formaldehyde Emission in Micron-Sized Wollastonite-Treated Plywood Bonded with Soy Flour and Urea-Formaldehyde Resin. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 6709.	1.3	29
17	Engineering Composites Made from Wood and Chicken Feather Bonded with UF Resin Fortified with Wollastonite: A Novel Approach. <i>Polymers</i> , 2020, 12, 857.	2.0	29
18	Reducing the thickness swelling of wood based panels by applying a nanotechnology compound. <i>European Journal of Wood and Wood Products</i> , 2010, 68, 237-239.	1.3	27

#	ARTICLE	IF	CITATIONS
19	Improving Fire Retardancy of Beech Wood by Graphene. <i>Polymers</i> , 2020, 12, 303.	2.0	27
20	Advances in Wood Composites. <i>Polymers</i> , 2020, 12, 48.	2.0	26
21	The biological behaviours of pine wood modified with linear chain carboxylic acid anhydrides against soft rot fungi. <i>International Biodeterioration and Biodegradation</i> , 2010, 64, 409-412.	1.9	24
22	Heat Treatment of Pine Wood: Possible Effect of Impregnation with Silver Nanosuspension. <i>Forests</i> , 2020, 11, 466.	0.9	22
23	Thermal and Mechanical Properties of Green Insulation Composites Made from Cannabis and Bark Residues. <i>Journal of Composites Science</i> , 2021, 5, 132.	1.4	22
24	Influence of Lignin Content and Pressing Time on Plywood Properties Bonded with Cold-Setting Adhesive Based on Poly (Vinyl Alcohol), Lignin, and Hexamine. <i>Polymers</i> , 2022, 14, 2111.	2.0	21
25	The sorption of water vapour by chemically modified softwood: analysis using various sorption models. <i>Wood Science and Technology</i> , 2005, 39, 99-111.	1.4	20
26	The biological effectiveness of wood modified with linear chain carboxylic acid anhydrides against the subterranean termites <i>Reticulitermes flavipes</i> . <i>European Journal of Wood and Wood Products</i> , 2008, 66, 249-252.	1.3	20
27	The Potential Use of Seaweed (<i>Posidonia oceanica</i>) as an Alternative Lignocellulosic Raw Material for Wood Composites Manufacture. <i>Coatings</i> , 2021, 11, 69.	1.2	20
28	Moisture adsorption isotherms of two esterified Greek hardwoods. <i>European Journal of Wood and Wood Products</i> , 2005, 63, 123-128.	1.3	19
29	Sorption of acetylated pine wood decayed by brown rot, white rot and soft rot: different fungi's different behaviours. <i>Wood Science and Technology</i> , 2012, 46, 919-926.	1.4	19
30	Mechanical and Physical Properties of Oriented Strand Lumber (OSL): The Effect of Fortification Level of Nanowollastonite on UF Resin. <i>Polymers</i> , 2019, 11, 1884.	2.0	19
31	Potential Use of Wollastonite as a Filler in UF Resin Based Medium-Density Fiberboard (MDF). <i>Polymers</i> , 2020, 12, 1435.	2.0	19
32	Effects of fungal exposure on air and liquid permeability of nanosilver- and nanozinc-impregnated Paulownia wood. <i>International Biodeterioration and Biodegradation</i> , 2015, 105, 51-57.	1.9	18
33	Effects of densification on untreated and nano-aluminum-oxide impregnated poplar wood. <i>Journal of Forestry Research</i> , 2017, 28, 403-410.	1.7	18
34	Nanotechnology for wood quality improvement and protection. , 2020, , 469-489.		18
35	Improving Thermal Conductivity Coefficient in Oriented Strand Lumber (OSL) Using Sepiolite. <i>Nanomaterials</i> , 2020, 10, 599.	1.9	18
36	Paint Pull-Off Strength and Permeability in Nanosilver-Impregnated and Heat-Treated Beech Wood. <i>Coatings</i> , 2019, 9, 723.	1.2	17

#	ARTICLE	IF	CITATIONS
37	The effect of acetylation on bending strength of finger jointed beech wood (<i>Fagus sylvatica</i> L.). <i>European Journal of Wood and Wood Products</i> , 2008, 66, 309-310.	1.3	16
38	Nano-wollastonite to improve fire retardancy in medium-density fiberboard (MDF) made from wood fibers and camel-thorn. <i>Wood Material Science and Engineering</i> , 2021, 16, 161-165.	1.1	16
39	Advances in Wood Composites III. <i>Polymers</i> , 2021, 13, 163.	2.0	15
40	Effect of oxidizing thermal modification on the chemical properties and thermal conductivity of Norway spruce (<i>Picea abies</i> L.) wood. <i>Wood Material Science and Engineering</i> , 2022, 17, 366-375.	1.1	14
41	The effect of acetylation on the Janka hardness of pine wood. <i>European Journal of Wood and Wood Products</i> , 2011, 69, 499-500.	1.3	13
42	Effect of wollastonite nanofibers and exposure to <i>Aspergillus niger</i> fungus on air flow rate in paper. <i>Measurement: Journal of the International Measurement Confederation</i> , 2019, 136, 307-313.	2.5	13
43	Improving fire retardancy of unheated and heat-treated fir wood by nano-sepiolite. <i>European Journal of Wood and Wood Products</i> , 2021, 79, 841-849.	1.3	13
44	Effects of Wollastonite on Fire Properties of Particleboard Made from Wood and Chicken Feather Fibers. <i>Coatings</i> , 2021, 11, 518.	1.2	13
45	Decay resistance in ground stake test of acetylated OSB. <i>European Journal of Wood and Wood Products</i> , 2006, 64, 245-246.	1.3	12
46	Wollastonite to hinder growth of <i>Aspergillus niger</i> fungus on cotton textile. <i>Anais Da Academia Brasileira De Ciencias</i> , 2018, 90, 2797-2804.	0.3	12
47	Lignocellulosic Composites from Acetylated Sunflower Stalks. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 646.	1.3	12
48	Advances in Wood Composites II. <i>Polymers</i> , 2020, 12, 1552.	2.0	12
49	SHEAR STRENGTH OF HEAT-TREATED SOLID WOOD BONDED WITH POLYVINYL-ACETATE REINFORCED BY NANOWOLLASTONITE. <i>Wood Research</i> , 2020, 65, 183-194.	0.2	11
50	Pyridine-catalyst acetylation of pine wood: influence of mature sapwood vs juvenile wood. <i>European Journal of Wood and Wood Products</i> , 2006, 64, 134-136.	1.3	10
51	NATURAL DURABILITY AND PERFORMANCE OF HORNBEAM CEMENT BONDED PARTICLEBOARD. <i>Maderas: Ciencia Y Tecnologia</i> , 2008, 10, .	0.7	10
52	Effects of wollastonite on the properties of medium-density fiberboard (MDF) made from wood fibers and camel-thorn. <i>Maderas: Ciencia Y Tecnologia</i> , 2016, , 0-0.	0.7	10
53	Effects of wollastonite nanofibers on fluid flow in medium-density fiberboard. <i>Journal of Forestry Research</i> , 2016, 27, 209-217.	1.7	10
54	Improving fire retardancy of medium density fiberboard by nano-wollastonite. <i>Fire and Materials</i> , 2020, 44, 759-766.	0.9	10

#	ARTICLE	IF	CITATIONS
55	Sorption behavior of water vapor of wood treated by chitosan polymer. <i>European Journal of Wood and Wood Products</i> , 2020, 78, 483-491.	1.3	10
56	Effects of Adsorption Energy on Air and Liquid Permeability of Nanowollastonite-Treated Medium-Density Fiberboard. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2021, 70, 1-8.	2.4	10
57	Fire-retarding properties of nanowollastonite in particleboard. <i>Fire and Materials</i> , 2018, 42, 306-315.	0.9	9
58	Effects of Drying Schedules on Physical and Mechanical Properties in Paulownia Wood. <i>Drying Technology</i> , 2015, 33, 1981-1990.	1.7	8
59	Effects of zinc and copper salicylate on biological resistance of particleboard against <i>Anacanthotermes vagans</i> termite. <i>International Biodeterioration and Biodegradation</i> , 2016, 115, 26-30.	1.9	8
60	Fluid Flow in Nanosilver-Impregnated Heat-Treated Beech Wood in Different Mediums. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 1919.	1.3	8
61	Effects of adding nano-wollastonite, date palm prunings and two types of resins on the physical and mechanical properties of medium-density fibreboard (MDF) made from wood fibres. <i>Bois Et Forets Des Tropiques</i> , 0, 335, 49.	0.2	8
62	Graphene as reinforcing filler in polyvinyl acetate resin. <i>International Journal of Adhesion and Adhesives</i> , 2022, 113, 103075.	1.4	8
63	Biological resistance of nanoclay-treated plastic composites with different bamboo contents to three types of fungi. <i>Journal of Thermoplastic Composite Materials</i> , 2020, 33, 1048-1060.	2.6	7
64	Durability of Accoya Wood in Ground Stake Testing after 10 Years of Exposure in Greece. <i>Polymers</i> , 2020, 12, 1638.	2.0	7
65	Interdisciplinary Research to Advance Digital Imagery and Natural Compounds for Eco-Cleaning and for Preserving Textile Cultural Heritage. <i>Sensors</i> , 2022, 22, 4442.	2.1	7
66	Natural durability of acetylated OSB in ground stake test: total decay after 102 months of testing. <i>European Journal of Wood and Wood Products</i> , 2012, 70, 397-397.	1.3	6
67	Modeling the Bending Strength of MDF Faced, Polyurethane Foam-Cored Sandwich Panels Using Response Surface Methodology (RSM) and Artificial Neural Network (ANN). <i>Forests</i> , 2021, 12, 1514.	0.9	6
68	Decay resistance in ground stake-test of acetylated OSB after six years of testing. <i>European Journal of Wood and Wood Products</i> , 2009, 67, 365-366.	1.3	5
69	Toughness of pine wood chemically modified with acetic anhydride. <i>European Journal of Wood and Wood Products</i> , 2012, 70, 399-400.	1.3	5
70	Wollastonite to Improve Fire Properties in Medium-Density Fiberboard Made from Wood and Chicken Feather Fibers. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 3070.	1.3	5
71	Penetration of Different Liquids in Wood-Based Composites: The Effect of Adsorption Energy. <i>Forests</i> , 2021, 12, 63.	0.9	5
72	Fluid Flow in Cotton Textile: Effects of Wollastonite Nanosuspension and <i>Aspergillus Niger</i> Fungus. <i>Processes</i> , 2019, 7, 901.	1.3	4

#	ARTICLE	IF	CITATIONS
73	The effect of silver and copper nanoparticles as resin fillers on less-studied properties of UF-based particleboards. <i>Wood Material Science and Engineering</i> , 2020, , 1-11.	1.1	4
74	Thermal Behavior of a Light Timber-Frame Wall vs. a Theoretical Simulation with Various Insulation Materials. <i>Journal of Composites Science</i> , 2022, 6, 22.	1.4	4
75	Sorption studies of chemically modified elm wood with acetic or maleic anhydride. <i>Journal of the Indian Academy of Wood Science</i> , 2011, 8, 32-36.	0.3	3
76	Specific gas permeability of normal and nanosilver-impregnated solid wood species as influenced by heat-treatment. <i>Maderas: Ciencia Y Tecnologia</i> , 2019, , 0-0.	0.7	3
77	Thermal Transmittance, Dimensional Stability, and Mechanical Properties of a Three-Layer Laminated Wood Made from Fir and Meranti and Its Potential Application for Wood-Frame Windows. <i>Coatings</i> , 2021, 11, 304.	1.2	3
78	Fluid Flow of Polar and Less Polar Liquids through Modified Poplar Wood. <i>Forests</i> , 2021, 12, 482.	0.9	3
79	EFFECTS OF NANO-SILANE ON THE PHYSICAL AND MECHANICAL PROPERTIES OF ORIENTED STRAND LUMBER (OSL). <i>Bois Et Forets Des Tropiques</i> , 2017, 330, 49.	0.2	3
80	Effects of Nano-Wollastonite on Screw Withdrawal Capacity of Oriented Strand Lumber. <i>Journal of Nanomaterials & Molecular Nanotechnology</i> , 2017, 06, .	0.1	3
81	Woodâ€™straw composites bonded with various UF: EMDI formulations: the effect of fortification level. <i>Journal of the Indian Academy of Wood Science</i> , 2010, 7, 54-57.	0.3	1
82	Effect of end connections on mid-span load capacity of laminated particleboard bookshelves. <i>Wood Material Science and Engineering</i> , 2018, 13, 231-235.	1.1	1
83	Enhancement of bending strength properties of two wood species reinforced with two types of carbon fibre fabrics and two layouts. <i>International Wood Products Journal</i> , 2020, 11, 64-69.	0.6	1
84	Social trends of the people of the region of Eastern Macedonia and Thrace-Greece: about the potential of using biofuels from forest products residues. <i>The Environmentalist</i> , 2009, 29, 333-335.	0.7	0
85	Durability of particleboards made from wood particles chemically modified with propionic anhydride: results after six years inÂground stake-test. <i>European Journal of Wood and Wood Products</i> , 2010, 68, 353-354.	1.3	0
86	Moisture adsorption isotherms of yew wood (<i>Taxus baccata</i> L.). <i>European Journal of Wood and Wood Products</i> , 2017, 75, 839-840.	1.3	0
87	Developing adaptive neuro-fuzzy inference system-based models to predict the bending strength of polyurethane foam-cored sandwich panels. <i>Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications</i> , 0, , 146442072110242.	0.7	0
88	Cold Water Immersion Pretreatment of Post-Consuming Particleboards for Wood Chips Recovery by the Hydromechanical Process. <i>Journal of Composites Science</i> , 2022, 6, 105.	1.4	0