

Janana Luz Narciso-Schiavon

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5376589/janaina-luz-narciso-schiavon-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90 papers	878 citations	15 h-index	25 g-index
97 ext. papers	990 ext. citations	3.2 avg, IF	3.89 L-index

#	Paper	IF	Citations
90	Systemic Inflammatory Response Syndrome in Patients Hospitalized for Acute Decompensation of Cirrhosis. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2021 , 2021, 5581587	2.8	0
89	NEUTROPHIL-LYMPHOCYTE RATIO PREDICTS SHORT-TERM MORTALITY IN PATIENTS HOSPITALIZED FOR ACUTE DECOMPENSATION OF CIRRHOSIS. <i>Arquivos De Gastroenterologia</i> , 2021 , 58, 131-138	1.3	
88	Low sodium to potassium ratio in spot urine sample is associated with progression to acute kidney injury and mortality in hospitalized patients with cirrhosis. <i>Digestive and Liver Disease</i> , 2021 , 53, 1159-1166	3.3	1
87	Elevated neopterin levels are associated with acute-on-chronic liver failure and mortality in patients with liver cirrhosis. <i>Digestive and Liver Disease</i> , 2020 , 52, 753-760	3.3	
86	MicroRNA profiles in serum samples from Acute-On-Chronic Liver Failure patients and miR-25-3p as a potential biomarker for survival prediction. <i>Scientific Reports</i> , 2020 , 10, 100	4.9	15
85	UPDATE OF THE BRAZILIAN SOCIETY OF HEPATOLOGY RECOMMENDATIONS FOR DIAGNOSIS AND MANAGEMENT OF AUTOIMMUNE DISEASES OF THE LIVER. <i>Arquivos De Gastroenterologia</i> , 2019 , 56, 232-241	1.3	6
84	Serial assessment of hepatic encephalopathy in patients hospitalised for acute decompensation of cirrhosis. <i>Annals of Hepatology</i> , 2019 , 18, 331-337	3.1	4
83	Applicability of Sepsis-3 criteria and quick Sequential Organ Failure Assessment in patients with cirrhosis hospitalised for bacterial infections. <i>Liver International</i> , 2019 , 39, 307-315	7.9	4
82	Recurrent albendazole-induced acute hepatitis. <i>Revista Colombiana De Gastroenterologia</i> , 2018 , 33, 473	0.2	1
81	Treatment of Type-1 Hepatorenal Syndrome with Pentoxifylline: A Randomized Placebo Controlled Clinical Trial. <i>Annals of Hepatology</i> , 2018 , 17, 300-306	3.1	20
80	Clinical Significance of Serum Adiponectin and Resistin Levels in Liver Cirrhosis. <i>Annals of Hepatology</i> , 2018 , 17, 286-299	3.1	15
79	Prognostic Significance of The New Criteria for Acute Kidney Injury in Cirrhosis. <i>Annals of Hepatology</i> , 2018 , 17, 461-469	3.1	7
78	MicroRNA profiles in serum samples from patients with stable cirrhosis and miRNA-21 as a predictor of transplant-free survival. <i>Pharmacological Research</i> , 2018 , 134, 179-192	10.2	13
77	From stable disease to acute-on-chronic liver failure: Circulating cytokines are related to prognosis in different stages of cirrhosis. <i>Cytokine</i> , 2017 , 91, 162-169	4	21
76	The Glutamyl transpeptidase to platelet ratio (GPR) in HBV patients: just adding up?. <i>Gut</i> , 2017 , 66, 1169-1170	19.2	15
75	Letter: proton pump inhibitors and prognosis of cirrhosis - searching for the balance point. <i>Alimentary Pharmacology and Therapeutics</i> , 2017 , 45, 378-379	6.1	5
74	Recurrent anaemia in a patient with lymphocytic gastritis and vitamin B deficiency. <i>Arab Journal of Gastroenterology</i> , 2017 , 18, 165-168	1.7	1

73	PROGNOSTIC FACTORS IN PATIENTS WITH PRESSURE SORES IN A UNIVERSITY HOSPITAL IN SOUTHERN BRAZIL. <i>Acta Ortopedica Brasileira</i> , 2017 , 25, 243-247	0.6	1
72	Circulating levels of pentraxin-3 (PTX3) in patients with liver cirrhosis. <i>Annals of Hepatology</i> , 2017 , 16, 780-787	3.1	11
71	Prognostic significance of insulin-like growth factor-I serum levels in acute decompensation of cirrhosis. <i>Biomarkers</i> , 2017 , 22, 127-132	2.6	3
70	HbA1c Levels as a Parameter of Glycemic Control in Patients with Liver Diseases. <i>Annals of Hepatology</i> , 2017 , 16, 469-470	3.1	1
69	To screen or not to screen? Celiac antibodies in liver diseases. <i>World Journal of Gastroenterology</i> , 2017 , 23, 776-791	5.6	11
68	Breast reconstruction after mastectomy for breast cancer: comparative analysis of early and delayed reconstruction. <i>Minerva Surgery</i> , 2017 , 72, 188-199	0.1	2
67	El efecto de la dieta libre de gluten en la alanina- aminotransferasa (ALT) en pacientes celiacos. <i>Revista Colombiana De Gastroenterologia</i> , 2016 , 30, 412	0.2	2
66	Clinical and laboratory characteristics of patients with thyroid diseases with and without alanine aminotransferase levels above the upper tertile - Cross-sectional analytical study. <i>Archives of Endocrinology and Metabolism</i> , 2016 , 60, 101-7	2.2	3
65	Circulating insulin-like growth factor-binding protein 3 as prognostic biomarker in liver cirrhosis. <i>World Journal of Hepatology</i> , 2016 , 8, 739-48	3.4	7
64	Liver dysfunction and fibrosis as predictors of biochemical response to autoimmune hepatitis treatment. <i>Minerva Gastroenterologica E Dietologica</i> , 2016 , 62, 138-47	1.6	5
63	Factors associated with steatosis in liver biopsies of individuals with chronic hepatitis C infection in southern Brazil. <i>Arab Journal of Gastroenterology</i> , 2015 , 16, 59-62	1.7	
62	Significance of alanine aminotransferase levels in patients admitted for cocaine intoxication. <i>Journal of Clinical Gastroenterology</i> , 2015 , 49, 250-5	3	8
61	Benefits of beta-blockers for patients with cirrhosis and infection: do not celebrate too soon!. <i>Liver International</i> , 2015 , 35, 1777-8	7.9	
60	Clinical and epidemiological profile of female blood donors with positive serology for viral hepatitis B. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2015 , 48, 524-31	1.5	
59	Autoantibodies in chronic hepatitis C: A clinical perspective. <i>World Journal of Hepatology</i> , 2015 , 7, 1074-84	3.4	25
58	The performance of prognostic models as predictors of mortality in patients with acute decompensation of cirrhosis. <i>Annals of Hepatology</i> , 2015 , 14, 83-92	3.1	7
57	Enterococcus casseliflavus and Enterococcus gallinarum as causative agents of spontaneous bacterial peritonitis. <i>Annals of Hepatology</i> , 2015 , 14, 270-272	3.1	11
56	Factors associated with 25-hydroxyvitamin D levels in patients with liver cirrhosis. <i>Annals of Hepatology</i> , 2015 , 14, 99-107	3.1	6

55	Type 1 diabetic adults should be screened for coeliac autoimmunity. <i>Arab Journal of Gastroenterology</i> , 2015 , 16, 81-2	1.7	
54	Single-centre validation of the EASL-CLIF consortium definition of acute-on-chronic liver failure and CLIF-SOFA for prediction of mortality in cirrhosis. <i>Liver International</i> , 2015 , 35, 1516-23	7.9	59
53	PREVALÊNCIA DE PARASITÓSES INTESTINAIS DE ACORDO COM O GÊNERO EM UM HOSPITAL UNIVERSITÁRIO NO SUL DO BRASIL. <i>Journal of Tropical Pathology</i> , 2015 , 44, 441	2	2
52	The performance of prognostic models as predictors of mortality in patients with acute decompensation of cirrhosis. <i>Annals of Hepatology</i> , 2015 , 14, 83-92	3.1	2
51	Factors associated with 25-hydroxyvitamin D levels in patients with liver cirrhosis. <i>Annals of Hepatology</i> , 2015 , 14, 99-107	3.1	3
50	<i>Enterococcus casseliflavus</i> and <i>Enterococcus gallinarum</i> as causative agents of spontaneous bacterial peritonitis. <i>Annals of Hepatology</i> , 2015 , 14, 270-2	3.1	8
49	Factors associated with elevated serum alanine aminotransferase in patients with type 1 diabetes mellitus. <i>Minerva Gastroenterologica E Dietologica</i> , 2015 , 61, 137-43	1.6	1
48	Comparative study of spot urine Na/K ratio and 24-hour urine sodium in natriuresis evaluation of cirrhotic patients with ascites. <i>GE Jornal Português De Gastreenterologia</i> , 2014 , 21, 15-20		3
47	Prevalence and clinical features of celiac disease in patients with autoimmune thyroiditis: cross-sectional study. <i>Sao Paulo Medical Journal</i> , 2014 , 132, 364-371	1.6	7
46	Clinical and laboratorial features of spontaneous bacterial peritonitis in southern Brazil. <i>Sao Paulo Medical Journal</i> , 2014 , 132, 205-10	1.6	1
45	Clinical and laboratory characteristics associated with dyslipidemia and liver steatosis in chronic HBV carriers. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2014 , 47, 158-64	1.5	10
44	Green sweat: an atypical finding in drug-induced liver disease. <i>Liver International</i> , 2014 , 34, 816-7	7.9	
43	Non-invasive diagnosis of liver fibrosis in chronic hepatitis C. <i>World Journal of Gastroenterology</i> , 2014 , 20, 2854-66	5.6	52
42	An unusual cause of ascites: <i>Strongyloides stercoralis</i> . <i>Journal of Clinical Gastroenterology</i> , 2014 , 48, 301-2	3	2
41	From the CUPIC study: great times are not coming (?). <i>Journal of Hepatology</i> , 2014 , 60, 234-5	13.4	1
40	Características clínicas y de laboratorio en pacientes cirróticos asociada con desnutrición moderada o severa. <i>Revista Chilena De Nutricion</i> , 2014 , 41, 139-148	0.9	2
39	Unusual presentations of eosinophilic gastroenteritis: two case reports. <i>Turkish Journal of Gastroenterology</i> , 2014 , 25, 323-9	1	8
38	Prevalence and clinical features of celiac disease in patients with autoimmune thyroiditis: cross-sectional study. <i>Sao Paulo Medical Journal</i> , 2014 , 132, 364-71	1.6	5

37	Author's reply to the comment titled "Eosinophilic gastroenteritis: the new imitator". <i>Turkish Journal of Gastroenterology</i> , 2014 , 25, 601	1	
36	Prevalence and factors associated with hepatitis B virus infection among senior citizens in a southern Brazilian city. <i>Hepatitis Monthly</i> , 2013 , 13, e7874	1.8	8
35	Diagnostic Performance of Two Point-of-Care Tests for Anti-HCV Detection. <i>Hepatitis Monthly</i> , 2013 , 13, e12274	1.8	7
34	Autoantibody profile in individuals with chronic hepatitis C. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2013 , 46, 147-53	1.5	21
33	Prevalence and clinical features of celiac disease in patients with hepatitis B virus infection in Southern Brazil. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2013 , 46, 397-402	1.5	3
32	Prevalence and factors associated with HCV infection among elderly individuals in a southern Brazilian city. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2013 , 46, 281-7	1.5	2
31	Positive serology for viral hepatitis and donor self-exclusion in Southern Brazil. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2013 , 46, 403-10	1.5	2
30	IGF-I and IGFBP-3 serum levels in patients hospitalized for complications of liver cirrhosis. <i>Annals of Hepatology</i> , 2013 , 12, 456-463	3.1	8
29	Acute phase proteins for the diagnosis of bacterial infection and prediction of mortality in acute complications of cirrhosis. <i>Annals of Hepatology</i> , 2013 , 12, 431-439	3.1	28
28	IGF-I and IGFBP-3 serum levels in patients hospitalized for complications of liver cirrhosis. <i>Annals of Hepatology</i> , 2013 , 12, 456-63	3.1	5
27	Late-onset systemic lupus erythematosus-associated liver disease. <i>Rheumatology International</i> , 2012 , 32, 2917-20	3.6	5
26	Validation and comparison of simple noninvasive models for the prediction of liver fibrosis in chronic hepatitis C. <i>Annals of Hepatology</i> , 2012 , 11, 855-861	3.1	32
25	Central nervous system vasculitis and polyneuropathy as first manifestations of hepatitis C. <i>World Journal of Gastroenterology</i> , 2012 , 18, 188-91	5.6	12
24	Validation and comparison of simple noninvasive models for the prediction of liver fibrosis in chronic hepatitis C. <i>Annals of Hepatology</i> , 2012 , 11, 855-61	3.1	18
23	Cholestasis as the initial presentation of relapsing polychondritis. <i>Annals of Hepatology</i> , 2011 , 10, 565-567	3.1	0
22	Clinical and epidemiological profile of blood donors with positive serology for viral hepatitis in southern Brazil. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2011 , 44, 269-73	1.5	4
21	Evidence of a significant role for Fas-mediated apoptosis in HCV clearance during pegylated interferon plus ribavirin combination therapy. <i>Antiviral Therapy</i> , 2011 , 16, 291-8	1.6	4
20	Impact of CD4+ T-cell count on the performance of non-invasive fibrosis markers in HIV-HCV patients. <i>Alimentary Pharmacology and Therapeutics</i> , 2011 , 33, 1173-4; author reply 1174-5	6.1	5

19	Epidemiology of hepatitis C virus infection. <i>Revista Da Associação Médica Brasileira</i> , 2011 , 57, 105-110	1.4	7
18	Clinical characteristics associated with hepatic steatosis on ultrasonography in patients with elevated alanine aminotransferase. <i>Sao Paulo Medical Journal</i> , 2010 , 128, 342-7	1.6	7
17	Gender influence on treatment of chronic hepatitis C genotype 1. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2010 , 43, 217-23	1.5	26
16	YKL-40 and hyaluronic acid (HA) as noninvasive markers of liver fibrosis in kidney transplant patients with HCV chronic infection. <i>Scandinavian Journal of Gastroenterology</i> , 2010 , 45, 615-22	2.4	14
15	Prediction of significant liver fibrosis in kidney transplant patients with chronic hepatitis C virus infection: the TX-3 index. <i>Journal of Viral Hepatitis</i> , 2010 , 17, 391-9	3.4	3
14	Clinical and histological impact of previous hepatitis B virus infection in patients with chronic hepatitis C. <i>Liver International</i> , 2009 , 29, 133-40	7.9	7
13	Antinuclear antibody positivity in patients with chronic hepatitis C: clinically relevant or an epiphenomenon?. <i>European Journal of Gastroenterology and Hepatology</i> , 2009 , 21, 350-6	2.2	30
12	Antinuclear antibody positivity in patients with chronic hepatitis C: clinically relevant or an epiphenomenon?. <i>European Journal of Gastroenterology and Hepatology</i> , 2009 , 21, 440-6	2.2	10
11	Optimized cutoffs improve performance of the aspartate aminotransferase to platelet ratio index for predicting significant liver fibrosis in human immunodeficiency virus/hepatitis C virus co-infection. <i>Liver International</i> , 2008 , 28, 486-93	7.9	33
10	Serum levels of YKL-40 and hyaluronic acid as noninvasive markers of liver fibrosis in haemodialysis patients with chronic hepatitis C virus infection. <i>Journal of Viral Hepatitis</i> , 2008 , 15, 666-74	3.4	31
9	Anti-hepatitis C virus-positive blood donors: are women any different?. <i>Transfusion Medicine</i> , 2008 , 18, 175-83	1.3	9
8	Anti-HCV reactive blood donors: clinical and epidemiological factors associated with false-reactive results. <i>European Journal of Gastroenterology and Hepatology</i> , 2008 , 20, 1071-6	2.2	6
7	Diarréia como manifestação inicial de lúpus eritematoso sistêmico. <i>Revista Brasileira De Reumatologia</i> , 2008 , 48, 184-187		
6	Impact of cyclosporine-based immunosuppressive therapy on liver histology of hepatitis C virus-infected renal transplant patients. <i>Hepatology</i> , 2008 , 48, 348-9	11.2	10
5	Distinguishing nonalcoholic fatty liver disease from alcoholic liver disease: is ANI enough?. <i>Gastroenterology</i> , 2007 , 132, 2076-7; author reply 2077-8	13.3	
4	Bilateral adrenal histoplasmosis in an immunocompetent man. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2007 , 40, 230-3	1.5	11
3	Expanding the applicability of noninvasive fibrosis markers in HIV/HCV co-infected patients. <i>Hepatology</i> , 2007 , 45, 257-8	11.2	7
2	Simple blood tests as noninvasive markers of liver fibrosis in hemodialysis patients with chronic hepatitis C virus infection. <i>Hepatology</i> , 2007 , 46, 307-14	11.2	57

- ¹ Interferon-alpha therapy within the first year after acute hepatitis C infection in hemodialysis patients: efficacy and tolerance. *European Journal of Gastroenterology and Hepatology*, **2007**, 19, 119-23 ^{2,2} 14