Armando Almeida

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5379047/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Predictive value of quantitative sensory testing for acute and chronic postsurgical pain after total joint arthroplasty: a systematic review. Pain, 2022, 163, e385-e400.	4.2	10
2	A New Gal in Town: A Systematic Review of the Role of Galanin and Its Receptors in Experimental Pain. Cells, 2022, 11, 839.	4.1	8
3	Sucrose intake and preference by Wistar Han rats are not influenced by sex or food/water deprivation. Pharmacology Biochemistry and Behavior, 2022, 216, 173387.	2.9	14
4	Emotional and cognitive impairments in the peripheral nerve chronic constriction injury model (CCI) of neuropathic pain: A systematic review. Behavioural Brain Research, 2021, 399, 113008.	2.2	19
5	Nociceptive, emotional, electrophysiological, and histological characterization of the chronic constriction injury model in female Wistar Han rats. Brain Research Bulletin, 2021, 167, 56-70.	3.0	5
6	Chronic pain susceptibility is associated with anhedonic behavior and alterations in the accumbal ubiquitin-proteasome system. Pain, 2021, 162, 1722-1731.	4.2	4
7	Modulating inflammation through the neutralization of Interleukin-6 and tumor necrosis factor-α by biofunctionalized nanoparticles. Journal of Controlled Release, 2021, 331, 491-502.	9.9	9
8	Prevalence and Interference of Chronic Pain Among People With Hemophilia: A Systematic Review and Meta-Analysis. Journal of Pain, 2021, 22, 1134-1145.	1.4	12
9	Correlation between pain severity and levels of anxiety and depression in osteoarthritis patients: a systematic review and meta-analysis. Rheumatology, 2021, 61, 53-75.	1.9	48
10	Effectiveness of hypnosis for pain and health-related quality-of-life among people with hemophilia: Three-month outcomes of a randomized controlled pilot trial. Complementary Therapies in Clinical Practice, 2021, 45, 101486.	1.7	3
11	A biocompatible and injectable hydrogel to boost the efficacy of stem cells in neurodegenerative diseases treatment. Life Sciences, 2021, 287, 120108.	4.3	8
12	Pain Prevalence, Characteristics, and Impact Among People with Hemophilia: Findings from the First Portuguese Survey and Implications for Pain Management. Pain Medicine, 2020, 21, 458-471.	1.9	17
13	High trait impulsivity potentiates the effects of chronic pain on impulsive behavior. Neurobiology of Pain (Cambridge, Mass), 2020, 7, 100042.	2.5	10
14	Mesocorticolimbic monoamines in a rodent model of chronic neuropathic pain. Neuroscience Letters, 2020, 737, 135309.	2.1	2
15	Insights on nervous system biology and anatomy. , 2020, , 1-28.		2
16	Unilateral accumbal dopamine depletion affects decision-making in a side-specific manner. Experimental Neurology, 2020, 327, 113221.	4.1	5
17	Chronic pain impact on rodents' behavioral repertoire. Neuroscience and Biobehavioral Reviews, 2020, 119, 101-127.	6.1	23
18	Unmasking the relevance of hemispheric asymmetries—Break on through (to the other side). Progress in Neurobiology, 2020, 192, 101823.	5.7	29

#	Article	IF	CITATIONS
19	Effectiveness of hypnosis for pain management and promotion of health-related quality-of-life among people with haemophilia: a randomised controlled pilot trial. Scientific Reports, 2019, 9, 13399.	3.3	11
20	MORPhA Scale: Behavioral and electroencephalographic validation of a rodent anesthesia scale. Journal of Neuroscience Methods, 2019, 324, 108304.	2.5	9
21	A multidimensional concept for mercury neuronal and sensory toxicity in fish - From toxicokinetics and biochemistry to morphometry and behavior. Biochimica Et Biophysica Acta - General Subjects, 2019, 1863, 129298.	2.4	36
22	Asymmetrical subcortical plasticity entails cognitive progression in older individuals. Aging Cell, 2019, 18, e12857.	6.7	11
23	Evidence for lack of direct causality between pain and affective disturbances in a rat peripheral neuropathy model. Genes, Brain and Behavior, 2019, 18, e12542.	2.2	17
24	Sociodemographic, Clinical, and Psychosocial Characteristics of People with Hemophilia in Portugal: Findings from the First National Survey. TH Open, 2018, 02, e54-e67.	1.4	15
25	Psychological factors predict an unfavorable pain trajectory after hysterectomy: a prospective cohort study on chronic postsurgical pain. Pain, 2018, 159, 956-967.	4.2	26
26	Brain morphometric profiles and their seasonal modulation in fish (Liza aurata) inhabiting a mercury contaminated estuary. Environmental Pollution, 2018, 237, 318-328.	7.5	7
27	Trait determinants of impulsive behavior: a comprehensive analysis of 188 rats. Scientific Reports, 2018, 8, 17666.	3.3	11
28	A new measure to assess pain in people with haemophilia: The Multidimensional Haemophilia Pain Questionnaire (MHPQ). PLoS ONE, 2018, 13, e0207939.	2.5	14
29	Functional Hemispheric (A)symmetries in the Aged Brain—Relevance for Working Memory. Frontiers in Aging Neuroscience, 2018, 10, 58.	3.4	10
30	Metals(loids) targeting fish eyes and brain in a contaminated estuary - Uncovering neurosensory (un)susceptibility through bioaccumulation, antioxidant and morphometric profiles. Marine Environmental Research, 2018, 140, 403-411.	2.5	3
31	Emotional distress in haemophilia: Factors associated with the presence of anxiety and depression symptoms among adults. Haemophilia, 2018, 24, e344-e353.	2.1	20
32	Predictors of Acute Postsurgical Pain After Inguinal Hernioplasty. Journal of Pain, 2017, 18, 947-955.	1.4	13
33	Minocycline reduces mechanical allodynia and depressive-like behaviour in type-1 diabetes mellitus in the rat. Behavioural Brain Research, 2017, 327, 1-10.	2.2	22
34	The medullary dorsal reticular nucleus as a relay for descending pronociception induced by the mGluR5 in the rat infralimbic cortex. Neuroscience, 2017, 349, 341-354.	2.3	10
35	Structural laterality is associated with cognitive and mood outcomes: An assessment of 105 healthy aged volunteers. NeuroImage, 2017, 153, 86-96.	4.2	23
36	Effectiveness of two psychological interventions for pain management, emotional regulation and promotion of quality of life among adult Portuguese men with haemophilia (PSY-HaEMOPEQ): study protocol for a single-centre prospective randomised controlled trial. BMJ Open, 2017, 7, e016973.	1.9	7

Armando Almeida

#	Article	IF	CITATIONS
37	Pawedness Trait Test (PaTRaT)—A New Paradigm to Evaluate Paw Preference and Dexterity in Rats. Frontiers in Behavioral Neuroscience, 2017, 11, 192.	2.0	11
38	A comparison of predictors and intensity of acute postsurgical pain in patients undergoing total hip and knee arthroplasty. Journal of Pain Research, 2017, Volume 10, 1087-1098.	2.0	20
39	Unveiling the neurotoxicity of methylmercury in fish (Diplodus sargus) through a regional morphometric analysis of brain and swimming behavior assessment. Aquatic Toxicology, 2016, 180, 320-333.	4.0	21
40	Inorganic mercury accumulation in brain following waterborne exposure elicits a deficit on the number of brain cells and impairs swimming behavior in fish (white seabream—Diplodus sargus). Aquatic Toxicology, 2016, 170, 400-412.	4.0	50
41	Metabotropic glutamate 5 receptor in the infralimbic cortex contributes to descending pain facilitation in healthy and arthritic animals. Neuroscience, 2016, 312, 108-119.	2.3	22
42	Animal Models for the Study of Comorbid Pain and Psychiatric Disorders. Modern Problems of Pharmacopsychiatry, 2015, 30, 1-21.	2.5	35
43	Galanin-Mediated Behavioural Hyperalgesia from the Dorsomedial Nucleus of the Hypothalamus Involves Two Independent Descending Pronociceptive Pathways. PLoS ONE, 2015, 10, e0142919.	2.5	12
44	A new page on the road book of inorganic mercury in fish body – tissue distribution and elimination following waterborne exposure and post-exposure periods. Metallomics, 2015, 7, 525-535.	2.4	27
45	Differential Predictors of Acute Post-Surgical Pain Intensity After Abdominal Hysterectomy and Major Joint Arthroplasty. Annals of Behavioral Medicine, 2015, 49, 384-397.	2.9	34
46	Longitudinal evaluation, acceptability and long-term retention of knowledge on a horizontally integrated organic and functional systems course. Perspectives on Medical Education, 2015, 4, 191-195.	3.5	3
47	A Role of Supraspinal Galanin in Behavioural Hyperalgesia in the Rat. PLoS ONE, 2014, 9, e113077.	2.5	11
48	Fish eyes and brain as primary targets for mercury accumulation — A new insight on environmental risk assessment. Science of the Total Environment, 2014, 494-495, 290-298.	8.0	33
49	Selective impact of Tau loss on nociceptive primary afferents and pain sensation. Experimental Neurology, 2014, 261, 486-493.	4.1	15
50	Asymmetric c-Fos Expression in the Ventral Orbital Cortex is Associated with Impaired Reversal Learning in a Right-Sided Neuropathy. Molecular Pain, 2014, 10, 1744-8069-10-41.	2.1	30
51	Amitriptyline reverses hyperalgesia and improves associated mood-like disorders in a model of experimental monoarthritis. Behavioural Brain Research, 2014, 265, 12-21.	2.2	37
52	Benefits of Spine Stabilization with Biodegradable Scaffolds in Spinal Cord Injured Rats. Tissue Engineering - Part C: Methods, 2013, 19, 101-108.	2.1	20
53	Looking at the aquatic contamination through fish eyes – A faithful picture based on metals burden. Marine Pollution Bulletin, 2013, 77, 375-379.	5.0	13
54	Development and Characterization of a <scp>PHB</scp> â€ <scp>HV</scp> â€based 3 <scp>D</scp> Scaffold for a Tissue Engineering and Cellâ€therapy Combinatorial Approach for Spinal Cord Injury Regeneration. Macromolecular Bioscience, 2013, 13, 1576-1592.	4.1	47

#	Article	IF	CITATIONS
55	Pronociception from the dorsomedial nucleus of the hypothalamus is mediated by the rostral ventromedial medulla in healthy controls but is absent in arthritic animals. Brain Research Bulletin, 2013, 99, 100-108.	3.0	14
56	Microglia Response and In Vivo Therapeutic Potential of Methylprednisolone‣oaded Dendrimer Nanoparticles in Spinal Cord Injury. Small, 2013, 9, 738-749.	10.0	91
57	Predictors of Acute Postsurgical Pain and Anxiety Following Primary Total Hip and Knee Arthroplasty. Journal of Pain, 2013, 14, 502-515.	1.4	105
58	Pronociceptive changes in the activity of rostroventromedial medulla (RVM) pain modulatory cells in the streptozotocin-diabetic rat. Brain Research Bulletin, 2013, 96, 39-44.	3.0	42
59	Pre―and postâ€surgical factors that predict the provision of rescue analgesia following hysterectomy. European Journal of Pain, 2013, 17, 423-433.	2.8	22
60	Persistent pain after total knee or hip arthroplasty: differential study of prevalence, nature, and impact. Journal of Pain Research, 2013, 6, 691.	2.0	38
61	Risk Factors for Moderate and Severe Persistent Pain in Patients Undergoing Total Knee and Hip Arthroplasty: A Prospective Predictive Study. PLoS ONE, 2013, 8, e73917.	2.5	100
62	Variable delay-to-signal: a fast paradigm for assessment of aspects of impulsivity in rats. Frontiers in Behavioral Neuroscience, 2013, 7, 154.	2.0	24
63	Risk Factors for Persistent Postsurgical Pain in Women Undergoing Hysterectomy Due to Benign Causes: A Prospective Predictive Study. Journal of Pain, 2012, 13, 1045-1057.	1.4	89
64	Understanding pre-surgical predictors of acute pain experience following hysterectomy for benign causes: Conceptual and methodological issues. Pain, 2012, 153, 1974-1976.	4.2	3
65	Differential effects of left/right neuropathy on rats' anxiety and cognitive behavior. Pain, 2012, 153, 2218-2225.	4.2	74
66	The mediating role of pain catastrophizing in the relationship between presurgical anxiety and acute postsurgical pain after hysterectomy. Pain, 2012, 153, 218-226.	4.2	113
67	Response properties of nociceptive neurons in the caudal ventrolateral medulla (CVLM) in monoarthritic and healthy control rats: Modulation of responses by the paraventricular nucleus of the hypothalamus (PVN). Brain Research Bulletin, 2011, 86, 82-90.	3.0	19
68	Pharmacological versus microvascular decompression approaches for the treatment of trigeminal neuralgia: clinical outcomes and direct costs. Journal of Pain Research, 2011, 4, 233.	2.0	26
69	The selective COX-2 inhibitor Etoricoxib reduces acute inflammatory markers in a model of neurogenic laryngitis but loses its efficacy with prolonged treatment. Inflammation Research, 2010, 59, 743-753.	4.0	8
70	Effectiveness of the association between carbamazepine and peripheral analgesic block with ropivacaine for the treatment of trigeminal neuralgia. Journal of Pain Research, 2010, 3, 201.	2.0	24
71	Development and Characterization of a Novel Hybrid Tissue Engineering–Based Scaffold for Spinal Cord Injury Repair. Tissue Engineering - Part A, 2010, 16, 45-54.	3.1	103
72	Influence of amygdaloid glutamatergic receptors on sensory and emotional pain-related behavior in the neuropathic rat. Behavioural Brain Research, 2010, 209, 174-178.	2.2	45

#	Article	IF	CITATIONS
73	Enhanced pronociception by amygdaloid group I metabotropic glutamate receptors in nerve-injured animals. Experimental Neurology, 2009, 216, 66-74.	4.1	35
74	The impact of age on emotional and cognitive behaviours triggered by experimental neuropathy in rats. Pain, 2009, 144, 57-65.	4.2	115
75	Antinociception Induced by Chronic Glucocorticoid Treatment is Correlated to Local Modulation of Spinal Neurotransmitter Content. Molecular Pain, 2009, 5, 1744-8069-5-41.	2.1	24
76	A New Model of Laryngitis: Neuropeptide, Cyclooxygenase, and Cytokine Profile. Laryngoscope, 2008, 118, 78-86.	2.0	13
77	Influence of arthritis on descending modulation of nociception from the paraventricular nucleus of the hypothalamus. Brain Research, 2008, 1197, 63-75.	2.2	29
78	Neuropathic pain is associated with depressive behaviour and induces neuroplasticity in the amygdala of the rat. Experimental Neurology, 2008, 213, 48-56.	4.1	158
79	Gabapentin Supplemented With Ropivacain Block of Trigger Points Improves Pain Control and Quality of Life in Trigeminal Neuralgia Patients When Compared With Gabapentin Alone. Clinical Journal of Pain, 2008, 24, 64-75.	1.9	68
80	Novel applications of common stereology software to represent the complete distribution, density and spatial organization of anterogradely labelled fibers in neuroanatomical tract-tracing studies. Journal of Neuroscience Methods, 2007, 163, 17-23.	2.5	4
81	Pronociceptive changes in response properties of rostroventromedial medullary neurons in a rat model of peripheral neuropathy. European Journal of Neuroscience, 2007, 26, 2188-2195.	2.6	51
82	Medullary control of nociceptive transmission: Reciprocal dual communication with the spinal cord. Drug Discovery Today Disease Mechanisms, 2006, 3, 305-312.	0.8	19
83	Brain projections from the medullary dorsal reticular nucleus: An anterograde and retrograde tracing study in the rat. Neuroscience, 2006, 140, 577-595.	2.3	61
84	Distribution of neuromuscular junctions in laryngeal and syringeal muscles in vertebrates. The Anatomical Record Part A: Discoveries in Molecular, Cellular, and Evolutionary Biology, 2006, 288A, 543-551.	2.0	4
85	Chapter 13 Descending inhibitory systems. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2006, 81, 179-192.	1.8	67
86	Intraepithelial Nerve Fibers Project Into the Lumen of the Larynx. Laryngoscope, 2004, 114, 1074-1077.	2.0	6
87	Chronic unpredictable stress inhibits nociception in male rats. Neuroscience Letters, 2004, 359, 73-76.	2.1	40
88	The medullary dorsal reticular nucleus enhances the responsiveness of spinal nociceptive neurons to peripheral stimulation in the rat. European Journal of Neuroscience, 2003, 18, 580-588.	2.6	37
89	Brain afferents to the lateral caudal ventrolateral medulla: a retrograde and anterograde tracing study in the rat. Neuroscience, 2003, 120, 485-498.	2.3	32
90	The medullary dorsal reticular nucleus as a pronociceptive centre of the pain control system. Progress in Neurobiology, 2002, 66, 81-108.	5.7	123

6

#	Article	IF	CITATIONS
91	Tract Tracing Methods at the Ultrastructural Level. , 2002, , 221-234.		0
92	Brain afferents to the medullary dorsal reticular nucleus: a retrograde and anterograde tracing study in the rat. European Journal of Neuroscience, 2002, 16, 81-95.	2.6	48
93	Projection sites of superficial and deep spinal dorsal horn cells in the nucleus tractus solitarii of the rat. Brain Research, 2001, 921, 195-205.	2.2	50
94	Reciprocal connections between the medullary dorsal reticular nucleus and the spinal dorsal horn in the rat. European Journal of Pain, 2000, 4, 373-387.	2.8	26
95	The medullary dorsal reticular nucleus facilitates pain behaviour induced by formalin in the rat. European Journal of Neuroscience, 1999, 11, 110-122.	2.6	70
96	Activation by Cutaneous or Visceral Noxious Stimulation of Spinal Neurons Projecting to the Medullary Dorsal Reticular Nucleus in the Rat: Ac-fosStudy. European Journal of Neuroscience, 1997, 9, 686-695.	2.6	32
97	Lesions of the caudal ventrolateral medulla block the hypertension-induced inhibition of noxious-evoked c-fos expression in the rat spinal cord. European Journal of Pain, 1997, 1, 149-160.	2.8	25
98	The medullary dorsal reticular nucleus facilitates acute nociception in the rat. Brain Research Bulletin, 1996, 39, 7-15.	3.0	62
99	Projection sites of superficial or deep dorsal horn in the dorsal reticular nucleus. NeuroReport, 1995, 6, 1245-1248.	1.2	28
100	Descending projections from the medullary dorsal reticular nucleus make synaptic contacts with spinal cord lamina I cells projecting to that nucleus: An electron microscopic tracer study in the rat. Neuroscience, 1993, 55, 1093-1106.	2.3	56
101	Nociceptive, emotional and electrophysiological characterization of the chronic constriction injury model of experimental traumatic neuropathic pain in female Wistar Han rats Frontiers in Cellular Neuroscience, 0, 13, .	3.7	1