Adam G Tabak

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5379499/adam-g-tabak-publications-by-year.pdf

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66
papers3,904
citations27
h-index62
g-index71
ext. papers4,972
ext. citations10.5
avg, IF5.31
L-index

#	Paper	IF	Citations
66	Urinary Biomarkers of Oxidative Stress in Aging: Implications for Prediction of Accelerated Biological Age in Prospective Cohort Studies <i>Oxidative Medicine and Cellular Longevity</i> , 2022 , 2022, 61	16726	
65	Serum transthyretin and risk of cognitive decline and dementia: 22-year longitudinal study. <i>Neurological Sciences</i> , 2021 , 42, 5093-5100	3.5	1
64	Association Between Age at Diabetes Onset and Subsequent Risk of Dementia. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 325, 1640-1649	27.4	22
63	Association of Cardiovascular Autonomic Neuropathy and Distal Symmetric Polyneuropathy with All-Cause Mortality: A Retrospective Cohort Study. <i>Journal of Diabetes Research</i> , 2021 , 2021, 6662159	3.9	O
62	Association between change in cardiovascular risk scores and future cardiovascular disease: analyses of data from the Whitehall II longitudinal, prospective cohort study. <i>The Lancet Digital Health</i> , 2021 , 3, e434-e444	14.4	3
61	Comparison of clinical characteristics of patients with pandemic SARS-CoV-2-related and community-acquired pneumonias in Hungary - a pilot historical case-control study. <i>GeroScience</i> , 2021 , 43, 53-64	8.9	0
60	Obesity-induced cognitive impairment in older adults: a microvascular perspective. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2021 , 320, H740-H761	5.2	15
59	Pathophysiology-based subphenotyping of individuals at elevated risk for type 2 diabetes. <i>Nature Medicine</i> , 2021 , 27, 49-57	50.5	68
58	Heart Rate and Heart Rate Variability Changes Are Not Related to Future Cardiovascular Disease and Death in People With and Without Dysglycemia: A Downfall of Risk Markers? The Whitehall II Cohort Study. <i>Diabetes Care</i> , 2021 , 44, 1012-1019	14.6	1
57	Association of daily composition of physical activity and sedentary behaviour with incidence of cardiovascular disease in older adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021 , 18, 83	8.4	5
56	Cognitive stimulation in the workplace, plasma proteins, and risk of dementia: three analyses of population cohort studies. <i>BMJ, The</i> , 2021 , 374, n1804	5.9	5
55	Appetite disinhibition rather than hunger explains genetic effects on adult BMI trajectory. <i>International Journal of Obesity</i> , 2021 , 45, 758-765	5.5	2
54	The Effect of Prior Gestational Diabetes on the Shape of the Glucose Response Curve during an Oral Glucose Tolerance Test 3 Years after Delivery. <i>Journal of Diabetes Research</i> , 2020 , 2020, 4315806	3.9	1
53	Association between pre-diabetes and microvascular and macrovascular disease in newly diagnosed type 2 diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	17
52	Efficacy and Safety of iGlarLixi, Fixed-Ratio Combination of Insulin Glargine and Lixisenatide, Compared with Basal-Bolus Regimen in Patients with Typel [®] Diabetes: Propensity Score Matched Analysis. <i>Diabetes Therapy</i> , 2020 , 11, 305-318	3.6	8
51	Association of moderate and vigorous physical activity with incidence of type 2 diabetes and subsequent mortality: 27 year follow-up of the Whitehall II study. <i>Diabetologia</i> , 2020 , 63, 537-548	10.3	9
50	Reversion from prediabetes to normoglycaemia and risk of cardiovascular disease and mortality: the Whitehall II cohort study. <i>Diabetologia</i> , 2019 , 62, 1385-1390	10.3	26

(2017-2019)

49	Heart Rate, Autonomic Function, and Future Changes in Glucose Metabolism in Individuals Without Diabetes: The Whitehall II Cohort Study. <i>Diabetes Care</i> , 2019 , 42, 867-874	14.6	8
48	5-year versus risk-category-specific screening intervals for cardiovascular disease prevention: a cohort study. <i>Lancet Public Health, The</i> , 2019 , 4, e189-e199	22.4	15
47	Risk of Cardiovascular Disease and Death in Individuals With Prediabetes Defined by Different Criteria: The Whitehall II Study. <i>Diabetes Care</i> , 2018 , 41, 899-906	14.6	67
46	Does addressing prediabetes help to improve population health?. <i>Lancet Diabetes and Endocrinology,the</i> , 2018 , 6, 354-356	18.1	4
45	Clinical, socioeconomic, and behavioural factors at age 50 years and risk of cardiometabolic multimorbidity and mortality: A cohort study. <i>PLoS Medicine</i> , 2018 , 15, e1002571	11.6	41
44	Neighbourhood socioeconomic disadvantage, risk factors, and diabetes from childhood to middle age in the Young Finns Study: a cohort study. <i>Lancet Public Health, The</i> , 2018 , 3, e365-e373	22.4	51
43	Oxidative-Nitrative Stress and Poly (ADP-Ribose) Polymerase Activation 3 Years after Pregnancy. <i>Oxidative Medicine and Cellular Longevity</i> , 2018 , 2018, 1743253	6.7	4
42	Impact of genetic influence on serum total- and free 25-hydroxyvitamin-D in humans. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2018 , 183, 62-67	5.1	9
41	The role of serum total and free 25-hydroxyvitamin D and PTH values in defining vitamin D status at the end of winter: a representative survey. <i>Journal of Bone and Mineral Metabolism</i> , 2017 , 35, 83-90	2.9	12
40	Nondiabetic Glucometabolic Status and Progression of Aortic Stiffness: The Whitehall II Study. <i>Diabetes Care</i> , 2017 , 40, 599-606	14.6	26
39	Trajectories of glycaemia, insulin sensitivity and insulin secretion in South Asian and white individuals before diagnosis of type 2 diabetes: a longitudinal analysis from the Whitehall II cohort study. <i>Diabetologia</i> , 2017 , 60, 1252-1260	10.3	42
38	The Relationship between 25-hydroxyvitamin D Levels, Insulin Sensitivity and Insulin Secretion in Women 3 Years after Delivery. <i>Canadian Journal of Diabetes</i> , 2017 , 41, 621-627	2.1	4
37	Overweight, obesity, and risk of cardiometabolic multimorbidity: pooled analysis of individual-level data for 120 813 adults from 16 cohort studies from the USA and Europe. <i>Lancet Public Health, The</i> , 2017 , 2, e277-e285	22.4	214
36	Adiponectin, biomarkers of inflammation and changes in cardiac autonomic function: Whitehall II study. <i>Cardiovascular Diabetology</i> , 2017 , 16, 153	8.7	27
35	Physical Activity and Improvement of Glycemia in Prediabetes by Different Diagnostic Criteria. Journal of Clinical Endocrinology and Metabolism, 2017 , 102, 3712-3721	5.6	10
34	Physical Activity, Sedentary Behavior, and Long-Term Changes in Aortic Stiffness: The Whitehall II Study. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	38
33	Excessive fuel availability amplifies the FTO-mediated obesity risk: results from the TUEF and Whitehall II studies. <i>Scientific Reports</i> , 2017 , 7, 15486	4.9	5
32	Large increase in the prevalence of self-reported diabetes based on a nationally representative survey in Hungary. <i>Primary Care Diabetes</i> , 2017 , 11, 107-111	2.4	7

31	Heterogeneity in glucose response curves during an oral glucose tolerance test and associated cardiometabolic risk. <i>Endocrine</i> , 2017 , 55, 427-434	4	18
30	Long working hours as a risk factor for atrial fibrillation: a multi-cohort study. <i>European Heart Journal</i> , 2017 , 38, 2621-2628	9.5	49
29	Metabolic Syndrome and Symptom Resolution in Depression: A 5-Year Follow-Up of Older Adults. Journal of Clinical Psychiatry, 2017 , 78, e1-e7	4.6	23
28	Biomarkers of subclinical inflammation and increases in glycaemia, insulin resistance and beta-cell function in non-diabetic individuals: the Whitehall II study. <i>European Journal of Endocrinology</i> , 2016 , 175, 367-77	6.5	40
27	Association of affective temperaments with blood pressure and arterial stiffness in hypertensive patients: a cross-sectional study. <i>BMC Cardiovascular Disorders</i> , 2016 , 16, 158	2.3	22
26	Breech presentation: its predictors and consequences. An analysis of the Hungarian Tauffer Obstetric Database (1996-2011). <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2016 , 95, 347-54	3.8	16
25	Little Change in Diet After Onset of Type 2 Diabetes, Metabolic Syndrome, and Obesity in Middle-Aged Adults: 11-Year Follow-up Study. <i>Diabetes Care</i> , 2016 , 39, e29-30	14.6	3
24	Job insecurity and risk of diabetes: a meta-analysis of individual participant data. <i>Cmaj</i> , 2016 , 188, E447	- <u>Б</u> 4555	29
23	Change in Sleep Duration and Type 2 Diabetes: The Whitehall II Study. <i>Diabetes Care</i> , 2015 , 38, 1467-72	14.6	46
22	Sex-Specific Effects of Adiponectin on Carotid Intima-Media Thickness and Incident Cardiovascular Disease. <i>Journal of the American Heart Association</i> , 2015 , 4, e001853	6	25
21	Lifetime hypertension as a predictor of brain structure in older adults: cohort study with a 28-year follow-up. <i>British Journal of Psychiatry</i> , 2015 , 206, 308-15	5.4	32
20	Independent and combined effects of physical activity and body mass index on the development of Type 2 Diabetes - a meta-analysis of 9 prospective cohort studies. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015 , 12, 147	8.4	37
19	Work Disability among Employees with Diabetes: Latent Class Analysis of Risk Factors in Three Prospective Cohort Studies. <i>PLoS ONE</i> , 2015 , 10, e0143184	3.7	12
18	Heterogeneous effect of gestational weight gain on birth weight: quantile regression analysis from a population-based screening. <i>Annals of Epidemiology</i> , 2015 , 25, 133-7, 137.e1	6.4	4
17	Psychological distress and incidence of type 2 diabetes in high-risk and low-risk populations: the Whitehall II Cohort Study. <i>Diabetes Care</i> , 2014 , 37, 2091-7	14.6	35
16	Personality and risk of diabetes in adults: pooled analysis of 5 cohort studies. <i>Health Psychology</i> , 2014 , 33, 1618-21	5	101
15	Generalizability of occupational cohort study findings. <i>Epidemiology</i> , 2014 , 25, 932-3	3.1	61
14	Obesity attenuates gender differences in cardiovascular mortality. <i>Cardiovascular Diabetology</i> , 2014 , 13, 144	8.7	24

LIST OF PUBLICATIONS

13	Patterns of obesity development before the diagnosis of type 2 diabetes: the Whitehall II cohort study. <i>PLoS Medicine</i> , 2014 , 11, e1001602	11.6	60
12	Genetic determinants of circulating interleukin-1 receptor antagonist levels and their association with glycemic traits. <i>Diabetes</i> , 2014 , 63, 4343-59	0.9	32
11	Effect of secular trends on age-related trajectories of cardiovascular risk factors: the Whitehall II longitudinal study 1985-2009. <i>International Journal of Epidemiology</i> , 2014 , 43, 866-77	7.8	20
10	Depression and type 2 diabetes: a causal association?. <i>Lancet Diabetes and Endocrinology,the</i> , 2014 , 2, 236-45	18.1	95
9	Midlife type 2 diabetes and poor glycaemic control as risk factors for cognitive decline in early old age: a post-hoc analysis of the Whitehall II cohort study. <i>Lancet Diabetes and Endocrinology,the</i> , 2014 , 2, 228-35	18.1	122
8	Trajectories of cardiometabolic risk factors before diagnosis of three subtypes of type 2 diabetes: a post-hoc analysis of the longitudinal Whitehall II cohort study. <i>Lancet Diabetes and Endocrinology,the</i> , 2013 , 1, 43-51	18.1	74
7	Association of lifecourse socioeconomic status with chronic inflammation and type 2 diabetes risk: the Whitehall II prospective cohort study. <i>PLoS Medicine</i> , 2013 , 10, e1001479	11.6	134
6	Prediabetes: a high-risk state for diabetes development. <i>Lancet, The</i> , 2012 , 379, 2279-90	40	1335
5	Prediabetes and the risk of diabetes Authors Vreply. Lancet, The, 2012, 380, 1226	40	
4	Adiponectin trajectories before type 2 diabetes diagnosis: Whitehall II study. <i>Diabetes Care</i> , 2012 , 35, 2540-7	14.6	41
3	Decline in low-density lipoprotein cholesterol concentration: lipid-lowering drugs, diet, or physical activity? Evidence from the Whitehall II study. <i>Heart</i> , 2011 , 97, 923-30	5.1	28
2	Noninvasive evaluation of neural impairment in subjects with impaired glucose tolerance. <i>Diabetes Care</i> , 2009 , 32, 181-3	14.6	64
1	Trajectories of glycaemia, insulin sensitivity, and insulin secretion before diagnosis of type 2 diabetes: an analysis from the Whitehall II study. <i>Lancet, The,</i> 2009 , 373, 2215-21	40	555