Marcello Ricardo Paulista Markus

List of Publications by Year in Descending Order

Source:

https://exaly.com/author-pdf/5379552/marcello-ricardo-paulista-markus-publications-by-year.pdf **Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

53	1,590	20	39
papers	citations	h-index	g-index
59	1,964	5.8	3.56
ext. papers	ext. citations	avg, IF	L-index

#	Paper	IF	Citations
53	Sphingosine-1-phosphate and vascular disease in the general population <i>Atherosclerosis</i> , 2022 , 350, 73-81	3.1	
52	Effects of Apolipoprotein E polymorphism on carotid intima-media thickness, incident myocardial infarction and incident stroke <i>Scientific Reports</i> , 2022 , 12, 5142	4.9	0
51	Lower Cardiorespiratory Fitness Is Associated With Right Ventricular Geometry and Function - The Sedentary's Heart: SHIP. <i>Journal of the American Heart Association</i> , 2021 , 10, e021116	6	2
50	Association of hepatic steatosis derived from ultrasound and quantitative MRI with prediabetes in the general population. <i>Scientific Reports</i> , 2021 , 11, 13276	4.9	1
49	Lower Cardiorespiratory Fitness Is Associated With a Smaller and Stiffer Heart: The Sedentary Heart. <i>JACC: Cardiovascular Imaging</i> , 2021 , 14, 310-313	8.4	4
48	Association of sex-specific differences in lipoprotein(a) concentrations with cardiovascular mortality in individuals with type 2 diabetes mellitus. <i>Cardiovascular Diabetology</i> , 2021 , 20, 168	8.7	3
47	Lower muscular strength is associated with smaller left and right chambers and lower cardiac mass in the general population - The Sedentary Heart. <i>Progress in Cardiovascular Diseases</i> , 2021 , 68, 36-51	8.5	1
46	Cardiac MRI shows an association of lower cardiorespiratory fitness with decreased myocardial mass and higher cardiac stiffness in the general population - The Sedentary Heart. <i>Progress in Cardiovascular Diseases</i> , 2021 , 68, 25-35	8.5	0
45	Cardiorespiratory Fitness and Gray Matter Volume in the Temporal, Frontal, and Cerebellar Regions in the General Population. <i>Mayo Clinic Proceedings</i> , 2020 , 95, 44-56	6.4	25
44	Glucose and insulin levels are associated with arterial stiffness and concentric remodeling of the heart. <i>Cardiovascular Diabetology</i> , 2019 , 18, 145	8.7	28
43	Sex-Specific Associations of Brain-Derived Neurotrophic Factor and Cardiorespiratory Fitness in the General Population. <i>Biomolecules</i> , 2019 , 9,	5.9	5
42	Changes in fat mass and fat-free-mass are associated with incident hypertension in four population-based studies from Germany. <i>International Journal of Cardiology</i> , 2019 , 274, 372-377	3.2	6
41	Evaluation of a new equation for LDL-c estimation and prediction of death by cardiovascular related events in a German population-based study cohort. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2018 , 78, 187-196	2	4
40	Prediabetes is associated with microalbuminuria, reduced kidney function and chronic kidney disease in the general population: The KORA (Cooperative Health Research in the Augsburg Region) F4-Study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018 , 28, 234-242	4.5	26
39	Hyperthyroxinemia is positively associated with prevalent and incident type 2 diabetes mellitus in two population-based samples from Northeast Germany and Denmark. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018 , 28, 173-179	4.5	9
38	Alcohol consumption and cardiorespiratory fitness in five population-based studies. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 164-172	3.9	7
37	Low-Circulating Homoarginine is Associated with Dilatation and Decreased Function of the Left Ventricle in the General Population. <i>Biomolecules</i> , 2018 , 8,	5.9	5

Domains of physical activity and brain volumes: A population-based study. NeuroImage, 2017, 156, 101-198) 36 8 Changes in Body Weight and Composition Are Associated With Changes in Left Ventricular Geometry and Function in the General Population: SHIP (Study of Health in Pomerania). Circulation: 19 35 3.9 Cardiovascular Imaging, 2017, 10, e005544 Prediabetes is associated with lower brain gray matter volume in the general population. The Study 4.5 12 34 of Health in Pomerania (SHIP). Nutrition, Metabolism and Cardiovascular Diseases, 2017, 27, 1114-1122 Comparison of traditional diabetes risk scores and HbA1c to predict type 2 diabetes mellitus in a 33 3.2 population based cohort study. Journal of Diabetes and Its Complications, 2017, 31, 1602-1607 Changes of individual perception in psychosocial stressors related to German reunification in 1989/1990 and cardiovascular risk factors and cardiovascular diseases in a population-based study 32 3 3 in East Germany. BMJ Open, 2016, 6, e008703 Association between hepatic steatosis and serum liver enzyme levels with atrial fibrillation in the 31 3.1 33 general population: The Study of Health in Pomerania (SHIP). Atherosclerosis, 2016, 245, 123-31 Association of PNPLA3 rs738409 and TM6SF2 rs58542926 with health services utilization in a 30 2.9 7 population-based study. BMC Health Services Research, 2016, 16, 41 Genome-Wide Association Study for Incident Myocardial Infarction and Coronary Heart Disease in 29 3.7 53 Prospective Cohort Studies: The CHARGE Consortium. PLoS ONE, 2016, 11, e0144997 Association of Serum Thyrotropin with Anthropometric Markers of Obesity in the General 28 6.2 17 Population. Thyroid, 2016, 26, 1205-14 Trends of barriers to eye care among adults with diagnosed diabetes in Germany, 1997-2012. 27 4.5 13 Nutrition, Metabolism and Cardiovascular Diseases, 2015, 25, 906-15 Light to Moderate Alcohol Consumption Is Associated With Lower Risk of Aortic Valve Sclerosis: The Study of Health in Pomerania (SHIP). Arteriosclerosis, Thrombosis, and Vascular Biology, 2015, 26 9.4 16 35, 1265-70 Angiopoietin-2, its soluble receptor Tie-2 and subclinical cardiovascular disease in a 18 5.1 population-based sample. Heart, 2015, 101, 178-84 Longitudinal effects of systemic inflammation markers on periodontitis. Journal of Clinical 24 7.7 59 Periodontology, 2015, 42, 988-97 Positive Association Between Adipose Tissue and Bone Stiffness. Calcified Tissue International, 23 3.9 2015, 97, 40-9 Long-term changes in body weight are associated with changes in blood pressure levels. Nutrition, 8 22 4.5 Metabolism and Cardiovascular Diseases, 2015, 25, 305-11 Genetic association study of QT interval highlights role for calcium signaling pathways in 36.3 199 21 myocardial repolarization. *Nature Genetics*, **2014**, 46, 826-36 Abdominal obesity modifies long-term associations between periodontitis and markers of systemic 20 3.1 27 inflammation. Atherosclerosis, 2014, 235, 351-7 Effects of smoking on arterial distensibility, central aortic pressures and left ventricular mass. 19 17 International Journal of Cardiology, 2013, 168, 2593-601

18	Long-term pattern of brain natriuretic peptide and N-terminal pro brain natriuretic peptide and its determinants in the general population: contribution of age, gender, and cardiac and extra-cardiac factors. <i>European Journal of Heart Failure</i> , 2013 , 15, 859-67	12.3	49
17	Future outpatient health-care utilisation in an ageing population: projections up to the year 2020 based on the Study of Health in Pomerania (SHIP). <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2013 , 21, 289-296	1.4	2
16	Identification of heart rate-associated loci and their effects on cardiac conduction and rhythm disorders. <i>Nature Genetics</i> , 2013 , 45, 621-31	36.3	219
15	Metformin inhibits goitrogenous effects of type 2 diabetes. <i>European Journal of Endocrinology</i> , 2013 , 169, 9-15	6.5	18
14	Hepatic steatosis is associated with aortic valve sclerosis in the general population: the Study of Health in Pomerania (SHIP). <i>Arteriosclerosis, Thrombosis, and Vascular Biology,</i> 2013 , 33, 1690-5	9.4	42
13	Psoriasis is associated with increased intima-media thicknessthe Study of Health in Pomerania (SHIP). <i>Atherosclerosis</i> , 2012 , 225, 486-90	3.1	34
12	A genome-wide association meta-analysis of circulating sex hormone-binding globulin reveals multiple Loci implicated in sex steroid hormone regulation. <i>PLoS Genetics</i> , 2012 , 8, e1002805	6	116
11	Waist Circumference and Cardiovascular Risk 2012 , 2137-2153		1
10	Incremental effects of endocrine and metabolic biomarkers and abdominal obesity on cardiovascular mortality prediction. <i>PLoS ONE</i> , 2012 , 7, e33084	3.7	21
9	Implications of prevalent and incident diabetes mellitus on left ventricular geometry and function in the ageing heart: the MONICA/KORA Augsburg cohort study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011 , 21, 189-96	4.5	12
8	Plasma aldosterone levels and aldosterone-to-renin ratios are associated with endothelial dysfunction in young to middle-aged subjects. <i>Atherosclerosis</i> , 2011 , 219, 875-9	3.1	18
7	The association of serum prolactin concentration with inflammatory biomarkers - cross-sectional findings from the population-based Study of Health in Pomerania. <i>Clinical Endocrinology</i> , 2011 , 75, 561-	63.4	24
6	Variation in body composition determines long-term blood pressure changes in pre-hypertension: the MONICA/KORA (Monitoring Trends and Determinants on Cardiovascular Diseases/Cooperative Research in the Region of Augsburg) cohort study. <i>Journal of the American College of Cardiology</i> ,	15.1	23
5	Association between degenerative aortic valve disease and long-term exposure to cardiovascular risk factors: results of the longitudinal population-based KORA/MONICA survey. <i>European Heart Journal</i> , 2009 , 30, 2044-53	9.5	145
4	The aging process of the heart: obesity is the main risk factor for left atrial enlargement during aging the MONICA/KORA (monitoring of trends and determinations in cardiovascular disease/cooperative research in the region of Augsburg) study. <i>Journal of the American College of</i>	15.1	138
3	Cardiology, 2009, 54, 1982-9 Implications of persistent prehypertension for ageing-related changes in left ventricular geometry and function: the MONICA/KORA Augsburg study. <i>Journal of Hypertension</i> , 2008, 26, 2040-9	1.9	53
2	Gender-related associations of increased body mass index with clinical and laboratory variables in individuals with no evidence of heart disease. <i>Arquivos Brasileiros De Cardiologia</i> , 2007 , 88, 624-9	1.2	6
1	Late failure of surgical treatment for bioprosthetic valve endocarditis due to Candida tropicalis. Clinical Infectious Diseases, 1996, 22, 380-1	11.6	9