

Yanhua Qi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5379566/publications.pdf>

Version: 2024-02-01

21
papers

1,976
citations

430874

18
h-index

713466

21
g-index

21
all docs

21
docs citations

21
times ranked

2493
citing authors

#	ARTICLE	IF	CITATIONS
1	OsRLR4 binds to the <i>OsAUX1</i> promoter to negatively regulate primary root development in rice. <i>Journal of Integrative Plant Biology</i> , 2022, 64, 118-134.	8.5	7
2	Advances in the Biological Functions of Auxin Transporters in Rice. <i>Agriculture (Switzerland)</i> , 2022, 12, 989.	3.1	5
3	A novel miR167a-OsARF6-OsAUX3 module regulates grain length and weight in rice. <i>Molecular Plant</i> , 2021, 14, 1683-1698.	8.3	61
4	Primary root and root hair development regulation by <i>OsAUX4</i> and its participation in the phosphate starvation response. <i>Journal of Integrative Plant Biology</i> , 2021, 63, 1555-1567.	8.5	20
5	OsmiR167a-targeted auxin response factors modulate tiller angle via fine-tuning auxin distribution in rice. <i>Plant Biotechnology Journal</i> , 2020, 18, 2015-2026.	8.3	64
6	The PROTEIN PHOSPHATASE4 Complex Promotes Transcription and Processing of Primary microRNAs in Arabidopsis. <i>Plant Cell</i> , 2019, 31, 486-501.	6.6	51
7	The auxin influx carrier, OsAUX3, regulates rice root development and responses to aluminium stress. <i>Plant, Cell and Environment</i> , 2019, 42, 1125-1138.	5.7	57
8	Gnp4/LAX2, a RAWUL protein, interferes with the OsIAA3-OsARF25 interaction to regulate grain length via the auxin signaling pathway in rice. <i>Journal of Experimental Botany</i> , 2018, 69, 4723-4737.	4.8	62
9	Concerted genomic targeting of H3K27 demethylase REF6 and chromatin-remodeling ATPase BRM in Arabidopsis. <i>Nature Genetics</i> , 2016, 48, 687-693.	21.4	193
10	The auxin transporter, OsAUX1, is involved in primary root and root hair elongation and in Cd stress responses in rice (<i>Oryza sativa</i> L.). <i>Plant Journal</i> , 2015, 83, 818-830.	5.7	144
11	The auxin response factor, OsARF19, controls rice leaf angles through positively regulating <i>OsGH5</i> and <i>OsBRI1</i> . <i>Plant, Cell and Environment</i> , 2015, 38, 638-654.	5.7	181
12	Auxin response factor (OsARF12), a novel regulator for phosphate homeostasis in rice (<i>Oryza sativa</i>). <i>New Phytologist</i> , 2014, 201, 91-103.	7.3	115
13	OsABC14 functions in auxin transport and iron homeostasis in rice (<i>Oryza</i>). <i>Journal of Experimental Botany</i> , 2014, 65, 107-117.	5.7	75
14	OsMOGS is required for N-glycan formation and auxin-mediated root development in rice (<i>Oryza sativa</i> L.). <i>Plant Journal</i> , 2014, 78, 632-645.	5.7	45
15	Rubisco decrease is involved in chloroplast protrusion and Rubisco-containing body formation in soybean (<i>Glycine max.</i>) under salt stress. <i>Plant Physiology and Biochemistry</i> , 2014, 74, 118-124.	5.8	65
16	OsARF16, a transcription factor, is required for auxin and phosphate starvation response in rice (<i>Oryza sativa</i> L.). <i>Plant, Cell and Environment</i> , 2013, 36, 607-620.	5.7	142
17	OsARF12, a transcription activator on auxin response gene, regulates root elongation and affects iron accumulation in rice (<i>Oryza sativa</i>). <i>New Phytologist</i> , 2012, 193, 109-120.	7.3	182
18	Analysis of subcellular localization of auxin carriers PIN, AUX/LAX and PGP in <i>Sorghum bicolor</i> . <i>Plant Signaling and Behavior</i> , 2011, 6, 2023-2025.	2.4	3

#	ARTICLE	IF	CITATIONS
19	Auxin-related gene families in abiotic stress response in <i>Sorghum bicolor</i> . <i>Functional and Integrative Genomics</i> , 2010, 10, 533-546.	3.5	240
20	Expression profile of PIN, AUX/LAX and PGP auxin transporter gene families in <i>Sorghum bicolor</i> under phytohormone and abiotic stress. <i>FEBS Journal</i> , 2010, 277, 2954-2969.	4.7	139
21	Functional analysis of the structural domain of ARF proteins in rice (<i>Oryza sativa</i> L.). <i>Journal of Experimental Botany</i> , 2010, 61, 3971-3981.	4.8	125