

Abdulaziz A Alhelal

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5379575/abdulaziz-a-alhelal-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

34
papers

328
citations

9
h-index

17
g-index

38
ext. papers

442
ext. citations

3
avg, IF

4
L-index

#	Paper	IF	Citations
34	Comparison of adhesive bond strength among fiber reinforced post and core with different cementation techniques: In vitro study. <i>Journal of Applied Biomaterials and Functional Materials</i> , 2021 , 19, 22808000211058867	1.8	
33	Application of Immediate Loaded Mini Dental Implants for Retaining Mandibular Overdenture Prosthesis in Edentulous Patients: A Systematic Review. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 10724	2.6	1
32	Disinfection efficacy and fracture strength of PMMA denture-based polymer with chlorhexidine, PDT utilizing Rose Bengal and hematoporphyrin, and Er, Cr: YSGG laser. <i>Photodiagnosis and Photodynamic Therapy</i> , 2021 , 102640	3.5	0
31	Bond Integrity of Titanium Surface to Resin Cement After Conditioning with Different Photobiomodulation Therapy (PBT). <i>Journal of Biomaterials and Tissue Engineering</i> , 2021 , 11, 970-975	0.3	
30	Clinical and immunological peri-implant parameters among cigarette and electronic smoking patients treated with photochemotherapy: A randomized controlled clinical trial. <i>Photodiagnosis and Photodynamic Therapy</i> , 2020 , 31, 101800	3.5	9
29	Clinical peri-implant health and biological bone marker levels in tobacco users treated with photodynamic therapy. <i>Photodiagnosis and Photodynamic Therapy</i> , 2020 , 31, 101821	3.5	2
28	Influence of different photosensitizers on push-out bond strength of fiber post to radicular dentin. <i>Photodiagnosis and Photodynamic Therapy</i> , 2020 , 31, 101805	3.5	20
27	An in vitro investigation comparing methods of minimizing excess luting agent for cement-retained implant-supported fixed partial dentures. <i>Journal of Prosthetic Dentistry</i> , 2020 , 124, 706-715	4	2
26	Assessment of advanced glycation end products in the peri-implant sulcular fluid among moderate cigarette-smokers and nonsmokers with peri-implantitis. <i>Clinical Implant Dentistry and Related Research</i> , 2020 , 22, 380-386	3.9	5
25	Influence of milling systems and marginal configurations on the fit of yttrium stabilized tetragonal zirconia polycrystals (Y-TZP) Copings. <i>Journal of Applied Biomaterials and Functional Materials</i> , 2020 , 18, 2280800020924514	1.8	0
24	Efficacy of Scaling and Root Planing with Photobiomodulation for Treating Periodontitis in Gutka Chewers: A Randomized Controlled Trial. <i>Photobiomodulation, Photomedicine, and Laser Surgery</i> , 2020 , 38, 545-551	2.8	2
23	Effect of Intraoral Mechanical Cleaning Techniques on Bond Strength of Cast Crowns to Metal Cores. <i>Journal of Prosthodontics</i> , 2020 , 29, 69-73	3.9	1
22	Selective implant scan body modification to restore severely tilted adjacent implants: A completely digital workflow. <i>Journal of Prosthetic Dentistry</i> , 2020 , 123, 38-41	4	2
21	Computer-engineered complete denture fabrication with conventional clinical steps: A technique to overcome protocol limitations. <i>Journal of Prosthetic Dentistry</i> , 2019 , 122, 430-434	4	2
20	Use of Implant-Supported Custom Milled Impression Copings to Capture Soft-Tissue Contours and Incisal Guidance. <i>Journal of Prosthodontics</i> , 2019 , 28, 473-479	3.9	1
19	Digital technology for performing a nasopalatine and greater palatine nerve block with a modified implant surgical guide: A technique article. <i>Journal of Prosthetic Dentistry</i> , 2018 , 120, 338-342	4	4
18	Effects of denture adhesive on the retention of milled and heat-activated maxillary denture bases: A clinical study. <i>Journal of Prosthetic Dentistry</i> , 2018 , 120, 361-366	4	9

17	Using Virtual Ridge Augmentation and 3-Dimensional Printing to Fabricate a Titanium Mesh Positioning Device: A Novel Technique Letter. <i>Journal of Oral Implantology</i> , 2018 , 44, 293-299	1.2	4
16	Obstructive Sleep Apnea Management: An Overview of the Literature. <i>Journal of Prosthodontics</i> , 2018 , 27, 260-265	3.9	14
15	Errors associated with digital preview of computer-engineered complete dentures and guidelines for reducing them: A technique article. <i>Journal of Prosthetic Dentistry</i> , 2018 , 119, 17-25	4	20
14	Predictable prosthetic space maintenance during staged complete-mouth rehabilitation. <i>Journal of Prosthetic Dentistry</i> , 2018 , 119, 7-11	4	
13	A technique for immediately restoring single dental implants with a CAD-CAM implant-supported crown milled from a poly(methyl methacrylate) block. <i>Journal of Prosthetic Dentistry</i> , 2018 , 119, 339-344 ⁴		3
12	Three-dimensional printing in contemporary fixed prosthodontics: A technique article. <i>Journal of Prosthetic Dentistry</i> , 2018 , 119, 530-534	4	19
11	The combination prosthesis: A digitally designed retrievable cement- and screw-retained implant-supported prosthesis. <i>Journal of Prosthetic Dentistry</i> , 2018 , 119, 535-539	4	6
10	Use of Patient's Own Natural Teeth as Part of the Interim Prosthesis on Immediately Placed Single Implants in a Staged Surgical Approach: A Clinical Report. <i>Journal of Oral Implantology</i> , 2018 , 44, 351-357 ^{1,2}		0
9	An Alternative Technique for the Fabrication of a Metal-Reinforced Interim Implant-Supported Fixed Prosthesis: A Clinical Report. <i>Journal of Prosthodontics</i> , 2017 , 26, 211-215	3.9	2
8	Clinical complications and quality assessments with computer-engineered complete dentures: A systematic review. <i>Journal of Prosthetic Dentistry</i> , 2017 , 117, 721-728	4	32
7	Adjacent Dental Implants Classification Based on Restorative Design. <i>Journal of Oral Implantology</i> , 2017 , 43, 405-409	1.2	1
6	CAD-CAM implant-supported fixed complete dental prosthesis with titanium milled molars: A clinical report. <i>Journal of Prosthetic Dentistry</i> , 2017 , 117, 463-469	4	7
5	Comparison of retention between maxillary milled and conventional denture bases: A clinical study. <i>Journal of Prosthetic Dentistry</i> , 2017 , 117, 233-238	4	74
4	An update on computer-engineered complete dentures: A systematic review on clinical outcomes. <i>Journal of Prosthetic Dentistry</i> , 2017 , 117, 478-485	4	62
3	Ring Rest Seat Design for Severely Tilted Molar Abutment Tooth: An Alternative Option. <i>Journal of Prosthodontics</i> , 2017 , 26, 327-330	3.9	1
2	Managing Titanium Mesh Exposure With Partial Removal of the Exposed Site: A Case Series Study. <i>Journal of Oral Implantology</i> , 2017 , 43, 482-490	1.2	6
1	Application of digital technology in the prosthodontic management of a patient with myasthenia gravis: A clinical report. <i>Journal of Prosthetic Dentistry</i> , 2016 , 115, 531-6	4	17