
Francesca Pittau

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5380519/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Visual analysis of high density EEG: As good as electrical source imaging?. Clinical Neurophysiology Practice, 2020, 5, 16-22.	1.4	8
2	Localizing non-epileptiform abnormal brain function in children using high density EEC: Electric Source Imaging of focal slowing. Epilepsy Research, 2020, 159, 106245.	1.6	12
3	Detection of epileptic activity in presumably normal EEG. Brain Communications, 2020, 2, fcaa104.	3.3	4
4	L-Dopa Modulation of Brain Connectivity in Parkinson's Disease Patients: A Pilot EEG-fMRI Study. Frontiers in Neuroscience, 2019, 13, 611.	2.8	22
5	The predictive value of hypometabolism in focal epilepsy: a prospective study in surgical candidates. European Journal of Nuclear Medicine and Molecular Imaging, 2019, 46, 1806-1816.	6.4	44
6	Nicotine increases sleep spindle activity. Journal of Sleep Research, 2019, 28, e12800.	3.2	3
7	Automated diagnosis of temporal lobe epilepsy in the absence of interictal spikes. NeuroImage: Clinical, 2018, 17, 10-15.	2.7	52
8	MP2RAGE and Susceptibilityâ€Weighted Imaging in Lesional Epilepsy at 7T. Journal of Neuroimaging, 2018, 28, 365-369.	2.0	29
9	Clinical Neuroimaging Using 7 T MRI: Challenges and Prospects. Journal of Neuroimaging, 2018, 28, 5-13.	2.0	24
10	Source localization of ictal epileptic activity based on highâ€density scalp EEG data. Epilepsia, 2017, 58, 1027-1036.	5.1	84
11	Contributions of EEG-fMRI to Assessing the Epileptogenicity of Focal Cortical Dysplasia. Frontiers in Computational Neuroscience, 2017, 11, 8.	2.1	20
12	Altered directed functional connectivity in temporal lobe epilepsy in the absence of interictal spikes: A high density <scp>EEG</scp> study. Epilepsia, 2016, 57, 402-411.	5.1	107
13	Epileptic networks are strongly connected with and without the effects of interictal discharges. Epilepsia, 2016, 57, 1086-1096.	5.1	36
14	Epileptic spasms in epilepsy with myoclonic-atonic seizures (Doose syndrome). Epileptic Disorders, 2016, 18, 289-296.	1.3	3
15	Presurgical brain mapping in epilepsy using simultaneous EEG and functional MRI at ultra-high field: feasibility and first results. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2016, 29, 605-616.	2.0	19
16	Functional brain networks in epilepsy. Current Opinion in Neurology, 2015, 28, 338-343.	3.6	26
17	All-in-one interictal presurgical imaging in patients with epilepsy: single-session EEG/PET/(f)MRI. European Journal of Nuclear Medicine and Molecular Imaging, 2015, 42, 1133-1143.	6.4	35
18	Pulse Artifact Detection in Simultaneous EEG–fMRI Recording Based on EEG Map Topography. Brain Topography, 2015, 28, 21-32.	1.8	33

Francesca Pittau

#	Article	IF	CITATIONS
19	Detection of abnormal resting-state networks in individual patients suffering from focal epilepsy: an initial step toward individual connectivity assessment. Frontiers in Neuroscience, 2014, 8, 419.	2.8	26
20	The Role of Functional Neuroimaging in Pre-Surgical Epilepsy Evaluation. Frontiers in Neurology, 2014, 5, 31.	2.4	80
21	Mapping Epileptic Activity: Sources or Networks for the Clinicians?. Frontiers in Neurology, 2014, 5, 218.	2.4	55
22	Negative BOLD Response to Interictal Epileptic Discharges in Focal Epilepsy. Brain Topography, 2013, 26, 627-640.	1.8	37
23	Tobacco habits in nocturnal frontal lobe epilepsy. Epilepsy and Behavior, 2013, 26, 114-117.	1.7	10
24	Contribution of EEG/fMRI to the definition of the epileptic focus. Neurology, 2012, 78, 1479-1487.	1.1	104
25	Widespread epileptic networks in focal epilepsies: EEGâ€fMRI study. Epilepsia, 2012, 53, 1618-1627.	5.1	149
26	Diagnostic accuracy of a structured interview for nocturnal frontal lobe epilepsy (SINFLE): A proposal for developing diagnostic criteria. Sleep Medicine, 2012, 13, 81-87.	1.6	45
27	Patterns of altered functional connectivity in mesial temporal lobe epilepsy. Epilepsia, 2012, 53, 1013-1023.	5.1	246
28	Reproducibility of interictal EEG-fMRI results in patients with epilepsy. Epilepsia, 2011, 52, 433-442.	5.1	36
29	Functional connectivity in patients with idiopathic generalized epilepsy. Epilepsia, 2011, 52, 515-522.	5.1	94
30	Changes preceding interictal epileptic EEG abnormalities: Comparison between EEG/fMRI and intracerebral EEG. Epilepsia, 2011, 52, 1120-1129.	5.1	29
31	Combining EEG and fMRI in the study of epileptic discharges. Epilepsia, 2011, 52, 38-42.	5.1	92
32	Postictal hyperfamiliarity for unknown faces. Epilepsy and Behavior, 2010, 19, 518-521.	1.7	5
33	Prognostic factors in patients with mesial temporal lobe epilepsy. Epilepsia, 2009, 50, 41-44.	5.1	51
34	Videopolygraphic and functional MRI study of musicogenic epilepsy. A case report and literature review. Epilepsy and Behavior, 2008, 13, 685-692.	1.7	68
35	Interobserver Reliability of Video Recording in the Diagnosis of Nocturnal Frontal Lobe Seizures. Epilepsia, 2007, 48, 1506-1511.	5.1	55
36	Lateralizing Value of the Auditory Aura in Partial Seizures. Epilepsia, 2006, 47, 68-72.	5.1	57

#	Article	IF	CITATIONS
37	Excessive Daytime Sleepiness and Subjective Sleep Quality in Patients with Nocturnal Frontal Lobe Epilepsy: A Case-Control Study. Epilepsia, 2006, 47, 73-77.	5.1	62