

Ramin Khoramnia

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5381121/ramin-khoramnia-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

128
papers

1,462
citations

19
h-index

30
g-index

206
ext. papers

2,138
ext. citations

3.2
avg, IF

5.32
L-index

#	Paper	IF	Citations
128	Anterior chamber measurements using Pentacam rotating Scheimpflug camera. <i>Journal of Cataract and Refractive Surgery</i> , 2006 , 32, 456-9	2.3	163
127	Central and peripheral pachymetry measurements according to age using the Pentacam rotating Scheimpflug camera. <i>Journal of Cataract and Refractive Surgery</i> , 2007 , 33, 830-6	2.3	81
126	Corneal collagen crosslinking in post-LASIK keratectasia. <i>British Journal of Ophthalmology</i> , 2011 , 95, 493-5	5.5	56
125	Clinical Evaluation of an Extended Depth of Focus Intraocular Lens With the Salzburg Reading Desk. <i>Journal of Refractive Surgery</i> , 2017 , 33, 664-669	3.3	39
124	Artificial iris implantation in various iris defects and lens conditions. <i>Journal of Cataract and Refractive Surgery</i> , 2017 , 43, 724-731	2.3	33
123	Hydrophilic intraocular lens opacification after posterior lamellar keratoplasty - a material analysis with special reference to optical quality assessment. <i>BMC Ophthalmology</i> , 2017 , 17, 150	2.3	32
122	Three-year results from the Retro-IDEAL study: Real-world data from diabetic macular edema (DME) patients treated with ILUVIEN (0.19 mg fluocinolone acetonide implant). <i>European Journal of Ophthalmology</i> , 2020 , 30, 382-391	1.9	32
121	Optical and material analysis of opacified hydrophilic intraocular lenses after explantation: a laboratory study. <i>BMC Ophthalmology</i> , 2015 , 15, 170	2.3	28
120	Material Analysis and Optical Quality Assessment of Opacified Hydrophilic Acrylic Intraocular Lenses After Pars Plana Vitrectomy. <i>American Journal of Ophthalmology</i> , 2018 , 193, 10-19	4.9	27
119	Laboratory Evaluation of the Influence of Decentration and Pupil Size on the Optical Performance of a Monofocal, Bifocal, and Trifocal Intraocular Lens. <i>Journal of Refractive Surgery</i> , 2017 , 33, 808-812	3.3	27
118	Near and intermediate reading performance of a diffractive trifocal intraocular lens using a reading desk. <i>Journal of Cataract and Refractive Surgery</i> , 2015 , 41, 2707-14	2.3	26
117	Glistening Formation and Light Scattering in Six Hydrophobic-Acrylic Intraocular Lenses. <i>American Journal of Ophthalmology</i> , 2018 , 196, 112-120	4.9	25
116	Functional results and photic phenomena with new extended-depth-of-focus intraocular Lens. <i>BMC Ophthalmology</i> , 2019 , 19, 197	2.3	22
115	Assessment of the image quality of extended depth-of-focus intraocular lens models in polychromatic light. <i>Journal of Cataract and Refractive Surgery</i> , 2020 , 46, 108-115	2.3	22
114	Opacification of hydrophilic intraocular lenses associated with vitrectomy and injection of intraocular gas. <i>BMJ Open Ophthalmology</i> , 2018 , 3, e000157	3.2	22
113	Assessment of straylight and the modulation transfer function of intraocular lenses with centrally localized opacification associated with the intraocular injection of gas. <i>Journal of Cataract and Refractive Surgery</i> , 2018 , 44, 615-622	2.3	21
112	Challenges and Complication Management in Novel Artificial Iris Implantation. <i>Journal of Ophthalmology</i> , 2018 , 2018, 3262068	2	21

111	The impact of glistenings on the optical quality of a hydrophobic acrylic intraocular lens. <i>Journal of Cataract and Refractive Surgery</i> , 2019 , 45, 1020-1025	2.3	19
110	In vitro optical quality measurements of three intraocular lens models having identical platform. <i>BMC Ophthalmology</i> , 2017 , 17, 108	2.3	19
109	Implantation of a multifocal toric intraocular lens with a surface-embedded near segment after repeated LASIK treatments. <i>Journal of Cataract and Refractive Surgery</i> , 2012 , 38, 2049-52	2.3	18
108	Longitudinal Chromatic Aberration and Polychromatic Image Quality Metrics of Intraocular Lenses. <i>Journal of Refractive Surgery</i> , 2018 , 34, 832-838	3.3	17
107	Cataract is a self-defence reaction to protect the retina from oxidative damage. <i>Medical Hypotheses</i> , 2011 , 76, 741-4	3.8	16
106	Neurosensory retinal detachment due to sunitinib treatment. <i>Eye</i> , 2011 , 25, 1517-8	4.4	16
105	Residual Iris Retraction Syndrome After Artificial Iris Implantation. <i>American Journal of Ophthalmology</i> , 2019 , 199, 159-166	4.9	16
104	Microbial keratitis-induced endophthalmitis: incidence, symptoms, therapy, visual prognosis and outcomes. <i>BMC Ophthalmology</i> , 2018 , 18, 112	2.3	15
103	Intraocular Lens Opacification following Intracameral Injection of Recombinant Tissue Plasminogen Activator to Treat Inflammatory Membranes after Cataract Surgery. <i>Journal of Ophthalmology</i> , 2015 , 2015, 975075	2	15
102	Efficacy, durability, and safety of intravitreal faricimab up to every 16 weeks for neovascular age-related macular degeneration (TENAYA and LUCERNE): two randomised, double-masked, phase 3, non-inferiority trials. <i>Lancet, The</i> , 2022 ,	4.0	15
101	Injectable 0.19-mg fluocinolone acetonide intravitreal implant for the treatment of non-infectious uveitic macular edema. <i>Journal of Ophthalmic Inflammation and Infection</i> , 2019 , 9, 3	2.3	14
100	The Effect of a Spectral Filter on Visual Quality in Patients with an Extended-Depth-Of-Focus Intraocular Lens. <i>American Journal of Ophthalmology</i> , 2019 , 208, 56-63	4.9	14
99	Clinical Evaluation of Reading Performance Using the Salzburg Reading Desk With a Refractive Rotational Asymmetric Multifocal Intraocular Lens. <i>Journal of Refractive Surgery</i> , 2016 , 32, 526-32	3.3	14
98	Aesthetics of iris reconstruction with a custom-made artificial iris prosthesis. <i>PLoS ONE</i> , 2020 , 15, e0237616	3.16	14
97	Laboratory evaluation of the optical properties of two extended-depth-of-focus intraocular lenses. <i>BMC Ophthalmology</i> , 2020 , 20, 53	2.3	13
96	Clinical results with the light adjustable intraocular lens after cataract surgery. <i>Journal of Refractive Surgery</i> , 2010 , 26, 314-20	3.3	13
95	Near and intermediate visual and reading performance of patients with a multifocal apodized diffractive intraocular lens using an electronic reading desk. <i>Journal of Cataract and Refractive Surgery</i> , 2016 , 42, 582-90	2.3	13
94	Intrastromal femtosecond laser surgical compensation of presbyopia with six intrastromal ring cuts: 3-year results. <i>British Journal of Ophthalmology</i> , 2015 , 99, 170-6	5.5	12

93	Reasons for explantation, demographics, and material analysis of 200 intraocular lens explants. <i>Journal of Cataract and Refractive Surgery</i> , 2020 , 46, 20-26	2.3	12
92	Precision, morphology, and histology of corneal flap cuts using a 200-kHz femtosecond laser. <i>European Journal of Ophthalmology</i> , 2012 , 22, 161-7	1.9	11
91	Comparison of different excimer laser ablation frequencies (50, 200, and 500 Hz). <i>Graefels Archive for Clinical and Experimental Ophthalmology</i> , 2009 , 247, 1539-45	3.8	11
90	Primary signet ring cell carcinoma of the eyelid in a young woman. <i>Eye</i> , 2011 , 25, 1380-2	4.4	11
89	Impact of Primary Calcification in Segmented Refractive Bifocal Intraocular Lenses on Optical Performance Including Straylight. <i>Journal of Refractive Surgery</i> , 2020 , 36, 20-27	3.3	11
88	Microscopic Characteristics of Late Intraocular Lens Opacifications. <i>Archives of Pathology and Laboratory Medicine</i> , 2021 , 145, 759-767	5	11
87	Long-term outcomes of intrastromal femtosecond laser presbyopia correction: 3-year results. <i>British Journal of Ophthalmology</i> , 2016 , 100, 1536-1541	5.5	11
86	Clinical outcomes after implantation of a toric intraocular lens with a transitional conic toric surface. <i>British Journal of Ophthalmology</i> , 2018 , 102, 313-316	5.5	11
85	Functional Outcomes and Reading Performance After Combined Implantation of a Small-Aperture Lens and a Segmental Refractive Bifocal Lens. <i>Journal of Refractive Surgery</i> , 2019 , 35, 551-558	3.3	10
84	A review of late intraocular lens opacifications. <i>Current Opinion in Ophthalmology</i> , 2021 , 32, 31-44	5.1	10
83	European, Multicenter, Prospective, Non-comparative Clinical Evaluation of an Extended Depth of Focus Intraocular Lens. <i>Journal of Refractive Surgery</i> , 2020 , 36, 426-434	3.3	9
82	Trifocality Achieved Through Polypseudophakia: Optical Quality and Light Loss Compared With a Single Trifocal Intraocular Lens. <i>Journal of Refractive Surgery</i> , 2020 , 36, 570-577	3.3	9
81	Clinical Evaluation of Functional Vision of +1.5 Diopters near Addition, Aspheric, Rotational Asymmetric Multifocal Intraocular Lens. <i>Korean Journal of Ophthalmology: KJO</i> , 2016 , 30, 382-389	1.2	9
80	Ray propagation imaging and optical quality evaluation of different intraocular lens models. <i>PLoS ONE</i> , 2020 , 15, e0228342	3.7	8
79	Safety, efficacy, predictability and stability of laser in situ keratomileusis (LASIK) with a 1000-Hz scanning spot excimer laser. <i>Acta Ophthalmologica</i> , 2012 , 90, 508-13	3.7	8
78	Purtscher-like retinopathy caused by acute pancreatitis. <i>Lancet, The</i> , 2011 , 378, 1653	4.0	8
77	In vitro optical quality assessment of a monofocal IOL sutured to an artificial iris. <i>Journal of Cataract and Refractive Surgery</i> , 2020 , 46, 1184-1188	2.3	8
76	Images in clinical medicine: Subconjunctival <i>Dirofilaria repens</i> . <i>New England Journal of Medicine</i> , 2010 , 363, e37	59.2	7

75	Complications of dexamethasone implants: risk factors, prevention, and clinical management. <i>International Journal of Ophthalmology</i> , 2020 , 13, 1612-1620	1.4	7
74	Functional outcomes after combined iris and intraocular lens implantation in various iris and lens defects. <i>BMC Ophthalmology</i> , 2020 , 20, 370	2.3	7
73	Current Developments in Corneal Topography and Tomography. <i>Diagnostics</i> , 2021 , 11,	3.8	7
72	In vitro comparative optical bench analysis of a spherical and aspheric optic design of the same IOL model. <i>BMC Ophthalmology</i> , 2017 , 17, 9	2.3	6
71	First clinical results of epithelial laser in situ keratomileusis with a 1000 Hz excimer laser. <i>Journal of Cataract and Refractive Surgery</i> , 2010 , 36, 449-55	2.3	6
70	High order aberration and straylight evaluation after cataract surgery with implantation of an aspheric, aberration correcting monofocal intraocular lens. <i>International Journal of Ophthalmology</i> , 2015 , 8, 736-41	1.4	6
69	In Vivo Imaging of Intraocular Fluidics in Vitrectomized Swine Eyes Using a Digital Fluoroscopy System. <i>Journal of Ophthalmology</i> , 2016 , 2016, 9695165	2	6
68	Bilateral trifocal IOL implantation in a pediatric case of cataract following steroid-therapy for acute lymphoblastic leukemia. <i>American Journal of Ophthalmology Case Reports</i> , 2019 , 13, 46-49	1.3	6
67	Complete anterior segment reconstruction: Corneal transplantation and implantation of an iris prosthesis and IOL in a single surgery. <i>European Journal of Ophthalmology</i> , 2021 , 31, 3300-3308	1.9	6
66	Effect of 3 excimer laser ablation frequencies (200 Hz, 500 Hz, 1000 Hz) on the cornea using a 1000 Hz scanning-spot excimer laser. <i>Journal of Cataract and Refractive Surgery</i> , 2010 , 36, 1385-91	2.3	5
65	First clinical results with a new 200 kHz femtosecond laser system. <i>British Journal of Ophthalmology</i> , 2012 , 96, 788-92	5.5	5
64	Material Analysis of Spontaneously Subluxated Iris-Fixated Phakic Intraocular Lenses. <i>Journal of Refractive Surgery</i> , 2016 , 32, 618-25	3.3	5
63	Comparison Between Bilateral Implantation of a Trifocal IOL and Mix-and-Match Implantation of a Bifocal IOL and an Extended Depth of Focus IOL. <i>Journal of Refractive Surgery</i> , 2020 , 36, 528-535	3.3	5
62	Unilateral implantation of a new non-diffractive extended range-of-vision IOL in a young patient with Curschmann-Steinert myotonic dystrophy. <i>American Journal of Ophthalmology Case Reports</i> , 2021 , 22, 101109	1.3	5
61	Impact of Indocyanine Green Concentration, Exposure Time, and Degree of Dissolution in Creating Toxic Anterior Segment Syndrome: Evaluation in a Rabbit Model. <i>Journal of Ophthalmology</i> , 2016 , 2016, 3827050	2	5
60	Rotation and decentration of an undersized plate-haptic trifocal toric intraocular lens in an eye with moderate myopia. <i>Journal of Cataract and Refractive Surgery</i> , 2016 , 42, 489-93	2.3	5
59	Quantification of the In Vitro Predisposition to Glistening Formation in One Manufacturer's Acrylic Intraocular Lenses Made in Different Decades. <i>Ophthalmology and Therapy</i> , 2021 , 10, 165-174	5	5
58	"Double Prosthesis Implantation": Biometry and Refractive Outcomes in Combined Intraocular Lens and Artificial Iris Surgery. <i>Clinical Ophthalmology</i> , 2021 , 15, 799-805	2.5	5

57	Dispersive viscosurgical devices demonstrate greater efficacy in protecting corneal endothelium in vitro. <i>BMJ Open Ophthalmology</i> , 2019 , 4, e000227	3.2	4
56	Implantation of a small-aperture intraocular lens and a partial aniridia implant in eyes with traumatic iris defects. <i>American Journal of Ophthalmology Case Reports</i> , 2020 , 18, 100673	1.3	4
55	EpiLASIK with mitomycin C. <i>European Journal of Ophthalmology</i> , 2010 , 20, 55-61	1.9	4
54	Preventing relapse in non-infectious uveitis affecting the posterior segment of the eye - evaluating the 0.2 µ/day fluocinolone acetonide intravitreal implant (ILUVIEN). <i>Journal of Ophthalmic Inflammation and Infection</i> , 2020 , 10, 32	2.3	4
53	Surgical Management for Silicone Oil Barrier of Traumatic Aniridia with Aphakia: Suturing of Temporary Iris-Diaphragm Prior to Final Iris-Lens-Diaphragm Implantation. <i>Clinical Ophthalmology</i> , 2020 , 14, 4439-4450	2.5	4
52	Clinical Application of Infrared-Light Microperimetry in the Assessment of Scotopic-Eye Sensitivity. <i>Translational Vision Science and Technology</i> , 2020 , 9, 7	3.3	4
51	Variation in intraocular lens calcification under different environmental conditions in eyes with supplementary sulcus-supported lenses. <i>American Journal of Ophthalmology Case Reports</i> , 2020 , 19, 100797	1.3	4
50	Stability and Visual Outcomes of the Capsulotomy-Fixated FEMTIS-IOL After Automated Femtosecond Laser-Assisted Anterior Capsulotomy. <i>American Journal of Ophthalmology</i> , 2021 , 225, 27-37	4.9	4
49	Semi-fluorinated Alkane Eye Drops Reduce Signs and Symptoms of Evaporative Dry Eye Disease After Cataract Surgery. <i>Journal of Refractive Surgery</i> , 2020 , 36, 474-480	3.3	3
48	THE LOSS OF INFRARED LIGHT SENSITIVITY OF PHOTORECEPTOR CELLS MEASURED WITH TWO-PHOTON EXCITATION AS AN INDICATOR OF DIABETIC RETINOPATHY: A Pilot Study. <i>Retina</i> , 2021 , 41, 1302-1308	3.6	3
47	Bilateral Artificial Iris implantation in patients with bilateral iris defects. <i>American Journal of Ophthalmology Case Reports</i> , 2021 , 22, 101108	1.3	3
46	Progressive-toric IOL design reduces residual astigmatism with increasing pupil size: a ray-tracing simulation based on corneal topography data. <i>Biomedical Optics Express</i> , 2021 , 12, 1568-1576	3.5	3
45	Simulations of Decentration and Tilt of a Supplementary Sulcus-Fixated Intraocular Lens in a Polypseudophakic Combination Using Ray-Tracing Software. <i>Photonics</i> , 2021 , 8, 309	2.2	3
44	Intravitreal 0.19 mg Fluocinolone Acetonide Implant in Non-Infectious Uveitis. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	3
43	Reversibility of the duet procedure: Bilateral exchange of a supplementary trifocal sulcus-fixated intraocular lens for correction of a postoperative refractive error. <i>American Journal of Ophthalmology Case Reports</i> , 2020 , 20, 100957	1.3	2
42	Refractive Outcomes after Cataract Surgery.. <i>Diagnostics</i> , 2022 , 12,	3.8	2
41	Laboratory Investigation of Preclinical Visual-Quality Metrics and Halo-Size in Enhanced Monofocal Intraocular Lenses. <i>Ophthalmology and Therapy</i> , 2021 , 10, 1093-1104	5	2
40	Ellipsoid Zone Integrity and Visual Acuity Changes during Diabetic Macular Edema Therapy: A Longitudinal Study. <i>Journal of Diabetes Research</i> , 2021 , 2021, 8117650	3.9	2

39	A pinhole implant to correct postoperative residual refractive error in an RK cataract patient. <i>American Journal of Ophthalmology Case Reports</i> , 2020 , 20, 100890	1.3	2
38	Duet procedure to achieve reversible trifocality in a young patient with hereditary hyperferritinemia-cataract syndrome. <i>American Journal of Ophthalmology Case Reports</i> , 2021 , 21, 101026 ¹⁻³	1.3	2
37	In-vitro glistening formation in six different foldable hydrophobic intraocular lenses. <i>BMC Ophthalmology</i> , 2021 , 21, 126	2.3	2
36	Laboratory evaluation of higher-order aberrations and light scattering in explanted opacified intraocular lenses. <i>Eye and Vision (London, England)</i> , 2021 , 8, 14	4.9	2
35	Quantitative evaluation of microvacuole formation in five intraocular lens models made of different hydrophobic materials. <i>PLoS ONE</i> , 2021 , 16, e0250860	3.7	2
34	Central and mid-peripheral corneal astigmatism in an elderly population: a retrospective analysis of Scheimpflug topography results. <i>Scientific Reports</i> , 2021 , 11, 7968	4.9	2
33	Laboratory analysis and ray visualization of diffractive optics with enhanced intermediate vision. <i>BMC Ophthalmology</i> , 2021 , 21, 197	2.3	2
32	Corneal Incision Enlargement in Two Preloaded Intraocular Lens Injectors: An Intraindividual In Vivo Study. <i>Journal of Refractive Surgery</i> , 2021 , 37, 331-336	3.3	2
31	A Novel Approach for Assessing Visual Impairment Caused by Intraocular Lens Opacification: High-Resolution Optical Coherence Tomography. <i>American Journal of Ophthalmology</i> , 2021 , 226, 108-116 ⁴⁻⁹	4.9	2
30	Reasons for explantation of phakic intraocular lenses and associated perioperative complications: cross-sectional explant registry analysis. <i>BMC Ophthalmology</i> , 2021 , 21, 80	2.3	2
29	Chronic and Recurrent Herpes Zoster Ophthalmicus. <i>Medicina (Lithuania)</i> , 2021 , 57,	3.1	2
28	Preloaded injectors used in a clinical study: videographic assessment and laboratory analysis of injector nozzle damage. <i>Journal of Cataract and Refractive Surgery</i> , 2021 , 47, 1338-1344	2.3	2
27	Reply to Comment on: The Effect of a Spectral Filter on Visual Quality in Patients with an Extended-Depth-of-Focus Intraocular Lens. <i>American Journal of Ophthalmology</i> , 2020 , 213, 322	4.9	1
26	Laboratory and Clinical Experience With a Diffractive Trifocal Intraocular Lens Sutured to an Artificial Iris.. <i>Journal of Refractive Surgery</i> , 2022 , 38, 61-68	3.3	1
25	Open Globe Injuries: Classifications and Prognostic Factors for Functional Outcome. <i>Diagnostics</i> , 2021 , 11,	3.8	1
24	Bilateral implantation of +56 and +58 diopter custom-made intraocular lenses in patient with extreme nanophthalmos. <i>American Journal of Ophthalmology Case Reports</i> , 2020 , 20, 100963	1.3	1
23	The impact of vitrectomy on outcomes achieved with 0.19 mg fluocinolone acetonide implant in patients with diabetic macular edema. <i>European Journal of Ophthalmology</i> , 2021 , 11206721211014728	1.9	1
22	Visualization of Forward Light Scatter in Opacified Intraocular Lenses and Straylight Assessment. <i>Diagnostics</i> , 2021 , 11,	3.8	1

21	Optical function of intraocular lenses in different opacification patterns: metrology analysis of 67 explants. <i>Journal of Cataract and Refractive Surgery</i> , 2021 , 47, 1210-1217	2.3	1
20	Infrared- and white-light retinal sensitivity in glaucomatous neuropathy.. <i>Scientific Reports</i> , 2022 , 12, 1961	4.9	0
19	Presbyopia correction after previous Intracor treatment: Combined implantation of a small-aperture and a non-diffractive extended-depth-of-focus lens.. <i>American Journal of Ophthalmology Case Reports</i> , 2022 , 25, 101398	1.3	0
18	Pupil dynamics after in-the-bag versus anterior and retropupillary iris-fixated intraocular lens implantation. <i>Scientific Reports</i> , 2021 , 11, 21436	4.9	0
17	Detecting subclinical keratoconus by biomechanical analysis in tomographically regular keratoconus fellow eyes. <i>European Journal of Ophthalmology</i> , 2021 , 11206721211063740	1.9	0
16	Comparative analysis of in vitro accelerated glistening formation in foldable hydrophobic intraocular lenses. <i>International Ophthalmology</i> , 2021 , 41, 3073-3080	2.2	0
15	Clinical Outcomes of Combined Implantation of an Extended Depth of Focus IOL and a Trifocal IOL in a Korean Population. <i>Journal of Ophthalmology</i> , 2021 , 2021, 9034258	2	0
14	Clinical Outcomes of a New Hybrid Monofocal IOL With Extended Depth of Focus. <i>Journal of Refractive Surgery</i> , 2021 , 37, 601-608	3.3	0
13	High-addition segmented refractive bifocal intraocular lens in inactive age-related macular degeneration: A multicenter pilot study. <i>PLoS ONE</i> , 2021 , 16, e0256985	3.7	0
12	Monofocal intraocular lens with enhanced intermediate function as substitute for multifocal intraocular lens in positive dysphotopsia.. <i>American Journal of Ophthalmology Case Reports</i> , 2022 , 26, 101511	1.3	0
11	Development of a standardized in vitro model to reproduce hydrophilic acrylic intraocular lens calcification.. <i>Scientific Reports</i> , 2022 , 12, 7685	4.9	0
10	Lenticular Imaging: A New Experimental and Quantitative Analysis of Capsular Dynamics, "Choi-Apple View". <i>Translational Vision Science and Technology</i> , 2019 , 8, 22	3.3	
9	Nearly an eye-catcher. <i>Lancet, The</i> , 2011 , 377, 1599	4.0	
8	Automated vessel centerline extraction and diameter measurement in OCT Angiography. <i>Current Directions in Biomedical Engineering</i> , 2021 , 7, 195-198	0.5	
7	Investigation on Non-Segmentation Based Algorithms for Microvasculature Quantification in OCTA Images. <i>Current Directions in Biomedical Engineering</i> , 2021 , 7, 247-250	0.5	
6	Diagnostic imaging techniques in patient with liquefied aftercataract imitating intraocular lens opacification.. <i>American Journal of Ophthalmology Case Reports</i> , 2022 , 25, 101262	1.3	
5	Silicone Oil Adhesion to Hydrophobic Acrylic Intraocular Lenses: A Comparative Laboratory Study of a New versus an Established Hydrophobic Acrylic Intraocular Lens Material. <i>Journal of Ophthalmology</i> , 2021 , 2021, 1387987	2	
4	Traumatischer Irisverlust: Implantation einer künstlichen Iris zur Wiederherstellung von Funktion und Ästhetik. <i>Spektrum Der Augenheilkunde</i> , 1	0	

- 3 Eintrübung von Intraokularlinsen. *Augenheilkunde Up2date*, **2021**, 11, 151-162 0.1
- 2 Injection time related to intraocular pressure using a CO2 driven preloaded injector: An experimental laboratory study. *PLoS ONE*, **2021**, 16, e0254901 3.7
- 1 Traumatic iridodialysis and mydriasis: Surgical reconstruction of the iris-lens-diaphragm with an iris implant and Intraocular lens.. *American Journal of Ophthalmology Case Reports*, **2022**, 26, 101545 1.3