Leonardo A Sechi

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5383145/leonardo-a-sechi-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

112
papers3,802
citations31
h-index60
g-index140
ext. papers4,496
ext. citations4.4
avg, IF5.09
L-index

#	Paper	IF	Citations
112	World Hypertension Day 2021 in Italy: Results of a Nationwide Survey <i>High Blood Pressure and Cardiovascular Prevention</i> , 2022 ,	2.9	1
111	Differences in Regulation of Cortisol Secretion Contribute to Left Ventricular Abnormalities in Patients With Essential Hypertension <i>Hypertension</i> , 2022 , 101161HYPERTENSIONAHA12219472	8.5	1
110	Elevated Intrarenal Resistive Index Predicted Faster Renal Function Decline and Long-Term Mortality in Non-Proteinuric Chronic Kidney Disease. <i>Journal of Clinical Medicine</i> , 2022 , 11, 2995	5.1	2
109	Prognostic scores and early management of septic patients in the emergency department of a secondary hospital: results of a retrospective study. <i>BMC Emergency Medicine</i> , 2021 , 21, 152	2.4	O
108	Secondary hyperparathyroidism is associated with postpartum blood pressure in preeclamptic women and normal pregnancies. <i>Journal of Hypertension</i> , 2021 , 39, 563-572	1.9	O
107	Possible Advantages Deriving from Patiromer Use in Hypertensive Patients Made Hyperkalemic by Renin-Angiotensin-Aldosterone Blocking Agents. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2021 , 28, 555-559	2.9	0
106	Determinants of healing among patients with coronavirus disease 2019: the results of the SARS-RAS study of the Italian Society of Hypertension. <i>Journal of Hypertension</i> , 2021 , 39, 376-380	1.9	11
105	Polyphenols Rich Diets and Risk of Type 2 Diabetes. <i>Nutrients</i> , 2021 , 13,	6.7	8
104	May Measurement Month 2019: an analysis of blood pressure screening results from Italy. European Heart Journal Supplements, 2021 , 23, B77-B81	1.5	1
103	Echocardiographic Comparison of COVID-19 Patients with or without Prior Biochemical Evidence of Cardiac Injury after Recovery. <i>Journal of the American Society of Echocardiography</i> , 2021 , 34, 193-195	5.8	14
102	Beware of Drug Interactions Treating Iatrogenic Endocarditis from Intravesical BCG Instillation. <i>European Journal of Case Reports in Internal Medicine</i> , 2021 , 8, 002263	1.2	O
101	Short-term cardiac outcome in survivors of COVID-19: a systematic study after hospital discharge. <i>Clinical Research in Cardiology</i> , 2021 , 110, 1063-1072	6.1	11
100	Monomorphic Epitheliotropic Intestinal T Cell Lymphoma of the Appendix: a Case Report and Review of Literature. <i>Journal of Gastrointestinal Cancer</i> , 2020 , 51, 688-694	1.6	1
99	Renin-Angiotensin System Inhibition in Cardiovascular Patients at the Time of COVID19: Much Ado for Nothing? A Statement of Activity from the Directors of the Board and the Scientific Directors of the Italian Society of Hypertension. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2020 , 27, 105-10	2.9 08	32
98	Renal damage in primary aldosteronism: a systematic review and meta-analysis. <i>Journal of Hypertension</i> , 2020 , 38, 3-12	1.9	27
97	Gender differences in predictors of intensive care units admission among COVID-19 patients: The results of the SARS-RAS study of the Italian Society of Hypertension. <i>PLoS ONE</i> , 2020 , 15, e0237297	3.7	24
96	Subtype diagnosis, treatment, complications and outcomes of primary aldosteronism and future direction of research: a position statement and consensus of the Working Group on Endocrine Hypertension of the European Society of Hypertension. <i>Journal of Hypertension</i> , 2020 , 38, 1929-1936	1.9	25

95	Dulaglutide reduces binge episodes in type 2 diabetic patients with binge eating disorder: A pilot study. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2020 , 14, 289-292	8.9	10
94	Gender differences in predictors of intensive care units admission among COVID-19 patients: The results of the SARS-RAS study of the Italian Society of Hypertension 2020 , 15, e0237297		
93	Gender differences in predictors of intensive care units admission among COVID-19 patients: The results of the SARS-RAS study of the Italian Society of Hypertension 2020 , 15, e0237297		
92	Gender differences in predictors of intensive care units admission among COVID-19 patients: The results of the SARS-RAS study of the Italian Society of Hypertension 2020 , 15, e0237297		
91	Gender differences in predictors of intensive care units admission among COVID-19 patients: The results of the SARS-RAS study of the Italian Society of Hypertension 2020 , 15, e0237297		
90	Gender differences in predictors of intensive care units admission among COVID-19 patients: The results of the SARS-RAS study of the Italian Society of Hypertension 2020 , 15, e0237297		
89	Gender differences in predictors of intensive care units admission among COVID-19 patients: The results of the SARS-RAS study of the Italian Society of Hypertension 2020 , 15, e0237297		
88	Sustained virologic response to direct-acting antiviral agents predicts better outcomes in hepatitis C virus-infected patients: A retrospective study. <i>World Journal of Gastroenterology</i> , 2019 , 25, 6094-6106	5 ^{5.6}	7
87	Hiccups and Inappropriate ADH Secretion Syndrome as Presentations of Tick-Borne Disease. <i>European Journal of Case Reports in Internal Medicine</i> , 2019 , 6, 001188	1.2	1
86	Atrial fibrillation and its complications in arterial hypertension: The potential preventive role of EB polyunsaturated fatty acids. <i>Critical Reviews in Food Science and Nutrition</i> , 2019 , 59, 1937-1948	11.5	2
85	Mineralocorticoid Receptor Blockers and Aldosterone to Renin Ratio: A Randomized Controlled Trial and Observational Data. <i>Hormone and Metabolic Research</i> , 2018 , 50, 375-382	3.1	7
84	Computed Tomography and Adrenal Venous Sampling in the Diagnosis of Unilateral Primary Aldosteronism. <i>Hypertension</i> , 2018 , 72, 641-649	8.5	54
83	Pre-Procedural Statin Use Is Associated with Improved Long-Term Survival and Reduced Major Cardiovascular Events in Patients Undergoing Carotid Artery Stenting: A Retrospective Study. <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1	6
82	Outcomes after adrenalectomy for unilateral primary aldosteronism: an international consensus on outcome measures and analysis of remission rates in an international cohort. <i>Lancet Diabetes and Endocrinology,the</i> , 2017 , 5, 689-699	18.1	355
81	Salt, Aldosterone, and Parathyroid Hormone: What Is the Relevance for Organ Damage?. <i>International Journal of Endocrinology</i> , 2017 , 2017, 4397028	2.7	6
80	Omega-3 Polyunsaturated Fatty Acids in the Treatment of Non-Alcoholic Fatty Liver Disease: Are They So Good?. <i>Journal of Metabolic Syndrome</i> , 2017 , 06,		1
79	Microalbuminuria and plasma aldosterone levels in nondiabetic treatment-nalle patients with hypertension. <i>Journal of Hypertension</i> , 2017 , 35, 2510-2516	1.9	7
78	The SPARTACUS Trial: Controversies and Unresolved Issues. <i>Hormone and Metabolic Research</i> , 2017 , 49, 936-942	3.1	21

77	Long-Term Renal and Cardiac Outcomes after Stenting in Patients with Resistant Hypertension and Atherosclerotic Renal Artery Stenosis. <i>Kidney and Blood Pressure Research</i> , 2017 , 42, 774-783	3.1	6
76	Impact of omega-3 polyunsaturated fatty acids on vascular function and blood pressure: Relevance for cardiovascular outcomes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017 , 27, 191-200	4.5	89
75	Decreased fibrinolytic activity is associated with carotid artery stiffening in arterial hypertension. Journal of Research in Medical Sciences, 2017 , 22, 57	1.6	2
74	Association of Post-Saline Load Plasma Aldosterone Levels With Left Ventricular Hypertrophy in Primary Hypertension. <i>American Journal of Hypertension</i> , 2016 , 29, 303-10	2.3	5
73	Impact of statin therapy on plasma levels of plasminogen activator inhibitor-1. A systematic review and meta-analysis of randomised controlled trials. <i>Thrombosis and Haemostasis</i> , 2016 , 116, 162-71	7	24
72	Intrarenal Vascular Resistance is Associated With a Prothrombotic State in Hypertensive Patients. <i>Kidney and Blood Pressure Research</i> , 2016 , 41, 929-936	3.1	7
71	Dietary Salt Intake Is a Determinant of Cardiac Changes After Treatment of Primary Aldosteronism: A Prospective Study. <i>Hypertension</i> , 2016 , 68, 204-12	8.5	14
70	Aldosterone-to-Renin Ratio Is Associated With Reduced 24-Hour Heart Rate Variability and QTc Prolongation in Hypertensive Patients. <i>Medicine (United States)</i> , 2016 , 95, e2794	1.8	4
69	Omega-3 Polyunsaturated Fatty Acids in Blood Pressure Control and Essential Hypertension 2016 ,		2
68	Parathyroid hormone, aldosterone-to-renin ratio and fibroblast growth factor-23 as determinants of nocturnal blood pressure in primary hyperparathyroidism: the eplerenone in primary hyperparathyroidism trial. <i>Journal of Hypertension</i> , 2016 , 34, 1778-86	1.9	12
67	Moderate Alcohol Consumption Is Associated With Left Ventricular Diastolic Dysfunction in Nonalcoholic Hypertensive Patients. <i>Hypertension</i> , 2016 , 68, 1208-1216	8.5	15
66	The Rising Burden of Hypertensive Renal Disease in Low-Income Countries: Is it Time to Take Action?. <i>Journal of Clinical Hypertension</i> , 2016 , 18, 405-7	2.3	
65	Plasma aldosterone and left ventricular diastolic function in treatment-nalle patients with hypertension: tissue-Doppler imaging study. <i>Hypertension</i> , 2015 , 65, 1231-7	8.5	22
64	Plasma lipoprotein(a) levels and atherosclerotic renal artery stenosis in hypertensive patients. <i>Kidney and Blood Pressure Research</i> , 2015 , 40, 166-75	3.1	6
63	The Metabolic Syndrome and the Membrane Content of Polyunsaturated Fatty Acids in Hypertensive Patients. <i>Metabolic Syndrome and Related Disorders</i> , 2015 , 13, 343-51	2.6	3
62	Adrenalectomy is comparable with medical treatment for reduction of left ventricular mass in primary aldosteronism: meta-analysis of long-term studies. <i>American Journal of Hypertension</i> , 2015 , 28, 312-8	2.3	45
61	The vascular response to vasodilators is related to the membrane content of polyunsaturated fatty acids in hypertensive patients. <i>Journal of Hypertension</i> , 2015 , 33, 993-1000	1.9	7
60	Treatment of Primary Aldosteronism and Organ Protection. <i>International Journal of Endocrinology</i> , 2015 , 2015, 597247	2.7	17

(2010-2015)

59	Response to "Plasma Homocysteine Levels and Endothelial Dysfunction in Cerebro- and Cardiovascular Diseases in the Metabolic Syndrome". <i>American Journal of Hypertension</i> , 2015 , 28, 1490	2.3	1
58	Elevated Homocysteine Levels Are Associated With the Metabolic Syndrome and Cardiovascular Events in Hypertensive Patients. <i>American Journal of Hypertension</i> , 2015 , 28, 943-50	2.3	59
57	Subclinical carotid artery disease and plasma homocysteine levels in patients with hypertension. Journal of the American Society of Hypertension, 2015 , 9, 167-75		26
56	Early renal failure as a cardiovascular disease: Focus on lipoprotein(a) and prothrombotic state. <i>World Journal of Nephrology</i> , 2015 , 4, 374-8	3.6	6
55	Relationships of plasma lipoprotein(a) levels with insulin resistance in hypertensive patients. <i>Metabolism: Clinical and Experimental</i> , 2014 , 63, 1439-46	12.7	9
54	Uricaemia and left ventricular mass in hypertensive patients. <i>European Journal of Clinical Investigation</i> , 2014 , 44, 972-81	4.6	12
53	Aldosterone and the heart: still an unresolved issue?. Frontiers in Endocrinology, 2014, 5, 168	5.7	13
52	Salt, Hypertension, and Cardiovascular Disease 2014 , 2, 46-49		2
51	B Polyunsaturated Fatty Acids Effects on the Cardiometabolic Syndrome and their Role in Cardiovascular Disease Prevention: An Update from the Recent Literature. <i>Recent Patents on Cardiovascular Drug Discovery</i> , 2014 , 9, 78-96		8
50	Aldosterone, organ damage and dietary salt. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2013 , 40, 922-8	3	19
49	Association of aldosterone with left ventricular mass in hypertension: interaction with plasma fibrinogen levels. <i>American Journal of Hypertension</i> , 2013 , 26, 111-7	2.3	17
48	Mineralocorticoid receptor antagonists and renal involvement in primary aldosteronism: opening of a new era. <i>European Journal of Endocrinology</i> , 2013 , 168, C1-5	6.5	15
47	Plasma glucose levels and left ventricular diastolic function in nondiabetic hypertensive patients. <i>American Journal of Hypertension</i> , 2013 , 26, 1353-61	2.3	16
46	Spironolactone, eplerenone and the new aldosterone blockers in endocrine and primary hypertension. <i>Journal of Hypertension</i> , 2013 , 31, 3-15	1.9	73
45	Association of a prothrombotic state with left-ventricular diastolic dysfunction in hypertension: a tissue-Doppler imaging study. <i>Journal of Hypertension</i> , 2013 , 31, 2077-84	1.9	9
44	A prothrombotic state is associated with early arterial damage in hypertensive patients. <i>Journal of Atherosclerosis and Thrombosis</i> , 2012 , 19, 471-8	4	13
43	Insulin resistance in the early stages of renal failure: implications for cardiovascular risk. <i>Current Diabetes Reviews</i> , 2012 , 8, 268-73	2.7	2
42	Hyperaldosteronism and left ventricular hypertrophy. <i>Hypertension</i> , 2010 , 56, e26; author reply e27	8.5	6

41	Cardiovascular and renal damage in primary aldosteronism: outcomes after treatment. <i>American Journal of Hypertension</i> , 2010 , 23, 1253-60	2.3	82
40	Intrarenal hemodynamics in primary aldosteronism before and after treatment. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 1191-7	5.6	92
39	Primary aldosteronism: cardiovascular, renal and metabolic implications. <i>Trends in Endocrinology and Metabolism</i> , 2008 , 19, 88-90	8.8	170
38	Relationship of plasma renin with a prothrombotic state in hypertension: relevance for organ damage. <i>American Journal of Hypertension</i> , 2008 , 21, 1347-53	2.3	43
37	Cardiovascular outcomes in patients with primary aldosteronism after treatment. <i>Archives of Internal Medicine</i> , 2008 , 168, 80-5		379
36	Relationships of plasma renin levels with renal function in patients with primary aldosteronism. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2007 , 2, 722-31	6.9	70
35	Long-term cardiac effects of adrenalectomy or mineralocorticoid antagonists in patients with primary aldosteronism. <i>Hypertension</i> , 2007 , 50, 911-8	8.5	266
34	Insulin resistance and hyperinsulinemia are related to plasma aldosterone levels in hypertensive patients. <i>Diabetes Care</i> , 2007 , 30, 2349-54	14.6	107
33	Renal cysts and hypokalemia in primary aldosteronism: results of long-term follow-up after treatment. <i>Journal of Hypertension</i> , 2007 , 25, 1443-50	1.9	25
32	Omega-3 fatty acids: from biochemistry to their clinical use in the prevention of cardiovascular disease. <i>Recent Patents on Cardiovascular Drug Discovery</i> , 2007 , 2, 13-21		28
31	Long-term renal outcomes in patients with primary aldosteronism. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 295, 2638-45	27.4	257
30	Insulin sensitivity in patients with primary aldosteronism: a follow-up study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 3457-63	5.6	198
29	Renal function in primary aldosteronism. <i>Hypertension</i> , 2006 , 48, e110; author reply e111	8.5	5
28	Highlight from International Congress. High Blood Pressure and Cardiovascular Prevention, 2006, 13, 61	-7 2 .9	
27	Effects of alcohol withdrawal on blood pressure in hypertensive heavy drinkers. <i>Journal of Hypertension</i> , 2006 , 24, 1493-8	1.9	12
26	New risk factors for atherosclerosis in hypertension: focus on the prothrombotic state and lipoprotein(a). <i>Journal of Hypertension</i> , 2005 , 23, 1617-31	1.9	35
25	Alcohol-induced endothelial changes are associated with oxidative stress and are rapidly reversed after withdrawal. <i>Alcoholism: Clinical and Experimental Research</i> , 2005 , 29, 1889-98	3.7	32
24	Glucose metabolism in early renal failure. <i>American Journal of Kidney Diseases</i> , 2005 , 46, 367; author reply 367-8	7.4	O

(1996-2005)

23	The Emergent Cardiovascular Risk Factors and Organ Damage in Arterial Hypertension. <i>Current Hypertension Reviews</i> , 2005 , 1, 189-200	2.3	
22	Omega-3 polyunsaturated fatty acids decrease plasma lipoprotein(a) levels in hypertensive subjects. <i>Clinical Nutrition</i> , 2004 , 23, 1246-7	5.9	22
21	Serum lipoprotein(a) concentrations and alcohol consumption in hypertension: possible relevance for cardiovascular damage. <i>Journal of Hypertension</i> , 2003 , 21, 281-8	1.9	36
20	Insulin receptors and renal sodium handling in hypertensive fructose-fed rats. <i>Kidney International</i> , 2003 , 64, 2163-71	9.9	72
19	Abnormalities of glucose metabolism in patients with early renal failure. <i>Diabetes</i> , 2002 , 51, 1226-32	0.9	65
18	Relationship of lipoprotein(a) to variables of coagulation in hypertensive subjects. <i>Journal of Investigative Medicine</i> , 2001 , 49, 12-20	2.9	4
17	Lipoprotein (a), haemostatic variables and cardiovascular damage in hypertensive patients. <i>Journal of Hypertension</i> , 2000 , 18, 709-16	1.9	10
16	Increased Fibrinogen Levels and Hemostatic Abnormalities in Patients with Arteriolar Nephrosclerosis: Association with Cardiovascular Events. <i>Thrombosis and Haemostasis</i> , 2000 , 84, 565-570	07	31
15	Relationship of fibrinogen levels and hemostatic abnormalities with organ damage in hypertension. <i>Hypertension</i> , 2000 , 36, 978-85	8.5	60
14	Abnormalities of coagulation in hypertensive patients with reduced creatinine clearance. <i>American Journal of Medicine</i> , 2000 , 109, 556-61	2.4	51
13	Lipoprotein(a) and apolipoprotein(a) isoforms and proteinuria in patients with moderate renal failure. <i>Kidney International</i> , 1999 , 56, 1049-57	9.9	38
12	Mechanisms of insulin resistance in rat models of hypertension and their relationships with salt sensitivity. <i>Journal of Hypertension</i> , 1999 , 17, 1229-37	1.9	56
11	Increased serum lipoprotein(a) levels in patients with early renal failure. <i>Annals of Internal Medicine</i> , 1998 , 129, 457-61	8	61
10	Association of Serum Lipoprotein(a) Levels and Apolipoprotein(a) Size Polymorphism With Target-Organ Damage in Arterial Hypertension. <i>JAMA - Journal of the American Medical Association</i> , 1997 , 277, 1689	27.4	46
9	The Renin-Angiotensin System and Compensatory Renal Hypertrophy in the Rat. <i>American Journal of Hypertension</i> , 1997 , 10, 397-402	2.3	1
8	Hypertension and abnormalities of carbohydrate metabolism possible role of the sympathetic nervous system. <i>American Journal of Hypertension</i> , 1997 , 10, 678-82	2.3	9
7	Glucose metabolism and insulin receptor binding and mRNA levels in tissues of Dahl hypertensive rats. <i>American Journal of Hypertension</i> , 1997 , 10, 1223-30	2.3	17
6	Abnormalities of insulin receptors in spontaneously hypertensive rats. <i>Hypertension</i> , 1996 , 27, 955-61	8.5	35

5	Tissue-specific regulation of type 1 angiotensin II receptor mRNA levels in the rat. <i>Hypertension</i> , 1996 , 28, 403-8	8.5	61
4	Familial macrocytosis. <i>American Journal of Hematology</i> , 1994 , 46, 253	7.1	
3	Expression of the insulin receptor gene in liver and kidney of rats with genetic hypertension. Journal of Hypertension, 1993 , 11, S68???S69	1.9	2
2	Tissue-specific regulation of insulin receptor mRNA levels in rats with STZ-induced diabetes mellitus. <i>Diabetes</i> , 1992 , 41, 1113-8	0.9	25
1	Insulin hypersecretion: a distinctive feature between essential and secondary hypertension. Metabolism: Clinical and Experimental, 1992, 41, 1261-6	12.7	60