

Pau-Chung Chen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5383412/pau-chung-chen-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

374
papers

8,677
citations

46
h-index

70
g-index

406
ext. papers

10,174
ext. citations

4.6
avg. IF

6.16
L-index

#	Paper	IF	Citations
374	Statins and the risk of hepatocellular carcinoma in patients with hepatitis B virus infection. <i>Journal of Clinical Oncology</i> , 2012 , 30, 623-30	2.2	214
373	Establishing the minimal clinically important difference of the Barthel Index in stroke patients. <i>Neurorehabilitation and Neural Repair</i> , 2007 , 21, 233-8	4.7	174
372	Population-based case-control study of Chinese herbal products containing aristolochic acid and urinary tract cancer risk. <i>Journal of the National Cancer Institute</i> , 2010 , 102, 179-86	9.7	173
371	Association among serum perfluoroalkyl chemicals, glucose homeostasis, and metabolic syndrome in adolescents and adults. <i>Diabetes Care</i> , 2009 , 32, 702-7	14.6	172
370	Statins and the risk of hepatocellular carcinoma in patients with hepatitis C virus infection. <i>Journal of Clinical Oncology</i> , 2013 , 31, 1514-21	2.2	157
369	Parental smoking during pregnancy and its association with low birth weight, small for gestational age, and preterm birth offspring: a birth cohort study. <i>Pediatrics and Neonatology</i> , 2014 , 55, 20-7	1.8	155
368	Data resource profile: the National Health Insurance Research Database (NHIRD). <i>Epidemiology and Health</i> , 2018 , 40, e2018062	5.6	147
367	Persistent rotating shift-work exposure accelerates development of metabolic syndrome among middle-aged female employees: a five-year follow-up. <i>Chronobiology International</i> , 2009 , 26, 740-55	3.6	121
366	Does prenatal cadmium exposure affect fetal and child growth?. <i>Occupational and Environmental Medicine</i> , 2011 , 68, 641-6	2.1	107
365	In utero exposure to environmental lead and manganese and neurodevelopment at 2 years of age. <i>Environmental Research</i> , 2013 , 123, 52-7	7.9	106
364	Serum polyfluoroalkyl concentrations, asthma outcomes, and immunological markers in a case-control study of Taiwanese children. <i>Environmental Health Perspectives</i> , 2013 , 121, 507-13	8.4	105
363	Risk factors and incidence of ischemic stroke in Taiwanese with nonvalvular atrial fibrillation-- a nation wide database analysis. <i>Atherosclerosis</i> , 2011 , 217, 292-5	3.1	95
362	Association between maternal serum perfluoroalkyl substances during pregnancy and maternal and cord thyroid hormones: Taiwan maternal and infant cohort study. <i>Environmental Health Perspectives</i> , 2014 , 122, 529-34	8.4	94
361	The effect of prenatal perfluorinated chemicals exposures on pediatric atopy. <i>Environmental Research</i> , 2011 , 111, 785-91	7.9	94
360	Perfluorinated compounds in umbilical cord blood and adverse birth outcomes. <i>PLoS ONE</i> , 2012 , 7, e42434	3.4	90
359	Investigation of the associations between low-dose serum perfluorinated chemicals and liver enzymes in US adults. <i>American Journal of Gastroenterology</i> , 2010 , 105, 1354-63	0.7	77
358	Prenatal smoke exposure, DNA methylation, and childhood atopic dermatitis. <i>Clinical and Experimental Allergy</i> , 2013 , 43, 535-43	4.1	76

357	Chang Gung Research Database: A multi-institutional database consisting of original medical records. <i>Biomedical Journal</i> , 2017 , 40, 263-269	7.1	75
356	Early life phthalate exposure and atopic disorders in children: a prospective birth cohort study. <i>Environment International</i> , 2014 , 62, 48-54	12.9	72
355	Association between serum perfluorinated chemicals and thyroid function in U.S. adults: the National Health and Nutrition Examination Survey 2007-2010. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, E1456-64	5.6	72
354	Maternal return to work and breastfeeding: a population-based cohort study. <i>International Journal of Nursing Studies</i> , 2010 , 47, 461-74	5.8	72
353	Perfluorinated compound levels in cord blood and neurodevelopment at 2 years of age. <i>Epidemiology</i> , 2013 , 24, 800-8	3.1	71
352	Adverse effect of air pollution on respiratory health of primary school children in Taiwan. <i>Environmental Health Perspectives</i> , 1998 , 106, 331-5	8.4	70
351	Association between perfluoroalkyl substances and reproductive hormones in adolescents and young adults. <i>International Journal of Hygiene and Environmental Health</i> , 2015 , 218, 437-43	6.9	68
350	Statin use and the risk of cirrhosis development in patients with hepatitis C virus infection. <i>Journal of Hepatology</i> , 2015 , 63, 1111-7	13.4	67
349	Chinese herbal medicine use in Taiwan during pregnancy and the postpartum period: a population-based cohort study. <i>International Journal of Nursing Studies</i> , 2009 , 46, 787-95	5.8	66
348	Statin reduces mortality and morbidity in systemic lupus erythematosus patients with hyperlipidemia: A nationwide population-based cohort study. <i>Atherosclerosis</i> , 2015 , 243, 11-8	3.1	64
347	Outcome of patients with esophageal cancer: a nationwide analysis. <i>Annals of Surgical Oncology</i> , 2013 , 20, 3023-30	3.1	64
346	Seasonal variation of overall and cardiovascular mortality: a study in 19 countries from different geographic locations. <i>PLoS ONE</i> , 2014 , 9, e113500	3.7	64
345	Pathway from central obesity to childhood asthma. Physical fitness and sedentary time are leading factors. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014 , 189, 1194-203	10.2	64
344	Risks of kidney failure associated with consumption of herbal products containing Mu Tong or Fangchi: a population-based case-control study. <i>American Journal of Kidney Diseases</i> , 2010 , 55, 507-18	7.4	63
343	Predicting risk for early infantile atopic dermatitis by hereditary and environmental factors. <i>British Journal of Dermatology</i> , 2009 , 161, 1166-72	4	60
342	A whole genome methylation analysis of systemic lupus erythematosus: hypomethylation of the IL10 and IL1R2 promoters is associated with disease activity. <i>Genes and Immunity</i> , 2012 , 13, 214-20	4.4	57
341	Increased risks of chronic kidney disease associated with prescribed Chinese herbal products suspected to contain aristolochic acid. <i>Nephrology</i> , 2009 , 14, 227-34	2.2	57
340	Association between levels of serum perfluorooctane sulfate and carotid artery intima-media thickness in adolescents and young adults. <i>International Journal of Cardiology</i> , 2013 , 168, 3309-16	3.2	54

339	Analysis of perfluorinated chemicals in umbilical cord blood by ultra-high performance liquid chromatography/tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 641-6	3.2	52
338	Respiratory and irritant health effects of a population living in a petrochemical-polluted area in Taiwan. <i>Environmental Research</i> , 1997 , 74, 145-9	7.9	52
337	Perfluoroalkyl substances in cord blood and attention deficit/hyperactivity disorder symptoms in seven-year-old children. <i>Chemosphere</i> , 2016 , 156, 118-127	8.4	52
336	Molecular and clinical analyses of 84 patients with tuberous sclerosis complex. <i>BMC Medical Genetics</i> , 2006 , 7, 72	2.1	51
335	Hepatitis C viral infection and the risk of dementia. <i>European Journal of Neurology</i> , 2014 , 21, 1068-e59	6	50
334	A nationwide population-based study of the inflammatory bowel diseases between 1998 and 2008 in Taiwan. <i>BMC Gastroenterology</i> , 2013 , 13, 166	3	50
333	The associations between serum perfluorinated chemicals and thyroid function in adolescents and young adults. <i>Journal of Hazardous Materials</i> , 2013 , 244-245, 637-44	12.8	49
332	Prenatal air pollutant exposure and occurrence of atopic dermatitis. <i>British Journal of Dermatology</i> , 2015 , 173, 981-8	4	48
331	Associations between levels of serum perfluorinated chemicals and adiponectin in a young hypertension cohort in Taiwan. <i>Environmental Science & Technology</i> , 2011 , 45, 10691-8	10.3	47
330	The influence of wakeful prone positioning on motor development during the early life. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2008 , 29, 367-76	2.4	47
329	Herbal medicines used during the first trimester and major congenital malformations: an analysis of data from a pregnancy cohort study. <i>Drug Safety</i> , 2006 , 29, 537-48	5.1	47
328	Prenatal exposure to perfluoroalkyl substances and children's IQ: The Taiwan maternal and infant cohort study. <i>International Journal of Hygiene and Environmental Health</i> , 2015 , 218, 639-44	6.9	46
327	Aristolochic Acid in the Etiology of Renal Cell Carcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 1600-1608	4	46
326	Serum perfluorinated chemicals, glucose homeostasis and the risk of diabetes in working-aged Taiwanese adults. <i>Environment International</i> , 2016 , 88, 15-22	12.9	46
325	Prescription pattern of traditional Chinese medicine for climacteric women in Taiwan. <i>Climacteric</i> , 2009 , 12, 541-7	3.1	45
324	Prolonged time to pregnancy in female workers exposed to ethylene glycol ethers in semiconductor manufacturing. <i>Epidemiology</i> , 2002 , 13, 191-6	3.1	45
323	Association of perfluoroalkyl substances exposure with reproductive hormone levels in adolescents: By sex status. <i>Environment International</i> , 2016 , 94, 189-195	12.9	45
322	Use of ICS/LABA Combinations or LAMA Is Associated with a Lower Risk of Acute Exacerbation in Patients with Coexistent COPD and Asthma. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018 , 6, 1927-1935.e3	5.4	44

321	Higher body mass index may induce asthma among adolescents with pre-asthmatic symptoms: a prospective cohort study. <i>BMC Public Health</i> , 2011 , 11, 542	4.1	44
320	Prenatal Exposure to Perfluorocarboxylic Acids (PFCAs) and Fetal and Postnatal Growth in the Taiwan Maternal and Infant Cohort Study. <i>Environmental Health Perspectives</i> , 2016 , 124, 1794-1800	8.4	44
319	Concentrations of perfluoroalkyl substances in foods and the dietary exposure among Taiwan general population and pregnant women. <i>Journal of Food and Drug Analysis</i> , 2018 , 26, 994-1004	7	42
318	Association among acrylamide, blood insulin, and insulin resistance in adults. <i>Diabetes Care</i> , 2009 , 32, 2206-11	14.6	42
317	Chinese herbs containing aristolochic acid associated with renal failure and urothelial carcinoma: a review from epidemiologic observations to causal inference. <i>BioMed Research International</i> , 2014 , 2014, 569325	3	41
316	Risk of liver injury associated with Chinese herbal products containing radix bupleuri in 639,779 patients with hepatitis B virus infection. <i>PLoS ONE</i> , 2011 , 6, e16064	3.7	41
315	Use of an α -Glucosidase Inhibitor and the Risk of Colorectal Cancer in Patients With Diabetes: A Nationwide, Population-Based Cohort Study. <i>Diabetes Care</i> , 2015 , 38, 2068-74	14.6	40
314	Melamine and nephrolithiasis in children in Taiwan. <i>New England Journal of Medicine</i> , 2009 , 360, 1157-8	59.2	40
313	Statin improves survival in patients with EGFR-TKI lung cancer: A nationwide population-based study. <i>PLoS ONE</i> , 2017 , 12, e0171137	3.7	40
312	Serial measurements of serum alkaline phosphatase for early prediction of osteopaenia in preterm infants. <i>Journal of Paediatrics and Child Health</i> , 2011 , 47, 134-9	1.3	39
311	Parental exposure to lead and small for gestational age births. <i>American Journal of Industrial Medicine</i> , 2006 , 49, 417-22	2.7	39
310	An increased standardised mortality ratio for liver cancer among polyvinyl chloride workers in Taiwan. <i>Occupational and Environmental Medicine</i> , 2002 , 59, 405-9	2.1	39
309	Effect of gestational smoke exposure on atopic dermatitis in the offspring. <i>Pediatric Allergy and Immunology</i> , 2008 , 19, 580-6	4.2	38
308	Chronic exposure to particulate matter and risk of cardiovascular mortality: cohort study from Taiwan. <i>BMC Public Health</i> , 2015 , 15, 936	4.1	37
307	Infant feeding practices and physician diagnosed atopic dermatitis: a prospective cohort study in Taiwan. <i>Pediatric Allergy and Immunology</i> , 2011 , 22, 43-9	4.2	37
306	Effects of obesity, physical activity, and cardiorespiratory fitness on blood pressure, inflammation, and insulin resistance in the National Health and Nutrition Survey 1999-2002. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2010 , 20, 713-9	4.5	37
305	Use of traditional Chinese medicine in patients with hyperlipidemia: A population-based study in Taiwan. <i>Journal of Ethnopharmacology</i> , 2015 , 168, 129-35	5	36
304	Mercury, APOE, and children's neurodevelopment. <i>NeuroToxicology</i> , 2013 , 37, 85-92	4.4	36

303	Increased risk of hospitalization related to motor vehicle accidents among people taking zolpidem: a case-crossover study. <i>Journal of Epidemiology</i> , 2011 , 21, 37-43	3.4	36
302	Decreased fecundity among male lead workers. <i>Occupational and Environmental Medicine</i> , 2004 , 61, 915-23		36
301	Shift work aggravates metabolic syndrome development among early-middle-aged males with elevated ALT. <i>World Journal of Gastroenterology</i> , 2009 , 15, 5654-61	5.6	35
300	Statins and the risk of pancreatic cancer in Type 2 diabetic patients--A population-based cohort study. <i>International Journal of Cancer</i> , 2016 , 138, 594-603	7.5	35
299	The impact of prenatal perfluoroalkyl substances exposure on neonatal and child growth. <i>Science of the Total Environment</i> , 2017 , 607-608, 669-675	10.2	34
298	Effects of Gender on the Association of Urinary Phthalate Metabolites with Thyroid Hormones in Children: A Prospective Cohort Study in Taiwan. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	34
297	Simultaneous analysis of chlorpyrifos and cypermethrin in cord blood plasma by online solid-phase extraction coupled with liquid chromatography-heated electrospray ionization tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 1961-6	3.2	34
296	Neonatal-maternal factors and perfluoroalkyl substances in cord blood. <i>Chemosphere</i> , 2013 , 92, 843-50	8.4	33
295	Prolonged menstrual cycles in female workers exposed to ethylene glycol ethers in the semiconductor manufacturing industry. <i>Occupational and Environmental Medicine</i> , 2005 , 62, 510-6	2.1	33
294	Mono-2-ethylhexyl phthalate associated with insulin resistance and lower testosterone levels in a young population. <i>Environmental Pollution</i> , 2017 , 225, 112-117	9.3	32
293	Increased risk of hospitalization for acute hepatitis in patients with previous exposure to NSAIDs. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 708-14	2.6	32
292	Anti-platelet or anti-coagulant agent for the prevention of ischemic stroke in patients with end-stage renal disease and atrial fibrillation--a nation-wide database analyses. <i>International Journal of Cardiology</i> , 2014 , 177, 1008-11	3.2	31
291	Lifetime costs for peritoneal dialysis and hemodialysis in patients in Taiwan. <i>Peritoneal Dialysis International</i> , 2013 , 33, 671-8	2.8	31
290	High perinatal seroprevalence of cytomegalovirus in northern Taiwan. <i>Journal of Paediatrics and Child Health</i> , 2008 , 44, 166-9	1.3	31
289	Cognitive control in opioid dependence and methadone maintenance treatment. <i>PLoS ONE</i> , 2014 , 9, e94589	3.7	30
288	Angiotension receptor blockers reduce the risk of dementia. <i>Journal of Hypertension</i> , 2014 , 32, 938-47	1.9	30
287	Environmental risk factors for early infantile atopic dermatitis. <i>Pediatric Allergy and Immunology</i> , 2007 , 18, 441-7	4.2	30
286	Recurrence of depressive disorders after interferon-induced depression. <i>Translational Psychiatry</i> , 2017 , 7, e1026	8.6	29

285	Statin use reduces the risk of dementia in elderly patients: a nationwide data survey and propensity analysis. <i>Journal of Internal Medicine</i> , 2015 , 277, 343-352	10.8	29
284	GSTM1, GSTP1, prenatal smoke exposure, and atopic dermatitis. <i>Annals of Allergy, Asthma and Immunology</i> , 2010 , 105, 124-9	3.2	29
283	Increased mortality risk for cancers of the kidney and other urinary organs among Chinese herbalists. <i>Journal of Epidemiology</i> , 2009 , 19, 17-23	3.4	29
282	Respiratory symptoms of primary school children living in a petrochemical polluted area in Taiwan. <i>Pediatric Pulmonology</i> , 1998 , 25, 299-303	3.5	29
281	Mortality after exposure to polychlorinated biphenyls and polychlorinated dibenzofurans: a meta-analysis of two highly exposed cohorts. <i>International Journal of Cancer</i> , 2015 , 137, 1427-32	7.5	28
280	Use of thiazolidinediones and the risk of colorectal cancer in patients with diabetes: a nationwide, population-based, case-control study. <i>Diabetes Care</i> , 2013 , 36, 369-75	14.6	28
279	Identification of High-Risk Subgroups of Patients With Oral Cavity Cancer in Need of Postoperative Adjuvant Radiotherapy or Chemo-Radiotherapy. <i>Medicine (United States)</i> , 2016 , 95, e3770	1.8	27
278	Multilevel analysis of air pollution and early childhood neurobehavioral development. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 6827-41	4.6	27
277	Mortality after exposure to polychlorinated biphenyls and dibenzofurans: 30 years after the "Yucheng accident". <i>Environmental Research</i> , 2013 , 120, 71-5	7.9	27
276	Negative association between serum perfluorooctane sulfate concentration and bone mineral density in US premenopausal women: NHANES, 2005-2008. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 2173-80	5.6	27
275	Modulated expression of human peripheral blood microRNAs from infancy to adulthood and its role in aging. <i>Aging Cell</i> , 2014 , 13, 679-89	9.9	27
274	The role of essential metals in the placental transfer of lead from mother to child. <i>Reproductive Toxicology</i> , 2010 , 29, 443-6	3.4	27
273	Neuro-mediators as predictors of paediatric atopic dermatitis. <i>Clinical and Experimental Allergy</i> , 2008 , 38, 1302-8	4.1	27
272	Chinese herbal medicines used in pregnancy: a population-based survey in Taiwan. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 464-8	2.6	27
271	Juvenile idiopathic arthritis-associated uveitis: a nationwide population-based study in Taiwan. <i>PLoS ONE</i> , 2013 , 8, e70625	3.7	27
270	Mercury, APOE, and child behavior. <i>Chemosphere</i> , 2015 , 120, 123-30	8.4	26
269	Herbal medicine containing aristolochic acid and the risk of hepatocellular carcinoma in patients with hepatitis B virus infection. <i>International Journal of Cancer</i> , 2018 , 143, 1578-1587	7.5	26
268	Risk factors on the menstrual cycle of healthy Taiwanese college nursing students. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2009 , 49, 689-94	1.7	26

267	The combined effect of employment status and transcultural marriage on breast feeding: a population-based survey in Taiwan. <i>Paediatric and Perinatal Epidemiology</i> , 2007 , 21, 319-29	2.7	26
266	Increased mortality odds ratio of male liver cancer in a community contaminated by chlorinated hydrocarbons in groundwater. <i>Occupational and Environmental Medicine</i> , 2003 , 60, 364-9	2.1	26
265	Short-term effect of ozone on the pulmonary function of children in primary school. <i>Environmental Health Perspectives</i> , 1999 , 107, 921-5	8.4	26
264	Positive association between concentration of phthalate metabolites in urine and microparticles in adolescents and young adults. <i>Environment International</i> , 2016 , 92-93, 157-64	12.9	26
263	Osteoporosis is associated with increased risk for benign paroxysmal positional vertigo: a nationwide population-based study. <i>Archives of Osteoporosis</i> , 2017 , 12, 106	2.9	25
262	Environmental factors associated with overweight and obesity in taiwanese children. <i>Paediatric and Perinatal Epidemiology</i> , 2012 , 26, 561-71	2.7	25
261	The stability of mastery motivation and its relationship with home environment in infants and toddlers. <i>Research in Social and Administrative Pharmacy</i> , 2011 , 34, 434-42	2.9	25
260	Perfluoroalkyl substances and thyroid hormones in cord blood. <i>Environmental Pollution</i> , 2017 , 222, 543-548	12.9	24
259	The association of carotid intima-media thickness with serum Level of perfluorinated chemicals and endothelium-platelet microparticles in adolescents and young adults. <i>Environment International</i> , 2016 , 94, 292-299	12.9	24
258	Maternal-reported behavioral and emotional problems in Taiwanese preschool children. <i>Research in Developmental Disabilities</i> , 2012 , 33, 866-73	2.7	24
257	Concurrent Use of Conventional Drugs with Chinese Herbal Products in Taiwan: A Population-based Study. <i>Journal of Traditional and Complementary Medicine</i> , 2013 , 3, 256-62	4.6	24
256	Association between petrochemical air pollution and adverse pregnancy outcomes in Taiwan. <i>Archives of Environmental Health</i> , 2002 , 57, 461-5		24
255	Positive associations of serum perfluoroalkyl substances with uric acid and hyperuricemia in children from Taiwan. <i>Environmental Pollution</i> , 2016 , 212, 519-524	9.3	24
254	Androgen deprivation increases the risk of fracture in prostate cancer patients: a population-based study in Chinese patients. <i>Osteoporosis International</i> , 2015 , 26, 2281-90	5.3	23
253	The Taiwan Birth Panel Study: a prospective cohort study for environmentally- related child health. <i>BMC Research Notes</i> , 2011 , 4, 291	2.3	23
252	Prescription patterns of chinese herbal products for osteoporosis in taiwan: a population-based study. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012 , 2012, 752837	2.3	23
251	Preadmission Antihypertensive Drug Use and Sepsis Outcome: Impact of Angiotensin-Converting Enzyme Inhibitors (ACEIs) and Angiotensin Receptor Blockers (ARBs). <i>Shock</i> , 2020 , 53, 407-415	3.4	23
250	Perfluoroalkyl acids in blood serum samples from children in Taiwan. <i>Environmental Science and Pollution Research</i> , 2014 , 21, 7650-5	5.1	22

249	Positive association between urinary levels of 8-hydroxydeoxyguanosine and the acrylamide metabolite N-acetyl-S-(propionamide)-cysteine in adolescents and young adults. <i>Journal of Hazardous Materials</i> , 2013 , 261, 372-7	12.8	22
248	Body mass index may modify asthma prevalence among low-birth-weight children. <i>American Journal of Epidemiology</i> , 2012 , 176, 32-42	3.8	22
247	CYP1A1 Ile462Val and GSTT1 modify the effect of cord blood cotinine on neurodevelopment at 2 years of age. <i>NeuroToxicology</i> , 2008 , 29, 839-45	4.4	22
246	Exposure to a mixture of polychlorinated biphenyls and polychlorinated dibenzofurans resulted in a prolonged time to pregnancy in women. <i>Environmental Health Perspectives</i> , 2008 , 116, 599-604	8.4	22
245	Increased standardized incidence ratio of breast cancer in female electronics workers. <i>BMC Public Health</i> , 2007 , 7, 102	4.1	22
244	Interaction of vinyl chloride monomer exposure and hepatitis B viral infection on liver cancer. <i>Journal of Occupational and Environmental Medicine</i> , 2003 , 45, 379-83	2	22
243	Nationwide singleton birth weight percentiles by gestational age in Taiwan, 1998-2002. <i>Acta Paediatrica Taiwanica = Taiwan Er Ke Yi Xue Hui Za Zhi</i> , 2006 , 47, 25-33		22
242	Negative association between acrylamide exposure and body composition in adults: NHANES, 2003-2004. <i>Nutrition and Diabetes</i> , 2017 , 7, e246	4.7	21
241	Positive Association between Urinary Concentration of Phthalate Metabolites and Oxidation of DNA and Lipid in Adolescents and Young Adults. <i>Scientific Reports</i> , 2017 , 7, 44318	4.9	21
240	Association between levels of serum bisphenol A, a potentially harmful chemical in plastic containers, and carotid artery intima-media thickness in adolescents and young adults. <i>Atherosclerosis</i> , 2015 , 241, 657-63	3.1	21
239	Effects of depression and antidepressant medications on hip fracture: A population-based cohort study in Taiwan. <i>Medicine (United States)</i> , 2016 , 95, e4655	1.8	21
238	Increased upper and lower tract urothelial carcinoma in patients with end-stage renal disease: a nationwide cohort study in Taiwan during 1997-2008. <i>BioMed Research International</i> , 2014 , 2014, 149750 ³		21
237	Brugada-type electrocardiogram in the Taiwanese population--is it a risk factor for sudden death?. <i>Journal of the Formosan Medical Association</i> , 2011 , 110, 230-8	3.2	21
236	Filaggrin polymorphism P478S, IgE level, and atopic phenotypes. <i>British Journal of Dermatology</i> , 2011 , 164, 791-6	4	21
235	Increased risks of infant mortality and of deaths due to congenital malformation in the offspring of male electronics workers. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2009 , 85, 119-24		21
234	Unequal crossover recombination - population screening for PHOX2B gene polyalanine polymorphism using CE. <i>Electrophoresis</i> , 2007 , 28, 894-9	3.6	21
233	Determination of perfluorinated chemicals in food and drinking water using high-flow solid-phase extraction and ultra-high performance liquid chromatography/tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 402, 1315-25	4.4	20
232	Prenatal phenolic compounds exposure and neurobehavioral development at 2 and 7 years of age. <i>Science of the Total Environment</i> , 2017 , 605-606, 801-810	10.2	20

231	Maternal employment and atopic dermatitis in children: a prospective cohort study. <i>British Journal of Dermatology</i> , 2013 , 168, 794-801	4	20
230	Increased risks of upper tract urothelial carcinoma in male and female chinese herbalists. <i>Journal of the Formosan Medical Association</i> , 2011 , 110, 161-8	3.2	20
229	Effect of rotating shift work on childbearing and birth weight: a study of women working in a semiconductor manufacturing factory. <i>World Journal of Pediatrics</i> , 2011 , 7, 129-35	4.6	20
228	Increased risk of cancer in the offspring of female electronics workers. <i>Reproductive Toxicology</i> , 2008 , 25, 115-9	3.4	20
227	The association between infant feeding pattern and mother's quality of life in Taiwan. <i>Quality of Life Research</i> , 2007 , 16, 1281-8	3.7	20
226	Danshen improves survival of patients with advanced lung cancer and targeting the relationship between macrophages and lung cancer cells. <i>Oncotarget</i> , 2017 , 8, 90925-90947	3.3	20
225	Birth Cohort Consortium of Asia: Current and Future Perspectives. <i>Epidemiology</i> , 2017 , 28 Suppl 1, S19-S34	3.4	19
224	Children's environmental health based on birth cohort studies of Asia (2) - air pollution, pesticides, and heavy metals. <i>Environmental Research</i> , 2019 , 179, 108754	7.9	19
223	Frequencies and prescription patterns of traditional Chinese medicine use among elderly patients in Taiwan: A population-based study. <i>Journal of Ethnopharmacology</i> , 2015 , 169, 328-34	5	19
222	Primary prevention of atrial fibrillation with angiotensin-converting enzyme inhibitors and angiotensin receptor blockers in patients with end-stage renal disease undergoing dialysis. <i>Kidney International</i> , 2015 , 88, 378-85	9.9	19
221	Childhood exposure to phthalates and pulmonary function. <i>Science of the Total Environment</i> , 2018 , 615, 1282-1289	10.2	19
220	Survival benefit associated with metformin use in inoperable non-small cell lung cancer patients with diabetes: A population-based retrospective cohort study. <i>PLoS ONE</i> , 2018 , 13, e0191129	3.7	19
219	Duration of breast feeding and risk of developmental delay in Taiwanese children: a nationwide birth cohort study. <i>Paediatric and Perinatal Epidemiology</i> , 2011 , 25, 519-27	2.7	19
218	CYP1A1 modifies the effect of maternal exposure to environmental tobacco smoke on child behavior. <i>Nicotine and Tobacco Research</i> , 2010 , 12, 1108-17	4.9	19
217	Effect of the CYP2E1 genotype on vinyl chloride monomer-induced liver fibrosis among polyvinyl chloride workers. <i>Toxicology</i> , 2007 , 239, 34-44	4.4	19
216	Frequency and co-prescription pattern of Chinese herbal products for hypertension in Taiwan: a Cohort study. <i>BMC Complementary and Alternative Medicine</i> , 2015 , 15, 163	4.7	18
215	A case-control study of perfluoroalkyl substances and the risk of breast cancer in Taiwanese women. <i>Environment International</i> , 2020 , 142, 105850	12.9	18
214	Higher methadone doses are associated with lower mortality in patients of opioid dependence in Taiwan. <i>Journal of Psychiatric Research</i> , 2013 , 47, 1530-4	5.2	18

213	Occupational exposure to herbs containing aristolochic acids increases the risk of urothelial carcinoma in Chinese herbalists. <i>Journal of Urology</i> , 2013 , 189, 48-52	2.5	18
212	Associations between petrol-station density and manganese and lead in the cord blood of newborns living in Taiwan. <i>Environmental Research</i> , 2011 , 111, 260-5	7.9	18
211	Working hours and risk of gestational hypertension and pre-eclampsia. <i>Occupational Medicine</i> , 2010 , 60, 66-71	2.1	18
210	Psychometric properties of a Chinese version of the Home Environment Measure for Motor Development. <i>Disability and Rehabilitation</i> , 2011 , 33, 2454-63	2.4	18
209	Use of Sheng-Hua-Tang and health-related quality of life in postpartum women: a population-based cohort study in Taiwan. <i>International Journal of Nursing Studies</i> , 2010 , 47, 13-9	5.8	18
208	Quality of life and climacteric complaints amongst women seeking medical advice in Taiwan: assessment using the WHOQOL-BREF questionnaire. <i>Climacteric</i> , 2006 , 9, 119-28	3.1	18
207	Type 1 diabetes impairs female fertility even before it is diagnosed. <i>Diabetes Research and Clinical Practice</i> , 2018 , 143, 151-158	7.4	17
206	Anti-anxiety drugs use and cardiovascular outcomes in patients with myocardial infarction: a national wide assessment. <i>Atherosclerosis</i> , 2014 , 235, 496-502	3.1	17
205	Children's environmental health based on birth cohort studies of Asia. <i>Science of the Total Environment</i> , 2017 , 609, 396-409	10.2	17
204	Increased risk of urinary tract cancer in ESRD patients associated with usage of Chinese herbal products suspected of containing aristolochic acid. <i>PLoS ONE</i> , 2014 , 9, e105218	3.7	17
203	Occupational kidney disease among Chinese herbalists exposed to herbs containing aristolochic acids. <i>Occupational and Environmental Medicine</i> , 2011 , 68, 286-90	2.1	17
202	Is Duhuo Jisheng Tang containing Xixin safe? A four-week safety study. <i>Chinese Medicine</i> , 2010 , 5, 6	4.7	17
201	Increased risk of death with congenital anomalies in the offspring of male semiconductor workers. <i>International Journal of Occupational and Environmental Health</i> , 2008 , 14, 112-6		17
200	Analysis of T-wave morphology from the 12-lead electrocardiogram for prediction of long-term prognosis in patients initiating haemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2007 , 22, 2645-52	4.3	17
199	Development of active safety surveillance system for traditional Chinese medicine: an empirical study in treating climacteric women. <i>Pharmacoepidemiology and Drug Safety</i> , 2006 , 15, 889-99	2.6	17
198	Real-world effectiveness of medications on survival in patients with COPD-heart failure overlap. <i>Aging</i> , 2019 , 11, 3650-3667	5.6	17
197	Association between measurements of thyroid function and the acrylamide metabolite N-Acetyl-S-(propionamide)-cysteine in adolescents and young adults. <i>Environmental Research</i> , 2015 , 136, 246-52	7.9	16
196	Increased risk of urothelial cancer in young and middle aged patients with end-stage renal disease. <i>Journal of the Formosan Medical Association</i> , 2015 , 114, 52-7	3.2	16

195	Household incense burning and infant gross motor development: Results from the Taiwan Birth Cohort Study. <i>Environment International</i> , 2018 , 115, 110-116	12.9	16
194	Joint effects of birth outcomes and childhood body mass index on respiratory symptoms. <i>European Respiratory Journal</i> , 2012 , 39, 1213-9	13.6	16
193	Prenatal and postnatal risk factors for infantile pneumonia in a representative birth cohort. <i>Epidemiology and Infection</i> , 2012 , 140, 1277-85	4.3	16
192	Progress of Diabetic Severity and Risk of Dementia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 2899-908	5.6	15
191	Myocardial ultrasound tissue characterization of patients with primary aldosteronism. <i>Ultrasound in Medicine and Biology</i> , 2013 , 39, 54-61	3.5	15
190	Incidence and risk factors of depression after diagnosis of lung cancer: A nationwide population-based study. <i>Medicine (United States)</i> , 2017 , 96, e6864	1.8	15
189	Contribution of gestational exposure to ambient traffic air pollutants to fetal cord blood manganese. <i>Environmental Research</i> , 2012 , 112, 1-7	7.9	15
188	Mortality from liver cancer and leukaemia among polyvinyl chloride workers in Taiwan: an updated study. <i>Occupational and Environmental Medicine</i> , 2011 , 68, 120-5	2.1	15
187	Respirable dust exposure and respiratory health in male Taiwanese steelworkers. <i>Industrial Health</i> , 2006 , 44, 190-9	2.5	15
186	Utilizing the metabolic syndrome component count in workers' health surveillance: An example of day-time vs. day-night rotating shift workers. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2015 , 28, 675-88	1.5	15
185	Life expectancy, expected years of life lost and survival of hemodialysis and peritoneal dialysis patients. <i>Journal of Nephrology</i> , 2010 , 23, 677-82	4.8	15
184	The impact of hepatitis B virus infection and vaccination on the development of non-Hodgkin lymphoma. <i>Journal of Viral Hepatitis</i> , 2017 , 24, 885-894	3.4	14
183	Growth trajectories and asthma/rhinitis in children: a longitudinal study in Taiwan. <i>European Respiratory Journal</i> , 2017 , 49,	13.6	14
182	Persistent rotating shift work exposure is a tough second hit contributing to abnormal liver function among on-site workers having sonographic fatty liver. <i>Asia-Pacific Journal of Public Health</i> , 2015 , 27, NP1765-74	2	14
181	Young nasopharyngeal cancer patients with radiotherapy and chemotherapy are most prone to ischaemic risk of stroke: a national database, controlled cohort study. <i>Clinical Otolaryngology</i> , 2013 , 38, 39-47	1.8	14
180	Effects of angiotensin converting enzyme inhibition or angiotensin receptor blockade in dialysis patients: a nationwide data survey and propensity analysis. <i>Medicine (United States)</i> , 2015 , 94, e424	1.8	13
179	Development of breath test for pneumoconiosis: a case-control study. <i>Respiratory Research</i> , 2017 , 18, 178	7.3	13
178	Management of congenital cystic adenomatoid malformation and bronchopulmonary sequestration in newborns. <i>Pediatrics and Neonatology</i> , 2010 , 51, 172-7	1.8	13

177	Correlations between spiritual beliefs and health-related quality of life of chronic hemodialysis patients in Taiwan. <i>Artificial Organs</i> , 2009 , 33, 576-9	2.6	13
176	Favorable neonatal outcomes among immigrants in Taiwan: evidence of healthy immigrant mother effect. <i>Journal of Women's Health</i> , 2011 , 20, 1083-90	3	13
175	Mortality in tongue cancer patients treated by curative surgery: a retrospective cohort study from CGRD. <i>PeerJ</i> , 2016 , 4, e2794	3.1	13
174	The Impacts of Cord Blood Cotinine and Glutathione-S-Transferase Gene Polymorphisms on Birth Outcome. <i>Pediatrics and Neonatology</i> , 2017 , 58, 362-369	1.8	12
173	Nationwide Twin Birth Weight Percentiles by Gestational Age in Taiwan. <i>Pediatrics and Neonatology</i> , 2015 , 56, 294-300	1.8	12
172	Prenatal Perfluorooctyl Sulfonate Exposure and Alu DNA Hypomethylation in Cord Blood. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	12
171	Path analysis of prenatal mercury levels and birth weights in Korean and Taiwanese birth cohorts. <i>Science of the Total Environment</i> , 2017 , 605-606, 1003-1010	10.2	12
170	Antidepressants and colorectal cancer: A population-based nested case-control study. <i>Journal of Affective Disorders</i> , 2017 , 207, 353-358	6.6	12
169	Use of herbal dietary supplement si-wu-tang and health-related quality of life in postpartum women: a population-based correlational study. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013 , 2013, 790474	2.3	12
168	The association of clinical findings and exposure profiles with melamine associated nephrolithiasis. <i>Archives of Disease in Childhood</i> , 2009 , 94, 883-7	2.2	12
167	Outcome and hospital cost for infants weighing less than 500 grams: a tertiary centre experience in Taiwan. <i>Journal of Paediatrics and Child Health</i> , 2007 , 43, 627-31	1.3	12
166	Increased risk for invasive breast cancer associated with hormonal therapy: a nation-wide random sample of 65,723 women followed from 1997 to 2008. <i>PLoS ONE</i> , 2011 , 6, e25183	3.7	12
165	Endocrine dysfunction following traumatic brain injury: a 5-year follow-up nationwide-based study. <i>Scientific Reports</i> , 2016 , 6, 32987	4.9	12
164	Effects of Transferring to the Rehabilitation Ward on Long-Term Mortality Rate of First-Time Stroke Survivors: A Population-Based Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017 , 98, 2399-2407	2.8	11
163	Renin-angiotensin-aldosterone blockade reduces atrial fibrillation in hypertrophic cardiomyopathy. <i>Heart</i> , 2018 , 104, 1276-1283	5.1	11
162	Source apportionment of mass concentration and inhalation risk with long-term ambient PCDD/Fs measurements in an urban area. <i>Journal of Hazardous Materials</i> , 2016 , 317, 180-187	12.8	11
161	Mortality of doctors in Taiwan. <i>Occupational Medicine</i> , 2011 , 61, 29-32	2.1	11
160	Time-varying nature of risk factors for the longitudinal development of disability in older adults with arthritis. <i>Journal of Epidemiology</i> , 2010 , 20, 460-7	3.4	11

159	Synergistic effect of hepatitis virus infection and occupational exposures to vinyl chloride monomer and ethylene dichloride on serum aminotransferase activity. <i>Occupational and Environmental Medicine</i> , 2003 , 60, 774-8	2.1	11
158	Diabetes and risk of Kaposi's sarcoma: effects of high glucose on reactivation and infection of Kaposi's sarcoma-associated herpesvirus. <i>Oncotarget</i> , 2017 , 8, 80595-80611	3.3	11
157	Prenatal perfluorooctanoic acid exposure is associated with early onset atopic dermatitis in 5-year-old children. <i>Chemosphere</i> , 2019 , 231, 25-31	8.4	10
156	Gestational exposure to polychlorinated biphenyls and dibenzofurans induced asymmetric hearing loss: Yucheng children study. <i>Environmental Research</i> , 2015 , 137, 65-71	7.9	10
155	On pump versus off pump coronary artery bypass grafting in patients with end-stage renal disease and coronary artery disease - A nation-wide, propensity score matched database analyses. <i>International Journal of Cardiology</i> , 2017 , 227, 529-534	3.2	10
154	Long-term day-and-night rotating shift work poses a barrier to the normalization of alanine transaminase. <i>Chronobiology International</i> , 2014 , 31, 487-95	3.6	10
153	A nationwide survey of risk factors for stillbirth in Taiwan, 2001-2004. <i>Pediatrics and Neonatology</i> , 2012 , 53, 105-11	1.8	10
152	Targeted disruption in mice of a neural stem cell-maintaining, KRAB-Zn finger-encoding gene that has rapidly evolved in the human lineage. <i>PLoS ONE</i> , 2012 , 7, e47481	3.7	10
151	Maternal psychosocial factors around delivery on development of 2-year-old children: A prospective cohort study. <i>Journal of Paediatrics and Child Health</i> , 2011 , 47, 34-9	1.3	10
150	Prolonged time to pregnancy in residents exposed to ionising radiation in cobalt-60-contaminated buildings. <i>Occupational and Environmental Medicine</i> , 2010 , 67, 187-95	2.1	10
149	Noninvasive capnometry for end-tidal carbon dioxide monitoring via nasal cannula in nonintubated neonates. <i>Pediatrics and Neonatology</i> , 2010 , 51, 330-5	1.8	10
148	Health risk in the offspring of female semiconductor workers. <i>Occupational Medicine</i> , 2008 , 58, 388-92	2.1	10
147	Use of Coptidis Rhizoma and foetal growth: a follow-up study of 9,895 pregnancies. <i>Pharmacoepidemiology and Drug Safety</i> , 2006 , 15, 185-92	2.6	10
146	Diagnostic accuracy of breath tests for pneumoconiosis using an electronic nose. <i>Journal of Breath Research</i> , 2017 , 12, 016001	3.1	10
145	Spironolactone is associated with reduced risk of new-onset atrial fibrillation in patients receiving renal replacement therapy. <i>International Journal of Cardiology</i> , 2016 , 202, 962-6	3.2	9
144	Effects of selective serotonin reuptake inhibitors on glaucoma: A nationwide population-based study. <i>PLoS ONE</i> , 2017 , 12, e0173005	3.7	9
143	Severe aortic arch calcification predicts mortality in patients undergoing peritoneal dialysis. <i>Journal of the Formosan Medical Association</i> , 2017 , 116, 366-372	3.2	9
142	Occupational Exposure to Talc Increases the Risk of Lung Cancer: A Meta-Analysis of Occupational Cohort Studies. <i>Canadian Respiratory Journal</i> , 2017 , 2017, 1270608	2.1	9

141	Haemophilus influenzae type b combination vaccines and atopic disorders: a prospective cohort study. <i>Journal of the Formosan Medical Association</i> , 2012 , 111, 711-8	3.2	9
140	Is infant feeding pattern associated with father's quality of life?. <i>American Journal of Men's Health</i> , 2010 , 4, 315-22	2.2	9
139	Pleural plaque related to asbestos mining in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2010 , 109, 928-33	3.2	9
138	Anti-estrogen use reduces risk of cervical neoplasia in breast cancer patients: a population-based study. <i>Oncotarget</i> , 2017 , 8, 29361-29369	3.3	9
137	Association between exposure to perfluoroalkyl substances and metabolic syndrome and related outcomes among older residents living near a Science Park in Taiwan. <i>International Journal of Hygiene and Environmental Health</i> , 2020 , 230, 113607	6.9	9
136	Hearing loss in workers exposed to epoxy adhesives and noise: a cross-sectional study. <i>BMJ Open</i> , 2016 , 6, e010533	3	9
135	Herbal Medicine Containing Aristolochic Acid and the Risk of Primary Liver Cancer in Patients with Hepatitis C Virus Infection. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1876-1883	4	9
134	Hospital outcomes and cumulative burden from complications in type 2 diabetic sepsis patients: a cohort study using administrative and hospital-based databases. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2019 , 10, 2042018819875406	4.5	8
133	Stomach Cancer and Exposure to Talc Powder without Asbestos via Chinese Herbal Medicine: A Population-Based Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	8
132	Hyperlipidemia and Statins Use for the Risk of New Diagnosed Sarcopenia in Patients with Chronic Kidney: A Population-Based Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	8
131	Statin Use and the Risk of Subsequent Hospitalized Exacerbations in COPD Patients with Frequent Exacerbations. <i>International Journal of COPD</i> , 2020 , 15, 289-299	3	8
130	Urinary Neutrophil Gelatinase-Associated Lipocalin Levels in Neonates. <i>Pediatrics and Neonatology</i> , 2016 , 57, 207-12	1.8	8
129	Applying the ICF-CY framework to examine biological and environmental factors in early childhood development. <i>Journal of the Formosan Medical Association</i> , 2014 , 113, 303-12	3.2	8
128	Fetal Growth, Obesity, and Atopic Disorders in Adolescence: a Retrospective Birth Cohort Study. <i>Paediatric and Perinatal Epidemiology</i> , 2015 , 29, 472-9	2.7	8
127	Association of blood lead and mercury with estimated GFR in herbalists after the ban of herbs containing aristolochic acids in Taiwan. <i>Occupational and Environmental Medicine</i> , 2013 , 70, 545-51	2.1	8
126	Pulmonary fibrosis in workers exposed to non-asbestiform tremolite asbestos minerals. <i>Epidemiology</i> , 2013 , 24, 143-9	3.1	8
125	A hierarchical Bayesian approach for risk assessment of melamine in infant formula based on cases of related nephrolithiasis in children. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2011 , 28, 384-95	3.2	8
124	Association of hepatitis C virus infection and malnutrition-inflammation complex syndrome in maintenance hemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 1176-83	4.3	8

123	Dietary supplement intake by 6-month-old Taiwanese infants. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012 , 54, 71-6	2.8	8
122	Angiotensin-converting enzyme inhibitors enhance the effect of cyclooxygenase inhibitors on breast cancer: a nationwide case-control study. <i>Journal of Hypertension</i> , 2012 , 30, 2432-9	1.9	8
121	Case-crossover study of hospitalization for acute hepatitis in Chinese herb users. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008 , 23, 1549-55	4	8
120	Prenatal perfluorooctanoic acid exposure and glutathione s-transferase T1/M1 genotypes and their association with atopic dermatitis at 2 years of age. <i>PLoS ONE</i> , 2019 , 14, e0210708	3.7	8
119	Association of serum levels of 4-tertiary-octylphenol with cardiovascular risk factors and carotid intima-media thickness in adolescents and young adults. <i>Environmental Pollution</i> , 2019 , 246, 107-113	9.3	8
118	Talc exposure and risk of stomach cancer: Systematic review and meta-analysis of occupational cohort studies. <i>Journal of the Formosan Medical Association</i> , 2020 , 119, 781-792	3.2	8
117	Risk of depression following uterine cancer: A nationwide population-based study. <i>Psycho-Oncology</i> , 2017 , 26, 1770-1776	3.9	7
116	Primary prevention of myocardial infarction with angiotensin-converting enzyme inhibitors and angiotensin receptor blockers in hypertensive patients with rheumatoid arthritis-A nationwide cohort study. <i>PLoS ONE</i> , 2017 , 12, e0188720	3.7	7
115	Chromosome abnormalities in embryos derived from microsurgical epididymal sperm aspiration and testicular sperm extraction. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2014 , 53, 202-5	1.6	7
114	Seasonal synchrony in incidences of common infectious diagnoses in early childhood among neighbouring regions. <i>International Journal of Infectious Diseases</i> , 2014 , 28, 214-6	10.5	7
113	Shortened menstrual cycles in LCD manufacturing workers. <i>Occupational Medicine</i> , 2013 , 63, 45-52	2.1	7
112	Maternal psychosocial factors around delivery, and the behavior of 2-year-old children. <i>Pediatrics International</i> , 2011 , 53, 656-661	1.2	7
111	Women's perceptions of their husband's drinking behavior as a risk factor of their health-related quality of life in the postpartum period. <i>Quality of Life Research</i> , 2010 , 19, 47-53	3.7	7
110	Worksite health screening programs for predicting the development of Metabolic Syndrome in middle-aged employees: a five-year follow-up study. <i>BMC Public Health</i> , 2010 , 10, 747	4.1	7
109	Perinatal toxoplasmosis, northern Taiwan. <i>Emerging Infectious Diseases</i> , 2006 , 12, 1460-1	10.2	7
108	Increased lymphocyte sister chromatid exchange frequency in workers with exposure to low level of ethylene dichloride. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2000 , 470, 109-14	3	7
107	Probiotic supplement use among young children in Taiwan: a prospective cohort study. <i>PLoS ONE</i> , 2012 , 7, e43885	3.7	7
106	The impact of Down syndrome screening on Taiwanese Down syndrome births: a nationwide retrospective study and a screening result from a single medical centre. <i>PLoS ONE</i> , 2013 , 8, e75428	3.7	7

105	Risk factors for asthma occurrence in children with early-onset atopic dermatitis: An 8-year follow-up study. <i>Pediatric Allergy and Immunology</i> , 2018 , 29, 159-165	4.2	7
104	Intracranial aneurysms formation after radiotherapy for head and neck cancer: a 10-year nationwide follow-up study. <i>BMC Cancer</i> , 2019 , 19, 537	4.8	6
103	Nationwide Birth Weight and Gestational Age-specific Neonatal Mortality Rate in Taiwan. <i>Pediatrics and Neonatology</i> , 2015 , 56, 149-58	1.8	6
102	Association Between 131I Treatment for Thyroid Cancer and Risk of Receiving Cataract Surgery: A Cohort Study From Taiwan. <i>Journal of Nuclear Medicine</i> , 2016 , 57, 836-41	8.9	6
101	Metformin Prolongs Survival in Type 2 Diabetes Lung Cancer Patients With EGFR-TKIs. <i>Integrative Cancer Therapies</i> , 2019 , 18, 1534735419869491	3	6
100	A prospective study of the factors associated with life quality during medical internship. <i>PLoS ONE</i> , 2019 , 14, e0220608	3.7	6
99	Statin therapy lowers the risk of new-onset atrial fibrillation in patients with end-stage renal disease. <i>International Journal of Cardiology</i> , 2015 , 201, 538-43	3.2	6
98	131I treatment for thyroid cancer and risk of developing primary hyperparathyroidism: a cohort study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014 , 41, 253-9	8.8	6
97	Case-crossover design: an alternative strategy for detecting drug-induced liver injury. <i>Journal of Clinical Epidemiology</i> , 2012 , 65, 560-7	5.7	6
96	Carving of non-asbestiform tremolite and the risk of lung cancer: a follow-up mortality study in a historical nephrite processing cohort. <i>Occupational and Environmental Medicine</i> , 2013 , 70, 852-7	2.1	6
95	The effectiveness of continuing training for traditional birth attendants on their reproductive health-care knowledge and performance. <i>Midwifery</i> , 2011 , 27, 648-53	2.8	6
94	Increased mortality risk for workers with a compensated, permanent occupational disability of the upper or lower extremities: a 21-year follow-up study. <i>American Journal of Epidemiology</i> , 2010 , 171, 917-23	3.8	6
93	Trajectory stability and factors affecting trajectories over time of the longitudinal age-related change in physical performance among older people. <i>Experimental Aging Research</i> , 2011 , 37, 358-76	1.7	6
92	The impact of ethylene glycol monomethyl ether on ovarian function may extend to the next generation in female mice: a preliminary study. <i>Reproductive Toxicology</i> , 2010 , 29, 452-7	3.4	6
91	Depression-free after Interferon- α exposure indicates less incidence of depressive disorder: A longitudinal study in Taiwan. <i>Brain, Behavior, and Immunity</i> , 2020 , 88, 125-131	16.6	6
90	Prenatal chlorpyrifos exposure in association with PPAR[$H3K4me3$] and DNA methylation levels and child development. <i>Environmental Pollution</i> , 2021 , 274, 116511	9.3	6
89	Anti-Hyperglycemic Agents and New-Onset Acute Myocardial Infarction in Diabetic Patients with End-Stage Renal Disease Undergoing Dialysis. <i>PLoS ONE</i> , 2016 , 11, e0160436	3.7	6
88	Cancer mortality in a population exposed to nephrite processing. <i>Occupational and Environmental Medicine</i> , 2016 , 73, 528-36	2.1	6

87	Effect of statin therapy on the prevention of new-onset acute coronary syndrome in patients with rheumatoid arthritis. <i>International Journal of Cardiology</i> , 2018 , 253, 1-6	3.2	6
86	Increased night duty loading of physicians caused elevated blood pressure and sympathetic tones in a dose-dependent manner. <i>International Archives of Occupational and Environmental Health</i> , 2016 , 89, 413-23	3.2	5
85	Prescription patterns of traditional Chinese medicine amongst Taiwanese children: a population-based cohort study. <i>BMC Complementary and Alternative Medicine</i> , 2018 , 18, 191	4.7	5
84	Herbal medicines during pregnancy and childhood cancers: an analysis of data from a pregnancy cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 1119-20	2.6	5
83	GSTM1 modifies the effect of maternal exposure to environmental tobacco smoke on neonatal primitive reflexes. <i>Nicotine and Tobacco Research</i> , 2011 , 13, 1114-22	4.9	5
82	Excessive 5-year weight gain predicts metabolic syndrome development in healthy middle-aged adults. <i>World Journal of Diabetes</i> , 2011 , 2, 8-15	4.7	5
81	Maternal exposure to air pollution and the risk of small for gestational age in offspring: A population-based study in Taiwan. <i>Pediatrics and Neonatology</i> , 2020 , 61, 231-237	1.8	5
80	Association between short-term exposure to air pollution and sudden infant death syndrome. <i>Chemosphere</i> , 2021 , 271, 129515	8.4	5
79	Genetic and environmental predictors for pediatric atopic dermatitis. <i>Acta Paediatrica Taiwanica = Taiwan Er Ke Yi Xue Hui Za Zhi</i> , 2006 , 47, 238-42		5
78	Dilute-and-shoot enhances sensitivity of phthalate urinary concentrations for assessing the exposure in children. <i>Journal of Hazardous Materials</i> , 2018 , 351, 124-130	12.8	4
77	Occupational Hazard Exposures and Depressive Symptoms of Pregnant Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2018 , 60, e134-e138	2	4
76	Specific and Non-specific Clinical Presentations in the Year Before the Diagnosis of Childhood Leukaemia. <i>Pediatric Blood and Cancer</i> , 2016 , 63, 1387-93	3	4
75	Association between Emotional Symptoms and Job Demands in an Asian Electronics Factory. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	4
74	Cord blood soluble Fas ligand and pediatric atopic dermatitis. <i>Allergy and Asthma Proceedings</i> , 2011 , 32, 366-71	2.6	4
73	Response: Re: Population-Based Case-Control Study of Chinese Herbal Products Containing Aristolochic Acid and Urinary Tract Cancer Risk. <i>Journal of the National Cancer Institute</i> , 2010 , 102, 988-997	9.7	4
72	Major interventions are associated with survival of out of hospital cardiac arrest patients - a population based survey. <i>Signa Vitae</i> , 2017 , 13, 108	2.1	4
71	Air Pollution, Allergic Co-morbidity, and Emergency Department Visit for Pediatric Asthma in Taiwan. <i>Aerosol and Air Quality Research</i> , 2013 , 13, 1847-1852	4.6	4
70	Effect of valproic acid on overall survival in patients with high-grade gliomas undergoing temozolomide: A nationwide population-based cohort study in Taiwan. <i>Medicine (United States)</i> , 2020 , 99, e21147	1.8	4

69	Association of age with risk of major depression among patients with chronic kidney disease over midlife: a nationwide cohort study in Taiwan. <i>International Psychogeriatrics</i> , 2019 , 31, 1171-1179	3.4	4
68	Respiratory symptoms of primary school children living in a petrochemical polluted area in Taiwan 1998 , 25, 299		4
67	Sex-moderated interactions between IL4/IL13 pathway genes and prenatal environment on cord blood IgE levels. <i>Clinical and Experimental Allergy</i> , 2019 , 49, 1128-1138	4.1	3
66	Risk for work-related fatigue among the employees on semiconductor manufacturing lines. <i>Asia-Pacific Journal of Public Health</i> , 2015 , 27, NP1805-18	2	3
65	Digoxin-amiodarone Combination is Associated With Excess All-cause Mortality in Patients With Atrial Fibrillation. <i>Scientific Reports</i> , 2020 , 10, 4101	4.9	3
64	Exposure to multiple low-level chemicals in relation to reproductive hormones in premenopausal women involved in liquid crystal display manufacture. <i>International Journal of Environmental Research and Public Health</i> , 2013 , 10, 1406-17	4.6	3
63	Effect of Breastfeeding Duration on Infant Growth Until 18 Months of Age: A National Birth Cohort Study. <i>Journal of Experimental and Clinical Medicine</i> , 2010 , 2, 165-172		3
62	Impact of delivery mode and gestational age on haematological parameters in Taiwanese preterm infants. <i>Journal of Paediatrics and Child Health</i> , 2009 , 45, 332-6	1.3	3
61	Nephroureterectomy increase 5 year survival in patients on dialysis with upper urinary tract urothelial carcinoma. <i>Oncotarget</i> , 2017 , 8, 79876-79883	3.3	3
60	The association between postpartum depression and air pollution during pregnancy and postpartum period: a national population study in Taiwan. <i>Environmental Research Letters</i> , 2021 , 16, 084021	6.2	3
59	A comprehensive evaluation of COVID-19 policies and outcomes in 50 countries and territories. <i>Scientific Reports</i> , 2022 , 12,	4.9	3
58	Efficacy of Antiplatelet Agent Usage for Primary and Secondary Prevention in Dialysis Patients: a Nationwide Data Survey and Propensity Analysis. <i>Cardiovascular Drugs and Therapy</i> , 2019 , 33, 471-479	3.9	2
57	Association between maternal shift work and infant neurodevelopmental outcomes: results from the Taiwan Birth Cohort Study with propensity-score-matching analysis. <i>International Journal of Epidemiology</i> , 2019 , 48, 1545-1555	7.8	2
56	Low birth weight and environmental tobacco smoke increases the risk of wheezing in adolescents: a retrospective cohort study. <i>BMC Public Health</i> , 2014 , 14, 688	4.1	2
55	Integrative Gynecology and Women's Healthcare. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015 , 2015, 852615	2.3	2
54	PCN7 Angiotensin-Converting Enzyme Inhibitors Enhance the Effect of Cyclooxygenase Inhibitors on Breast Cancer : A Nationwide Case-Control Study. <i>Value in Health</i> , 2012 , 15, A654	3.3	2
53	Should herbs take all the blame? Causality assessment of a serious thrombocytopenia event. <i>Journal of Alternative and Complementary Medicine</i> , 2010 , 16, 1221-4	2.4	2
52	Disparities in mortality among doctors in Taiwan: a 17-year follow-up study of 37 545 doctors. <i>BMJ Open</i> , 2012 , 2, e000382	3	2

51	The Utilization of Rehabilitation in Patients with Hemophilia A in Taiwan: A Nationwide Population-Based Study. <i>PLoS ONE</i> , 2016 , 11, e0164009	3.7	2
50	ACEI and ARB did not Reduce the Incidence of Dementia in Patients with Atrial Fibrillation: A Nationwide Cohort Study. <i>Acta Cardiologica Sinica</i> , 2013 , 29, 323-7	1.1	2
49	Human biomonitoring reference values and characteristics of Phthalate exposure in the general population of Taiwan: Taiwan Environmental Survey for Toxicants 2013-2016. <i>International Journal of Hygiene and Environmental Health</i> , 2021 , 235, 113769	6.9	2
48	Diagnostic uncertainty of herpangina and hand-foot-and-mouth disease and its impact on national enterovirus syndromic monitoring. <i>Epidemiology and Infection</i> , 2016 , 144, 1512-9	4.3	2
47	Comparison of Nonpolio Enteroviruses in Children With Herpangina and Hand, Foot and Mouth Disease in Taiwan. <i>Pediatric Infectious Disease Journal</i> , 2019 , 38, 887-893	3.4	2
46	Intrauterine exposure to per- and polyfluoroalkyl substances may harm children's lung function development. <i>Environmental Research</i> , 2021 , 192, 110178	7.9	2
45	Sex differences in common childhood infections in Taiwan. <i>International Journal of Infectious Diseases</i> , 2018 , 75, 115-117	10.5	2
44	Application of food description to the food classification system: Evidence of risk assessment from Taiwan as Acrylamide of grain products. <i>Journal of Food and Drug Analysis</i> , 2018 , 26, 1312-1319	7	2
43	Lipid responses to environmental perfluoroalkyl substance exposure in a Taiwanese Child cohort. <i>Environmental Pollution</i> , 2021 , 283, 117007	9.3	2
42	Perinatal and infant health outcomes among neonates born to aboriginal parents in Taiwan. <i>Acta Paediatrica Taiwanica = Taiwan Er Ke Yi Xue Hui Za Zhi</i> , 2007 , 48, 135-40		2
41	Severe aortic arch calcification predicts mortality in patients undergoing peritoneal dialysis: Response to methodological issues. <i>Journal of the Formosan Medical Association</i> , 2018 , 117, 87-88	3.2	1
40	Reply to "Statin use and the risk of cirrhosis development in patients with hepatitis C virus infection". <i>Journal of Hepatology</i> , 2016 , 64, 982-3	13.4	1
39	Thiazolidinediones and reduced risk of incident bacterial abscess in adults with type 2 diabetes: A population-based cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 2811-2820	6.7	1
38	Incidence and predictors of sudden death in patients having myocardial infarction--a population-based investigation in Taiwanese. <i>International Journal of Cardiology</i> , 2012 , 157, 439-40	3.2	1
37	Reply to P.P. Singh et al. <i>Journal of Clinical Oncology</i> , 2012 , 30, 2570-2571	2.2	1
36	Electrocardiographic abnormality for workers exposed to carbon disulfide at a viscose rayon plant. <i>Journal of Occupational and Environmental Medicine</i> , 2006 , 48, 394-9	2	1
35	Histological chorioamnionitis and its impact on respiratory outcome in very-low-birth-weight preterm infants. <i>Pediatrics and Neonatology</i> , 2021 , 62, 258-264	1.8	1
34	Primary prevention of cardiovascular disease events with renin-angiotensin system blockade in autosomal dominant polycystic kidney disease dialysis patients: A nationwide cohort study. <i>Medicine (United States)</i> , 2021 , 100, e26559	1.8	1

33	Authors' reply to: Statins and the risk of pancreatic cancer in type 2 diabetic patients: Immortal time bias in survival analysis?. <i>International Journal of Cancer</i> , 2016 , 139, 1182-3	7.5	1
32	Associations between household incense burning and delayed motor development among preterm infants modified by gestational age and maternal educational status. <i>Indoor Air</i> , 2021 , 31, 660-672	5.4	1
31	Retinal vascular complications associated with interferon-ribavirin therapy for chronic hepatitis C: A population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 191-198	2.6	1
30	Statins and the risks of decompensated liver cirrhosis and hepatocellular carcinoma determined in patients with alcohol use disorder. <i>Drug and Alcohol Dependence</i> , 2021 , 228, 109096	4.9	1
29	Associations between prenatal exposure to perfluoroalkyl substances, hypomethylation of MEST imprinted gene and birth outcomes.. <i>Environmental Pollution</i> , 2022 , 119183	9.3	1
28	Anti-platelet or anti-coagulant agent for prevention of ischemic stroke in patients with end-stage renal disease and atrial fibrillation, is it necessary?. <i>International Journal of Cardiology</i> , 2015 , 196, 53	3.2	0
27	Mortality among dentists in Taiwan, 1985-2009. <i>Journal of the Formosan Medical Association</i> , 2012 , 111, 567-71	3.2	0
26	The Association Between Perfluoroalkyl Chemical Levels in Umbilical Cord Blood and Birth Outcomes. <i>Epidemiology</i> , 2011 , 22, S240	3.1	0
25	Attention deficit hyperactivity disorder among children related to maternal job stress during pregnancy in Taiwan: a prospective cohort study.. <i>International Archives of Occupational and Environmental Health</i> , 2022 , 1	3.2	0
24	An integrated strategy by using long-term monitoring data to identify volatile organic compounds of high concern near petrochemical industrial parks.. <i>Science of the Total Environment</i> , 2022 , 153345	10.2	0
23	Associations Between Infant Developmental Delays and Secondhand Smoke Exposure Modified by Maternal Prepregnancy Overweight and Obesity Status. <i>Nicotine and Tobacco Research</i> , 2021 , 23, 1475-1483	4.9	0
22	Erectile Dysfunction After Surgical Treatment of Lung Cancer: Real-World Evidence. <i>Clinical Epidemiology</i> , 2020 , 12, 977-987	5.9	0
21	Antidepressants and the risk of myocardial infarction among patients with diabetes: A population-based cohort study. <i>Journal of Affective Disorders</i> , 2021 , 294, 109-114	6.6	0
20	Monitoring Phthalates in Maternal and Cord Blood: Implications for Prenatal Exposure and Birth Outcomes.. <i>Environmental Toxicology and Chemistry</i> , 2022 , 41, 715-725	3.8	0
19	Aristolochic acid and the risk of cancers in patients with type 2 diabetes: Nationwide population-based cohort study.. <i>Phytomedicine</i> , 2022 , 99, 154023	6.5	0
18	Living proximity to petrochemical industries and the risk of attention-deficit/hyperactivity disorder in children.. <i>Environmental Research</i> , 2022 , 212, 113128	7.9	0
17	A mixed spatial prediction model in estimating spatiotemporal variations in benzene concentrations in Taiwan.. <i>Chemosphere</i> , 2022 , 134758	8.4	0
16	Simultaneous determination of eight βadrenergic agonists in human urine by an isotope dilution-online clean-up system coupled with liquid chromatography-tandem mass spectrometry.. <i>Chemosphere</i> , 2022 , 134778	8.4	0

- 15 Childhood cancer, type 1 diabetes and other immune diseases: healthcare visits in the year before diagnosis in Taiwan. *Archives of Disease in Childhood*, **2017**, 102, 629-633 2.2
- 14 Author response to "Increased risks of upper tract urothelial carcinoma in male and female Chinese herbalists". *Journal of the Formosan Medical Association*, **2013**, 112, 502-3 3.2
- 13 Reply to s. Bonovas et Al, s. Clement et Al, and j.L. Lund et Al. *Journal of Clinical Oncology*, **2013**, 31, 4162-4 2.4
- 12 In Utero Exposure to Neurotoxic Metals and Neurodevelopment at 2 Years of Age. *Epidemiology*, **2011**, 22, S168 3.1
- 11 The Association Between Perfluoroalkyl Chemical Levels in Umbilical Cord Blood and Neurodevelopment at 2 Years of Age. *Epidemiology*, **2011**, 22, S56 3.1
- 10 Is screening cost-effective for melamine-associated nephrolithiasis?. *Journal of Tropical Pediatrics*, **2011**, 57, 141-3 1.2
- 9 Renal Effects of Blood Mercury and Lead Among Chinese Herbalists. *Epidemiology*, **2011**, 22, S289 3.1
- 8 Proximity to petrochemical industrial parks and risk of chronic glomerulonephritis.. *Environmental Research*, **2022**, 208, 112700 7.9
- 7 Thiazolidinediones and Reduced Risk of Incident Bacterial Abscess in Adults with Type 2 Diabetes: A Population-Based Cohort Study. *Diabetes*, **2018**, 67, 1614-P 0.9
- 6 Birth Cohort Consortium of Asia (BiCCA): Current Children's Environmental Health Issues in Asia and Future Perspectives. *Current Topics in Environmental Health and Preventive Medicine*, **2019**, 189-197 0.3
- 5 Mercury, Lead, Manganese, and Hazardous Metals. *Current Topics in Environmental Health and Preventive Medicine*, **2020**, 247-277 0.3
- 4 Time-dependent associations between presentation-based infections and subsequent risk of childhood immune cell malignancies. *Cancer Epidemiology*, **2020**, 67, 101767 2.8
- 3 Bilateral oophorectomy and the risk of hepatocellular carcinoma in women with hepatitis C: A population-based study. *Maturitas*, **2021**, 146, 11-17 5
- 2 Antidepressant Prescription and Risk of Lung Cancer: A Nationwide Case-Control Study. *Pharmacopsychiatry*, **2019**, 52, 134-141 2
- 1 Effects of night duty events on blood pressure and autonomic modulation in physicians. *American Journal of Industrial Medicine*, **2018**, 61, 675 2.7