## Arshad Javaid

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5383822/publications.pdf

Version: 2024-02-01

516710 552781 49 868 16 26 citations g-index h-index papers 49 49 49 724 docs citations times ranked citing authors all docs

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Zinc highly potentiates the plant defense responses against Macrophomina phaseolina in mungbean. Acta Physiologiae Plantarum, 2022, 44, 1.   | 2.1 | 8         |
| 2  | Herbicidal efficacy of culture filtrates of Alternaria brassicicola and Alternaria gaisen against parthenium weed. Advances in Weed Science, 2022, 40, .   | 1.2 | 3         |
| 3  | Molecular characterization of Penicillium italicum causing blue mold on lemon in Pakistan. Journal of Plant Pathology, 2022, 104, 845-846.   | 1.2 | 3         |
| 4  | Histopathological changes in root and stem of mungbean exposed to <i>Macrophomina phaseolina</i> and dry biomass of <i>Chenopodium quinoa</i> . Microscopy Research and Technique, 2022, 85, 2596-2606.                                | 2.2 | 4         |
| 5  | DNA cleavage of the fungal pathogen and production of antifungal compounds are the possible mechanisms of action of biocontrol agent <i>Penicillium italicum</i> against <i>Macrophomina phaseolina</i> . Mycologia, 2022, 114, 24-34. | 1.9 | 12        |
| 6  | Penicillium echinulatum causing blue mold on tomato in Pakistan. , 2022, 104, 1143-1143.   |     | 4         |
| 7  | Biocontrol <i>Aspergillus </i> species together with plant biomass alter histochemical characteristics in diseased mungbean plants. Microscopy Research and Technique, 2022, 85, 2953-2964.  | 2.2 | 8         |
| 8  | Antagonistic activity of Aspergillus versicolor against Macrophomina phaseolina. Brazilian Journal of Microbiology, 2022, 53, 1613-1621.   | 2.0 | 6         |
| 9  | Induction of resistance in chili against Sclerotium rolfsii by plant-growth-promoting rhizobacteria and Anagallis arvensis. Egyptian Journal of Biological Pest Control, 2021, 31, .   | 1.8 | 34        |
| 10 | Lupeol acetate as a potent antifungal compound against opportunistic human and phytopathogenic mold Macrophomina phaseolina. Scientific Reports, 2021, 11, 8417.   | 3.3 | 20        |
| 11 | Molecular Characterization of Penicillium expansum Isolated from Grapes and its Management by Leaf Extract of Chenopodium murale. International Journal of Phytopathology, 2021, 10, 29-35.  | 0.5 | 6         |
| 12 | Antifungal potential of zinc against leaf spot disease in chili pepper caused by Alternaria alternata. Physiology and Molecular Biology of Plants, 2021, 27, 1361-1376.  | 3.1 | 15        |
| 13 | BIOACTIVE COMPONENTS IN METHANOLIC FLOWER EXTRACT OF Ageratum conyzoides. Pakistan Journal of Weed Science Research, 2021, 27, 181-190.  | 0.3 | 1         |
| 14 | Management of southern blight of bell pepper by soil amendment with dry biomass of Datura metel. Journal of Plant Pathology, 2021, 103, 901-913.   | 1.2 | 11        |
| 15 | In vitro screening of Aspergillus spp. for their biocontrol potential against Macrophomina phaseolina. Journal of Plant Pathology, 2021, 103, 1195-1205.   | 1.2 | 7         |
| 16 | Antifungal activity and GC-MS analysis of n-butanol extract of quinoa (Chenopodium quinoa Willd.) leaves. Bangladesh Journal of Botany, 2021, 49, 1045-1051.   | 0.4 | 6         |
| 17 | HEXANE SOLUBLE BIOACTIVE COMPONENTS OF Chenopodium murale STEM. Pakistan Journal of Weed Science Research, 2021, 27, 425-432.  | 0.3 | 9         |
| 18 | Use of Neem leaves as soil amendment for the control of collar rot disease of chickpea. Egyptian Journal of Biological Pest Control, 2020, 30, .   | 1.8 | 5         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Effect of soil amendment with Chenopodium album dry biomass and two Trichoderma species on growth of chickpea var. Noor 2009 in Sclerotium rolfsii contaminated soil. Egyptian Journal of Biological Pest Control, 2020, 30, . | 1.8 | 13        |
| 20 | Control of the chickpea blight, Ascochyta rabiei, with the weed plant, Withania somnifera. Egyptian Journal of Biological Pest Control, 2020, 30, .  | 1.8 | 6         |
| 21 | Anti-mycotic potential of Trichoderma spp. and leaf biomass of Azadirachta indica against the charcoal rot pathogen, Macrophomina phaseolina (Tassi) Goid in cowpea. Egyptian Journal of Biological Pest Control, 2018, 28, .  | 1.8 | 16        |
| 22 | Management of Fusarium wilt of tomato by soil amendment with Cenchrus pennisetiformis under chromium stress. Physiological and Molecular Plant Pathology, 2017, 97, 58-68.   | 2.5 | 10        |
| 23 | Effect of Incorporation of Leaf Biomass of Coronopus didymus on Management of Basal Rot Disease of Onion and its Physiology. International Journal of Agriculture and Biology, 2017, 19, 445-452.                              | 0.4 | 8         |
| 24 | BIOPESTICIDAL ACTIVITY OF Calotropis procera L. AGAINST Macrophomina phaseolina. Tropical Journal of Obstetrics and Gynaecology, 2016, 13, 163-167.  | 0.3 | 11        |
| 25 | Management of collar rot of bell pepper (Capsicum annuumL.) by extracts and dry biomass of Coronopus didymusshoot. Biological Agriculture and Horticulture, 2014, 30, 164-172.   | 1.0 | 13        |
| 26 | Holadysenterine, a Natural Herbicidal Constituent from Drechslera australiensis for Management of Rumex dentatus. Journal of Agricultural and Food Chemistry, 2014, 62, 368-372.   | 5.2 | 8         |
| 27 | Allelopathy for the Management of Phytopathogens. , 2013, , 299-319.   |     | 3         |
| 28 | Bioassays guided fractionation of Coronopus didymusfor its antifungal activity against Sclerotium rolfsii. Natural Product Research, 2012, 26, 1638-1644.  | 1.8 | 13        |
| 29 | Screening of allelopathic trees for their antifungal potential against Alternaria alternata strains isolated from dying-back Eucalyptus spp Natural Product Research, 2012, 26, 1697-1702.                                     | 1.8 | 16        |
| 30 | Control of charcoal rot fungus <i>Macrophomina phaseolina</i> by extracts of <i>Datura metel</i> Natural Product Research, 2012, 26, 1715-1720.  | 1.8 | 22        |
| 31 | Antifungal compounds from <i>Melia azedarach</i> leaves for management of <i>Ascochyta rabiei</i> , the cause of chickpea blight. Natural Product Research, 2011, 25, 264-276.   | 1.8 | 57        |
| 32 | Management ofParthenium hysterophorus (Asteraceae) by Withania somnifera (Solanaceae). Natural Product Research, 2011, 25, 407-416.  | 1.8 | 11        |
| 33 | Alternative management of a problematic weed of wheat Avena fatua L. by metabolites of Trichoderma.<br>Chilean Journal of Agricultural Research, 2011, 71, 205-211.  | 1.1 | 14        |
| 34 | Effect of Effective Microorganism Application on Crop Growth, Yield, and Nutrition inVigna radiata(L.) Wilczek in Different Soil Amendment Systems. Communications in Soil Science and Plant Analysis, 2011, 42, 2112-2121.    | 1.4 | 7         |
| 35 | Herbicidal activity of culture filtrates of Trichodermaspp. against two problematic weeds of wheat. Natural Product Research, 2011, 25, 730-740.   | 1.8 | 29        |
| 36 | Antimicrobial activity screening of isolated flavonoids from azadirachta indica leaves. Journal of the Serbian Chemical Society, 2011, 76, 375-384.  | 0.8 | 16        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Herbicidal activity of <i>Withania somnifera</i> against <i>Phalaris minor</i> Natural Product Research, 2010, 24, 1457-1468.   | 1.8 | 9         |
| 38 | Antifungal activity of flavonoids isolated from mango ( <i>Mangifera indica</i> L.) leaves. Natural Product Research, 2010, 24, 1907-1914.  | 1.8 | 84        |
| 39 | Management of corm-rot disease of Gladiolusby plant extracts. Natural Product Research, 2010, 24, 1131-1138.  | 1.8 | 16        |
| 40 | Herbicidal activity of flavonoids of mango leaves againstParthenium hysterophorusL Natural Product Research, 2010, 24, 1865-1875.   | 1.8 | 11        |
| 41 | Antifungal activity of <i>Syzygium cumini</i> against <i>Ascochyta rabiei</i> –the cause of chickpea<br>blight. Natural Product Research, 2010, 24, 1158-1167.                              | 1.8 | 28        |
| 42 | Herbicidal effects of extracts and residue incorporation of <i>Datura metel </i> against parthenium weed. Natural Product Research, 2010, 24, 1426-1437.                                    | 1.8 | 18        |
| 43 | Flavonoids from mango leaves with antibacterial activity. Journal of the Serbian Chemical Society, 2009, 74, 1389-1399.   | 0.8 | 28        |
| 44 | Arbuscular Mycorrhizal Mediated Nutrition in Plants. Journal of Plant Nutrition, 2009, 32, 1595-1618.   | 1.9 | 85        |
| 45 | Antifungal activity of methanol and <i>n</i> -hexane extracts of three <i>Chenopodium </i> species against <i>Macrophomina phaseolina </i> . Natural Product Research, 2009, 23, 1120-1127. | 1.8 | 36        |
| 46 | Parthenium management by cultural filtrates of phytopathogenic fungi. Natural Product Research, 2009, 23, 1541-1551.  | 1.8 | 32        |
| 47 | Effect of aqueous extracts of allelopathic crops on germination and growth of Parthenium hysterophorus L South African Journal of Botany, 2006, 72, 609-612.                                | 2.5 | 34        |
| 48 | Foliar application of effective microorganisms on pea as an alternative fertilizer. Agronomy for Sustainable Development, 2006, 26, 257-262.  | 5.3 | 51        |
| 49 | Mucor fragilis causing rot of seychelles poleÂbean in Pakistan. Australasian Plant Pathology, 0, , 1.   | 1.0 | 1         |