## **Gregers S Andersen**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/538493/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Prevalence of type 2 diabetes in psychiatric disorders: an umbrella review with meta-analysis of 245 observational studies from 32 systematic reviews. Diabetologia, 2022, 65, 440-456.	2.9	35
2	Rethinking the use of urine dipstick for early diagnosis of Type 2 diabetes mellitus. Diabetes Research and Clinical Practice, 2022, 184, 109222.	1.1	1
3	Risk of Developing Type 2 Diabetes in Individuals With a Psychiatric Disorder: A Nationwide Register-Based Cohort Study. Diabetes Care, 2022, 45, 724-733.	4.3	14
4	Early diagnosis of T2DM using high sensitive tests in the mandatory medical examinations for fishers, seafarers and other transport workers. Primary Care Diabetes, 2022, 16, 211-213.	0.9	1
5	Need for improved diabetes support among people with psychiatric disorders and diabetes treated in psychiatric outpatient clinics: results from a Danish cross-sectional study. BMJ Open Diabetes Research and Care, 2022, 10, e002366.	1.2	5
6	Trajectory and predictors of <scp>HbA1c</scp> in children and adolescents with type 1 diabetes—A Danish nationwide cohort study. Pediatric Diabetes, 2022, 23, 721-728.	1.2	8
7	Utility of bio-electrical impedance vector analysis for monitoring treatment of severe acute malnutrition in children. Clinical Nutrition, 2021, 40, 624-631.	2.3	11
8	Response to Comment on Vistisen et al. A Validated Prediction Model for End-Stage Kidney Disease in Type 1 Diabetes. Diabetes Care 2021;44:901–907. Diabetes Care, 2021, 44, e140-e141.	4.3	1
9	Migration, Gestational Diabetes, and Adverse Pregnancy Outcomes: A Nationwide Study of Singleton Deliveries in Denmark. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e5075-e5087.	1.8	9
10	Discontinuation of diabetes medication in the 10 years before death in Denmark: a register-based study. The Lancet Healthy Longevity, 2021, 2, e561-e570.	2.0	9
11	A Validated Prediction Model for End-Stage Kidney Disease in Type 1 Diabetes. Diabetes Care, 2021, 44, 901-907.	4.3	16
12	Abdominal visceral and subcutaneous adipose tissue and associations with cardiometabolic risk in Inuit, Africans and Europeans: a cross-sectional study. BMJ Open, 2020, 10, e038071.	0.8	20
13	Education and incident type 2 diabetes: quantifying the impact of differential exposure and susceptibility to being overweight or obese. Diabetologia, 2020, 63, 1764-1774.	2.9	14
14	The prevalence of type 2 diabetes in people with psychiatric disorders: an umbrella review protocol. Systematic Reviews, 2020, 9, 101.	2.5	1
15	Gestational Diabetes Risk in Migrants. A Nationwide, Register-Based Study of all Births in Denmark 2004 to 2015. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e692-e703.	1.8	29
16	1491-P: Migrant Disparities in Atherosclerotic Cardiovascular Complications among Persons with Type 2 Diabetes. Diabetes, 2020, 69, 1491-P.	0.3	0
17	819-P: How Does Diabetes Impact Everyday Life and What Are the Diabetes Support Needs in People with Diabetes and Severe Mental Illness?. Diabetes, 2020, 69, .	0.3	0
18	1615-P: Predicting End-Stage Kidney Disease in Type 1 Diabetes. Diabetes, 2020, 69, .	0.3	1

#	Article	IF	CITATIONS
19	Associations of fat mass and fat-free mass accretion in infancy with body composition and cardiometabolic risk markers at 5 years: The Ethiopian iABC birth cohort study. PLoS Medicine, 2019, 16, e1002888.	3.9	19
20	Progressive Decline in Estimated Glomerular Filtration Rate in Patients With Diabetes After Moderate Loss in Kidney Function—Even Without Albuminuria. Diabetes Care, 2019, 42, 1886-1894.	4.3	99
21	Body mass index trajectories in early childhood in relation to cardiometabolic risk profile and body composition at 5 years of age. American Journal of Clinical Nutrition, 2019, 110, 1175-1185.	2.2	34
22	Higher Weight and Weight Gain after 4 Years of Age Rather than Weight at Birth Are Associated with Adiposity, Markers of Glucose Metabolism, and Blood Pressure in 5-Year-Old Ethiopian Children. Journal of Nutrition, 2019, 149, 1785-1796.	1.3	3
23	Associations between birth weight and glucose intolerance in adulthood among Greenlandic Inuit. Diabetes Research and Clinical Practice, 2019, 150, 129-137.	1.1	6
24	Phenotypic Responses to a Lifestyle Intervention Do Not Account for Inter-Individual Variability in Glucose Tolerance for Individuals at High Risk of Type 2 Diabetes. Frontiers in Physiology, 2019, 10, 317.	1.3	20
25	126-OR: Fat Catch-Up Growth in Early Infancy and Cardiometabolic Outcomes at 5 Years of Age. Diabetes, 2019, 68, .	0.3	1
26	Treatment Modality–Dependent Risk of Diabetic Ketoacidosis in Patients with Type 1 Diabetes: Danish Adult Diabetes Database Study. Diabetes Technology and Therapeutics, 2018, 20, 229-234.	2.4	16
27	Accretion of Fat-Free Mass Rather Than Fat Mass in Infancy Is Positively Associated with Linear Growth in Childhood. Journal of Nutrition, 2018, 148, 607-615.	1.3	16
28	Informal caregiving as a risk factor for type 2 diabetes in individuals with favourable and unfavourable psychosocial work environments: A longitudinal multi-cohort study. Diabetes and Metabolism, 2018, 44, 38-44.	1.4	9
29	Is the Rule of Halves framework relevant for diabetes care in Copenhagen today? A register-based cross-sectional study. BMJ Open, 2018, 8, e023211.	0.8	13
30	Body composition during early infancy and its relation with body composition at 4 years of age in Jimma, an Ethiopian prospective cohort study. Nutrition and Diabetes, 2018, 8, 46.	1.5	21
31	Incidence of diabetic eye disease among migrants: A cohort study of 100,000 adults with diabetes in Denmark. Diabetes Research and Clinical Practice, 2018, 144, 224-230.	1.1	3
32	Body composition during early infancy and developmental progression from 1 to 5 years of age: the Infant Anthropometry and Body Composition (iABC) cohort study among Ethiopian children. British Journal of Nutrition, 2018, 119, 1263-1273.	1.2	10
33	Body Composition Growth Patterns in Early Infancy: A Latent Class Trajectory Analysis of the Ethiopian iABC Birth Cohort. Obesity, 2018, 26, 1225-1233.	1.5	10
34	Body Composition during Early Infancy and Mental Health Outcomes at 5 Years of Age: A Prospective Cohort Study of Ethiopian Children. Journal of Pediatrics, 2018, 200, 225-231.	0.9	7
35	Biopolitics in the Anthropocene: On the Invention of Future Biopolitics in <i>Snowpiercer</i> , <i>Elysium</i> , and <i>Interstellar</i> . Journal of Popular Culture, 2018, 51, 615-634.	0.0	4
36	Incidence of Ketoacidosis in the Danish Type 2 Diabetes Population Before and After Introduction of Sodium–Glucose Cotransporter 2 Inhibitors—A Nationwide, Retrospective Cohort Study, 1995–2014. Diabetes Care, 2017, 40, e57-e58.	4.3	26

#	Article	IF	CITATIONS
37	Ethnic differences in anthropometric measures and abdominal fat distribution: a cross-sectional pooled study in Inuit, Africans and Europeans. Journal of Epidemiology and Community Health, 2017, 71, 536-543.	2.0	28
38	Body composition at birth and height at 2 years: a prospective cohort study among children in Jimma, Ethiopia. Pediatric Research, 2017, 82, 209-214.	1.1	12
39	Relation between body composition at birth and child development at 2 years of age: a prospective cohort study among Ethiopian children. European Journal of Clinical Nutrition, 2017, 71, 1411-1417.	1.3	9
40	The obesity-associated risk of cardiovascular disease and all-cause mortality is not lower in Inuit compared to Europeans: A cohort study of Greenlandic Inuit, Nunavik Inuit and Danes. Atherosclerosis, 2017, 265, 207-214.	0.4	15
41	Diabetes among migrants in Denmark: Incidence, mortality, and prevalence based on a longitudinal register study of the entire Danish population. Diabetes Research and Clinical Practice, 2016, 122, 9-16.	1.1	29
42	Heterogeneity in Fitness Response to a Lifestyle Intervention. Medicine and Science in Sports and Exercise, 2016, 48, 642.	0.2	0
43	Prediction of First Cardiovascular Disease Event in Type 1 Diabetes Mellitus. Circulation, 2016, 133, 1058-1066.	1.6	137
44	Bioimpedance index for measurement of total body water in severely malnourished children: Assessing the effect of nutritional oedema. Clinical Nutrition, 2016, 35, 713-717.	2.3	15
45	Response to the Letter: Comment on "Abdominal Fat Distribution and Cardiovascular Risk in Men and Women With Different Levels of Glucose Tolerance―by Scheuer S.H., et al. Journal of Clinical Endocrinology and Metabolism, 2016, 101, L13-L14.	1.8	0
46	An evaluation of the DEXLIFE â€~self-selected' lifestyle intervention aimed at improving insulin sensitivity in people at risk of developing type 2 diabetes: study protocol for a randomised controlled trial. Trials, 2015, 16, 529.	0.7	3
47	Calibration of bioelectrical impedance analysis for body composition assessment in Ethiopian infants using air-displacement plethysmography. European Journal of Clinical Nutrition, 2015, 69, 1099-1104.	1.3	14
48	Midupper arm circumference and weight-for-length z scores have different associations with body composition: evidence from a cohort of Ethiopian infants. American Journal of Clinical Nutrition, 2015, 102, 593-599.	2.2	23
49	Abdominal Fat Distribution and Cardiovascular Risk in Men and Women With Different Levels of Glucose Tolerance. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 3340-3347.	1.8	35
50	Birth Weight and Risk of Adiposity among Adult Inuit in Greenland. PLoS ONE, 2014, 9, e115976.	1.1	7
51	The DEXLIFE study methods: Identifying novel candidate biomarkers that predict progression to type 2 diabetes in high risk individuals. Diabetes Research and Clinical Practice, 2014, 106, 383-389.	1.1	12
52	Body composition from birth to 6 mo of age in Ethiopian infants: reference data obtained by air-displacement plethysmography. American Journal of Clinical Nutrition, 2013, 98, 885-894.	2.2	60
53	Level and intensity of objectively assessed physical activity among pregnant women from urban Ethiopia. BMC Pregnancy and Childbirth, 2012, 12, 154.	0.9	26
54	Fat and Fat-Free Mass at Birth: Air Displacement Plethysmography Measurements on 350 Ethiopian Newborns. Pediatric Research, 2011, 70, 501-506.	1.1	59

#	Article	IF	CITATIONS
55	Effects of maternal micronutrient supplementation on fetal loss and under-2-years child mortality: long-term follow-up of a randomised controlled trial from Guinea-Bissau. African Journal of Reproductive Health, 2010, 14, 17-26.	1.1	24
56	The Use of Whey or Skimmed Milk Powder in Fortified Blended Foods for Vulnerable Groups. Journal of Nutrition, 2008, 138, 145S-161S.	1.3	101
57	A philosophical analysis of the Hill criteria. Journal of Epidemiology and Community Health, 2005, 59, 512-516.	2.0	48
58	Night eating and weight change in middle-aged men and women. International Journal of Obesity, 2004, 28, 1338-1343.	1.6	87