Rosa Gini

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5387324/rosa-gini-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| 79 | 1,525 | 21 | 36 |
|-------------------|----------------------|-------------|-----------------|
| papers | citations | h-index | g-index |
| 88 ext. papers | 1,886 ext. citations | 3.6 avg, IF | 3.84 L-index |

| # | Paper | IF | Citations |
|----|--|-----|-----------|
| 79 | Overview of the EU PAS register post-authorization studies performed in Europe from September 2010 to December 2018 <i>Pharmacoepidemiology and Drug Safety</i> , 2022 , | 2.6 | 1 |
| 78 | Sex differences in the utilization of drugs for COVID-19 treatment among elderly residents in a sample of Italian nursing homes <i>Pharmacoepidemiology and Drug Safety</i> , 2022 , | 2.6 | 1 |
| 77 | Use of Biological Drugs for Psoriasis: A Drug-Utilization Study Using Tuscan Administrative Databanks. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 6799 | 4.6 | |
| 76 | From Inception to ConcePTION: Genesis of a Network to Support Better Monitoring and Communication of Medication Safety During Pregnancy and Breastfeeding. <i>Clinical Pharmacology and Therapeutics</i> , 2021 , 111, 321 | 6.1 | 1 |
| 75 | Validation of algorithms for selecting rheumatoid arthritis patients in the Tuscan healthcare administrative databases. <i>Scientific Reports</i> , 2021 , 11, 20314 | 4.9 | O |
| 74 | Large-Scale Postmarketing Surveillance of Biological Drugs for Immune-Mediated Inflammatory Diseases Through an Italian Distributed Multi-Database Healthcare Network: The VALORE Project. <i>BioDrugs</i> , 2021 , 35, 749-764 | 7.9 | 1 |
| 73 | Use of antiseizure medications and safety of branded versus generic formulations: A comparative study on Tuscan administrative databases. <i>Epilepsy and Behavior</i> , 2021 , 117, 107876 | 3.2 | O |
| 72 | COVID-19 Outbreak Impact on Anticoagulants Utilization: An Interrupted Time-Series Analysis Using Health Care Administrative Databases. <i>Thrombosis and Haemostasis</i> , 2021 , 121, 1115-1118 | 7 | 0 |
| 71 | Medication Reconciliation During Hospitalization and in Hospital-Home Interface: An Observational Retrospective Study. <i>Journal of Patient Safety</i> , 2021 , 17, e143-e148 | 1.9 | O |
| 70 | Direct healthcare costs of chronic kidney disease management in Italy: What cost-savings can be achieved with higher biosimilar uptake and more appropriate use of erythropoiesis-stimulating agents?. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 65-77 | 2.6 | 3 |
| 69 | Incidence Rates of Autoimmune Diseases in European Healthcare Databases: A Contribution of the ADVANCE Project. <i>Drug Safety</i> , 2021 , 44, 383-395 | 5.1 | 9 |
| 68 | Utilisation patterns and clinical impact of the introduction of infliximab-biosimilar in Tuscany, Italy: real world evidence following the recommendation of switching for non-medical reasons. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 753-762 | 2.2 | 3 |
| 67 | Age-specific vaccination coverage estimates for influenza, human papillomavirus and measles containing vaccines from seven population-based healthcare databases from four EU countries - The ADVANCE project. <i>Vaccine</i> , 2020 , 38, 3243-3254 | 4.1 | 5 |
| 66 | Different Strategies to Execute Multi-Database Studies for Medicines Surveillance in Real-World Setting: A Reflection on the European Model. <i>Clinical Pharmacology and Therapeutics</i> , 2020 , 108, 228-23 | 5.1 | 12 |
| 65 | Real word evidence on rituximab utilization: Combining administrative and hospital-pharmacy data. <i>PLoS ONE</i> , 2020 , 15, e0229973 | 3.7 | O |
| 64 | ADVANCE database characterisation and fit for purpose assessment for multi-country studies on the coverage, benefits and risks of pertussis vaccinations. <i>Vaccine</i> , 2020 , 38 Suppl 2, B8-B21 | 4.1 | 13 |
| 63 | How Have Intravitreal Anti-VEGF and Dexamethasone Implant Been Used in Italy? A Multiregional, Population-Based Study in the Years 2010-2016. <i>BioMed Research International</i> , 2020 , 2020, 7582763 | 3 | 1 |

| 62 | Empowering knowledge generation through international data network: the IMeCCHI-DATANETWORK. <i>International Journal of Population Data Science</i> , 2020 , 5, 1125 | 1.4 | 1 |
|----|---|-------|----|
| 61 | Quantifying outcome misclassification in multi-database studies: The case study of pertussis in the ADVANCE project. <i>Vaccine</i> , 2020 , 38 Suppl 2, B56-B64 | 4.1 | 8 |
| 60 | Use of anti-vascular endothelial growth factor drugs for eye disease in Tuscany: Development and test of indicators of treatment intensity. <i>European Journal of Ophthalmology</i> , 2020 , 30, 1440-1447 | 1.9 | 1 |
| 59 | ADVANCE: Towards near real-time monitoring of vaccination coverage, benefits and risks using European electronic health record databases. <i>Vaccine</i> , 2020 , 38 Suppl 2, B76-B83 | 4.1 | 15 |
| 58 | PCSK9 InhibitorsUNew Users: Analysis of Prescription Patterns and PatientsUCharacteristics from an Italian Real-world Study. <i>Clinical Drug Investigation</i> , 2020 , 40, 173-181 | 3.2 | 11 |
| 57 | Outcome misclassification: Impact, usual practice in pharmacoepidemiology database studies and an online aid to correct biased estimates of risk ratio or cumulative incidence. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 1450-1455 | 2.6 | Ο |
| 56 | Disease misclassification in electronic healthcare database studies: Deriving validity indices-A contribution from the ADVANCE project. <i>PLoS ONE</i> , 2020 , 15, e0231333 | 3.7 | 7 |
| 55 | Disease misclassification in electronic healthcare database studies: Deriving validity indices contribution from the ADVANCE project 2020 , 15, e0231333 | | |
| 54 | Disease misclassification in electronic healthcare database studies: Deriving validity indices contribution from the ADVANCE project 2020 , 15, e0231333 | | |
| 53 | Disease misclassification in electronic healthcare database studies: Deriving validity indices contribution from the ADVANCE project 2020 , 15, e0231333 | | |
| 52 | Disease misclassification in electronic healthcare database studies: Deriving validity indices contribution from the ADVANCE project 2020 , 15, e0231333 | | |
| 51 | Effectiveness and Safety of Switching Originator and Biosimilar Epoetins in Patients with Chronic Kidney Disease in a Large-Scale Italian Cohort Study. <i>Drug Safety</i> , 2019 , 42, 1437-1447 | 5.1 | 16 |
| 50 | Effectiveness of pro-active organizational models in primary care for diabetes patients. <i>Health Policy</i> , 2019 , 123, 797-802 | 3.2 | 2 |
| 49 | The ENCePP Code of Conduct: A best practise for scientific independence and transparency in noninterventional postauthorisation studies. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 422-433 | 3 2.6 | 6 |
| 48 | Patterns and trends of utilization of incretin-based medicines between 2008 and 2014 in three Italian geographic areas. <i>BMC Endocrine Disorders</i> , 2019 , 19, 18 | 3.3 | 1 |
| 47 | TASKA: A modular task management system to support health research studies. <i>BMC Medical Informatics and Decision Making</i> , 2019 , 19, 121 | 3.6 | 4 |
| 46 | Did advice on the prescription of sodium valproate reduce prescriptions to women? An observational study in three European countries between 2007 and 2016. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1519-1528 | 2.6 | 8 |
| 45 | Prescription of antiepileptic medicines including valproate in pregnant women: A study in three European countries. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1510-1518 | 2.6 | 9 |

Automatic identification of type 2 diabetes, hypertension, ischaemic heart disease, heart failure and their levels of severity from Italian General Practitioners Lelectronic medical records: a

How did the Introduction of Biosimilar Filgrastim Influence the Prescribing Pattern of Granulocyte Colony-Stimulating Factors? Results from a Multicentre, Population-Based Study, from Five Italian

How Much Are Biosimilars Used in Clinical Practice? A Retrospective Italian Population-Based Study

of Erythropoiesis-Stimulating Agents in the Years 2009-2013. BioDrugs, 2015, 29, 275-84

3.7

3

7.9

7.9

15

17

22

36

30

29

28

27

Project. PLoS ONE, 2016, 11, e0160648

validation study. BMJ Open, 2016, 6, e012413

Centres in the Years 2009-2014. BioDrugs, 2016, 30, 295-306

(2012-2015)

| 26 | Improving Information on Maternal Medication Use by Linking Prescription Data to Congenital Anomaly Registers: A EUROmediCAT Study. <i>Drug Safety</i> , 2015 , 38, 1083-93 | 5.1 | 21 |
|----|--|------|----|
| 25 | Useful Interplay Between Spontaneous ADR Reports and Electronic Healthcare Records in Signal Detection. <i>Drug Safety</i> , 2015 , 38, 1201-10 | 5.1 | 34 |
| 24 | Antiepileptic drug prescribing before, during and after pregnancy: a study in seven European regions. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 1144-54 | 2.6 | 27 |
| 23 | The role of electronic healthcare record databases in paediatric drug safety surveillance: a retrospective cohort study. <i>British Journal of Clinical Pharmacology</i> , 2015 , 80, 304-14 | 3.8 | 21 |
| 22 | Using real-world healthcare data for pharmacovigilance signal detection - the experience of the EU-ADR project. <i>Expert Review of Clinical Pharmacology</i> , 2015 , 8, 95-102 | 3.8 | 21 |
| 21 | Signal detection of potentially drug-induced acute liver injury in children using a multi-country healthcare database network. <i>Drug Safety</i> , 2014 , 37, 99-108 | 5.1 | 20 |
| 20 | Healthcare databases in Europe for studying medicine use and safety during pregnancy. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 586-94 | 2.6 | 45 |
| 19 | Need and disparities in primary care management of patients with diabetes. <i>BMC Endocrine Disorders</i> , 2014 , 14, 56 | 3.3 | 12 |
| 18 | Risk of upper gastrointestinal bleeding from different drug combinations. <i>Gastroenterology</i> , 2014 , 147, 784-792.e9; quiz e13-4 | 13.3 | 90 |
| 17 | Can Italian healthcare administrative databases be used to compare regions with respect to compliance with standards of care for chronic diseases?. <i>PLoS ONE</i> , 2014 , 9, e95419 | 3.7 | 20 |
| 16 | Validation study in four health-care databases: upper gastrointestinal bleeding misclassification affects precision but not magnitude of drug-related upper gastrointestinal bleeding risk. <i>Journal of Clinical Epidemiology</i> , 2014 , 67, 921-31 | 5.7 | 40 |
| 15 | Systematic age-related differences in chronic disease management in a population-based cohort study: a new paradigm of primary care is required. <i>PLoS ONE</i> , 2014 , 9, e91340 | 3.7 | 18 |
| 14 | Prevalence of chronic diseases by immigrant status and disparities in chronic disease management in immigrants: a population-based cohort study, Valore Project. <i>BMC Public Health</i> , 2013 , 13, 504 | 4.1 | 36 |
| 13 | Group versus single handed primary care: a performance evaluation of the care delivered to chronic patients by Italian GPs. <i>Health Policy</i> , 2013 , 113, 188-98 | 3.2 | 21 |
| 12 | Chronic disease prevalence from Italian administrative databases in the VALORE project: a validation through comparison of population estimates with general practice databases and national survey. <i>BMC Public Health</i> , 2013 , 13, 15 | 4.1 | 64 |
| 11 | Harmonization process for the identification of medical events in eight European healthcare databases: the experience from the EU-ADR project. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2013 , 20, 184-92 | 8.6 | 61 |
| 10 | Drug-induced acute myocardial infarction: identifying ψrime suspects U from electronic healthcare records-based surveillance system. <i>PLoS ONE</i> , 2013 , 8, e72148 | 3.7 | 35 |
| 9 | Electronic healthcare databases for active drug safety surveillance: is there enough leverage?. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 611-21 | 2.6 | 63 |

| 8 | Using electronic health care records for drug safety signal detection: a comparative evaluation of statistical methods. <i>Medical Care</i> , 2012 , 50, 890-7 | 3.1 | 64 |
|---|--|-----|-----|
| 7 | Combining electronic healthcare databases in Europe to allow for large-scale drug safety monitoring: the EU-ADR Project. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 1-11 | 2.6 | 198 |
| 6 | Design and evaluation of a semantic approach for the homogeneous identification of events in eight patient databases: a contribution to the European EU-ADR project. <i>Studies in Health Technology and Informatics</i> , 2010 , 160, 1085-9 | 0.5 | 13 |
| 5 | Stata Tip 56: Writing Parameterized Text Files. <i>The Stata Journal</i> , 2008 , 8, 134-136 | 3.5 | O |
| 4 | The Tuscany experimental registry for Alzheimerld disease and other dementias: how many demented people does it capture?. <i>Aging Clinical and Experimental Research</i> , 2007 , 19, 390-3 | 4.8 | 10 |
| 3 | Automatic Generation of Documents. <i>The Stata Journal</i> , 2006 , 6, 22-39 | 3.5 | 5 |
| 2 | Reduction of Vaisman structures in complex and quaternionic geometry. <i>Journal of Geometry and Physics</i> , 2006 , 56, 2501-2522 | 1.2 | 13 |
| 1 | Cobordism of immersions of surfaces¶in non-orientable 3-manifolds. <i>Manuscripta Mathematica</i> , 2001 , 104, 49-69 | 0.5 | 2 |