

# Maria Fittipaldi

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5388916/maria-fittipaldi-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

47  
papers

1,106  
citations

21  
h-index

32  
g-index

50  
ext. papers

1,216  
ext. citations

5.8  
avg. IF

3.89  
L-index

#	Paper	IF	Citations
47	Spectroscopic Techniques and DFT Calculations to Highlight the Effect of Fe <sup>3+</sup> on the Properties of FeNb <sub>11</sub> O <sub>29</sub> , Anode Material for Lithium-Ion Batteries. <i>Journal of Physical Chemistry C</i> , <b>2022</b> , 126, 4698-4709	3.8	0
46	Spin-Electric Coupling in a Cobalt(II)-Based Spin Triangle Revealed by Electric-Field-Modulated Electron Spin Resonance Spectroscopy. <i>Angewandte Chemie - International Edition</i> , <b>2021</b> , 60, 8832-8838	16.4	6
45	Spin-elektrische Kopplung in einem Cobalt(II)-basierten Spindreieck, gezeigt mithilfe elektrisches-Feld-modulierter Elektronenspinresonanzspektroskopie. <i>Angewandte Chemie</i> , <b>2021</b> , 133, 8914-8920	3.6	0
44	Space Charge-Limited Current Transport Mechanism in Crossbar Junction Embedding Molecular Spin Crossovers. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 31696-31705	9.5	4
43	Synchrotron-based Mössbauer spectroscopy characterization of sublimated spin crossover molecules. <i>Physical Chemistry Chemical Physics</i> , <b>2020</b> , 22, 6626-6637	3.6	2
42	Photocatalytic Hydrogen Production by Boron Modified TiO <sub>2</sub> /Carbon Nitride Heterojunctions. <i>ChemCatChem</i> , <b>2019</b> , 11, 6408-6416	5.2	21
41	Electric field modulation of magnetic exchange in molecular helices. <i>Nature Materials</i> , <b>2019</b> , 18, 329-334	27	38
40	Study of manganese binding to the ferroxidase centre of human H-type ferritin. <i>Journal of Inorganic Biochemistry</i> , <b>2018</b> , 182, 103-112	4.2	15
39	Mössbauer spectroscopy of a monolayer of single molecule magnets. <i>Nature Communications</i> , <b>2018</b> , 9, 480	17.4	25
38	Fe-Doping-Induced Magnetism in Nano-Hydroxyapatites. <i>Inorganic Chemistry</i> , <b>2017</b> , 56, 4447-4459	5.1	45
37	Unravelling the Non-Native Low-Spin State of the Cytochrome c-Cardiolipin Complex: Evidence of the Formation of a His-Ligated Species Only. <i>Biochemistry</i> , <b>2017</b> , 56, 1887-1898	3.2	21
36	An EPR Study of Small Magnetic Nanoparticles. <i>Zeitschrift Fur Physikalische Chemie</i> , <b>2017</b> , 231, 745-757	3.1	5
35	Structural and magnetic characterization of the double perovskite Pb <sub>2</sub> FeMoO <sub>6</sub> . <i>Journal of Materials Chemistry C</i> , <b>2016</b> , 4, 1533-1542	7.1	6
34	Sensing the quantum behaviour of magnetic nanoparticles by electron magnetic resonance. <i>Physical Chemistry Chemical Physics</i> , <b>2016</b> , 18, 3591-7	3.6	5
33	Synthesis and characterization of a family of Fe(II) tetrazole complexes [Fe(C <sub>6</sub> mtz) <sub>6</sub> ] <sub>2</sub> (X = BF <sub>4</sub> <sup>-</sup> , ClO <sub>4</sub> <sup>-</sup> , PF <sub>6</sub> <sup>-</sup> ) <i>Journal of Coordination Chemistry</i> , <b>2015</b> , 68, 3457-3471	1.6	5
32	A smart platform for hyperthermia application in cancer treatment: cobalt-doped ferrite nanoparticles mineralized in human ferritin cages. <i>ACS Nano</i> , <b>2014</b> , 8, 4705-19	16.7	154
31	Interplay of the H-bond donor-acceptor role of the distal residues in hydroxyl ligand stabilization of <i>Thermobifida fusca</i> truncated hemoglobin. <i>Biochemistry</i> , <b>2014</b> , 53, 8021-30	3.2	12

30	The power of EPR techniques in revealing active sites in heterogeneous photocatalysis: The case of anion doped TiO <sub>2</sub> . <i>Catalysis Today</i> , <b>2013</b> , 206, 2-11	5.3	42
29	Kineococcus radiotolerans Dps forms a heteronuclear Mn-Fe ferroxidase center that may explain the Mn-dependent protection against oxidative stress. <i>Biochimica Et Biophysica Acta - General Subjects</i> , <b>2013</b> , 1830, 3745-55	4	23
28	Erforschung des Niemandlandes zwischen molekularen Magneten und magnetischen Nanopartikeln. <i>Angewandte Chemie</i> , <b>2012</b> , 124, 4876-4885	3.6	10
27	Exploring the no-man's land between molecular nanomagnets and magnetic nanoparticles. <i>Angewandte Chemie - International Edition</i> , <b>2012</b> , 51, 4792-800	16.4	62
26	Single crystal EPR study at 95 GHz of a large Fe based molecular nanomagnet: toward the structuring of magnetic nanoparticle properties. <i>Dalton Transactions</i> , <b>2011</b> , 40, 8145-55	4.3	18
25	The peculiar heme pocket of the 2/2 hemoglobin of cold-adapted <i>Pseudoalteromonas haloplanktis</i> TAC125. <i>Journal of Biological Inorganic Chemistry</i> , <b>2011</b> , 16, 299-311	3.7	20
24	Synergistic role of B and F dopants in promoting the photocatalytic activity of rutile TiO <sub>2</sub> . <i>ChemPhysChem</i> , <b>2011</b> , 12, 2221-4	3.2	39
23	Looking for quantum effects in magnetic nanoparticles using the molecular nanomagnet approach. <i>Physical Review B</i> , <b>2011</b> , 83,	3.3	25
22	Structural characterization of a high affinity mononuclear site in the copper(II)-Synuclein complex. <i>Journal of the American Chemical Society</i> , <b>2010</b> , 132, 18057-66	16.4	33
21	N <sub>2</sub> Radical Anions Trapped in Bulk Polycrystalline MgO. <i>Journal of Physical Chemistry C</i> , <b>2010</b> , 114, 5187-5192	3.9	9
20	Synthesis of iron oxide nanoparticles in <i>Listeria innocua</i> Dps (DNA-binding protein from starved cells): a study with the wild-type protein and a catalytic centre mutant. <i>Chemistry - A European Journal</i> , <b>2010</b> , 16, 709-17	4.8	35
19	Electronic and magnetic structure of a triacetylphlorogucinol-bridged C <sub>3</sub> -symmetric trinuclear copper complex: Magnetic characterization, ESR spectroscopy, and DFT calculations. <i>Inorganica Chimica Acta</i> , <b>2010</b> , 363, 4269-4276	2.7	18
18	High-frequency EPR applications of open nonradiative resonators. <i>Journal of Magnetic Resonance</i> , <b>2009</b> , 200, 29-37	3	3
17	A Multifrequency EPR Study on Organic-Capped Anatase TiO <sub>2</sub> Nanocrystals. <i>Journal of Physical Chemistry C</i> , <b>2009</b> , 113, 6221-6226	3.8	25
16	Molecular nanomagnets and magnetic nanoparticles: the EMR contribution to a common approach. <i>Physical Chemistry Chemical Physics</i> , <b>2009</b> , 11, 6555-68	3.6	51
15	Ibuprofen induces an allosteric conformational transition in the heme complex of human serum albumin with significant effects on heme ligation. <i>Journal of the American Chemical Society</i> , <b>2008</b> , 130, 11677-88	16.4	92
14	Electron paramagnetic resonance and density-functional theory studies of Cu(II)-bis(oxamato) complexes. <i>Inorganic Chemistry</i> , <b>2008</b> , 47, 6633-44	5.1	21
13	A multifrequency HYSCORE study of weakly coupled nuclei in frozen solutions of high-spin aquometmyoglobin. <i>Inorganic Chemistry</i> , <b>2008</b> , 47, 11294-304	5.1	9

12	A multi-frequency pulse EPR and ENDOR approach to study strongly coupled nuclei in frozen solutions of high-spin ferric heme proteins. <i>Journal of Physical Chemistry B</i> , <b>2008</b> , 112, 3859-70	3.4	36
11	A high-frequency (95GHz) electron paramagnetic resonance study of B-doped TiO <sub>2</sub> photocatalysts. <i>Inorganica Chimica Acta</i> , <b>2008</b> , 361, 3980-3987	2.7	30
10	The quantum mechanically mixed-spin state in a non-symbiotic plant hemoglobin: the effect of distal mutation on AHB1 from <i>Arabidopsis thaliana</i> . <i>Journal of Inorganic Biochemistry</i> , <b>2007</b> , 101, 1812-9	4.2	5
9	Spin-density distribution in the copper site of azurin. <i>ChemPhysChem</i> , <b>2006</b> , 7, 1286-93	3.2	11
8	The substrate-bound type 2 copper site of nitrite reductase: the nitrogen hyperfine coupling of nitrite revealed by pulsed EPR. <i>Biochemistry</i> , <b>2005</b> , 44, 15193-202	3.2	15
7	High frequency single-mode resonators for EPR spectroscopy enabling rotations of the sample about two orthogonal axes. <i>Journal of Magnetic Resonance</i> , <b>2005</b> , 176, 37-46	3	7
6	Reconstitution of the type-1 active site of the H145G/A variants of nitrite reductase by ligand insertion. <i>Biochemistry</i> , <b>2003</b> , 42, 4075-83	3.2	34
5	Kinetic stability of the peroxidase activity of unfolded cytochrome c: heme degradation and catalyst inactivation by hydrogen peroxide. <i>Inorganic Chemistry</i> , <b>2003</b> , 42, 7249-57	5.1	23
4	Single-crystal EPR study at 95 GHz of the type 2 copper site of the inhibitor-bound quercetin 2,3-dioxygenase. <i>Biophysical Journal</i> , <b>2003</b> , 85, 4047-54	2.9	8
3	Complex response function of magnetic resonance spectrometers. <i>Journal of Magnetic Resonance</i> , <b>2002</b> , 157, 74-81	3	2
2	High-field, multifrequency EPR spectroscopy using whispering gallery dielectric resonators. <i>Journal of Magnetic Resonance</i> , <b>2000</b> , 143, 88-94	3	14
1	Whispering gallery mode dielectric resonators in EMR spectroscopy above 150 GHz: Problems and perspectives. <i>Applied Magnetic Resonance</i> , <b>2000</b> , 19, 495-506	0.8	22