Shu-Hsing Cheng

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5389782/publications.pdf

Version: 2024-02-01

		567144	395590
55	1,344 citations	15	33
papers	citations	h-index	g-index
59	59	59	3332
all docs	docs citations	times ranked	citing authors

#	Article	lF	CITATIONS
1	Structural basis for the neutralization of SARS-CoV-2 by an antibody from a convalescent patient. Nature Structural and Molecular Biology, 2020, 27, 950-958.	3.6	268
2	Mortality outcomes with hydroxychloroquine and chloroquine in COVID-19 from an international collaborative meta-analysis of randomized trials. Nature Communications, 2021, 12, 2349.	5.8	194
3	Safety and immunogenicity of CpG 1018 and aluminium hydroxide-adjuvanted SARS-CoV-2 S-2P protein vaccine MVC-COV1901: interim results of a large-scale, double-blind, randomised, placebo-controlled phase 2 trial in Taiwan. Lancet Respiratory Medicine, the, 2021, 9, 1396-1406.	5.2	105
4	Epidemiology of anal human papillomavirus infection and high-grade squamous intraepithelial lesions in 29 900 men according to HIV status, sexuality, and age: a collaborative pooled analysis of 64 studies. Lancet HIV,the, 2021, 8, e531-e543.	2.1	77
5	Lopinavir/ritonavir did not shorten the duration of SARS CoV-2 shedding in patients with mild pneumonia in Taiwan. Journal of Microbiology, Immunology and Infection, 2020, 53, 488-492.	1.5	68
6	A multicenter, randomized, open-label, controlled trial to evaluate the efficacy and tolerability of hydroxychloroquine and a retrospective study in adult patients with mild to moderate coronavirus disease 2019 (COVID-19). PLoS ONE, 2020, 15, e0242763.	1.1	65
7	Breadth and function of antibody response to acute SARS-CoV-2 infection in humans. PLoS Pathogens, 2021, 17, e1009352.	2.1	56
8	Nationwide surveillance of antimicrobial resistance among clinically important Gram-negative bacteria, with an emphasis on carbapenems and colistin: Results from the Surveillance of Multicenter Antimicrobial Resistance in Taiwan (SMART) in 2018. International Journal of Antimicrobial Agents, 2019, 54, 318-328.	1.1	41
9	Multicenter evaluation of two chemiluminescence and three lateral flow immunoassays for the diagnosis of COVID-19 and assessment of antibody dynamic responses to SARS-CoV-2 in Taiwan. Emerging Microbes and Infections, 2020, 9, 2157-2168.	3.0	38
10	Trends and outcomes of late initiation of combination antiretroviral therapy driven by late presentation among HIV-positive Taiwanese patients in the era of treatment scale-up. PLoS ONE, 2017, 12, e0179870.	1.1	31
11	Immune response and safety of heterologous ChAdOx1-nCoV-19/mRNA-1273 vaccination compared with homologous ChAdOx1-nCoV-19 or homologous mRNA-1273 vaccination. Journal of the Formosan Medical Association, 2022, 121, 766-777.	0.8	22
12	Early Seroreversion After 2 Doses of Hepatitis A Vaccination in Human Immunodeficiency Virus–Positive Patients: Incidence and Associated Factors. Hepatology, 2019, 70, 465-475.	3.6	20
13	Multicenter study of skin rashes and hepatotoxicity in antiretroviral-na \tilde{A} -ve HIV-positive patients receiving non-nucleoside reverse-transcriptase inhibitor plus nucleoside reverse-transcriptase inhibitors in Taiwan. PLoS ONE, 2017, 12, e0171596.	1.1	20
14	Oncogenic human papillomavirus is not helpful for cytology screening of the precursor lesions of anal cancers in Taiwanese men who are infected with human immunodeficiency virus. International Journal of Clinical Oncology, 2015, 20, 943-951.	1.0	18
15	Evaluation of cost-effectiveness of peginterferon plus ribavirin for chronic hepatitis C treatment and direct-acting antiviral agents among HIV-infected patients in the prison and community settings. Journal of Microbiology, Immunology and Infection, 2019, 52, 556-562.	1.5	15
16	National Surveillance of Antimicrobial Susceptibility of Bacteremic Gram-Negative Bacteria with Emphasis on Community-Acquired Resistant Isolates: Report from the 2019 Surveillance of Multicenter Antimicrobial Resistance in Taiwan (SMART). Antimicrobial Agents and Chemotherapy, 2020, 64, .	1.4	15
17	A case of transient existence of SARS-CoV-2 RNA in the respiratory tract with the absence of anti-SARS-CoV-2 antibody response. International Journal of Infectious Diseases, 2020, 96, 464-466.	1.5	15
18	InÂvitro activity of cefiderocol, cefepime/enmetazobactam, cefepime/zidebactam, eravacycline, omadacycline, and other comparative agents against carbapenem-non-susceptible Pseudomonas aeruginosa and Acinetobacter baumannii isolates associated from bloodstream infection in Taiwan between 2018–2020. Journal of Microbiology, Immunology and Infection, 2022, 55, 888-895.	1.5	15

#	Article	IF	CITATIONS
19	Screening and risk factors for anal cancer precursors in men infected with HIV in Taiwan. Journal of Medical Virology, 2014, 86, 193-201.	2.5	14
20	Changing seroprevalence of hepatitis C virus infection among HIV-positive patients in Taiwan. PLoS ONE, 2018, 13, e0194149.	1.1	14
21	Rapid establishment of a COVID-19 biobank in NHRI by National Biobank Consortium of Taiwan. Biomedical Journal, 2020, 43, 314-317.	1.4	14
22	Evolution of hepatitis A virus seroprevalence among HIV-positive adults in Taiwan. PLoS ONE, 2017, 12, e0186338.	1.1	13
23	Efficacy and Safety of Elvitegravir/Cobicistat/Emtricitabine/Tenofovir Alafenamide as Maintenance Treatment in HIV/HBV-Coinfected Patients. Journal of Acquired Immune Deficiency Syndromes (1999), 2021, 86, 473-481.	0.9	13
24	In-vitro activity of cefiderocol, cefepime/zidebactam, cefepime/enmetazobactam, omadacycline, eravacycline and other comparative agents against carbapenem-nonsusceptible Enterobacterales: results from the Surveillance of Multicenter Antimicrobial Resistance in Taiwan (SMART) in 2017–2020. International Journal of Antimicrobial Agents, 2021, 58, 106377.	1.1	12
25	Influence of age and CD4+ T cell counts on the prevalence of genital human papillomavirus infection among HIVâ€seropositive men who have sex with men in Taiwan. Journal of Medical Virology, 2012, 84, 1876-1883.	2.5	11
26	An Immunobridging Study to Evaluate the Neutralizing Antibody Titer in Adults Immunized with Two Doses of Either ChAdOx1-nCov-19 (AstraZeneca) or MVC-COV1901. Vaccines, 2022, 10, 655.	2.1	11
27	Multiple types of human papillomavirus infection and anal precancerous lesions in HIV-infected men in Taiwan: a cross-sectional study. BMJ Open, 2018, 8, e019894.	0.8	10
28	Clinical features of acute human immunodeficiency virus infection in Taiwan: A multicenter study. Journal of Microbiology, Immunology and Infection, 2019, 52, 700-709.	1.5	10
29	Patterns of emergent resistance-associated mutations after initiation of non-nucleoside reverse-transcriptase inhibitor-containing antiretroviral regimens in Taiwan: a multicenter cohort study. Infection and Drug Resistance, 2018, Volume 11, 849-859.	1.1	9
30	National surveillance of antimicrobial susceptibilities to dalbavancin, telavancin, tedizolid, eravacycline, omadacycline and other comparator antibiotics and serotype distribution of invasive Streptococcus pneumoniae isolates in adults: results from the Surveillance of Multicenter Antimicrobial Resistance in Taiwan (SMART) programme in 2017–2020. Journal of Global Antimicrobial	0.9	9
31	Resistance, 2021, 26, 308-316. Multicenter evaluation of four immunoassays for the performance of early diagnosis of COVID-19 and assessment of antibody responses of patients with pneumonia in Taiwan. Journal of Microbiology, Immunology and Infection, 2021, 54, 816-829.	1.5	8
32	Clinical validation of an automated reverse transcription-insulated isothermal PCR assay for the detection of severe acute respiratory syndrome coronavirus 2. Journal of Microbiology, Immunology and Infection, 2021, 54, 522-526.	1.5	8
33	Antimicrobial susceptibility of bacteremic vancomycin-resistant Enterococcus faecium to eravacycline, omadacycline, lipoglycopeptides, and other comparator antibiotics: Results from the 2019–2020 Nationwide Surveillance of Multicenter Antimicrobial Resistance in Taiwan (SMART). International lournal of Antimicrobial Agents, 2021, 58, 106353.	1.1	7
34	Highly Active Antiretroviral Therapy is Associated with Decreased Incidence of Sexually Transmitted Diseases in a Taiwanese HIV-Positive Population. AIDS Patient Care and STDs, 2013, 27, 155-162.	1,1	6
35	Skin rash related to once-daily boosted darunavir-containing antiretroviral therapy in HIV-infected Taiwanese: Incidence and associated factor. Journal of Infection and Chemotherapy, 2014, 20, 465-470.	0.8	6
36	Tenofovir disoproxil fumarate-associated hypophosphatemia as determined by fractional excretion of filtered phosphate in HIV-infected patients. Journal of Infection and Chemotherapy, 2016, 22, 744-747.	0.8	6

#	Article	IF	Citations
37	Structures and therapeutic potential of anti-RBD human monoclonal antibodies against SARS-CoV-2. Theranostics, 2022, 12, 1-17.	4.6	6
38	<p>Grazoprevir/elbasvir in peginterferon alfa plus ribavirin experienced patients with chronic genotype 1 HCV/HIV co-infection: a non-randomized, open-label clinical trial</p> . Infection and Drug Resistance, 2019, Volume 12, 937-945.	1.1	5
39	Nationwide surveillance of antimicrobial resistance in invasive isolates of Streptococcus pneumoniae in Taiwan from 2017 to 2019. Journal of Microbiology, Immunology and Infection, 2022, 55, 215-224.	1.5	5
40	Human papillomavirus infection and anal cytology in Taiwanese homosexual men with and without HIV infection. Journal of Infection in Developing Countries, 2019, 13, 318-325.	0.5	5
41	Incidence and Risk Factors of Reinfection with HCV after Treatment in People Living with HIV. Viruses, 2022, 14, 439.	1.5	5
42	Real-world effectiveness of direct-acting antivirals in people living with human immunodeficiency virus and hepatitis C virus genotype 6 infections. World Journal of Gastroenterology, 2022, 28, 1172-1183.	1.4	5
43	Antiretroviral therapy (ART) management of Low-Level Viremia in Taiwan (ALLEVIATE). Journal of the International AIDS Society, 2014, 17, 19785.	1.2	4
44	Lipid-lowering agents for dyslipidemia in patients who were infected with HIV in Taoyuan, Taiwan. Journal of the International AIDS Society, 2014, 17, 19556.	1.2	4
45	Real-World Experience with Coformulated Ledipasvir and Sofosbuvir for HIV-Positive Patients with HCV Genotype 2 Infection: A Multicenter, Retrospective Study. Infectious Diseases and Therapy, 2021, 10, 827-838.	1.8	4
46	Dual therapy with dolutegravir plus boosted protease inhibitor as maintenance or salvage therapy in highly experienced people living with HIV. International Journal of Antimicrobial Agents, 2021, 58, 106403.	1.1	3
47	Characteristics of HIV-positive pregnant women and HIV- and antiretroviral therapy-exposed fetuses: A case-control study. Journal of Infection in Developing Countries, 2020, 14, 901-907.	0.5	3
48	Anti-Spike Antibody Response to Natural Infection with SARS-CoV-2 and Its Activity against Emerging Variants. Microbiology Spectrum, 2022, 10, .	1.2	3
49	Dual therapy with ritonavir-boosted protease inhibitor (PI) plus lamivudine versus triple therapy with ritonavir-boosted PI plus two nucleos(t)ide reverse-transcriptase inhibitor in HIV-infected patients with viral suppression. Journal of Microbiology, Immunology and Infection, 2019, 52, 865-871.	1.5	2
50	Safety of rilpivirine plus nucleoside reverse-transcriptase inhibitors in HIV-infected Taiwanese with a higher prevalence of hepatitis virus infection. Journal of the International AIDS Society, 2014, 17, 19580.	1.2	1
51	Predicting Emotional Valence of People Living with the Human Immunodeficiency Virus Using Daily Voice Clips: A Preliminary Study. Healthcare (Switzerland), 2021, 9, 1148.	1.0	1
52	Title is missing!. , 2020, 15, e0242763.		0
53	Title is missing!. , 2020, 15, e0242763.		0
54	Title is missing!. , 2020, 15, e0242763.		0

ARTICLE IF CITATIONS

55 Title is missing!., 2020, 15, e0242763. 0