

# Cees van Kooten

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5390259/publications.pdf>

Version: 2024-02-01

342  
papers

20,824  
citations

13068

68  
h-index

12558

132  
g-index

363  
all docs

363  
docs citations

363  
times ranked

20432  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | The management of lupus nephritis as proposed by EULAR/ERA 2019 versus KDIGO 2021. <i>Nephrology Dialysis Transplantation</i> , 2023, 38, 551-561.  | 0.4 | 10        |
| 2  | Complement Blockade in Recipients Prevents Delayed Graft Function and Delays Antibody-mediated Rejection in a Nonhuman Primate Model of Kidney Transplantation. <i>Transplantation</i> , 2022, 106, 60-71.                              | 0.5 | 19        |
| 3  | The management of membranous nephropathy – an update. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 1033-1042.   | 0.4 | 7         |
| 4  | Initial properdin binding contributes to alternative pathway activation at the surface of viable and necrotic cells. <i>European Journal of Immunology</i> , 2022, , .  | 1.6 | 5         |
| 5  | Multiplex LC-MS/MS Testing for Early Detection of Kidney Injury: A Next-Generation Alternative to Conventional Immunoassays?. <i>Journal of Applied Laboratory Medicine</i> , The, 2022, 7, 923-930.                                    | 0.6 | 3         |
| 6  | Perspective on COVID-19 vaccination in patients with immune-mediated kidney diseases: consensus statements from the ERA-IWG and EUVAS. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 1400-1410.                                | 0.4 | 21        |
| 7  | The Effect of Hypothermic Machine Perfusion to Ameliorate Ischemia-Reperfusion Injury in Donor Organs. <i>Frontiers in Immunology</i> , 2022, 13, 848352.   | 2.2 | 7         |
| 8  | Properdin produced by dendritic cells contributes to the activation of T cells. <i>Immunobiology</i> , 2022, 227, 152246.   | 0.8 | 3         |
| 9  | Long-term effects of combined B-cell immunomodulation with rituximab and belimumab in severe, refractory systemic lupus erythematosus: 2-year results. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 1474-1483.                | 0.4 | 42        |
| 10 | PR3-ANCAs predict relapses in ANCA-associated vasculitis patients after rituximab. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 1408-1417.  | 0.4 | 37        |
| 11 | Low incidence of IgA isotype of HLA antibodies in alloantigen exposed individuals. <i>Hla</i> , 2021, 97, 101-111.  | 0.4 | 4         |
| 12 | Recommendations for the use of COVID-19 vaccines in patients with immune-mediated kidney diseases. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 1160-1168.  | 0.4 | 38        |
| 13 | Autologous bone marrow-derived mesenchymal stromal cell therapy with early tacrolimus withdrawal: The randomized prospective, single-center, open-label TRITON study. <i>American Journal of Transplantation</i> , 2021, 21, 3055-3065. | 2.6 | 25        |
| 14 | Pentraxin-3-mediated complement activation in a swine model of renal ischemia/reperfusion injury. <i>Aging</i> , 2021, 13, 10920-10933.   | 1.4 | 9         |
| 15 | POS0680 – BELIMUMAB ADD-ON THERAPY MOBILISES MEMORY B CELLS INTO THE CIRCULATION OF PATIENTS WITH SLE. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 585.1-585.   | 0.5 | 7         |
| 16 | The development of novel glucocorticoid receptor antagonists: From rational chemical design to therapeutic efficacy in metabolic disease models. <i>Pharmacological Research</i> , 2021, 168, 105588.                                   | 3.1 | 9         |
| 17 | Editorial: Immune Monitoring Responses in Renal Autoimmune Diseases. <i>Frontiers in Immunology</i> , 2021, 12, 722791.   | 2.2 | 0         |
| 18 | Recent Advances in Liposomal-Based Anti-Inflammatory Therapy. <i>Pharmaceutics</i> , 2021, 13, 1004.  | 2.0 | 11        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Single antigen testing to reduce early antibody-mediated rejection risk in female recipients of a spousal donor kidney. <i>Transplant Immunology</i> , 2021, 67, 101407.   | 0.6 | 0         |
| 20 | A Microfluidics-Based Screening Tool to Assess the Impact of Blood Plasma Factors on Microvascular Integrity. <i>Advanced Biology</i> , 2021, 5, e2100954.   | 1.4 | 5         |
| 21 | Circulating C1q levels in health and disease, more than just a biomarker. <i>Molecular Immunology</i> , 2021, 140, 206-216.  | 1.0 | 22        |
| 22 | Effect of seminal plasma on dendritic cell differentiation in vitro depends on the serum source in the culture medium. <i>Journal of Reproductive Immunology</i> , 2020, 137, 103076.                                      | 0.8 | 4         |
| 23 | Circulating Long Noncoding RNA LNC-EPHA6 Associates with Acute Rejection after Kidney Transplantation. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5616.  | 1.8 | 8         |
| 24 | P127-Long-term effects of combined B-cell immunomodulation with rituximab and belimumab in severe, refractory SLE: two year results rituximab and belimumab combination for severe SLE. , 2020, , .                        |     | 1         |
| 25 | Highly Sensitive Flow Cytometric Detection of Residual B-Cells After Rituximab in Anti-Neutrophil Cytoplasmic Antibodies-Associated Vasculitis Patients. <i>Frontiers in Immunology</i> , 2020, 11, 566732.                | 2.2 | 13        |
| 26 | Editorial: Kidney Transplantation and Innate Immunity. <i>Frontiers in Immunology</i> , 2020, 11, 603982.  | 2.2 | 12        |
| 27 | Diabetic nephropathy alters circulating long noncoding RNA levels that normalize following simultaneous pancreas-kidney transplantation. <i>American Journal of Transplantation</i> , 2020, 20, 3451-3461.                 | 2.6 | 10        |
| 28 | Targeted donor complement blockade after brain death prevents delayed graft function in a nonhuman primate model of kidney transplantation. <i>American Journal of Transplantation</i> , 2020, 20, 1513-1526.              | 2.6 | 25        |
| 29 | A reverse translational study on the effect of rituximab, rituximab plus belimumab, or bortezomib on the humoral autoimmune response in SLE. <i>Rheumatology</i> , 2020, 59, 2734-2745.                                    | 0.9 | 18        |
| 30 | Culture medium used during small interfering RNA (siRNA) transfection determines the maturation status of dendritic cells. <i>Journal of Immunological Methods</i> , 2020, 479, 112748.                                    | 0.6 | 7         |
| 31 | Human leukocyte antigen selected allogeneic mesenchymal stromal cell therapy in renal transplantation: The Neptune study, a phase I single-center study. <i>American Journal of Transplantation</i> , 2020, 20, 2905-2915. | 2.6 | 34        |
| 32 | Liposomal Delivery Improves the Efficacy of Prednisolone to Attenuate Renal Inflammation in a Mouse Model of Acute Renal Allograft Rejection. <i>Transplantation</i> , 2020, 104, 744-753.                                 | 0.5 | 8         |
| 33 | Deposition of the Membrane Attack Complex in Healthy and Diseased Human Kidneys. <i>Frontiers in Immunology</i> , 2020, 11, 599974.  | 2.2 | 36        |
| 34 | Recommendations for the management of patients with immune-mediated kidney disease during the severe acute respiratory syndrome coronavirus 2 pandemic. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 920-925.    | 0.4 | 14        |
| 35 | Urinary metabolites predict prolonged duration of delayed graft function in DCD kidney transplant recipients. <i>American Journal of Transplantation</i> , 2019, 19, 110-122.  | 2.6 | 15        |
| 36 | Role of properdin in complement-mediated kidney diseases. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 742-750.  | 0.4 | 9         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Intrinsically Distinct Role of Neutrophil Extracellular Trap Formation in Antineutrophil Cytoplasmic Antibody-Associated Vasculitis Compared to Systemic Lupus Erythematosus. <i>Arthritis and Rheumatology</i> , 2019, 71, 2047-2058. | 2.9 | 53        |
| 38 | Novel Assays to Distinguish Between Properdin-Dependent and Properdin-Independent C3 Nephritic Factors Provide Insight Into Properdin-Inhibiting Therapy. <i>Frontiers in Immunology</i> , 2019, 10, 1350.                             | 2.2 | 15        |
| 39 | Measuring plasma C4D to monitor immune complexes in lupus nephritis. <i>Lupus Science and Medicine</i> , 2019, 6, e000326.   | 1.1 | 9         |
| 40 | Insights Into Enhanced Complement Activation by Structures of Properdin and Its Complex With the C-Terminal Domain of C3b. <i>Frontiers in Immunology</i> , 2019, 10, 2097.  | 2.2 | 33        |
| 41 | Clinical Implications of Excessive Neutrophil Extracellular Trap Formation in Renal Autoimmune Diseases. <i>Kidney International Reports</i> , 2019, 4, 196-211.   | 0.4 | 27        |
| 42 | An Easy and Sensitive Method to Profile the Antibody Specificities of HLA-specific Memory B Cells. <i>Transplantation</i> , 2019, 103, 716-723.  | 0.5 | 34        |
| 43 | Evaluating a New International Risk-Prediction Tool in IgA Nephropathy. <i>JAMA Internal Medicine</i> , 2019, 179, 942.  | 2.6 | 266       |
| 44 | A High-throughput Assay to Assess and Quantify Neutrophil Extracellular Trap Formation. <i>Journal of Visualized Experiments</i> , 2019, , .   | 0.2 | 5         |
| 45 | OP0042-...LONG-TERM EFFECTS OF SYNERGETIC B CELL IMMUNOMODULATION WITH RITUXIMAB AND BELIMUMAB COMBINATION TREATMENT IN SEVERE, REFRACTORY SLE: TWO YEAR RESULTS. , 2019, , .  |     | 0         |
| 46 | Urinary TIMP-2 Predicts the Presence and Duration of Delayed Graft Function in Donation After Circulatory Death Kidney Transplant Recipients. <i>Transplantation</i> , 2019, 103, 1014-1023.   | 0.5 | 23        |
| 47 | Brain Death Enhances Activation of the Innate Immune System and Leads to Reduced Renal Metabolic Gene Expression. <i>Transplantation</i> , 2019, 103, 1821-1833.   | 0.5 | 9         |
| 48 | Labile Heme Aggravates Renal Inflammation and Complement Activation After Ischemia Reperfusion Injury. <i>Frontiers in Immunology</i> , 2019, 10, 2975.  | 2.2 | 26        |
| 49 | Vascular bioengineering of scaffolds derived from human discarded transplant kidneys using human pluripotent stem cell-derived endothelium. <i>American Journal of Transplantation</i> , 2019, 19, 1328-1343.                          | 2.6 | 39        |
| 50 | Elevated intragraft expression of innate immunity and cell death-related markers is a risk factor for adverse graft outcome. <i>Transplant Immunology</i> , 2018, 48, 39-46.   | 0.6 | 5         |
| 51 | A Restricted Role for FcγR in the Regulation of Adaptive Immunity. <i>Journal of Immunology</i> , 2018, 200, 2615-2626.  | 0.4 | 14        |
| 52 | The NET-effect of combining rituximab with belimumab in severe systemic lupus erythematosus. <i>Journal of Autoimmunity</i> , 2018, 91, 45-54.   | 3.0 | 125       |
| 53 | Excessive neutrophil extracellular trap formation in ANCA-associated vasculitis is independent of ANCA. <i>Kidney International</i> , 2018, 94, 139-149.   | 2.6 | 73        |
| 54 | Local delivery of liposomal prednisolone leads to an anti-inflammatory profile in renal ischaemia-reperfusion injury in the rat. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 44-53.   | 0.4 | 26        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Mesenchymal Stromal Cell Therapy for Solid Organ Transplantation. <i>Transplantation</i> , 2018, 102, 35-43.  | 0.5 | 47        |
| 56 | Complement Activation in Patients With Diabetic Nephropathy. <i>Kidney International Reports</i> , 2018, 3, 302-313.  | 0.4 | 37        |
| 57 | IgG is elevated in obese white adipose tissue but does not induce glucose intolerance via Fc $\gamma$ 3-receptor or complement. <i>International Journal of Obesity</i> , 2018, 42, 260-269.  | 1.6 | 8         |
| 58 | Human plasmacytoid dendritic cells acquire phagocytic capacity by TLR9 ligation in the presence of soluble factors produced by renal epithelial cells. <i>Kidney International</i> , 2018, 93, 355-364.                                     | 2.6 | 15        |
| 59 | C1-Inhibitor Treatment Decreases Renal Injury in an Established Brain-Dead Rat Model. <i>Transplantation</i> , 2018, 102, 79-87.  | 0.5 | 29        |
| 60 | Ischemia Reperfusion Injury (IRI) causes Local Release of Free Heme which Aggravates Inflammation and Contributes to Delayed Graft Function. <i>Transplantation</i> , 2018, 102, S711.  | 0.5 | 0         |
| 61 | Age and Sex-Associated Changes of Complement Activity and Complement Levels in a Healthy Caucasian Population. <i>Frontiers in Immunology</i> , 2018, 9, 2664.  | 2.2 | 165       |
| 62 | Properdin binds independent of complement activation in an in vivo model of anti-glomerular basement membrane disease. <i>Kidney International</i> , 2018, 94, 1141-1150.   | 2.6 | 25        |
| 63 | The cytokine secretion profile of mesenchymal stromal cells is determined by surface structure of the microenvironment. <i>Scientific Reports</i> , 2018, 8, 7716.  | 1.6 | 115       |
| 64 | Enhanced activation of interleukin-10, heme oxygenase-1, and AKT in C5aR2-deficient mice is associated with protection from ischemia reperfusion injury-induced inflammation and fibrosis. <i>Kidney International</i> , 2018, 94, 741-755. | 2.6 | 34        |
| 65 | Systemic inhibition of the membrane attack complex impedes neuroinflammation in chronic relapsing experimental autoimmune encephalomyelitis. <i>Acta Neuropathologica Communications</i> , 2018, 6, 36.                                     | 2.4 | 39        |
| 66 | SAT0010...Excessive formation of neutrophil extracellular traps have a different role in the pathogenesis of anca-associated vasculitis and systemic lupus erythematosus. , 2018, , .   |     | 0         |
| 67 | Properdin and factor H production by human dendritic cells modulates their T cell stimulatory capacity and is regulated by IFN $\gamma$ . <i>European Journal of Immunology</i> , 2017, 47, 470-480.  | 1.6 | 25        |
| 68 | Production of complement components by cells of the immune system. <i>Clinical and Experimental Immunology</i> , 2017, 188, 183-194.  | 1.1 | 350       |
| 69 | Neutrophil Protease Cleavage of Von Willebrand Factor in Glomeruli - An Anti-thrombotic Mechanism in the Kidney. <i>EBioMedicine</i> , 2017, 16, 302-311.   | 2.7 | 2         |
| 70 | Critical role for complement receptor C5aR2 in the pathogenesis of renal ischemia-reperfusion injury. <i>FASEB Journal</i> , 2017, 31, 3193-3204.   | 0.2 | 39        |
| 71 | Kidney injury molecule-1 staining in renal allograft biopsies 10 days after transplantation is inversely correlated with functioning proximal tubular epithelial cells. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, 2132-2141.   | 0.4 | 18        |
| 72 | Systemic Monocyte Chemoattractant Protein-1 Inhibition Modifies Renal Macrophages and Restores Glomerular Endothelial Glycocalyx and Barrier Function in Diabetic Nephropathy. <i>American Journal of Pathology</i> , 2017, 187, 2430-2440. | 1.9 | 75        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | A Novel Clinical Grade Isolation Method for Human Kidney Perivascular Stromal Cells. <i>Journal of Visualized Experiments</i> , 2017, , .  | 0.2 | 3         |
| 74 | Infectious pathogens may trigger specific allo-HLA reactivity via multiple mechanisms. <i>Immunogenetics</i> , 2017, 69, 631-641.  | 1.2 | 50        |
| 75 | OPO302â€¦Significant reductions of pathogenic autoantibodies by synergetic rituximab and belimumab treatment effectively inhibits neutrophil extracellular traps in severe, refractory sle - the synbiose study. , 2017, , .                                   |     | 0         |
| 76 | Counteracting dysfunction of regulatory T cells in organ transplantation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 6883-6884.   | 3.3 | 3         |
| 77 | Clinical-Grade Isolated Human Kidney Perivascular Stromal Cells as an Organotypic Cell Source for Kidney Regenerative Medicine. <i>Stem Cells Translational Medicine</i> , 2017, 6, 405-418.   | 1.6 | 25        |
| 78 | SAT0258â€¦Synergetic b-cell immunomodulation with rituximab and belimumab is clinically effective in severe and refractory systemic lupus erythematosus â€œ the synbiose proof-of-concept study. , 2017, , .   |     | 3         |
| 79 | SAT0015â€¦Anca-associated vasculitis- and systemic lupus erythematosus-induced neutrophil extracellular traps have intrinsically different features. , 2017, , .   |     | 0         |
| 80 | The human kidney capsule contains a functionally distinct mesenchymal stromal cell population. <i>PLoS ONE</i> , 2017, 12, e0187118.   | 1.1 | 9         |
| 81 | Minimum Information about T Regulatory Cells: A Step toward Reproducibility and Standardization. <i>Frontiers in Immunology</i> , 2017, 8, 1844.   | 2.2 | 43        |
| 82 | Systemic complement activation in central serous chorioretinopathy. <i>PLoS ONE</i> , 2017, 12, e0180312.  | 1.1 | 9         |
| 83 | Uptake of HLA Alloantigens via CD89 and CD206 Does Not Enhance Antigen Presentation by Indirect Allorecognition. <i>Journal of Immunology Research</i> , 2016, 2016, 1-12.   | 0.9 | 1         |
| 84 | SAT0025â€¦Enhanced Capacity of MPO-ANCA Compared To PR3-ANCA for Inducing Neutrophil Extracellular Traps. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 672.3-673.   | 0.5 | 0         |
| 85 | Microarray Gene Expression Analysis to Evaluate Cell Type Specific Expression of Targets Relevant for Immunotherapy of Hematological Malignancies. <i>PLoS ONE</i> , 2016, 11, e0155165.   | 1.1 | 13        |
| 86 | TO009TARGETED DELIVERY OF LIPOSOMAL PREDNISOLONE AFTER RENAL ISCHEMIA REPERFUSION INJURY IN THE RAT. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i63-i64.   | 0.4 | 0         |
| 87 | Beneficial Immune Effects of Myeloid-Related Proteins in Kidney Transplant Rejection. <i>American Journal of Transplantation</i> , 2016, 16, 1441-1455.  | 2.6 | 20        |
| 88 | Anti-carbamylated protein antibodies: a specific hallmark for rheumatoid arthritis. Comparison to conditions known for enhanced carbamylation; renal failure, smoking and chronic inflammation. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1575-1576. | 0.5 | 32        |
| 89 | A novel method for high-throughput detection and quantification of neutrophil extracellular traps reveals ROS-independent NET release with immune complexes. <i>Autoimmunity Reviews</i> , 2016, 15, 577-584.  | 2.5 | 82        |
| 90 | Quaking post-transcriptionally promotes differentiation of monocytes into pro-atherogenic macrophages by controlling pre-mRNA splicing and gene expression. <i>Atherosclerosis</i> , 2016, 252, e256.  | 0.4 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Sex matters: Systemic complement activity of female C57BL/6J and BALB/c mice is limited by serum terminal pathway components. <i>Molecular Immunology</i> , 2016, 76, 13-21.  | 1.0 | 71        |
| 92  | Monomeric C-reactive protein inhibits renal cell-directed complement activation mediated by properdin. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 310, F1308-F1316.   | 1.3 | 24        |
| 93  | Quaking promotes monocyte differentiation into pro-atherogenic macrophages by controlling pre-mRNA splicing and gene expression. <i>Nature Communications</i> , 2016, 7, 10846.   | 5.8 | 87        |
| 94  | Mesenchymal stromal cells in clinical kidney transplantation. <i>Current Opinion in Organ Transplantation</i> , 2016, 21, 550-558.  | 0.8 | 5         |
| 95  | Simultaneous pancreas-kidney transplantation in patients with type 1 diabetes reverses elevated MBL levels in association with MBL2 genotype and VEGF expression. <i>Diabetologia</i> , 2016, 59, 853-858.                        | 2.9 | 13        |
| 96  | Role of complement in IgA nephropathy. <i>Journal of Nephrology</i> , 2016, 29, 1-4.  | 0.9 | 60        |
| 97  | Proteomics of Urinary Vesicles Links Plakins and Complement to Polycystic Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 3079-3092.   | 3.0 | 58        |
| 98  | Minimum information about tolerogenic antigen-presenting cells (MITAP): a first step towards reproducibility and standardisation of cellular therapies. <i>PeerJ</i> , 2016, 4, e2300.  | 0.9 | 55        |
| 99  | Safety of allogeneic bone marrow derived mesenchymal stromal cell therapy in renal transplant recipients: the neptune study. <i>Journal of Translational Medicine</i> , 2015, 13, 344.  | 1.8 | 59        |
| 100 | Corticosteroids in IgA Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 2248-2258.   | 3.0 | 187       |
| 101 | Identification of a novel non-coding mutation in C1qB in a Dutch child with C1q deficiency associated with recurrent infections. <i>Immunobiology</i> , 2015, 220, 422-427.   | 0.8 | 15        |
| 102 | Classical Complement Pathway Activation in the Kidneys of Women With Preeclampsia. <i>Hypertension</i> , 2015, 66, 117-125.   | 1.3 | 52        |
| 103 | Functional assessment of mouse complement pathway activities and quantification of C3b/C3c/iC3b in an experimental model of mouse renal ischaemia/reperfusion injury. <i>Journal of Immunological Methods</i> , 2015, 419, 25-34. | 0.6 | 22        |
| 104 | No increase in Kidney Injury Molecule-1 and Neutrophil Gelatinase-Associated Lipocalin excretion following intravenous contrast enhanced-CT. <i>European Radiology</i> , 2015, 25, 1926-1934.                                     | 2.3 | 17        |
| 105 | Human tolerogenic dendritic cells produce IL-35 in the absence of other IL-12 family members. <i>European Journal of Immunology</i> , 2015, 45, 1736-1747.  | 1.6 | 83        |
| 106 | Mannan-Binding Lectin Is Involved in the Protection against Renal Ischemia/Reperfusion Injury by Dietary Restriction. <i>PLoS ONE</i> , 2015, 10, e0137795.   | 1.1 | 12        |
| 107 | Emerging Biomarkers in Renal Damage. <i>BioMed Research International</i> , 2014, 2014, 1-2.  | 0.9 | 1         |
| 108 | Beneficial Effects of High S100A9 Expression On Graft Infiltrating Myeloid Cells in Kidney Transplantation.. <i>Transplantation</i> , 2014, 98, 229.  | 0.5 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Elevated MBL Levels in Type 1 Diabetic Patients Are Reversed After Simultaneous Pancreas-Kidney Transplantation.. Transplantation, 2014, 98, 219.   | 0.5 | 0         |
| 110 | Protection Against Renal Ischemia Reperfusion Injury By Dietary Restriction and Fasting Through Downregulation of Mannan-Binding Lectin.. Transplantation, 2014, 98, 349.   | 0.5 | 0         |
| 111 | Autologous bone marrow derived mesenchymal stromal cell therapy in combination with everolimus to preserve renal structure and function in renal transplant recipients. Journal of Translational Medicine, 2014, 12, 331.   | 1.8 | 41        |
| 112 | TRANSPLANTATION BASIC SCIENCE, ALLOGENIC AND XENOGENIC TOLERANCE. Nephrology Dialysis Transplantation, 2014, 29, iii528-iii538.   | 0.4 | 0         |
| 113 | Human renal fibroblasts generate dendritic cells with a unique regulatory profile. Immunology and Cell Biology, 2014, 92, 688-698.  | 1.0 | 10        |
| 114 | Differential expression and localization of tubular injury markers NGAL and KIM-1 in a rat model of renal ischemia/reperfusion injury. Transplant Immunology, 2014, 31, 246.  | 0.6 | 0         |
| 115 | The interplay between antiviral immunity and allo-immune reactivity after renal transplantation. Transplant Immunology, 2014, 31, 191-194.  | 0.6 | 2         |
| 116 | HLA Monomers as a Tool to Monitor Indirect Allorecognition. Transplantation, 2014, 97, 1119-1127.   | 0.5 | 12        |
| 117 | Half a century of Dutch transplant immunology. Immunology Letters, 2014, 162, 145-149.  | 1.1 | 2         |
| 118 | Hematopoietic MicroRNA-126 Protects against Renal Ischemia/Reperfusion Injury by Promoting Vascular Integrity. Journal of the American Society of Nephrology: JASN, 2014, 25, 1710-1722.                                    | 3.0 | 99        |
| 119 | Redefining Strategies to Introduce Tolerance-Inducing Cellular Therapy in Human beings to Combat Autoimmunity and Transplantation Reactions. Frontiers in Immunology, 2014, 5, 392.   | 2.2 | 2         |
| 120 | Phagocytosis of apoptotic or necrotic cells differentially regulates the transcriptional expression of IL-12 family members in dendritic cells. Journal of Leukocyte Biology, 2014, 96, 313-324.                            | 1.5 | 23        |
| 121 | Differential Complement Activation Pathways Promote C3b Deposition on Native and Acetylated LDL thereby Inducing Lipoprotein Binding to the Complement Receptor 1. Journal of Biological Chemistry, 2014, 289, 35421-35430. | 1.6 | 16        |
| 122 | Diagnosis of Early Pancreas Graft Failure via Antibody-Mediated Rejection: Single-Center Experience With 256 Pancreas Transplantations. American Journal of Transplantation, 2014, 14, 936-942.                             | 2.6 | 21        |
| 123 | Validation of the Oxford classification of IgA nephropathy in cohorts with different presentations and treatments. Kidney International, 2014, 86, 828-836.   | 2.6 | 373       |
| 124 | Myeloperoxidase Directs Properdin-Mediated Complement Activation. Journal of Innate Immunity, 2014, 6, 417-425.   | 1.8 | 45        |
| 125 | Functional assessment of rat complement pathway activities and quantification of soluble C5b-9 in an experimental model of renal ischemia/reperfusion injury. Journal of Immunological Methods, 2014, 412, 14-23.           | 0.6 | 8         |
| 126 | Immunogenetics and immunology of transplantation in Leiden. Transplant Immunology, 2014, 31, 195-199.   | 0.6 | 3         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | The NOX2-mediated ROS producing capacity of recipient cells is associated with reduced T cell infiltrate in an experimental model of chronic renal allograft inflammation. <i>Transplant Immunology</i> , 2014, 30, 65-70.      | 0.6 | 3         |
| 128 | Purification and Functional Analysis of Human Properdin. <i>Methods in Molecular Biology</i> , 2014, 1100, 161-167.   | 0.4 | 1         |
| 129 | Identification of a novel CD40 ligand for targeted imaging of inflammatory plaques by phage display. <i>FASEB Journal</i> , 2013, 27, 4136-4146.  | 0.2 | 7         |
| 130 | Reversible differentiation of pro- and anti-inflammatory macrophages. <i>Molecular Immunology</i> , 2013, 53, 179-186.  | 1.0 | 61        |
| 131 | Functional assessment of the three complement pathways of mouse complement system and quantification of mouse C3b/C3c/iC3b complex in circulation. <i>Molecular Immunology</i> , 2013, 56, 270-271.                             | 1.0 | 0         |
| 132 | Measurement of soluble C5b-9 and pathway specific complement activation in a rat model of renal ischemia/reperfusion injury. <i>Molecular Immunology</i> , 2013, 56, 270.   | 1.0 | 1         |
| 133 | Bone marrow-derived mesenchymal stromal cells from patients with end-stage renal disease are suitable for autologous therapy. <i>Cytotherapy</i> , 2013, 15, 663-672.   | 0.3 | 43        |
| 134 | A novel peptide inhibitor of classical and lectin complement activation including ABO incompatibility. <i>Molecular Immunology</i> , 2013, 53, 132-139.   | 1.0 | 24        |
| 135 | Subsets of human type 2 macrophages show differential capacity to produce reactive oxygen species. <i>Cellular Immunology</i> , 2013, 284, 1-8.   | 1.4 | 15        |
| 136 | Deposition of IgA in primary IgA nephropathy: it takes at least four to tango*. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 794-797.   | 0.4 | 16        |
| 137 | Renal ischemia-reperfusion induces a dysbalance of angiopoietins, accompanied by proliferation of pericytes and fibrosis. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 305, F901-F910.                      | 1.3 | 43        |
| 138 | Autologous Bone Marrow-Derived Mesenchymal Stromal Cells for the Treatment of Allograft Rejection After Renal Transplantation: Results of a Phase I Study. <i>Stem Cells Translational Medicine</i> , 2013, 2, 107-111.         | 1.6 | 277       |
| 139 | Renal Ischemia-Reperfusion Induces Release of Angiopoietin-2 From Human Grafts of Living and Deceased Donors. <i>Transplantation</i> , 2013, 96, 282-289.   | 0.5 | 14        |
| 140 | Acute But Transient Release of Terminal Complement Complex After Reperfusion in Clinical Kidney Transplantation. <i>Transplantation</i> , 2013, 95, 816-820.  | 0.5 | 67        |
| 141 | Human Bone Marrow- and Adipose Tissue-derived Mesenchymal Stromal Cells are Immunosuppressive In vitro and in a Humanized Allograft Rejection Model. <i>Journal of Stem Cell Research &amp; Therapy</i> , 2013, Suppl 6, 20780. | 0.3 | 42        |
| 142 | Increased influx of myeloid dendritic cells during acute rejection is associated with interstitial fibrosis and tubular atrophy and predicts poor outcome. <i>Kidney International</i> , 2012, 81, 64-75.                       | 2.6 | 37        |
| 143 | No prominent role for terminal complement activation in the early myocardial reperfusion phase following cardiac surgery. <i>European Journal of Cardio-thoracic Surgery</i> , 2012, 41, e117-e125.                             | 0.6 | 10        |
| 144 | Quantitative Polymerase Chain Reaction Profiling of Immunomarkers in Rejecting Kidney Allografts for Predicting Response to Steroid Treatment. <i>Transplantation</i> , 2012, 94, 596-602.                                      | 0.5 | 11        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | The Functional Polymorphism Ala258Ser in the Innate Receptor Gene Ficolin-2 in the Donor Predicts Improved Renal Transplant Outcome. <i>Transplantation</i> , 2012, 94, 478-485.                | 0.5 | 22        |
| 146 | Accelerated Antibody-Mediated Graft Loss of Rodent Pancreatic Islets After Pretreatment With Dexamethasone-Treated Immature Donor Dendritic Cells. <i>Transplantation</i> , 2012, 94, 903-910.  | 0.5 | 11        |
| 147 | Dietary Restriction and Fasting Downregulate Complement Activity. <i>Transplantation</i> , 2012, 94, 1133.  | 0.5 | 0         |
| 148 | Factor H and Properdin Recognize Different Epitopes on Renal Tubular Epithelial Heparan Sulfate. <i>Journal of Biological Chemistry</i> , 2012, 287, 31471-31481.                               | 1.6 | 51        |
| 149 | Pitfalls in urinary complement measurements. <i>Transplant Immunology</i> , 2012, 27, 55-58.  | 0.6 | 8         |
| 150 | Mannan-Binding Lectin Mediates Renal Ischemia/Reperfusion Injury Independent of Complement Activation. <i>American Journal of Transplantation</i> , 2012, 12, 877-887.                          | 2.6 | 64        |
| 151 | Randomized Trial of Short-Course High-Dose Erythropoietin in Donation After Cardiac Death Kidney Transplant Recipients. <i>American Journal of Transplantation</i> , 2012, 12, 1793-1800.       | 2.6 | 45        |
| 152 | Differential Distribution and Phenotype of Decidual Macrophages in Preeclamptic versus Control Pregnancies. <i>American Journal of Pathology</i> , 2011, 178, 709-717.                          | 1.9 | 142       |
| 153 | 61-P Vaccine induced allo-HLA reactive memory T-cells in a kidney transplantation candidate. <i>Human Immunology</i> , 2011, 72, S60.   | 1.2 | 0         |
| 154 | 52-OR: A functional polymorphism in Ficolin-2 in the donor kidney is associated with improved renal transplant outcome. <i>Human Immunology</i> , 2011, 72, S191.                               | 1.2 | 0         |
| 155 | Vaccine-Induced Allo-HLA Reactive Memory T Cells in a Kidney Transplantation Candidate. <i>Transplantation</i> , 2011, 91, 645-651.   | 0.5 | 34        |
| 156 | Tissue Specificity of Cross-Reactive Allogeneic Responses by EBV EBNA3A-Specific Memory T Cells. <i>Transplantation</i> , 2011, 91, 494-500.  | 0.5 | 47        |
| 157 | Physicochemical Properties of Bread Dough and Finished Bread with Added Pectin Fiber and Phenolic Antioxidants. <i>Journal of Food Science</i> , 2011, 76, H97-H107.                            | 1.5 | 92        |
| 158 | Misinterpretation of complement activation in urine. <i>Molecular Immunology</i> , 2011, 48, 1727.  | 1.0 | 0         |
| 159 | Nucleosomes and C1q bound to glomerular endothelial cells serve as targets for autoantibodies and determine complement activation. <i>Molecular Immunology</i> , 2011, 49, 75-83.               | 1.0 | 30        |
| 160 | Dexamethasone increases ROS production and T cell suppressive capacity by anti-inflammatory macrophages. <i>Molecular Immunology</i> , 2011, 49, 549-557.                                       | 1.0 | 65        |
| 161 | C4d Staining In Renal Allograft Biopsies with Early Acute Rejection and Subsequent Clinical Outcome. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1207-1213. | 2.2 | 12        |
| 162 | Dendritic Cells as a Tool to Induce Transplantation Tolerance: Obstacles and Opportunities. <i>Transplantation</i> , 2011, 91, 2-7.   | 0.5 | 69        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | PRAME-Specific Allo-HLA-Restricted T Cells with Potent Antitumor Reactivity Useful for Therapeutic T-Cell Receptor Gene Transfer. <i>Clinical Cancer Research</i> , 2011, 17, 5615-5625.                               | 3.2 | 104       |
| 164 | Natural IgM antibodies are involved in the activation of complement by hypoxic human tubular cells. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 300, F932-F940.                                   | 1.3 | 21        |
| 165 | A Novel Human IgA Monoclonal Antibody Protects against Tuberculosis. <i>Journal of Immunology</i> , 2011, 186, 3113-3119.  | 0.4 | 159       |
| 166 | ORGAN SPECIFICITY OF CROSS-REACTIVE ALLOGENEIC RESPONSES BY VIRAL SPECIFIC MEMORY T-CELLS. <i>Transplantation</i> , 2010, 90, 239.   | 0.5 | 0         |
| 167 | Pancreas Allograft Biopsies with Positive C4d Staining and Anti-Donor Antibodies Related to Worse Outcome for Patients. <i>American Journal of Transplantation</i> , 2010, 10, 1669-1676.                              | 2.6 | 56        |
| 168 | A Nonredundant Role for Canonical NF- $\kappa$ B in Human Myeloid Dendritic Cell Development and Function. <i>Journal of Immunology</i> , 2010, 185, 7252-7261.  | 0.4 | 37        |
| 169 | Induction of regulatory T cells by macrophages is dependent on production of reactive oxygen species. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 17686-17691. | 3.3 | 234       |
| 170 | Association of soluble CD89 levels with disease progression but not susceptibility in IgA nephropathy. <i>Kidney International</i> , 2010, 78, 1281-1287.  | 2.6 | 79        |
| 171 | Infiltrating dendritic cells contribute to local synthesis of C1q in murine and human lupus nephritis. <i>Molecular Immunology</i> , 2010, 47, 2129-2137.  | 1.0 | 60        |
| 172 | The CD40-CD40L Pathway Contributes to the Proinflammatory Function of Intestinal Epithelial Cells in Inflammatory Bowel Disease. <i>American Journal of Pathology</i> , 2010, 176, 1816-1827.                          | 1.9 | 53        |
| 173 | In Vitro-Generated DC with Tolerogenic Functions: Perspectives for In Vivo Cellular Therapy. <i>Methods in Molecular Biology</i> , 2010, 677, 149-159.   | 0.4 | 5         |
| 174 | Both Complement and IgG Fc Receptors Are Required for Development of Attenuated Antiglomerular Basement Membrane Nephritis in Mice. <i>Journal of Immunology</i> , 2009, 183, 3980-3988.                               | 0.4 | 39        |
| 175 | Accumulation of autoreactive effector T cells and allo-specific regulatory T cells in the pancreas allograft of a type 1 diabetic recipient. <i>Diabetologia</i> , 2009, 52, 494-503.                                  | 2.9 | 44        |
| 176 | Inter-laboratory comparison of human renal proximal tubule (HK-2) transcriptome alterations due to Cyclosporine A exposure and medium exhaustion. <i>Toxicology in Vitro</i> , 2009, 23, 486-499.                      | 1.1 | 36        |
| 177 | 124-P: The effects of immunosuppressive drugs on T cell dependent B cell cultures. <i>Human Immunology</i> , 2009, 70, S74.  | 1.2 | 0         |
| 178 | Hypoxia induces complement activation on HUMAN kidney proximal tubular epithelial cells via the classical pathway. <i>Molecular Immunology</i> , 2009, 46, 2832.   | 1.0 | 0         |
| 179 | Handbook of Experimental Pharmacology - Dendritic Cells. <i>Handbook of Experimental Pharmacology</i> , 2009, , 233-249.   | 0.9 | 42        |
| 180 | Calcineurin inhibitors affect B cell antibody responses indirectly by interfering with T cell help. <i>Clinical and Experimental Immunology</i> , 2009, 159, 199-207.  | 1.1 | 132       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Secretory immunoglobulin A (IgA) responses in IgA nephropathy patients after mucosal immunization, as part of a polymeric IgA response. <i>Clinical and Experimental Immunology</i> , 2008, 152, 227-232.                              | 1.1 | 14        |
| 182 | Generation and characterization of a novel anti-rat CD40L antibody with inhibitory activities in vitro and in vivo. <i>Journal of Immunological Methods</i> , 2008, 335, 46-52.  | 0.6 | 2         |
| 183 | The Role of Secretory IgA and Complement in IgA Nephropathy. <i>Seminars in Nephrology</i> , 2008, 28, 58-65.  | 0.6 | 56        |
| 184 | CD40L stimulation of rat dendritic cells specifically favors the IL-12/IL-10 ratio resulting in a strong T cell stimulatory capacity. <i>Molecular Immunology</i> , 2008, 45, 2641-2650.   | 1.0 | 8         |
| 185 | Complement production and regulation by dendritic cells: Molecular switches between tolerance and immunity. <i>Molecular Immunology</i> , 2008, 45, 4064-4072.   | 1.0 | 37        |
| 186 | Properdin binds to late apoptotic and necrotic cells independently of C3b and regulates alternative pathway complement activation. <i>Molecular Immunology</i> , 2008, 45, 4138-4139.  | 1.0 | 1         |
| 187 | Complement activation by tubular cells is mediated by properdin binding. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 295, F1397-F1403.  | 1.3 | 84        |
| 188 | The Complement Inhibitor Low Molecular Weight Dextran Sulfate Prevents TLR4-Induced Phenotypic and Functional Maturation of Human Dendritic Cells. <i>Journal of Immunology</i> , 2008, 181, 878-890.                                  | 0.4 | 20        |
| 189 | Properdin Binds to Late Apoptotic and Necrotic Cells Independently of C3b and Regulates Alternative Pathway Complement Activation. <i>Journal of Immunology</i> , 2008, 180, 7613-7621.  | 0.4 | 128       |
| 190 | IgA1 glycosylation in IgA nephropathy: As sweet as it can be. <i>Kidney International</i> , 2008, 73, 1106-1108.   | 2.6 | 12        |
| 191 | Induction of Donor-Specific T-Cell Hyporesponsiveness Using Dexamethasone-Treated Dendritic Cells in Two Fully Mismatched Rat Kidney Transplantation Models. <i>Transplantation</i> , 2008, 86, 1275-1282.                             | 0.5 | 21        |
| 192 | Effects of Immunosuppressive Drugs On Purified Human B Cells: Evidence Supporting the Use of MMF and Rapamycin. <i>Transplantation</i> , 2008, 86, 1292-1300.  | 0.5 | 105       |
| 193 | A Novel Role of Complement Factor C1q in Augmenting the Presentation of Antigen Captured in Immune Complexes to CD8+T Lymphocytes. <i>Journal of Immunology</i> , 2007, 178, 7581-7586.  | 0.4 | 29        |
| 194 | Demonstration of secretory IgA in kidneys of patients with IgA nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 3191-3195.  | 0.4 | 45        |
| 195 | Underglycosylation of IgA in IgA nephropathy: More than a diagnostic marker?. <i>Kidney International</i> , 2007, 71, 1089-1091.   | 2.6 | 5         |
| 196 | Low Pretransplantation Mannose-Binding Lectin Levels Predict Superior Patient and Graft Survival after Simultaneous Pancreas-Kidney Transplantation. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 2416-2422. | 3.0 | 65        |
| 197 | Immuno-histological analysis of dendritic cells in nasal biopsies of IgA nephropathy patients. <i>Nephrology Dialysis Transplantation</i> , 2007, 23, 612-620.   | 0.4 | 4         |
| 198 | Monomeric and polymeric IgA show a similar association with the myeloid FcγRI/CD89. <i>Molecular Immunology</i> , 2007, 44, 966-973.   | 1.0 | 40        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Modulation of toll-like receptor mediated maturation of professional human antigen-presenting cells by the complement inhibitor low molecular weight dextran sulfate. <i>Molecular Immunology</i> , 2007, 44, 3911. | 1.0 | 1         |
| 200 | 19-OR: The effects of immunosuppressive drugs on in vitro stimulated B cells. <i>Human Immunology</i> , 2007, 68, S110.   | 1.2 | 0         |
| 201 | Quantification of dendritic cell subsets in human renal tissue under normal and pathological conditions. <i>Kidney International</i> , 2007, 71, 1001-1008.   | 2.6 | 114       |
| 202 | Immune modulation of human dendritic cells by complement. <i>European Journal of Immunology</i> , 2007, 37, 2803-2811.  | 1.6 | 67        |
| 203 | Human peritoneal macrophages show functional characteristics of M-CSF-driven anti-inflammatory type 2 macrophages. <i>European Journal of Immunology</i> , 2007, 37, 1594-1599.                                     | 1.6 | 73        |
| 204 | Ganglioside-specific IgG and IgA recruit leukocyte effector functions in Guillain-Barré syndrome. <i>Journal of Neuroimmunology</i> , 2007, 182, 177-184.   | 1.1 | 3         |
| 205 | Differential regulation of metzincins in experimental chronic renal allograft rejection: Potential markers and novel therapeutic targets. <i>Kidney International</i> , 2006, 69, 358-368.                          | 2.6 | 33        |
| 206 | Differential Glycosylation of Polymeric and Monomeric IgA: A Possible Role in Glomerular Inflammation in IgA Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 3529-3539.         | 3.0 | 86        |
| 207 | Dendritic cell and macrophage subsets in the handling of dying cells. <i>Immunobiology</i> , 2006, 211, 567-575.  | 0.8 | 28        |
| 208 | IL-10-producing macrophages preferentially clear early apoptotic cells. <i>Blood</i> , 2006, 107, 4930-4937.  | 0.6 | 194       |
| 209 | Ultraviolet-A (UVA-1) radiation suppresses immunoglobulin production of activated B lymphocytes in vitro. <i>Clinical and Experimental Immunology</i> , 2006, 145, 528-534.   | 1.1 | 21        |
| 210 | A pathogenic role for secretory IgA in IgA nephropathy. <i>Kidney International</i> , 2006, 69, 1131-1138.  | 2.6 | 50        |
| 211 | Maturation-Resistant Dendritic Cells Induce Hyporesponsiveness in Alloreactive CD45RA+ and CD45RO+ T-Cell Populations. <i>American Journal of Transplantation</i> , 2006, 6, 2580-2591.                             | 2.6 | 37        |
| 212 | Complements from complement: a fourth pathway of complement activation?. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 3374-3376.  | 0.4 | 17        |
| 213 | Stem Cell Therapy for Glomerular Disease: Figure 1.. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 2086-2088.  | 3.0 | 13        |
| 214 | Glomerular Activation of the Lectin Pathway of Complement in IgA Nephropathy Is Associated with More Severe Renal Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 1724-1734.        | 3.0 | 357       |
| 215 | Adoptive Transfer of Primed CD4+ T-Lymphocytes Induces Pattern of Chronic Allograft Nephropathy in a Nude Rat Model. <i>Transplantation</i> , 2005, 79, 753-761.  | 0.5 | 11        |
| 216 | CD40 brings the shuttle down. <i>Blood</i> , 2005, 106, 1895-1896.  | 0.6 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | Role of macromolecular IgA in IgA nephropathy. <i>Kidney International</i> , 2005, 67, 813-821.   | 2.6 | 60        |
| 218 | Chronic renal allograft rejection: Pathophysiologic considerations. <i>Kidney International</i> , 2005, 68, 1-13.   | 2.6 | 179       |
| 219 | Dendritic cells of IgA nephropathy patients have an impaired capacity to induce IgA production in naïve B cells. <i>Kidney International</i> , 2005, 68, 1604-1612.   | 2.6 | 13        |
| 220 | Renal tubular epithelial cells modulate T-cell responses via ICOS-L and B7-H1. <i>Kidney International</i> , 2005, 68, 2091-2102.   | 2.6 | 44        |
| 221 | Human renal epithelial cells produce the long pentraxin PTX3. <i>Kidney International</i> , 2005, 67, 543-553.  | 2.6 | 111       |
| 222 | Genetic profiling of aortic allografts: prothymosin alpha as potential target?. <i>Transplant International</i> , 2005, 18, 1010-1015.  | 0.8 | 1         |
| 223 | Antibody Response Against the Glomerular Basement Membrane Protein Agrin in Patients with Transplant Glomerulopathy. <i>American Journal of Transplantation</i> , 2005, 5, 383-393.   | 2.6 | 125       |
| 224 | MIP-3alpha/CCL20 in Renal Transplantation and Its Possible Involvement as Dendritic Cell Chemoattractant in Allograft Rejection. <i>American Journal of Transplantation</i> , 2005, 5, 2114-2125.   | 2.6 | 38        |
| 225 | NF- $\kappa$ B Mediated IL-6 Production by Renal Epithelial Cells Is Regulated by C-Jun NH2-Terminal Kinase. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 1603-1611.  | 3.0 | 51        |
| 226 | Impact of Peptides on the Recognition of HLA Class I Molecules by Human HLA Antibodies. <i>Journal of Immunology</i> , 2005, 175, 5950-5957.  | 0.4 | 46        |
| 227 | Antibodies against mesangial cells in a rat model of chronic renal allograft rejection. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 692-698.   | 0.4 | 12        |
| 228 | Non-HLA humoral immunity and chronic kidney-graft loss. <i>Lancet, The</i> , 2005, 365, 1522-1523.  | 6.3 | 16        |
| 229 | Activation of the lectin pathway in murine lupus nephritis. <i>Molecular Immunology</i> , 2005, 42, 731-740.  | 1.0 | 18        |
| 230 | Fc Receptor $\beta$ 3 Chain Residues at the Interface of the Cytoplasmic and Transmembrane Domains Affect Association with Fc $\gamma$ RI, Surface Expression, and Function. <i>Journal of Biological Chemistry</i> , 2004, 279, 26339-26345. | 1.6 | 20        |
| 231 | An increased polymeric IgA level is not a prognostic marker for progressive IgA nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 2487-2493.  | 0.4 | 20        |
| 232 | Injection of recombinant Fc $\gamma$ RI/CD89 in mice does not induce mesangial IgA deposition. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 2729-2736.  | 0.4 | 16        |
| 233 | The Novel Cyclophilin-Binding Drug Sanglifhehrin A Specifically Affects Antigen Uptake Receptor Expression and Endocytic Capacity of Human Dendritic Cells. <i>Journal of Immunology</i> , 2004, 172, 6482-6489.                              | 0.4 | 30        |
| 234 | Opsonization with C1q and Mannose-Binding Lectin Targets Apoptotic Cells to Dendritic Cells. <i>Journal of Immunology</i> , 2004, 173, 3044-3050.   | 0.4 | 225       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 235 | Effective Targeting of Pathogens to Neutrophils via Chimeric Surfactant Protein D/Anti-CD89 Protein. <i>Journal of Immunology</i> , 2004, 172, 4934-4940.   | 0.4 | 27        |
| 236 | Anti-C1q autoantibodies in murine lupus nephritis. <i>Clinical and Experimental Immunology</i> , 2004, 135, 41-48.  | 1.1 | 38        |
| 237 | Mechanism of steroid action in renal epithelial cells. <i>Kidney International</i> , 2004, 65, 1577-1588.   | 2.6 | 17        |
| 238 | The pathobiology of chronic allograft nephropathy: Immune-mediated damage and accelerated aging. <i>Kidney International</i> , 2004, 65, 1556-1559.   | 2.6 | 43        |
| 239 | Mini-review: A pivotal role for innate immunity in the clearance of apoptotic cells. <i>European Journal of Immunology</i> , 2004, 34, 921-929.   | 1.6 | 153       |
| 240 | Inflammation in amyotrophic lateral sclerosis spinal cord and brain is mediated by activated macrophages, mast cells and T cells. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders: Official Publication of the World Federation of Neurology, Research Group on Motor Neuron Diseases</i> , 2004, 5, 213-219. | 1.4 | 173       |
| 241 | Chronic rejection in renal transplantation. <i>Transplantation Reviews</i> , 2004, 18, 86-95.   | 1.2 | 0         |
| 242 | Dendritic cells as a target of immunosuppressive drugs. <i>Transplantation Reviews</i> , 2004, 18, 70-79.   | 1.2 | 1         |
| 243 | Dendritic cells and complement: at the cross road of innate and adaptive immunity. <i>Molecular Immunology</i> , 2004, 41, 133-140.   | 1.0 | 36        |
| 244 | Secretion of collagen type IV by human renal fibroblasts is increased by high glucose via a TGF- $\beta$ -independent pathway. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 1694-1701.  | 0.4 | 37        |
| 245 | ANTI-TUBULAR BASEMENT MEMBRANE ANTIBODIES AND GIANT CELL FORMATION IN A MODEL OF CHRONIC RENAL ALLOGRAFT REJECTION. <i>Transplantation</i> , 2004, 77, 1295-1297.   | 0.5 | 3         |
| 246 | Maturation of dendritic cells abrogates C1q production in vivo and in vitro. <i>Blood</i> , 2004, 103, 3813-3820.   | 0.6 | 157       |
| 247 | Dectin-1: unique appetite for yeast. <i>Blood</i> , 2004, 104, 3846-3846.   | 0.6 | 1         |
| 248 | Anti-C1q autoantibodies deposit in glomeruli but are only pathogenic in combination with glomerular C1q-containing immune complexes. <i>Journal of Clinical Investigation</i> , 2004, 114, 679-688.   | 3.9 | 185       |
| 249 | Anti-C1q autoantibodies deposit in glomeruli but are only pathogenic in combination with glomerular C1q-containing immune complexes. <i>Journal of Clinical Investigation</i> , 2004, 114, 679-688.   | 3.9 | 104       |
| 250 | Complexes of IgA with Fc $\gamma$ RI/CD89 are not specific for primary IgA nephropathy. <i>Kidney International</i> , 2003, 63, 514-521.  | 2.6 | 37        |
| 251 | Glucose-induced fibronectin and collagen type III expression in renal fibroblasts can occur independent of TGF- $\beta$ 1. <i>Kidney International</i> , 2003, 63, 878-888.   | 2.6 | 36        |
| 252 | Human IgG Fc-binding phage antibodies constructed from synovial fluid CD38+ B cells of patients with rheumatoid arthritis show the imprints of an antigen-dependent process of somatic hypermutation and clonal selection. <i>Clinical and Experimental Immunology</i> , 2003, 131, 364-376.                                    | 1.1 | 20        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | Glomerular deposition of C1q and anti-C1q antibodies in mice following injection of antimouse C1q antibodies. <i>Clinical and Experimental Immunology</i> , 2003, 132, 32-39.                          | 1.1 | 59        |
| 254 | Pathogenesis of chronic allograft rejection. <i>Transplant International</i> , 2003, 16, 137-145.  | 0.8 | 59        |
| 255 | Immune deposition of C1q and anti-C1q antibodies in the kidney is dependent on the presence of glomerular IgG. <i>Molecular Immunology</i> , 2003, 40, 595-602.  | 1.0 | 23        |
| 256 | Telomere Shortening and Cellular Senescence in a Model of Chronic Renal Allograft Rejection. <i>American Journal of Pathology</i> , 2003, 162, 1305-1312.  | 1.9 | 90        |
| 257 | Transplant tolerance. <i>Transplantation Reviews</i> , 2003, 17, 172-175.  | 1.2 | 0         |
| 258 | Recognition and clearance of apoptotic cells: a role for complement and pentraxins. <i>Trends in Immunology</i> , 2003, 24, 148-154.   | 2.9 | 210       |
| 259 | Connective Tissue Growth Factor and IGF-I Are Produced by Human Renal Fibroblasts and Cooperate in the Induction of Collagen Production by High Glucose. <i>Diabetes</i> , 2003, 52, 2975-2983.        | 0.3 | 104       |
| 260 | Steroid Responsiveness of Renal Epithelial Cells. <i>Journal of Biological Chemistry</i> , 2003, 278, 5091-5098.   | 1.6 | 22        |
| 261 | Functional modulation of dendritic cells to suppress adaptive immune responses. <i>Journal of Leukocyte Biology</i> , 2003, 73, 428-441.   | 1.5 | 50        |
| 262 | Rapamycin specifically interferes with GM-CSF signaling in human dendritic cells, leading to apoptosis via increased p27KIP1 expression. <i>Blood</i> , 2003, 101, 1439-1445.                          | 0.6 | 140       |
| 263 | Pathogenesis of chronic allograft rejection. <i>Transplant International</i> , 2003, 16, 137-45.   | 0.8 | 24        |
| 264 | Fc $\gamma$ RI/CD89 Circulates in Human Serum Covalently Linked to IgA in a Polymeric State. <i>Journal of Immunology</i> , 2002, 168, 1252-1258.  | 0.4 | 43        |
| 265 | Corticosteroids Prevent Generation of CD34 $^{+}$ -Derived Dermal Dendritic Cells But Do Not Inhibit Langerhans Cell Development. <i>Journal of Immunology</i> , 2002, 168, 6181-6188.                 | 0.4 | 63        |
| 266 | Human Immature Dendritic Cells Efficiently Bind and Take up Secretory IgA Without the Induction of Maturation. <i>Journal of Immunology</i> , 2002, 168, 102-107.                                      | 0.4 | 77        |
| 267 | Antibody Response Against Perlecan and Collagen Types IV and VI in Chronic Renal Allograft Rejection in the Rat. <i>American Journal of Pathology</i> , 2002, 160, 1301-1310.                          | 1.9 | 81        |
| 268 | Polyreactivity of Human IgG Fc-binding Phage Antibodies Constructed from Synovial Fluid CD38 $^{+}$ B Cells of Patients with Rheumatoid Arthritis. <i>Journal of Autoimmunity</i> , 2002, 19, 241-250. | 3.0 | 13        |
| 269 | Renal tubular epithelial cell death and cyclosporin A. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 1181-1188.   | 0.4 | 21        |
| 270 | Production of inflammatory mediators by renal epithelial cells is insensitive to glucocorticoids. <i>British Journal of Pharmacology</i> , 2002, 137, 197-204.   | 2.7 | 39        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 271 | Induction of Renal Cell Apoptosis by Antibodies and Complement. <i>Nephron Experimental Nephrology</i> , 2001, 9, 65-70.   | 2.4 | 13        |
| 272 | Rapamycin induces apoptosis in monocyte- and CD34-derived dendritic cells but not in monocytes and macrophages. <i>Blood</i> , 2001, 98, 174-180.  | 0.6 | 156       |
| 273 | Cytokine cross-talk between tubular epithelial cells and interstitial immunocompetent cells. <i>Current Opinion in Nephrology and Hypertension</i> , 2001, 10, 55-59.  | 1.0 | 30        |
| 274 | Role of proteinase 3 in activation of endothelium. <i>Seminars in Immunopathology</i> , 2001, 23, 299-314.   | 4.0 | 6         |
| 275 | Differential requirements for induction of total immunoglobulin and physiological rheumatoid factor production by human peripheral blood B cells. <i>Clinical and Experimental Immunology</i> , 2001, 123, 496-504.  | 1.1 | 12        |
| 276 | TGF- $\beta$ 21 induces proliferation in human renal fibroblasts via induction of basic fibroblast growth factor (FGF-2). <i>Kidney International</i> , 2001, 59, 579-592.   | 2.6 | 218       |
| 277 | Secretion of anti-citrulline-containing peptide antibody by B lymphocytes in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2001, 44, 41-47.  | 6.7 | 160       |
| 278 | Presence of a population of CD20+,CD38 <sup>+</sup> B lymphocytes with defective proliferative responsiveness in the synovial compartment of patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2001, 44, 2029-2037.  | 6.7 | 28        |
| 279 | CD40 Ligation Enhances IL-15 Production by Tubular Epithelial Cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2001, 12, 80-87.   | 3.0 | 34        |
| 280 | Proteinase 3 Enhances Endothelial Monocyte Chemoattractant Protein-1 Production and Induces Increased Adhesion of Neutrophils to Endothelial Cells by Upregulating Intercellular Cell Adhesion Molecule-1. <i>Journal of the American Society of Nephrology: JASN</i> , 2001, 12, 932-940. | 3.0 | 69        |
| 281 | Isolation, culture, characterization and use of human renal tubular epithelial cells. <i>Journal of Nephrology</i> , 2001, 14, 204-10.   | 0.9 | 14        |
| 282 | Immunological Function of Tubular Epithelial Cells: The Functional Implications of CD40 Expression. <i>Nephron Experimental Nephrology</i> , 2000, 8, 203-207.   | 2.4 | 29        |
| 283 | CD40-CD40 ligand. <i>Journal of Leukocyte Biology</i> , 2000, 67, 2-17.  | 1.5 | 1,219     |
| 284 | THE EFFECT OF CALCINEURIN-INHIBITORS AND CORTICOSTEROIDS ON THE DIFFERENTIATION OF HUMAN DENDRITIC CELLS.. <i>Transplantation</i> , 2000, 69, S395.  | 0.5 | 0         |
| 285 | RENAL TUBULAR EPITHELIAL CELLS ARE ACTIVE PARTICIPANTS IN THE REGULATION OF INTERSTITIAL INFILTRATION IN THE KIDNEY.. <i>Transplantation</i> , 2000, 69, S378.   | 0.5 | 0         |
| 286 | Regulation of synovial B cell survival in rheumatoid arthritis by vascular cell adhesion molecule 1 (CD106) expressed on fibroblast-like synoviocytes. <i>Arthritis and Rheumatism</i> , 2000, 43, 1115.   | 6.7 | 60        |
| 287 | The effect of calcineurin inhibitors and corticosteroids on the differentiation of human dendritic cells. <i>European Journal of Immunology</i> , 2000, 30, 1807-1812.   | 1.6 | 242       |
| 288 | Immune regulation by CD40-CD40-L interactions - 2 Y2K update. <i>Frontiers in Bioscience - Landmark</i> , 2000, 5, d880-893.   | 3.0 | 6         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 289 | Immune regulation by CD40-CD40-L interactions - 2; Y2K update. <i>Frontiers in Bioscience - Landmark</i> , 2000, 5, d880.   | 3.0 | 42        |
| 290 | Is the proximal tubular cell a proinflammatory cell?. <i>Nephrology Dialysis Transplantation</i> , 2000, 15, 41-43.   | 0.4 | 89        |
| 291 | Is there a role for locally produced complement in renal disease?. <i>Nephrology Dialysis Transplantation</i> , 2000, 15, 1506-1509.  | 0.4 | 18        |
| 292 | Glucocorticoids transform CD40-triggering of dendritic cells into an alternative activation pathway resulting in antigen-presenting cells that secrete IL-10. <i>Blood</i> , 2000, 95, 3162-3167.                 | 0.6 | 154       |
| 293 | Glucocorticoids transform CD40-triggering of dendritic cells into an alternative activation pathway resulting in antigen-presenting cells that secrete IL-10. <i>Blood</i> , 2000, 95, 3162-3167.                 | 0.6 | 21        |
| 294 | Interleukin-17 and CD40-Ligand Synergistically Enhance Cytokine and Chemokine Production by Renal Epithelial Cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2000, 11, 2044-2055.             | 3.0 | 119       |
| 295 | Proteinase 3 Interacts with a 111-kD Membrane Molecule of Human Umbilical Vein Endothelial Cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2000, 11, 640-648.                                 | 3.0 | 42        |
| 296 | Decreased IgA1 response after primary oral immunization with live typhoid vaccine in primary IgA nephropathy. <i>Nephrology Dialysis Transplantation</i> , 1999, 14, 353-359.                                     | 0.4 | 30        |
| 297 | Immunoglobulin-binding Sites of Human Fc $\gamma$ RI (CD89) and Bovine Fc $\gamma$ 2R Are Located in their Membrane-distal Extracellular Domains. <i>Journal of Experimental Medicine</i> , 1999, 189, 1715-1722. | 4.2 | 62        |
| 298 | Role of Tubular Cells in Progressive Renal Disease. <i>Kidney and Blood Pressure Research</i> , 1999, 22, 53-61.  | 0.9 | 20        |
| 299 | Synergistic effect of interleukin-1 and CD40L on the activation of human renal tubular epithelial cells. <i>Kidney International</i> , 1999, 56, 41-51.   | 2.6 | 53        |
| 300 | Tubular Epithelial Cells: A Critical Cell Type in the Regulation of Renal Inflammatory Processes. <i>Nephron Experimental Nephrology</i> , 1999, 7, 429-437.  | 2.4 | 67        |
| 301 | Blockade of costimulatory pathways of T-cell activation: the solution to acute and chronic rejection?. <i>Current Opinion in Nephrology and Hypertension</i> , 1999, 8, 675-680.                                  | 1.0 | 5         |
| 302 | Human Mesangial Cells in Culture and in Kidney Sections Fail to Express Fc Alpha Receptor (CD89). <i>Journal of the American Society of Nephrology: JASN</i> , 1999, 10, 770-778.                                 | 3.0 | 51        |
| 303 | Functional analysis of rheumatoid factor-producing B cells from the synovial fluid of rheumatoid arthritis patients. <i>Arthritis and Rheumatism</i> , 1998, 41, 2211-2220.                                       | 6.7 | 52        |
| 304 | The D-allele of the ACE gene polymorphism predicts a stronger antiproteinuric response to ACE inhibitors. <i>Nephrology</i> , 1998, 4, 143-149.   | 0.7 | 16        |
| 305 | Effect of Anti-Neutrophil Cytoplasmic Antibodies on Proteinase 3-induced Apoptosis of Human Endothelial Cells. <i>Scandinavian Journal of Immunology</i> , 1998, 48, 37-43.                                       | 1.3 | 30        |
| 306 | Transforming growth factor- $\beta$ 1 regulates chemokine and complement production by human proximal tubular epithelial cells. <i>Kidney International</i> , 1998, 53, 609-616.                                  | 2.6 | 71        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 307 | Increased IL-10 production by stimulated whole blood cultures in primary IgA nephropathy. <i>Clinical and Experimental Immunology</i> , 1998, 111, 429-434.   | 1.1 | 20        |
| 308 | Production of Inflammatory Mediators and Cytokine Responsiveness of an SV40-Transformed Human Proximal Tubular Epithelial Cell Line. <i>Nephron Experimental Nephrology</i> , 1998, 6, 208-216.                               | 2.4 | 19        |
| 309 | Reduced binding of immunoglobulin A (IgA) from patients with primary IgA nephropathy to the myeloid IgA Fc-receptor, CD89. <i>Nephrology Dialysis Transplantation</i> , 1998, 13, 3058-3064.                                  | 0.4 | 35        |
| 310 | Decreased cytokine-induced IgA subclass production by CD40-ligated circulating B cells in primary IgA nephropathy.. <i>Nephrology Dialysis Transplantation</i> , 1998, 13, 285-292.   | 0.4 | 2         |
| 311 | Dendritic Cells Enhance Growth and Differentiation of CD40-activated B Lymphocytes. <i>Journal of Experimental Medicine</i> , 1997, 185, 941-952.   | 4.2 | 291       |
| 312 | CD40 Ligation on Human Cord Blood CD34+Hematopoietic Progenitors Induces Their Proliferation and Differentiation into Functional Dendritic Cells. <i>Journal of Experimental Medicine</i> , 1997, 185, 341-350.               | 4.2 | 151       |
| 313 | Functional Role of CD40 and Its Ligand. <i>International Archives of Allergy and Immunology</i> , 1997, 113, 393-399.   | 0.9 | 100       |
| 314 | Regulation of Rheumatoid Factor Production by B Cells from Healthy Individuals and Patients with Rheumatoid Arthritis. <i>Annals of the New York Academy of Sciences</i> , 1997, 815, 361-363.                                | 1.8 | 4         |
| 315 | Possible role for CD40-CD40L in the regulation of interstitial infiltration in the kidney. <i>Kidney International</i> , 1997, 51, 711-721.   | 2.6 | 106       |
| 316 | Functions of CD40 on B cells, dendritic cells and other cells. <i>Current Opinion in Immunology</i> , 1997, 9, 330-337.   | 2.4 | 431       |
| 317 | Cross-linking of antigen receptor via Ig- $\hat{I}^2$ (B29, CD79b) can induce both positive and negative signals in CD40-activated human B cells. <i>Clinical and Experimental Immunology</i> , 1997, 110, 509-515.           | 1.1 | 11        |
| 318 | High CD40 membrane expression in AIDS-related lymphoma B cell lines is associated with the CD45RA+, CD45RO+, CD95+ phenotype and high levels of its soluble form in culture supernatants. <i>Cytometry</i> , 1997, 30, 33-38. | 1.8 | 13        |
| 319 | Expression and function of Fas (CD95) on human renal tubular epithelial cells. <i>Immunology Letters</i> , 1997, 56, 74-75.   | 1.1 | 0         |
| 320 | Interleukin-1 $\hat{I}$ ± enhances the biosynthesis of complement C3 and factor B by human kidney proximal tubular epithelial cells in vitro. <i>Molecular Immunology</i> , 1996, 33, 847-854.                                | 1.0 | 45        |
| 321 | Epstein-Barr virus latent membrane protein (LMP1) is not sufficient to maintain proliferation of B cells but both it and activated CD40 can prolong their survival.. <i>EMBO Journal</i> , 1996, 15, 7070-7078.               | 3.5 | 100       |
| 322 | The functional CD40 antigen of fibroblasts may contribute to the proliferation of rheumatoid synovium. <i>Clinical and Experimental Immunology</i> , 1996, 106, 481-490.  | 1.1 | 51        |
| 323 | CD40 and B cell antigen receptor dual triggering of resting B lymphocytes turns on a partial germinal center phenotype.. <i>Journal of Experimental Medicine</i> , 1996, 183, 77-85.  | 4.2 | 148       |
| 324 | CD40-CD40 Ligand: A Multifunctional Receptor-Ligand Pair. <i>Advances in Immunology</i> , 1996, 61, 1-77.   | 1.1 | 277       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 325 | A soluble form of TRAP (CD40 ligand) is rapidly released after T cell activation. European Journal of Immunology, 1995, 25, 1749-1754.   | 1.6 | 238       |
| 326 | CD40 ligand-positive CD8+ T cell clones allow B cell growth and differentiation. European Journal of Immunology, 1995, 25, 2972-2977.  | 1.6 | 67        |
| 327 | Fas ligation induces apoptosis of CD40-activated human B lymphocytes.. Journal of Experimental Medicine, 1995, 182, 1265-1273.   | 4.2 | 383       |
| 328 | Generation of memory B cells and plasma cells in vitro. Science, 1995, 268, 720-722.   | 6.0 | 529       |
| 329 | Functional CD40 Antigen on B Cells, Dendritic Cells and Fibroblasts. Advances in Experimental Medicine and Biology, 1995, 378, 79-83.  | 0.8 | 43        |
| 330 | Activation of human dendritic cells through CD40 cross-linking.. Journal of Experimental Medicine, 1994, 180, 1263-1272.   | 4.2 | 1,246     |
| 331 | The CD40 Antigen and its Ligand. Annual Review of Immunology, 1994, 12, 881-926.   | 9.5 | 1,188     |
| 332 | B cells regulate expression of CD40 ligand on activated T cells by lowering the mRNA level and through the release of soluble CD40. European Journal of Immunology, 1994, 24, 787-792. | 1.6 | 149       |
| 333 | TNF- $\alpha$ induces spreading of B-CLL via the CD11C/CD18 molecule. American Journal of Hematology, 1993, 44, 221-228.   | 2.0 | 2         |
| 334 | Cytokines and Intracellular Signals Involved in the Regulation of B-CLL Proliferation. Leukemia and Lymphoma, 1993, 12, 27-33.   | 0.6 | 17        |
| 335 | Interleukin (IL)-4 production by human T cells: differential regulation of IL-4vs. IL-2 production. European Journal of Immunology, 1992, 22, 1237-1241.                               | 1.6 | 127       |
| 336 | The Action of Interleukin 6 on Lymphoid Populations. Novartis Foundation Symposium, 1992, 167, 68-79.  | 1.2 | 3         |
| 337 | Human transferrin allows efficient IgE production by anti-CD3-stimulated human lymphocytes at low cell densities. European Journal of Immunology, 1991, 21, 385-390.                   | 1.6 | 12        |
| 338 | Interleukin-6 enhances human Ig production, but not as a terminal differentiation factor for B lymphocytes. Research in Immunology, 1990, 141, 341-356.                                | 0.9 | 8         |
| 339 | Effects of anti-inflammatory agents on mucosal inflammation induced by infection with gram-negative bacteria. Infection and Immunity, 1990, 58, 2056-2060.                             | 1.0 | 33        |
| 340 | Consequences of bacterial attachment in the urinary tract. Biochemical Society Transactions, 1989, 17, 464-466.  | 1.6 | 5         |
| 341 | Isolation, Culture and Characterization of Human Renal Tubular Cells. Journal of Urology, 1985, 133, 324-329.  | 0.2 | 119       |
| 342 | Complement Is Activated During Normothermic Machine Perfusion of Porcine and Human Discarded Kidneys. Frontiers in Immunology, 0, 13, .  | 2.2 | 5         |