
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5390884/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	DIZZINESS AND UNSTEADINESS FOLLOWING WHIPLASH INJURY: CHARACTERISTIC FEATURES AND RELATIONSHIP WITH CERVICAL JOINT POSITION ERROR. Journal of Rehabilitation Medicine, 2003, 35, 36-43.	1.1	326
2	Sensorimotor disturbances in neck disorders affecting postural stability, head and eye movement control. Manual Therapy, 2008, 13, 2-11.	1.6	311
3	Sensorimotor Function and Dizziness in Neck Pain: Implications for Assessment and Management. Journal of Orthopaedic and Sports Physical Therapy, 2009, 39, 364-377.	3.5	258
4	Proprioception in musculoskeletal rehabilitation. Part 1: Basic science and principles of assessment and clinical interventions. Manual Therapy, 2015, 20, 368-377.	1.6	216
5	Retraining cervical joint position sense: The effect of two exercise regimes. Journal of Orthopaedic Research, 2007, 25, 404-412.	2.3	215
6	Cervical Range of Motion Discriminates Between Asymptomatic Persons and Those With Whiplash. Spine, 2001, 26, 2090-2094.	2.0	208
7	The relationship of cervical joint position error to balance and eye movement disturbances in persistent whiplash. Manual Therapy, 2006, 11, 99-106.	1.6	168
8	Standing balance in persistent whiplash: a comparison between subjects with and without dizziness. Journal of Rehabilitation Medicine, 2005, 37, 224-229.	1.1	151
9	Cervical Musculoskeletal Dysfunction in Post-Concussional Headache. Cephalalgia, 1994, 14, 273-279.	3.9	118
10	Standing balance: A comparison between idiopathic and whiplash-induced neck pain. Manual Therapy, 2008, 13, 183-191.	1.6	115
11	Proprioception in musculoskeletal rehabilitation. Part 2: Clinical assessment and intervention. Manual Therapy, 2015, 20, 378-387.	1.6	115
12	Pressure Pain Thresholds in Chronic Whiplash Associated Disorder: Further Evidence of Altered Central Pain Processing. Journal of Musculoskeletal Pain, 2002, 10, 69-81.	0.3	110
13	Cervical kinematic training with and without interactive VR training for chronic neck pain – a randomized clinical trial. Manual Therapy, 2015, 20, 68-78.	1.6	110
14	Responses to a clinical test of mechanical provocation of nerve tissue in whiplash associated disorder. Manual Therapy, 2002, 7, 89-94.	1.6	106
15	Smooth pursuit neck torsion test in whiplash-associated disorders: relationship to self-reports of neck pain and disability, dizziness and anxiety. Journal of Rehabilitation Medicine, 2004, -1, 1-1.	1.1	101
16	Dizziness, Unsteadiness, Visual Disturbances, and Sensorimotor Control in Traumatic Neck Pain. Journal of Orthopaedic and Sports Physical Therapy, 2017, 47, 492-502.	3.5	82
17	Sensorimotor disturbances in neck disorders affecting postural stability, head and eye movement control—Part 2: Case studies. Manual Therapy, 2008, 13, 266-275.	1.6	78
18	Remote kinematic training for patients with chronic neck pain: a randomised controlled trial. European Spine Journal, 2018, 27, 1309-1323.	2.2	75

#	Article	IF	CITATIONS
19	Cervical musculoskeletal impairments in migraine and tension type headache: A systematic review and meta-analysis. Musculoskeletal Science and Practice, 2019, 42, 67-83.	1.3	72
20	The effect of neck torsion on joint position error in subjects with chronic neck pain. Manual Therapy, 2013, 18, 562-567.	1.6	71
21	Validity and intra-rater reliability of an Android phone application to measure cervical range-of-motion. Journal of NeuroEngineering and Rehabilitation, 2014, 11, 65.	4.6	71
22	Dizziness, Unsteadiness, Visual Disturbances, and Postural Control. Spine, 2011, 36, S211-S217.	2.0	70
23	Lumbar Spine Kinesthesia in Patients with Low Back Pain. Journal of Orthopaedic and Sports Physical Therapy, 1999, 29, 294-299.	3.5	65
24	Comparison of Sensorimotor Disturbance Between Subjects With Persistent Whiplash-Associated Disorder and Subjects With Vestibular Pathology Associated With Acoustic Neuroma. Archives of Physical Medicine and Rehabilitation, 2008, 89, 522-530.	0.9	65
25	The influence of neck pain on balance and gait parameters in community-dwelling elders. Manual Therapy, 2008, 13, 317-324.	1.6	62
26	Head eye co-ordination and gaze stability in subjects with persistent whiplash associated disorders. Manual Therapy, 2011, 16, 252-257.	1.6	57
27	Wireless orientation sensors: Their suitability to measure head movement for neck pain assessment. Manual Therapy, 2007, 12, 380-385.	1.6	54
28	Interactive cervical motion kinematics: Sensitivity, specificity and clinically significant values for identifying kinematic impairments in patients with chronic neck pain. Manual Therapy, 2015, 20, 295-302.	1.6	53
29	Simulator sickness incidence and susceptibility during neck motion-controlled virtual reality tasks. Virtual Reality, 2015, 19, 267-275.	6.1	51
30	Balance, dizziness and proprioception in patients with chronic whiplash associated disorders complaining of dizziness: A prospective randomized study comparing three exercise programs. Manual Therapy, 2016, 22, 122-130.	1.6	48
31	The clinical presentation of chronic whiplash and the relationship to findings of MRI fatty infiltrates in the cervical extensor musculature: a preliminary investigation. European Spine Journal, 2009, 18, 1371-1378.	2.2	46
32	Characteristics of visual disturbances reported by subjects with neck pain. Manual Therapy, 2014, 19, 203-207.	1.6	46
33	The influence of neck pain on sensorimotor function in the elderly. Archives of Gerontology and Geriatrics, 2012, 55, 667-672.	3.0	44
34	New insights into neck-pain-related postural control using measures of signal frequency and complexity in older adults. Gait and Posture, 2014, 39, 1069-1073.	1.4	40
35	Changes in Head and Neck Position Have a Greater Effect on Elbow Joint Position Sense in People With Whiplash-associated Disorders. Clinical Journal of Pain, 2006, 22, 512-518.	1.9	39
36	A prospective investigation of changes in the sensorimotor system following sports concussion. An exploratory study. Musculoskeletal Science and Practice, 2017, 29, 7-19.	1.3	38

#	Article	IF	CITATIONS
37	Head repositioning accuracy to neutral: A comparative study of error calculation. Manual Therapy, 2009, 14, 110-114.	1.6	37
38	Dizziness Handicap Inventory (DHI). Australian Journal of Physiotherapy, 2006, 52, 67.	0.9	36
39	Does the region of pain influence the presence of sensorimotor disturbances in neck pain disorders?. Manual Therapy, 2011, 16, 636-640.	1.6	36
40	Can a functional postural exercise improve performance in the cranio-cervical flexion test? – A preliminary study. Manual Therapy, 2012, 17, 219-224.	1.6	36
41	The effect of neck torsion on postural stability in subjects with persistent whiplash. Manual Therapy, 2011, 16, 339-343.	1.6	33
42	Factors associated with cervical kinematic impairments in patients with neck pain. Manual Therapy, 2016, 22, 109-115.	1.6	32
43	Toward Optimal Early Management After Whiplash Injury to Lessen the Rate of Transition to Chronicity. Spine, 2011, 36, S335-S342.	2.0	31
44	Self-Reported Driving Habits in Subjects With Persistent Whiplash-Associated Disorder: Relationship to Sensorimotor and Psychologic Features. Archives of Physical Medicine and Rehabilitation, 2008, 89, 1097-1102.	0.9	30
45	Sensorimotor and Physiological Indicators of Impairment in Mild Traumatic Brain Injury: A Meta-Analysis. Neurorehabilitation and Neural Repair, 2018, 32, 115-128.	2.9	30
46	Pressure pain thresholds of upper limb peripheral nerve trunks in asymptomatic subjects. Physiotherapy Research International, 2000, 5, 220-229.	1.5	29
47	Is the method of signal analysis and test selection important for measuring standing balance in subjects with persistent whiplash?. Gait and Posture, 2005, 21, 395-402.	1.4	29
48	Simulator sickness in patients with neck pain and vestibular pathology during virtual reality tasks. Virtual Reality, 2018, 22, 211-219.	6.1	29
49	Neck pain associated with migraine does not necessarily reflect cervical musculoskeletal dysfunction. Headache, 2021, 61, 882-894.	3.9	29
50	Neck motion kinematics: an inter-tester reliability study using an interactive neck VR assessment in asymptomatic individuals. European Spine Journal, 2016, 25, 2139-2148.	2.2	27
51	Balance, mobility and gaze stability deficits remain following surgical removal of vestibular schwannoma (acoustic neuroma): An observational study. Australian Journal of Physiotherapy, 2006, 52, 211-216.	0.9	26
52	Construct Validity and Test-Retest Reliability of the Fatigue Severity Scale in People With Chronic Neck Pain. Archives of Physical Medicine and Rehabilitation, 2013, 94, 1328-1334.	0.9	25
53	Validity and Reliability of the Perceived Deficit Questionnaire to Assess Cognitive Symptoms in People With Chronic Whiplash-Associated Disorders. Archives of Physical Medicine and Rehabilitation, 2012, 93, 1774-1781.	0.9	24
54	High variability of the subjective visual vertical test of vertical perception, in some people with neck pain – Should this be a standard measure of cervical proprioception?. Manual Therapy, 2015, 20, 183-188.	1.6	24

#	Article	IF	CITATIONS
55	Head Eye Co-ordination Using Simultaneous Measurement of Eye in Head and Head in Space Movements: Potential For Use in Subjects With a Whiplash Injury. Journal of Clinical Monitoring and Computing, 2009, 23, 31-40.	1.6	23
56	Contributions of Physical and Cognitive Impairments to Self-Reported Driving Difficulty in Chronic Whiplash-Associated Disorders. Spine, 2013, 38, 1554-1560.	2.0	23
57	The effects of head movement and walking speed on gait parameters in patients with chronic neck pain. Manual Therapy, 2014, 19, 137-141.	1.6	22
58	Utility of a brief assessment tool developed from the Dizziness Handicap Inventory to screen for Cervicogenic dizziness: A case control study. Musculoskeletal Science and Practice, 2017, 30, 42-48.	1.3	20
59	Use of neck torsion as a specific test of neck related postural instability. Musculoskeletal Science and Practice, 2017, 29, 115-119.	1.3	20
60	Self-reported Concussion History and Sensorimotor Tests Predict Head/Neck Injuries. Medicine and Science in Sports and Exercise, 2017, 49, 2385-2393.	0.4	20
61	Neck muscle vibration produces diverse responses in balance and gait speed between individuals with and without neck pain. Musculoskeletal Science and Practice, 2018, 35, 25-29.	1.3	19
62	Recommendations For Core Outcome Domain Set For Whiplash-Associated Disorders (CATWAD). Clinical Journal of Pain, 2019, 35, 727-736.	1.9	19
63	Driving With a Chronic Whiplash-Associated Disorder: A Review of Patients' Perspectives. Archives of Physical Medicine and Rehabilitation, 2011, 92, 106-110.	0.9	18
64	Effects of local treatment with and without sensorimotor and balance exercise in individuals with neck pain: protocol for a randomized controlled trial. BMC Musculoskeletal Disorders, 2018, 19, 48.	1.9	18
65	Computer vision symptoms in people with and without neck pain. Applied Ergonomics, 2019, 80, 50-56.	3.1	18
66	Influence of neck torsion on near point convergence in subjects with idiopathic neck pain. Musculoskeletal Science and Practice, 2017, 32, 51-56.	1.3	17
67	Intra and interrater reliability and clinical feasibility of a simple measure of cervical movement sense in patients with neck pain. BMC Musculoskeletal Disorders, 2018, 19, 358.	1.9	17
68	Retrospective Review: Effectiveness of Cervical Proprioception Retraining for Dizziness After Mild Traumatic Brain Injury in a Military Population With Abnormal Cervical Proprioception. Journal of Manipulative and Physiological Therapeutics, 2019, 42, 399-406.	0.9	17
69	Minimum repetitions for stable measures of visual dependency using the dot version of the computer-based Rod-Frame test. Manual Therapy, 2012, 17, 466-469.	1.6	15
70	The Neck Pain Driving Index (NPDI) for chronic whiplash-associated disorders: development, reliability, and validity assessment. Spine Journal, 2012, 12, 912-920.e1.	1.3	15
71	An exploratory study examining factors underpinning postural instability in older adults with idiopathic neck pain. Gait and Posture, 2018, 60, 93-98.	1.4	15
72	Are jaw range of motion, muscle function and proprioception impaired in adults with persistent temporomandibular disorders? A systematic review and metaâ€analysis. Journal of Oral Rehabilitation, 2020, 47, 1448-1478.	3.0	15

#	Article	IF	CITATIONS
73	A meta-analysis and systematic review of changes in joint position sense and static standing balance in patients with whiplash-associated disorder. PLoS ONE, 2021, 16, e0249659.	2.5	14
74	Dynamic and functional balance tasks in subjects with persistent whiplash: A pilot trial. Manual Therapy, 2011, 16, 394-398.	1.6	13
75	A Description of Neck Motor Performance, Neck Pain, Fatigue, and Mental Effort While Driving in a Sample with Chronic Whiplash-Associated Disorders. American Journal of Physical Medicine and Rehabilitation, 2014, 93, 665-674.	1.4	13
76	Impaired Standing Balance in Individuals with Cervicogenic Headache and Migraine. Journal of Oral and Facial Pain and Headache, 2018, 32, 321-328.	1.4	13
77	A tailored sensorimotor approach for management of whiplash associated disorders. A single case study. Manual Therapy, 2010, 15, 206-209.	1.6	12
78	Evaluation of document location during computer use in terms of neck muscle activity and neck movement. Applied Ergonomics, 2014, 45, 767-772.	3.1	12
79	Validity of clinical measures of smooth pursuit eye movement control in patients with idiopathic neck pain. Musculoskeletal Science and Practice, 2018, 33, 18-23.	1.3	12
80	Altered trunk head co-ordination in those with persistent neck pain. Musculoskeletal Science and Practice, 2019, 39, 45-50.	1.3	12
81	What conservative interventions improve bite function in those with temporomandibular disorders? A systematic review using selfâ€reported and physical measures. Journal of Oral Rehabilitation, 2022, 49, 456-475.	3.0	12
82	Cervical kinematics in patients withÂvestibular pathology vs. patients withÂneck pain: A pilot study. Journal of Vestibular Research: Equilibrium and Orientation, 2017, 27, 137-145.	2.0	10
83	Clinical assessment of cervical movement sense in those with neck pain compared to asymptomatic individuals. Musculoskeletal Science and Practice, 2019, 43, 64-69.	1.3	10
84	The Neck Disability Index Reflects Allodynia and Headache Disability but Not Cervical Musculoskeletal Dysfunction in Migraine. Physical Therapy, 2022, 102, .	2.4	10
85	Assessment of driving-related performance in chronic whiplash using an advanced driving simulator. Accident Analysis and Prevention, 2013, 60, 5-14.	5.7	9
86	Combined transcranial and trans-spinal direct current stimulation in chronic headache: A feasibility and safety trial for a novel intervention. Hong Kong Physiotherapy Journal, 2017, 37, 1-9.	1.0	9
87	Normative Responses to Clinical Tests for Cervicogenic Dizziness: Clinical Cervical Torsion Test and Head-Neck Differentiation Test. Physical Therapy, 2019, 100, 192-200.	2.4	8
88	Single and dual tandem gait assessment post concussion: What performance time is clinically relevant across adult ages and what can influence results?. Musculoskeletal Science and Practice, 2019, 42, 166-172.	1.3	8
89	Impact of accommodation, convergence and stereoacuity on perceived symptoms and surgical performance among surgeons. Surgical Endoscopy and Other Interventional Techniques, 2021, 35, 6660-6670.	2.4	8
90	Cervical musculoskeletal impairments in migraine. Archives of Physiotherapy, 2021, 11, 27.	1.8	8

#	Article	IF	CITATIONS
91	Neck Pain Driving Index: Appropriateness of the Rating ScaleÂand Unidimensionality of the Strategic, Tactical, and Operational Levels. Archives of Physical Medicine and Rehabilitation, 2013, 94, 1842-1846.	0.9	7
92	Should we abandon positional testing for vertebrobasilar insufficiency?. Musculoskeletal Science and Practice, 2020, 46, 102095.	1.3	7
93	Predictors for Positive Response to Home Kinematic Training in Chronic Neck Pain. Journal of Manipulative and Physiological Therapeutics, 2020, 43, 779-790.	0.9	7
94	"What if it doesn't unlock?†A qualitative study into the lived experiences of adults with persistent intra-articular temporomandibular disorders. Musculoskeletal Science and Practice, 2021, 54, 102401.	1.3	7
95	Cervical musculoskeletal and sensorimotor impairments 4 weeks to 6 months following mild traumatic brain injury: An observational cohort study. Musculoskeletal Science and Practice, 2022, 57, 102490.	1.3	7
96	Sensorimotor system changes in adolescent rugby players post-concussion: A prospective investigation from the subacute period through to return-to-sport. Musculoskeletal Science and Practice, 2022, 57, 102492.	1.3	7
97	Identifying upper limb disability in patients with persistent whiplash. Manual Therapy, 2015, 20, 487-493.	1.6	6
98	Higher variability in cervical force perception in people with neck pain. Musculoskeletal Science and Practice, 2019, 42, 6-12.	1.3	6
99	High-vs. low-tech cervical movement sense measurement in individuals with neck pain. Musculoskeletal Science and Practice, 2020, 45, 102097.	1.3	6
100	Is jaw muscle activity impaired in adults with persistent temporomandibular disorders? A systematic review and metaâ€analysis. Journal of Oral Rehabilitation, 2021, 48, 487-516.	3.0	6
101	Intraâ€rater reliability of hallux flexor strength measures using the Nintendo Wii Balance Board. Journal of Foot and Ankle Research, 2015, 8, 48.	1.9	5
102	Lower limb joint position sense and prospective hamstring injury. Musculoskeletal Science and Practice, 2021, 53, 102371.	1.3	5
103	Effects of dry needling of the obliquus capitis inferior on sensorimotor control and cervical mobility in people with neck pain: A double-blind, randomized sham-controlled trial. Brazilian Journal of Physical Therapy, 2021, 25, 826-836.	2.5	5
104	The temporal behaviour of migraine related neck pain does not inform on the origin of neck pain: An observational study. Musculoskeletal Science and Practice, 2022, 58, 102522.	1.3	5
105	Possible autonomic or cranial nerve symptoms triggered during sustained neck rotation in persistent headache post-concussion: a retrospective observational cross-sectional study. Journal of Manual and Manipulative Therapy, 0, , 1-11.	1.2	5
106	Therapeutic Exercise for Cervical Disorders. , 2008, , 207-229.		4
107	Cervical Kinematics of Fast Neck Motion across Age. Journal of Novel Physiotherapies, 2016, 6, .	0.1	4
108	Persistent impairment based symptoms post mild traumatic brain injury: Does a standard symptom scale detect them?. Musculoskeletal Science and Practice, 2019, 41, 15-22.	1.3	4

#	Article	IF	CITATIONS
109	Alterations in Cervical Muscle Function in Neck Pain. , 2008, , 41-58.		3
110	Letter to the editor. Clinical Rehabilitation, 2008, 22, 379-380.	2.2	3
111	The concurrent validity and intrarater reliability of the Microsoft Kinect to measure thoracic kyphosis. International Journal of Rehabilitation Research, 2017, 40, 279-284.	1.3	3
112	Whiplash-associated Disorders. , 2008, , 101-115.		2
113	Clinical Assessment. , 2008, , 155-187.		2
114	Principles of Management of Cervical Disorders. , 2008, , 189-206.		2
115	Effects of tandem walk and cognitive and motor dual- tasks on gait speed in individuals with chronic idiopathic neck pain: a preliminary study. Physiotherapy Theory and Practice, 2019, 37, 1-7.	1.3	2
116	Change in a clinical measure of cervical movement sense following four weeks of kinematic training. Musculoskeletal Science and Practice, 2021, 51, 102312.	1.3	2
117	Altered neuromuscular activity and postural stability during standing balance tasks in persons with non-specific neck pain. Journal of Electromyography and Kinesiology, 2021, 61, 102608.	1.7	2
118	Cervicogenic Headache. , 2008, , 117-130.		1
119	Differential Diagnosis of Cervicobrachial Pain. , 2008, , 131-143.		1
120	Spinal control is related to concussion in professional footballers. British Journal of Sports Medicine, 2017, 51, A10.3-A11.	6.7	1
121	Can a simple clinical test demonstrate head-trunk coordination impairment in neck pain?. Musculoskeletal Science and Practice, 2020, 49, 102209.	1.3	1
122	Response to the letter to the editor regarding the continued use of the "vertebrobasilar insufficiency―test. Musculoskeletal Science and Practice, 2020, 45, 102101.	1.3	1
123	The management experiences, needs and preferences of individuals seeking care for persistent intraâ€erticular temporomandibular disorders: A qualitative study. Journal of Oral Rehabilitation, 2022, 49, 10-21.	3.0	1
124	An Investigation of Sensorimotor Impairments in Individuals 4 weeks to 6 months following mild traumatic brain injury. Archives of Physical Medicine and Rehabilitation, 2021, , .	0.9	1
125	Manueel-therapeutisch onderzoek: is provocatie van pijn een belangrijke diagnostische aanwijzing voor spinale functiestoornissen?. Stimulus, 1995, 14, 257-260.	0.0	0

Sensory Manifestations of Neck Pain. , 2008, , 5-19.

#	Article	IF	CITATIONS
127	Structure and Function of the Cervical Region. , 2008, , 21-39.		0
128	The Cervical Spine and Sensorimotor Control. , 2008, , 59-71.		0
129	Disturbances in Postural Stability, Head and Eye Movement Control in Cervical Disorders. , 2008, , 73-86.		Ο
130	An Investigation of Physiological System Impairments in Individuals 4 Weeks to 6 Months Following Mild Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2023, 38, E79-E87.	1.7	0
131	Cervical musculoskeletal, physical and psychological factors associated with ongoing dizziness in patients with whiplash associated disorder, 12 months after undertaking a neck specific or general exercise intervention. BMC Musculoskeletal Disorders, 2022, 23, .	1.9	0