

Hiroyasu Tsutsuki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5391010/publications.pdf>

Version: 2024-02-01

40
papers

701
citations

471509
17
h-index

580821
25
g-index

40
all docs

40
docs citations

40
times ranked

742
citing authors

#	ARTICLE	IF	CITATIONS
1	Enhanced Cellular Polysulfides Negatively Regulate TLR4 Signaling and Mitigate Lethal Endotoxin Shock. <i>Cell Chemical Biology</i> , 2019, 26, 686-698.e4.	5.2	64
2	<i>Fusobacterium nucleatum</i> confers chemoresistance by modulating autophagy in oesophageal squamous cell carcinoma. <i>British Journal of Cancer</i> , 2021, 124, 963-974.	6.4	52
3	<i>Fusobacterium nucleatum</i> promotes esophageal squamous cell carcinoma progression via the NOD1/RIPK2/NF- κ B pathway. <i>Cancer Letters</i> , 2022, 530, 59-67.	7.2	40
4	Exposure to Electrophiles Impairs Reactive Persulfide-Dependent Redox Signaling in Neuronal Cells. <i>Chemical Research in Toxicology</i> , 2017, 30, 1673-1684.	3.3	39
5	DAP1, a Negative Regulator of Autophagy, Controls SubAB-Mediated Apoptosis and Autophagy. <i>Infection and Immunity</i> , 2014, 82, 4899-4908.	2.2	34
6	Subtilase Cytotoxin Enhances <i>Escherichia coli</i> Survival in Macrophages by Suppression of Nitric Oxide Production through the Inhibition of NF- κ B Activation. <i>Infection and Immunity</i> , 2012, 80, 3939-3951.	2.2	30
7	Identification of Subtilase Cytotoxin (SubAB) Receptors Whose Signaling, in Association with SubAB-Induced BiP Cleavage, Is Responsible for Apoptosis in HeLa Cells. <i>Infection and Immunity</i> , 2011, 79, 617-627.	2.2	28
8	Reactive Persulfides from <i>Salmonella Typhimurium</i> Downregulate Autophagy-Mediated Innate Immunity in Macrophages by Inhibiting Electrophilic Signaling. <i>Cell Chemical Biology</i> , 2018, 25, 1403-1413.e4.	5.2	28
9	Gold Coating of Silver Nanoplates for Enhanced Dispersion Stability and Efficient Antimicrobial Activity against Intracellular Bacteria. <i>Langmuir</i> , 2018, 34, 10413-10418.	3.5	26
10	ATP exposure stimulates glutathione efflux as a necessary switch for NLRP3 inflammasome activation. <i>Redox Biology</i> , 2021, 41, 101930.	9.0	26
11	Subtilase cytotoxin produced by locus of enterocyte effacementâ€negative Shigaâ€toxicogenic <i>Escherichia coli</i> induces stress granule formation. <i>Cellular Microbiology</i> , 2016, 18, 1024-1040.	2.1	25
12	Persistent Activation of cGMP-Dependent Protein Kinase by a Nitrated Cyclic Nucleotide via Site Specific Protein S-Guanylation. <i>Biochemistry</i> , 2016, 55, 751-761.	2.5	25
13	Reactive Cysteine Persulphides: Occurrence, Biosynthesis, Antioxidant Activity, Methodologies, and Bacterial Persulphide Signalling. <i>Advances in Microbial Physiology</i> , 2018, 72, 1-28.	2.4	25
14	Uptake of Shiga-toxicogenic <i>Escherichia coli</i> â€SubAB by HeLa cells requires an actin- and lipid raft-dependent pathway. <i>Cellular Microbiology</i> , 2014, 16, 1582-1601.	2.1	22
15	8-Nitro-cGMP Enhances SNARE Complex Formation through S-Guanylation of Cys90 in SNAP25. <i>ACS Chemical Neuroscience</i> , 2015, 6, 1715-1725.	3.5	22
16	Polymer-conjugated glucosamine complexed with boric acid shows tumor-selective accumulation and simultaneous inhibition of glycolysis. <i>Biomaterials</i> , 2021, 269, 120631.	11.4	21
17	Antioxidative and anti-inflammatory actions of reactive cysteine persulfides. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2021, 68, 5-8.	1.4	20
18	Regulation of Subtilase Cytotoxin-Induced Cell Death by an RNA-Dependent Protein Kinase-Like Endoplasmic Reticulum Kinase-Dependent Proteasome Pathway in HeLa Cells. <i>Infection and Immunity</i> , 2012, 80, 1803-1814.	2.2	18

#	ARTICLE	IF	CITATIONS
19	Synthesis of L-cysteine derivatives containing stable sulfur isotopes and application of this synthesis to reactive sulfur metabolome. <i>Free Radical Biology and Medicine</i> , 2017, 106, 69-79.	2.9	18
20	Superoxide generation from nNOS splice variants and its potential involvement in redox signal regulation. <i>Biochemical Journal</i> , 2017, 474, 1149-1162.	3.7	16
21	Cysteine Hydropersulfide Inactivates β -Lactam Antibiotics with Formation of Ring-Opened Carbothioic S-Acids in Bacteria. <i>ACS Chemical Biology</i> , 2021, 16, 731-739.	3.4	16
22	Gold-Treated Silver Nanoparticles Have Enhanced Antimicrobial Activity. <i>Bulletin of the Chemical Society of Japan</i> , 2019, 92, 297-301.	3.2	14
23	Mice Deficient in Angiopoietin-like Protein 2 (Angptl2) Gene Show Increased Susceptibility to Bacterial Infection Due to Attenuated Macrophage Activity. <i>Journal of Biological Chemistry</i> , 2016, 291, 18843-18852.	3.4	12
24	Silver Nanoparticles as Potential Antibiofilm Agents against Human Pathogenic Bacteria. <i>Chemistry Letters</i> , 2017, 46, 594-596.	1.3	12
25	Involvement of nitric oxide/reactive oxygen species signaling via 8-nitro-cGMP formation in 1-methyl-4-phenylpyridinium ion-induced neurotoxicity in PC12 cells and rat cerebellar granule neurons. <i>Biochemical and Biophysical Research Communications</i> , 2018, 495, 2165-2170.	2.1	10
26	Synthesis of Pegylated Manganese Protoporphyrin as a Catalase Mimic and Its Therapeutic Application to Acetaminophen-Induced Acute Liver Failure. <i>Biological and Pharmaceutical Bulletin</i> , 2019, 42, 1199-1206.	1.4	8
27	Endogenous occurrence of protein S-guanylation in <i>Escherichia coli</i> : Target identification and genetic regulation. <i>Biochemical and Biophysical Research Communications</i> , 2016, 478, 7-11.	2.1	7
28	Nitric oxide inhibits depolarization-evoked glutamate release from rat cerebellar granule cells. <i>Nitric Oxide - Biology and Chemistry</i> , 2007, 16, 217-227.	2.7	6
29	Preparation of Biodegradable PLGA-Nanoparticles Used for pH-Sensitive Intracellular Delivery of an Anti-inflammatory Bacterial Toxin to Macrophages. <i>Chemical and Pharmaceutical Bulletin</i> , 2020, 68, 363-368.	1.3	6
30	Involvement of protein disulfide isomerase in subtilase cytotoxin-induced cell death in HeLa cells. <i>Biochemical and Biophysical Research Communications</i> , 2020, 525, 1068-1073.	2.1	5
31	Subtilase cytotoxin from Shiga-toxigenic <i>Escherichia coli</i> impairs the inflammasome and exacerbates enteropathogenic bacterial infection. <i>IScience</i> , 2022, 25, 104050.	4.1	5
32	Mechanism of inhibition of Shiga-toxigenic <i>Escherichia coli</i> SubAB cytotoxicity by steroids and diacylglycerol analogues. <i>Cell Death Discovery</i> , 2018, 4, 22.	4.7	4
33	New insights into the regulatory roles of glutathione in NLRP3-inflammasome-mediated immune and inflammatory responses. <i>Journal of Biochemistry</i> , 2022, 171, 367-377.	1.7	4
34	Host response to the subtilase cytotoxin produced by locus of enterocyte effacement-negative Shiga-toxigenic <i>Escherichia coli</i> . <i>Microbiology and Immunology</i> , 2020, 64, 657-665.	1.4	3
35	8-Nitro-cGMP modulates exocytosis in adrenal chromaffin cells. <i>Biochemical and Biophysical Research Communications</i> , 2020, 526, 225-230.	2.1	3
36	Controlled Delivery of an Anti-Inflammatory Toxin to Macrophages by Mutagenesis and Nanoparticle Modification. <i>Nanomaterials</i> , 2022, 12, 2161.	4.1	3

#	ARTICLE	IF	CITATIONS
37	A novel endoplasmic stress mediator, Kelch domain containing 7B (KLHDC7B), increased Harakiri (HRK) in the SubAB-induced apoptosis signaling pathway. <i>Cell Death Discovery</i> , 2021, 7, 360.	4.7	2
38	Regulation of nitric oxide/reactive oxygen species redox signaling by nNOS splicing variants. <i>Nitric Oxide - Biology and Chemistry</i> , 2022, 120, 44-52.	2.7	2
39	A Simple PLGA-AgNPL Film for Antibiofilm Formation by Contact Bactericidal Activity. <i>Chemistry Letters</i> , 2018, 47, 308-310.	1.3	0
40	Development of potent antipseudomonal β -lactams by means of polycarboxylation of aminopenicillins. <i>Microbiology and Immunology</i> , 2021, 65, 449-461.	1.4	0