

# Jun Liang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/53926/publications.pdf>

Version: 2024-02-01

61  
papers

1,959  
citations

394286

19  
h-index

289141

40  
g-index

70  
all docs

70  
docs citations

70  
times ranked

2513  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | CRISPR screens uncover protective effect of PSTK as a regulator of chemotherapy-induced ferroptosis in hepatocellular carcinoma. <i>Molecular Cancer</i> , 2022, 21, 11.  | 7.9 | 46        |
| 2  | Apatinib vs Placebo in Patients With Locally Advanced or Metastatic, Radioactive Iodine-Resistant Differentiated Thyroid Cancer. <i>JAMA Oncology</i> , 2022, 8, 242.   | 3.4 | 50        |
| 3  | Case Report: Complete Remission With Anti-PD-1 and Anti-VEGF Combined Therapy of a Patient With Metastatic Primary Splenic Angiosarcoma. <i>Frontiers in Oncology</i> , 2022, 12, 809068.   | 1.3 | 7         |
| 4  | Preliminary results of raltitrexed in Chinese patients with metastatic colorectal cancer: A prospective, multicenter, real-world study. <i>Journal of Clinical Oncology</i> , 2022, 40, 3591-3591.  | 0.8 | 0         |
| 5  | Apatinib versus placebo in patients with locally advanced or metastatic, radioactive iodine-refractory, differentiated thyroid cancer: Post hoc analyses from the REALITY randomized clinical trial. <i>Journal of Clinical Oncology</i> , 2022, 40, 6095-6095. | 0.8 | 1         |
| 6  | Long-Term Results of a Phase II Trial of Apatinib for Progressive Radioiodine Refractory Differentiated Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e3027-e3036.   | 1.8 | 15        |
| 7  | Clinical recommendations for perioperative immunotherapy-induced adverse events in patients with non-small cell lung cancer. <i>Thoracic Cancer</i> , 2021, 12, 1469-1488.  | 0.8 | 7         |
| 8  | Richer fusion network for breast cancer classification based on multimodal data. <i>BMC Medical Informatics and Decision Making</i> , 2021, 21, 134.  | 1.5 | 22        |
| 9  | Fibrinogen-Albumin Ratio Index (FARI) as a Certain Prognostic Biomarker in Pretreated Patients with Immunotherapy. <i>Cancer Management and Research</i> , 2021, Volume 13, 4169-4180.  | 0.9 | 4         |
| 10 | Decreased expression of ARID1A invasively downregulates the expression of ribosomal proteins in hepatocellular carcinoma. <i>Biomarkers in Medicine</i> , 2021, 15, 497-508.  | 0.6 | 1         |
| 11 | Abstract 2739: ARID1A deficiency in HBV related hepatocarcinoma patients is associated with upregulated immune activity. , 2021, , .  |     | 0         |
| 12 | Pharmacovigilance Bibliometrics: Visualizing Thematic Development in the Category of Pharmacology and Pharmacy in Web of Science. <i>Frontiers in Pharmacology</i> , 2021, 12, 731757.  | 1.6 | 13        |
| 13 | Prognostic nomograms for patients undergoing radical operation for stage I-III appendiceal adenocarcinoma: A surveillance, epidemiology, and end results database analysis. <i>Journal of Cancer Research and Therapeutics</i> , 2021, 17, 1656.                | 0.3 | 3         |
| 14 | Regorafenib in Chinese patients with metastatic colorectal cancer: Subgroup analysis of the phase 3 CONCUR trial. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 1307-1316.  | 1.4 | 8         |
| 15 | Development and Validation of an Individualized Nomogram for Predicting Overall Survival in Patients With Typical Lung Carcinoid Tumors. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2020, 43, 607-614.                              | 0.6 | 14        |
| 16 | Establishment and validation of a novel droplet digital PCR assay for ultrasensitive detection and dynamic monitoring of EGFR mutations in peripheral blood samples of non-small-cell lung cancer patients. <i>Clinica Chimica Acta</i> , 2020, 510, 88-96.     | 0.5 | 4         |
| 17 | Comprehensive molecular characterization of inhibitors of apoptosis proteins (IAPs) for therapeutic targeting in cancer. <i>BMC Medical Genomics</i> , 2020, 13, 7.   | 0.7 | 32        |
| 18 | Common and distinct features of potentially predictive biomarkers in small cell lung carcinoma and large cell neuroendocrine carcinoma of the lung by systematic and integrated analysis. <i>Molecular Genetics &amp; Genomic Medicine</i> , 2020, 8, e1126.    | 0.6 | 3         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Guidelines for the Diagnosis and Treatment of Hepatocellular Carcinoma (2019 Edition). <i>Liver Cancer</i> , 2020, 9, 682-720.   | 4.2 | 427       |
| 20 | The effect of a coix seed oil injection on cancer pain relief. <i>Supportive Care in Cancer</i> , 2019, 27, 461-465.   | 1.0 | 30        |
| 21 | Randomized controlled trial of lobaplatin plus etoposide vs. cisplatin plus etoposide as first-line therapy in patients with extensive-stage small cell lung cancer. <i>Oncology Letters</i> , 2019, 17, 4701-4709.  | 0.8 | 6         |
| 22 | A comparative analysis of infection in patients with malignant cancer: A clinical pharmacist consultation study. <i>Journal of Infection and Public Health</i> , 2019, 12, 789-793.  | 1.9 | 11        |
| 23 | Clinical Characteristics and Prognosis of Gastrointestinal Metastases in Solid Tumor Patients: A Retrospective Study and Review of Literatures. <i>Analytical Cellular Pathology</i> , 2019, 2019, 1-7.  | 0.7 | 6         |
| 24 | Deployment and integration of a cognitive technology in China: Experiences and lessons learned.. <i>Journal of Clinical Oncology</i> , 2019, 37, 6538-6538.  | 0.8 | 3         |
| 25 | Reasons for discordance in treatment approaches between oncology practice and clinical decision support in China.. <i>Journal of Clinical Oncology</i> , 2019, 37, 6555-6555.  | 0.8 | 2         |
| 26 | Radioactive Iodine-Refractory Differentiated Thyroid Cancer and Redifferentiation Therapy. <i>Endocrinology and Metabolism</i> , 2019, 34, 215.  | 1.3 | 68        |
| 27 | CDK6 inhibits lymphoid cell infiltration and represents a prognostic marker in HPV+ squamous cell carcinoma of head and neck. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2019, 31, 901-909. | 0.7 | 0         |
| 28 | Employing an oncology decision-support system to quantify treatment variation.. <i>Journal of Clinical Oncology</i> , 2019, 37, e18067-e18067.   | 0.8 | 2         |
| 29 | Impact of decision-support system and guideline treatment concordance on response rate in advanced lung cancer.. <i>Journal of Clinical Oncology</i> , 2019, 37, e20006-e20006.  | 0.8 | 1         |
| 30 | Combination nivolumab with transcatheter arterial chemoembolization for clinical remission of small cell lung cancer: A case report. <i>Thoracic Cancer</i> , 2018, 9, 646-651.  | 0.8 | 4         |
| 31 | Adverse reactions of sorafenib, sunitinib, and imatinib in treating digestive system tumors. <i>Thoracic Cancer</i> , 2018, 9, 542-547.  | 0.8 | 20        |
| 32 | Suppressed thyroglobulin performs better than stimulated thyroglobulin in defining an excellent response in patients with differentiated thyroid cancer. <i>Nuclear Medicine Communications</i> , 2018, 39, 247-251.   | 0.5 | 7         |
| 33 | NF- $\kappa$ B mediated elevation of KCNJ11 promotes tumor progression of hepatocellular carcinoma through interaction of lactate dehydrogenase A. <i>Biochemical and Biophysical Research Communications</i> , 2018, 495, 246-253.  | 1.0 | 19        |
| 34 | Clinical characteristics of hepatocellular carcinoma patients with normal serum alpha-fetoprotein level: A study of 112 consecutive cases. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2018, 14, e336-e340.   | 0.7 | 3         |
| 35 | miR-142 suppresses proliferation and induces apoptosis of osteosarcoma cells by upregulating Rb. <i>Oncology Letters</i> , 2018, 16, 733-740.  | 0.8 | 12        |
| 36 | Cytoplasmic expression of estrogen receptor $\beta$ may predict poor outcome of EGFR-TKI therapy in metastatic lung adenocarcinoma. <i>Oncology Letters</i> , 2018, 16, 2382-2390.   | 0.8 | 8         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Differential regulation of AKT1 contributes to survival and proliferation in hepatocellular carcinoma cells by mediating Notch1 expression. <i>Oncology Letters</i> , 2018, 15, 6857-6864.  | 0.8 | 7         |
| 38 | Cost-effectiveness analysis of FOLFOX4 and sorafenib for the treatment of advanced hepatocellular carcinoma in China. <i>Cost Effectiveness and Resource Allocation</i> , 2018, 16, 29.   | 0.6 | 32        |
| 39 | Guidelines for Diagnosis and Treatment of Primary Liver Cancer in China (2017 Edition). <i>Liver Cancer</i> , 2018, 7, 235-260.   | 4.2 | 426       |
| 40 | A multicenter, single arm phase II trial of a small molecule immune-modulator icaritin: Safety, overall survival, immune dynamics, and PD-L1 expression in advanced hepatocellular carcinoma.. <i>Journal of Clinical Oncology</i> , 2018, 36, 4077-4077. | 0.8 | 7         |
| 41 | A consensus on immunotherapy from the 2017 Chinese Lung Cancer Summit expert panel. <i>Translational Lung Cancer Research</i> , 2018, 7, 428-436.   | 1.3 | 7         |
| 42 | A comprehensive genome-wide analysis of long noncoding RNA expression profile in hepatocellular carcinoma. <i>Cancer Medicine</i> , 2017, 6, 2932-2941.   | 1.3 | 84        |
| 43 | Upregulated microRNA-429 inhibits the migration of HCC cells by targeting TRAF6 through the NF- $\kappa$ B pathway. <i>Oncology Reports</i> , 2017, 37, 2883-2890.  | 1.2 | 30        |
| 44 | <i>TERT</i> Promoter Mutation Predicts Radioiodine-Refractory Character in Distant Metastatic Differentiated Thyroid Cancer. <i>Journal of Nuclear Medicine</i> , 2017, 58, 258-265.  | 2.8 | 92        |
| 45 | Overwhelming rapid metabolic and structural response to apatinib in radioiodine refractory differentiated thyroid cancer. <i>Oncotarget</i> , 2017, 8, 42252-42261.   | 0.8 | 54        |
| 46 | Unfavorable efficacy to 131I ablation in BRAFV600E mutant papillary thyroid carcinoma with positive TgAb. <i>Oncotarget</i> , 2017, 8, 97407-97415.   | 0.8 | 3         |
| 47 | Safety and tolerability profile of raltitrexid in Chinese patients with locally advanced or recurrent and metastatic colorectal cancer: A phase IV trial.. <i>Journal of Clinical Oncology</i> , 2017, 35, 571-571.                                       | 0.8 | 3         |
| 48 | MicroRNA-199a-3p inhibits tumorigenesis of hepatocellular carcinoma cells by targeting ZHX1/PUMA signal. <i>American Journal of Translational Research (discontinued)</i> , 2017, 9, 2457-2465.   | 0.0 | 21        |
| 49 | Noninferior response in BRAFV600E mutant nonmetastatic papillary thyroid carcinoma to radioiodine therapy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 1034-1039.   | 3.3 | 18        |
| 50 | Preablative Stimulated Thyroglobulin Correlates to New Therapy Response System in Differentiated Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 1307-1313.  | 1.8 | 36        |
| 51 | Serum thyrotropin level of 30 $\pm$ 4IU/mL is inadequate for preablative thyroglobulin to serve as a prognostic marker for differentiated thyroid cancer. <i>Endocrine</i> , 2016, 53, 166-173.   | 1.1 | 9         |
| 52 | Chinese Guidelines on the Diagnosis and Treatment of Melanoma (2015 Edition). <i>Chinese Clinical Oncology</i> , 2016, 5, 57-57.  | 0.4 | 46        |
| 53 | Chinese guidelines on the management of renal cell carcinoma (2015 edition). <i>Chinese Clinical Oncology</i> , 2016, 5, 12.  | 0.4 | 8         |
| 54 | Identification of stage-specific biomarkers in lung adenocarcinoma based on RNA-seq data. <i>Tumor Biology</i> , 2015, 36, 6391-6399.   | 0.8 | 23        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Chinese guidelines on the management of renal cell carcinoma (2015 edition). <i>Annals of Translational Medicine</i> , 2015, 3, 279.   | 0.7 | 13        |
| 56 | Chinese Guidelines on the Diagnosis and Treatment of Melanoma (2015 Edition). <i>Annals of Translational Medicine</i> , 2015, 3, 322.  | 0.7 | 32        |
| 57 | Efficacy and Safety of the FOLFOX4 Regimen Versus Doxorubicin in Chinese Patients With Advanced Hepatocellular Carcinoma: A Subgroup Analysis of the EACH Study. <i>Oncologist</i> , 2014, 19, 1169-1178.  | 1.9 | 71        |
| 58 | BRAFV600E Mutation Associated With Non- <sup>125</sup> I Radioiodine-Avid Status in Distant Metastatic Papillary Thyroid Carcinoma. <i>Clinical Nuclear Medicine</i> , 2014, 39, 675-679.  | 0.7 | 52        |
| 59 | Combination chemotherapy with paclitaxel, cisplatin and fluorouracil for patients with advanced and metastatic gastric or esophagogastric junction adenocarcinoma: a multicenter prospective study. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> . 2012, 24, 291-298. | 0.7 | 13        |
| 60 | Polymorphisms of ERCC1, XPD, XRCC1 and XPG predict clinical outcome in advanced gastric cancer patients receiving oxaliplatin-based chemotherapy in Chinese population. <i>Clinical Oncology and Cancer Research</i> , 2009, 6, 328-336.   | 0.1 | 0         |
| 61 | In vitro anti- <sup>60</sup> Co irradiation effects of a polypeptide from <i>Chlamys farreri</i> . <i>Chinese Journal of Clinical Oncology</i> , 2005, 2, 473-479.   | 0.0 | 0         |