

Garikoitz Beobide

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5392988/garikoitz-beobide-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85
papers

2,245
citations

28
h-index

45
g-index

94
ext. papers

2,593
ext. citations

5.3
avg, IF

4.94
L-index

#	Paper	IF	Citations
85	The Chemistry of Zirconium/Carboxylate Clustering Process: Acidic Conditions to Promote Carboxylate-Unsaturated Octahedral Hexamers and Pentanuclear Species.. <i>Inorganic Chemistry</i> , 2022 , 61, 4842-4851	5.1	
84	Macroscopic Ultralight Aerogel Monoliths of Imine-based Covalent Organic Frameworks. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 13969-13977	16.4	17
83	Macroscopic Ultralight Aerogel Monoliths of Imine-based Covalent Organic Frameworks. <i>Angewandte Chemie</i> , 2021 , 133, 14088-14096	3.6	1
82	Ferromagnetic supramolecular metal-organic frameworks for active capture and magnetic sensing of emerging drug pollutants. <i>Cell Reports Physical Science</i> , 2021 , 2, 100421	6.1	3
81	Porous TiO thin film-based photocatalytic windows for an enhanced operation of optofluidic microreactors in CO conversion. <i>IScience</i> , 2021 , 24, 102654	6.1	6
80	Crystal and magnetic structure of the (trimim)[FeBr ₄] molten salt: A temperature dependence study. <i>Journal of Molecular Liquids</i> , 2021 , 331, 115716	6	0
79	Slot-Die Process of a Sol-Gel Photocatalytic Porous Coating for Large-Area Fabrication of Functional Architectural Glass. <i>Catalysts</i> , 2021 , 11, 711	4	1
78	((R)-[1,3-Hydroxyquinuclidium][FeCl ₄]; a plastic hybrid compound with chirality, ferroelectricity and long range magnetic ordering. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 4453-4465	7.1	4
77	Single-Crystal-to-Single-Crystal Cluster Transformation in a Microporous Molybdoarsenate(V)-Metalorganic Framework. <i>Inorganic Chemistry</i> , 2021 , 60, 14913-14923	5.1	1
76	Metal removal from the secondary building unit of bio-MOF-1 by adenine N6-alkylation while retaining the overall 3D porous topology. <i>CrystEngComm</i> , 2020 , 22, 4201-4205	3.3	1
75	Temperature evolution of (quinuclidinium)[FeCl ₄]: a plastic/polar magnetic hybrid compound with a giant dielectric constant. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 11389-11398	7.1	2
74	Crystal structure, magneto-structural correlation, thermal and electrical studies of an imidazolium halometallate molten salt: (trimim)[FeCl ₄]. <i>RSC Advances</i> , 2020 , 10, 11200-11209	3.7	8
73	Adenine nucleobase directed supramolecular architectures based on ferrimagnetic heptanuclear copper(II) entities and benzenecarboxylate anions. <i>Journal of Inorganic Biochemistry</i> , 2020 , 202, 110865	4.2	5
72	Comparing conventional and microwave-assisted heating in PET degradation mediated by imidazolium-based halometallate complexes. <i>New Journal of Chemistry</i> , 2019 , 43, 3476-3485	3.6	17
71	Cu/Bi metal-organic framework-based systems for an enhanced electrochemical transformation of CO ₂ to alcohols. <i>Journal of CO₂ Utilization</i> , 2019 , 33, 157-165	7.6	84
70	A straightforward route to obtain zirconium based metal-organic gels. <i>Microporous and Mesoporous Materials</i> , 2019 , 284, 128-132	5.3	21
69	Alkaline-earth and aminonicotinate based coordination polymers with combined fluorescence/long-lasting phosphorescence and metal ion sensing response. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 6997-7012	7.1	13

68	[ZrO(OH)(benzene-1,4-dicarboxylato)]: a hexagonal polymorph of UiO-66. <i>Chemical Communications</i> , 2019 , 55, 5954-5957	5.8	13
67	Supramolecular architectures of metal-oxalato coordination polymers bearing N-tethered adenine nucleobases. <i>Polyhedron</i> , 2019 , 171, 53-64	2.7	
66	Incommensurate crystal structure, thermal expansion study and magnetic properties of (dimethylimidazolium) ₂ [Fe ₂ Cl ₆ (EO)]. <i>JPhys Materials</i> , 2019 , 3, 015002	4.2	
65	Theophylline alkaloid as glue of paddle-wheel copper(II)-adenine entities to afford a rhomboid chain. <i>Inorganica Chimica Acta</i> , 2019 , 484, 437-442	2.7	5
64	Porous Supramolecular Architectures Based on π -Stacking Interactions between Discrete Metal-Adenine Entities and the Non-DNA Theobromine/Caffeine Nucleobases. <i>Crystal Growth and Design</i> , 2018 , 18, 3465-3476	3.5	6
63	Magnetic Structure, Single-Crystal to Single-Crystal Transition, and Thermal Expansion Study of the (Edimim)[FeCl] Halometalate Compound. <i>Inorganic Chemistry</i> , 2018 , 57, 1787-1795	5.1	8
62	Metal π -thiobenzoato Complexes: Synthesis, Structure, and Processing as Carbon-Supported Nanoparticles. <i>European Journal of Inorganic Chemistry</i> , 2018 , 2018, 1371-1382	2.3	3
61	Providing evidence for the requirements to achieve supramolecular materials based on metal π -nucleobase entities. <i>CrystEngComm</i> , 2018 , 20, 2528-2539	3.3	4
60	Invigorating polyurethane foams with phase change materials supported in inorganic containers. <i>Polymer Composites</i> , 2018 , 39, 1420-1432	3	4
59	Synthesis of heterometallic metal-organic frameworks and their performance as electrocatalyst for CO reduction.. <i>RSC Advances</i> , 2018 , 8, 21092-21099	3.7	59
58	Chemically Resistant, Shapeable, and Conducting Metal-Organic Gels and Aerogels Built from Dithiooxamidato Ligand. <i>Advanced Functional Materials</i> , 2017 , 27, 1605448	15.6	26
57	Methanol electrosynthesis from CO ₂ at Cu ₂ O/ZnO prompted by pyridine-based aqueous solutions. <i>Journal of CO₂ Utilization</i> , 2017 , 18, 164-172	7.6	86
56	Supramolecular Architectures Based on Metal π -cytosine Systems. <i>European Journal of Inorganic Chemistry</i> , 2017 , 2017, 1333-1340	2.3	4
55	Supramolecular architectures based on p-cymene/ruthenium complexes functionalized with nucleobases. <i>CrystEngComm</i> , 2017 , 19, 6039-6048	3.3	5
54	Structural diversity of coordination compounds derived from double-chelating and planar diazinedicarboxylate ligands. <i>Coordination Chemistry Reviews</i> , 2017 , 352, 83-107	23.2	10
53	Thermally-Triggered Crystal Dynamics and Permanent Porosity in the First Heptatungstate-Metalorganic Three-Dimensional Hybrid Framework. <i>Chemistry - A European Journal</i> , 2017 , 23, 14962-14974	4.8	9
52	Copper-Based Metal-Organic Porous Materials for CO Electrocatalytic Reduction to Alcohols. <i>ChemSusChem</i> , 2017 , 10, 1100-1109	8.3	208
51	3D Magnetically Ordered Open Supramolecular Architectures Based on Ferrimagnetic Cu/Adenine/Hydroxide Heptameric Wheels. <i>Inorganic Chemistry</i> , 2016 , 55, 7755-63	5.1	13

50	Supramolecular extended systems based on discrete paddle-wheel shaped metal-adeninate entities. <i>Inorganica Chimica Acta</i> , 2016 , 452, 222-228	2.7	3
49	Controlling interpenetration for tuning porosity and luminescence properties of flexible MOFs based on biphenyl-4,4'-dicarboxylic acid. <i>CrystEngComm</i> , 2016 , 18, 1282-1294	3.3	25
48	Aerogels of 1D Coordination Polymers: From a Non-Porous Metal-Organic Crystal Structure to a Highly Porous Material. <i>Polymers</i> , 2016 , 8,	4.5	10
47	In Situ Time-Resolved Observation of the Development of Intracrystalline Mesoporosity in USY Zeolite. <i>Chemistry of Materials</i> , 2016 , 28, 8971-8979	9.6	27
46	Scandium/Alkaline Metal-Organic Frameworks: Adsorptive Properties and Ionic Conductivity. <i>Chemistry of Materials</i> , 2016 , 28, 2519-2528	9.6	61
45	Exploiting Synthetic Conditions to Promote Structural Diversity within the Scandium(III)/Pyrimidine-4,6-dicarboxylate System. <i>Crystal Growth and Design</i> , 2015 , 15, 2352-2363	3.5	29
44	Enhancing luminescence properties of lanthanide(III)/pyrimidine-4,6-dicarboxylate system by solvent-free approach. <i>Dalton Transactions</i> , 2015 , 44, 6972-86	4.3	26
43	Photoluminescence Tuning and Water Detection of Yttrium Diazinedicarboxylate Materials through Lanthanide Doping. <i>European Journal of Inorganic Chemistry</i> , 2015 , 2015, 2650-2663	2.3	11
42	Photoluminescence Modulation in Lanthanide(III)/Pyrazine-2,5-dicarboxylate/Nitrato Frameworks. <i>European Journal of Inorganic Chemistry</i> , 2015 , 2015, 4318-4328	2.3	15
41	Porous materials based on metal-nucleobase systems sustained by coordination bonds and base pairing interactions. <i>CrystEngComm</i> , 2015 , 17, 3051-3059	3.3	32
40	Development of content-stable phase change composites by infiltration into inorganic porous supports. <i>Solar Energy Materials and Solar Cells</i> , 2015 , 134, 318-328	6.4	45
39	Towards multicomponent MOFs via solvent-free synthesis under conventional oven and microwave assisted heating. <i>Inorganic Chemistry Frontiers</i> , 2015 , 2, 425-433	6.8	10
38	Unravelling the Growth of Supramolecular Metal-Organic Frameworks Based on Metal-Nucleobase Entities. <i>Crystal Growth and Design</i> , 2015 , 15, 975-983	3.5	38
37	The crystal structure of a new polymorph of hexa-aqua-nickel(II) bis-(6-oxo-1,6-di-hydro-pyridine-3-carboxyl-ate). <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015 , 71, m238-9	0.7	0
36	Porous M(II)/pyrimidine-4,6-dicarboxylate neutral frameworks: synthetic influence on the adsorption capacity and evaluation of CO ₂ -adsorbent interactions. <i>Chemistry - A European Journal</i> , 2014 , 20, 1554-68	4.8	21
35	Two appealing alternatives for MOFs synthesis: solvent-free oven heating vs. microwave heating. <i>RSC Advances</i> , 2014 , 4, 60409-60412	3.7	24
34	Paddle-Wheel Shaped Copper(II)-Adenine Discrete Entities As Supramolecular Building Blocks To Afford Porous Supramolecular Metal-Organic Frameworks (SMOFs). <i>Crystal Growth and Design</i> , 2014 , 14, 4019-4029	3.5	53
33	Zinc Thiocarboxylate Complexes as Precursors for Zinc Sulfide Nanoparticles under Aerobic Conditions. <i>European Journal of Inorganic Chemistry</i> , 2013 , 2013, 5592-5602	2.3	4

32	Metal-dicarboxylato-nucleobase systems: From supramolecular assemblies to 3D porous materials. <i>Coordination Chemistry Reviews</i> , 2013 , 257, 2716-2736	23.2	73
31	Structural Diversity in a Copper(II)/Isophthalato/9-Methyladenine System. From One- to Three-Dimensional Metal-Biomolecule Frameworks. <i>Crystal Growth and Design</i> , 2013 , 13, 3057-3067	3.5	22
30	Structure-Directing Effect of Organic Cations in the Assembly of Anionic In(III)/Diazinedicarboxylate Architectures. <i>Crystal Growth and Design</i> , 2012 , 12, 1501-1512	3.5	29
29	Gas Adsorption Properties and Selectivity in CuII/Adeninato/Carboxylato Metal-Biomolecule Frameworks. <i>European Journal of Inorganic Chemistry</i> , 2012 , 2012, 5921-5933	2.3	30
28	Improving the performance of a poorly adsorbing porous material: template mediated addition of microporosity to a crystalline submicroporous MOF. <i>Chemical Communications</i> , 2012 , 48, 907-9	5.8	21
27	A direct reaction approach for the synthesis of zeolitic imidazolate frameworks: template and temperature mediated control on network topology and crystal size. <i>Chemical Communications</i> , 2012 , 48, 9930-2	5.8	55
26	Directing the Formation of Adenine Coordination Polymers from Tunable Copper(II)/Dicarboxylato/Adenine Paddle-Wheel Building Units. <i>Crystal Growth and Design</i> , 2012 , 12, 3324-3334	3.5	42
25	Synthetic control to achieve lanthanide(III)/pyrimidine-4,6-dicarboxylate compounds by preventing oxalate formation: structural, magnetic, and luminescent properties. <i>Inorganic Chemistry</i> , 2012 , 51, 7875-7888	5.1	44
24	Lanthanide(III)/pyrimidine-4,6-dicarboxylate/oxalate extended frameworks: a detailed study based on the lanthanide contraction and temperature effects. <i>Inorganic Chemistry</i> , 2011 , 50, 8437-51	5.1	59
23	Low-Nuclearity MnII Complexes Based on Pyrimidine-4,6-dicarboxylato Bridging Ligand: Crystal Structure, Ion Exchange and Magnetic Properties. <i>European Journal of Inorganic Chemistry</i> , 2011 , 2011, 68-77	2.3	13
22	Open-framework copper adeninate compounds with three-dimensional microchannels tailored by aliphatic monocarboxylic acids. <i>Inorganic Chemistry</i> , 2011 , 50, 5330-2	5.1	45
21	Porous supramolecular compound based on paddle-wheel shaped copper(II)-adenine dinuclear entities. <i>CrystEngComm</i> , 2011 , 13, 3301	3.3	39
20	Bis(1,10-phenanthroline- <i>N,N'</i>)bis-(thio-cyanato- <i>N,N'</i>)cadmium. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011 , 67, m704-5		2
19	Development of multifunctional sol-gel coatings: Anti-reflection coatings with enhanced self-cleaning capacity. <i>Solar Energy Materials and Solar Cells</i> , 2010 , 94, 1081-1088	6.4	151
18	Condensed heterometallic bidimensional mixed valence Cu(I)/Cu(II)/Ni(II) cyanidometallate. <i>Dalton Transactions</i> , 2009 , 9722-4	4.3	4
17	Thermally induced interconversions of metal-pyrimidine-4,6-dicarboxylate polymers: a structural, spectroscopic, and magnetic study. <i>Inorganic Chemistry</i> , 2009 , 48, 3087-94	5.1	26
16	Manganese(II) pyrimidine-4,6-dicarboxylates: synthetic, structural, magnetic, and adsorption insights. <i>Inorganic Chemistry</i> , 2008 , 47, 5267-77	5.1	45
15	Rational design of 1-D metal-organic frameworks based on the novel pyrimidine-4,6-dicarboxylate ligand. New insights into pyrimidine through magnetic interaction. <i>Dalton Transactions</i> , 2007 , 2669-80	4.3	32

14	Molecular recognition of adeninium cations on anionic metal-oxalato frameworks: an experimental and theoretical analysis. <i>Inorganic Chemistry</i> , 2007 , 46, 3593-602	5.1	32
13	Molecular Recognition of Protonated Cytosine Ribbons by Metal-Oxalato Frameworks. <i>Crystal Growth and Design</i> , 2007 , 7, 2594-2600	3.5	25
12	Supramolecular architectures and magnetic properties of coordination polymers based on pyrazinedicarboxylato ligands showing embedded water clusters. <i>Inorganic Chemistry</i> , 2006 , 45, 5367-82	5.1	79
11	Rational Design of 2D Magnetic Metal-Organic Coordination Polymers Assembled from Oxalato and Dipyridyl Spacers. <i>Crystal Growth and Design</i> , 2006 , 6, 1839-1847	3.5	72
10	Supramolecular architectures assembled by the interaction of purine nucleobases with metal-oxalato frameworks. Non-covalent stabilization of the 7H-adenine tautomer in the solid-state. <i>Dalton Transactions</i> , 2006 , 902-11	4.3	73
9	Bis(2,2'-bipyridine- λ N,N')(nitrate- λ)copper(II) hexafluorophosphate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006 , 62, m1353-m1355		2
8	Reversible dehydration process in a novel three-dimensional covalent network based on pyrimidine-4,6-dionato bridging ligand. <i>Inorganica Chimica Acta</i> , 2006 , 359, 2583-2588	2.7	3
7	A Binuclear Copper(II) Complex Containing the Pyrazine-2,5-dicarboxylate Ligand: Study of the Magnetic Exchange through the Pyrazine Bridge. <i>European Journal of Inorganic Chemistry</i> , 2005 , 2005, 2586-2589	2.3	22
6	One-Dimensional Oxalato-Bridged Metal(II) Complexes with 4-Amino-1,2,4-triazole as Apical Ligand. <i>European Journal of Inorganic Chemistry</i> , 2005 , 2005, 4280-4290	2.3	44
5	trans-Bis[4-amino-3,5-bis(2-pyridyl)-4H-1,2,4-triazole- λ N1,N5]bis(nitrate- λ)copper(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004 , 60, m720-m722		7
4	A new hydrated phase of cobalt(II) oxalate: crystal structure, thermal behavior and magnetic properties of $\{[\text{Co}(\text{Ebx})(\text{H}_2\text{O})_2] \cdot 2\text{H}_2\text{O}\}_n$. <i>Inorganica Chimica Acta</i> , 2004 , 357, 339-344	2.7	41
3	A transition metal complex containing pyrazine-2,5-dicarboxylato bridging ligands: a novel three-dimensional manganese(II) compound. <i>Inorganic Chemistry Communication</i> , 2003 , 6, 1224-1227	3.1	18
2	Dipotassium aquabis(pyrazine-2,3-dicarboxylato- λ N,O)cuprate(II) hexahydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2003 , 59, m800-m802		6
1	Unveiling the Role of Tetrabutylammonium and Cesium Bulky Cations in Enhancing Na-O 2 Battery Performance. <i>Advanced Energy Materials</i> , 2102834	21.8	2