

Antonia Gutierrez Prez

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5393904/antonia-gutierrez-perez-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81
papers

3,516
citations

32
h-index

58
g-index

92
ext. papers

4,560
ext. citations

7.4
avg, IF

4.8
L-index

#	Paper	IF	Citations
81	Aβ oligomers trigger necroptosis-mediated neurodegeneration via microglia activation in Alzheimer's disease.. <i>Acta Neuropathologica Communications</i> , 2022 , 10, 31	7.3	3
80	Transgenic Mouse Models of Alzheimer's Disease: An Integrative Analysis. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 5404	6.3	2
79	Plaque-Associated Oligomeric Amyloid-Beta Drives Early Synaptotoxicity in APP/PS1 Mice Hippocampus: Ultrastructural Pathology Analysis. <i>Frontiers in Neuroscience</i> , 2021 , 15, 752594	5.1	5
78	Longitudinal Assessment of Tau-Associated Pathology by F-THK5351 PET Imaging: A Histological, Biochemical, and Behavioral Study. <i>Diagnostics</i> , 2021 , 11,	3.8	1
77	Age-related immune alterations and cerebrovascular inflammation. <i>Molecular Psychiatry</i> , 2021 ,	15.1	4
76	Animal and Cellular Models of Alzheimer's Disease: Progress, Promise, and Future Approaches. <i>Neuroscientist</i> , 2021 , 10738584211001753	7.6	5
75	Generation of a humanized Aβ-expressing mouse demonstrating aspects of Alzheimer's disease-like pathology. <i>Nature Communications</i> , 2021 , 12, 2421	17.4	13
74	Hypoxia compromises the mitochondrial metabolism of Alzheimer's disease microglia via HIF1. <i>Nature Aging</i> , 2021 , 1, 385-399		9
73	Non-productive angiogenesis disassembles Aβ-plaque-associated blood vessels. <i>Nature Communications</i> , 2021 , 12, 3098	17.4	8
72	Amyloid-β impairs the phagocytosis of dystrophic synapses by astrocytes in Alzheimer's disease. <i>Glia</i> , 2021 , 69, 997-1011	9	8
71	Reactive astrocyte nomenclature, definitions, and future directions. <i>Nature Neuroscience</i> , 2021 , 24, 312-325	35	298
70	Should We Open Fire on Microglia? Depletion Models as Tools to Elucidate Microglial Role in Health and Alzheimer's Disease. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
69	Amyloid propagation in a sporadic model of Alzheimer's disease. <i>Alzheimers and Dementia</i> , 2020 , 16, e045657	1.2	
68	Sex-dependent calcium hyperactivity due to lysosomal-related dysfunction in astrocytes from APOE4 versus APOE3 gene targeted replacement mice. <i>Molecular Neurodegeneration</i> , 2020 , 15, 35	19	12
67	Neocortical tissue recovery in severe congenital obstructive hydrocephalus after intraventricular administration of bone marrow-derived mesenchymal stem cells. <i>Stem Cell Research and Therapy</i> , 2020 , 11, 121	8.3	3
66	Nuclear Translocation of Glutaminase GLS2 in Human Cancer Cells Associates with Proliferation Arrest and Differentiation. <i>Scientific Reports</i> , 2020 , 10, 2259	4.9	13
65	Distinct disease-sensitive GABAergic neurons in the perirhinal cortex of Alzheimer's mice and patients. <i>Brain Pathology</i> , 2020 , 30, 345-363	6	21

64	Generation of oligodendrocytes and establishment of an all-human myelinating platform from human pluripotent stem cells. <i>Nature Protocols</i> , 2020 , 15, 3716-3744	18.8	11
63	Human Pluripotent Stem Cell-Derived Neural Cells as a Relevant Platform for Drug Screening in Alzheimer's Disease. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	11
62	Enhancing microtubule stabilization rescues cognitive deficits and ameliorates pathological phenotype in an amyloidogenic Alzheimer's disease model. <i>Scientific Reports</i> , 2020 , 10, 14776	4.9	10
61	Use of human pluripotent stem cell-derived cells for neurodegenerative disease modeling and drug screening platform. <i>Future Medicinal Chemistry</i> , 2019 , 11, 1305-1322	4.1	16
60	Galectin-3, a novel endogenous TREM2 ligand, detrimentally regulates inflammatory response in Alzheimer's disease. <i>Acta Neuropathologica</i> , 2019 , 138, 251-273	14.3	91
59	Amyloid-beta impairs TOM1-mediated IL-1R1 signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 21198-21206	11.5	16
58	Astrocytes: From the Physiology to the Disease. <i>Current Alzheimer Research</i> , 2019 , 16, 675-698	3	13
57	Toward a New Concept of Alzheimer's Disease Models: A Perspective from Neuroinflammation. <i>Journal of Alzheimers Disease</i> , 2018 , 64, S329-S338	4.3	18
56	Microglia in Alzheimer's Disease: Activated, Dysfunctional or Degenerative. <i>Frontiers in Aging Neuroscience</i> , 2018 , 10, 140	5.3	92
55	Impaired AMPA signaling and cytoskeletal alterations induce early synaptic dysfunction in a mouse model of Alzheimer's disease. <i>Aging Cell</i> , 2018 , 17, e12791	9.9	45
54	Phagocytic clearance of presynaptic dystrophies by reactive astrocytes in Alzheimer's disease. <i>Glia</i> , 2018 , 66, 637-653	9	87
53	Distinct Microglial Responses in Two Transgenic Murine Models of TAU Pathology. <i>Frontiers in Cellular Neuroscience</i> , 2018 , 12, 421	6.1	14
52	A Distinct Metabolite Profile Correlates with Neurodegenerative Conditions and the Severity of Congenital Hydrocephalus. <i>Journal of Neuropathology and Experimental Neurology</i> , 2018 , 77, 1122-1136	3.1	3
51	Dual roles of Aβn proliferative processes in an amyloidogenic model of Alzheimer's disease. <i>Scientific Reports</i> , 2017 , 7, 10085	4.9	22
50	N370S-GBA1 mutation causes lysosomal cholesterol accumulation in Parkinson's disease. <i>Movement Disorders</i> , 2017 , 32, 1409-1422	7	48
49	Glutaminase and MMP-9 Downregulation in Cortex and Hippocampus of LPA Receptor Null Mice Correlate with Altered Dendritic Spine Plasticity. <i>Frontiers in Molecular Neuroscience</i> , 2017 , 10, 278	6.1	11
48	Asp32 and Asp228 determine the selective inhibition of BACE1 as shown by docking and molecular dynamics simulations. <i>European Journal of Medicinal Chemistry</i> , 2016 , 124, 1142-1154	6.8	30
47	Soluble phospho-tau from Alzheimer's disease hippocampus drives microglial degeneration. <i>Acta Neuropathologica</i> , 2016 , 132, 897-916	14.3	85

46	Amyloid- β reduces the expression of neuronal FAIM-L, thereby shifting the inflammatory response mediated by TNF β from neuronal protection to death. <i>Cell Death and Disease</i> , 2015 , 6, e1639	9.8	27
45	Expression of Gls and Gls2 glutaminase isoforms in astrocytes. <i>Glia</i> , 2015 , 63, 365-82	9	29
44	Early neuronal loss and axonal/presynaptic damage is associated with accelerated amyloid- β accumulation in APP/PS1 Alzheimer's disease mice subiculum. <i>Journal of Alzheimer's Disease</i> , 2014 , 42, 521-41	4.3	36
43	P1-103: LITHIUM AMELIORATES THE NEURONAL PATHOLOGY IN A PS1/APP ALZHEIMER'S MODEL BY CHANGING PLAQUE TOXICITY 2014 , 10, P339-P339		
42	Increased levels of tumour necrosis factor alpha (TNF β) but not transforming growth factor-beta 1 (TGF β) are associated with the severity of congenital hydrocephalus in the hyh mouse. <i>Neuropathology and Applied Neurobiology</i> , 2014 , 40, 911-32	5.2	16
41	Disruption of amyloid plaques integrity affects the soluble oligomers content from Alzheimer disease brains. <i>PLoS ONE</i> , 2014 , 9, e114041	3.7	17
40	In vivo modification of Abeta plaque toxicity as a novel neuroprotective lithium-mediated therapy for Alzheimer's disease pathology. <i>Acta Neuropathologica Communications</i> , 2013 , 1, 73	7.3	18
39	Attenuation of cocaine-induced conditioned locomotion is associated with altered expression of hippocampal glutamate receptors in mice lacking LPA1 receptors. <i>Psychopharmacology</i> , 2012 , 220, 27-42	4.7	39
38	Regulatory cross-talk of mouse liver polyamine and methionine metabolic pathways: a systemic approach to its physiopathological consequences. <i>Amino Acids</i> , 2012 , 42, 577-95	3.5	15
37	Abnormal accumulation of autophagic vesicles correlates with axonal and synaptic pathology in young Alzheimer's mice hippocampus. <i>Acta Neuropathologica</i> , 2012 , 123, 53-70	14.3	138
36	Lipopolysaccharide-induced neuroinflammation leads to the accumulation of ubiquitinated proteins and increases susceptibility to neurodegeneration induced by proteasome inhibition in rat hippocampus. <i>Journal of Neuroinflammation</i> , 2012 , 9, 87	10.1	43
35	Defective lysosomal proteolysis and axonal transport are early pathogenic events that worsen with age leading to increased APP metabolism and synaptic Abeta in transgenic APP/PS1 hippocampus. <i>Molecular Neurodegeneration</i> , 2012 , 7, 59	19	72
34	Age-dependent accumulation of soluble amyloid beta (Abeta) oligomers reverses the neuroprotective effect of soluble amyloid precursor protein-alpha (sAPP(alpha)) by modulating phosphatidylinositol 3-kinase (PI3K)/Akt-GSK-3beta pathway in Alzheimer mouse model. <i>Journal of Biological Chemistry</i> , 2011 , 286, 18414-25	5.4	141
33	Calretinin interneurons are early targets of extracellular amyloid-beta pathology in PS1/AbetaPP Alzheimer mice hippocampus. <i>Journal of Alzheimer's Disease</i> , 2010 , 21, 119-32	4.3	74
32	Activity-dependent neuroprotective protein (ADNP) expression in the amyloid precursor protein/presenilin 1 mouse model of Alzheimer's disease. <i>Journal of Molecular Neuroscience</i> , 2010 , 41, 114-20	3.3	27
31	Role of layer 6 of V2 visual cortex in object-recognition memory. <i>Science</i> , 2009 , 325, 87-9	33.3	57
30	Extracellular amyloid-beta and cytotoxic glial activation induce significant entorhinal neuron loss in young PS1(M146L)/APP(751SL) mice. <i>Journal of Alzheimer's Disease</i> , 2009 , 18, 755-76	4.3	32
29	Cellular localization and distribution of dopamine D(4) receptors in the rat cerebral cortex and their relationship with the cortical dopaminergic and noradrenergic nerve terminal networks. <i>Neuroscience</i> , 2008 , 155, 997-1010	3.9	38

28	Inflammatory response in the hippocampus of PS1M146L/APP751SL mouse model of Alzheimer's disease: age-dependent switch in the microglial phenotype from alternative to classic. <i>Journal of Neuroscience</i> , 2008 , 28, 11650-61	6.6	295
27	Expression of the scaffolding PDZ protein glutaminase-interacting protein in mammalian brain. <i>Journal of Neuroscience Research</i> , 2008 , 86, 281-92	4.4	39
26	Inter-individual variability in the expression of the mutated form of hPS1M146L determined the production of Abeta peptides in the PS1xAPP transgenic mice. <i>Journal of Neuroscience Research</i> , 2007 , 85, 787-97	4.4	9
25	Molecular and cellular characterization of the age-related neuroinflammatory processes occurring in normal rat hippocampus: potential relation with the loss of somatostatin GABAergic neurons. <i>Journal of Neurochemistry</i> , 2007 , 103, 984-96	6	58
24	Role of a Galphai2 protein splice variant in the formation of an intracellular dopamine D2 receptor pool. <i>Journal of Cell Science</i> , 2007 , 120, 2171-8	5.3	7
23	Glutaminase activity is confined to the mantle of the islets of Langerhans. <i>Biochimie</i> , 2007 , 89, 1366-71	4.6	7
22	Early neuropathology of somatostatin/NPY GABAergic cells in the hippocampus of a PS1xAPP transgenic model of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2006 , 27, 1658-72	5.6	136
21	Localization of the GoLoco motif carrier regulator of G-protein signalling 12 and 14 proteins in monkey and rat brain. <i>European Journal of Neuroscience</i> , 2006 , 23, 2971-82	3.5	20
20	Postnatal development of the alpha1 containing GABAA receptor subunit in rat hippocampus. <i>Developmental Brain Research</i> , 2004 , 148, 129-41		22
19	Expression of alpha 5 GABAA receptor subunit in developing rat hippocampus. <i>Developmental Brain Research</i> , 2004 , 151, 87-98		26
18	Distribution of C-terminal splice variant of G alpha i2 in rat and monkey brain. <i>Neuroscience</i> , 2004 , 127, 833-43	3.9	14
17	Segregation of two glutaminase isoforms in islets of Langerhans. <i>Biochemical Journal</i> , 2004 , 381, 483-7	3.8	14
16	Rat hippocampal GABAergic molecular markers are differentially affected by ageing. <i>Journal of Neurochemistry</i> , 2003 , 85, 368-77	6	81
15	Nuclear localization of L-type glutaminase in mammalian brain. <i>Journal of Biological Chemistry</i> , 2002 , 277, 38939-44	5.4	73
14	Differential regional and cellular distribution of dopamine D2-like receptors: an immunocytochemical study of subtype-specific antibodies in rat and human brain. <i>Journal of Comparative Neurology</i> , 1998 , 402, 353-71	3.4	215
13	Prominence of the dopamine D2 short isoform in dopaminergic pathways. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 7731-6	11.5	225
12	GABAA receptor subunit expression changes in the rat cerebellum and cerebral cortex during aging. <i>Molecular Brain Research</i> , 1997 , 45, 59-70		44
11	The alpha 1 and alpha 6 subunits can coexist in the same cerebellar GABAA receptor maintaining their individual benzodiazepine-binding specificities. <i>Journal of Neurochemistry</i> , 1996 , 66, 685-91	6	72

10	Altered expression of gamma 2L and gamma 2S GABAA receptor subunits in the aging rat brain. <i>Molecular Brain Research</i> , 1996 , 35, 91-102		27
9	A tangential neuronal migration in the olfactory bulbs of adult lizards. <i>NeuroReport</i> , 1996 , 7, 1257-60	1.7	14
8	The gamma subunits of the native GABAA/benzodiazepine receptors. <i>Neurochemical Research</i> , 1996 , 21, 147-59	4.6	13
7	Immunocytochemical localization of the alpha 6 subunit of the gamma-aminobutyric acidA receptor in the rat nervous system. <i>Journal of Comparative Neurology</i> , 1996 , 365, 504-10	3.4	41
6	The subunit composition of a GABAA/benzodiazepine receptor from rat cerebellum. <i>Journal of Neurochemistry</i> , 1994 , 63, 371-4	6	77
5	Short and long form gamma 2 subunits of the GABAA/benzodiazepine receptors. <i>Journal of Neurochemistry</i> , 1994 , 63, 1466-76	6	56
4	Differential expression of the short and long forms of the gamma 2 subunit of the GABAA/benzodiazepine receptors. <i>Molecular Brain Research</i> , 1994 , 24, 129-39		35
3	Distribution of neuropeptide Y (NPY) in the cerebral cortex of the lizards <i>Psammotromus algirus</i> and <i>Podarcis hispanica</i> : co-localization of NPY, somatostatin, and GABA. <i>Journal of Comparative Neurology</i> , 1991 , 308, 397-408	3.4	36
2	Serotonin innervation of the cerebral cortex in lizards. <i>Brain Research</i> , 1989 , 488, 213-20	3.7	9
1	The Insulin Receptor in Astrocytes is Involved in the Entrance of Circulating Insulin into the Brain		1