

# Themis Prodromakis

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5395386/publications.pdf>

Version: 2024-02-01

211  
papers

5,906  
citations

117453

34  
h-index

85405

71  
g-index

216  
all docs

216  
docs citations

216  
times ranked

5787  
citing authors

#	ARTICLE	IF	CITATIONS
1	Integration of nanoscale memristor synapses in neuromorphic computing architectures. Nanotechnology, 2013, 24, 384010.	1.3	469
2	A Versatile Memristor Model With Nonlinear Dopant Kinetics. IEEE Transactions on Electron Devices, 2011, 58, 3099-3105.	1.6	463
3	STDP and STDP variations with memristors for spiking neuromorphic learning systems. Frontiers in Neuroscience, 2013, 7, 2.	1.4	368
4	Two centuries of memristors. Nature Materials, 2012, 11, 478-481.	13.3	334
5	Unsupervised learning in probabilistic neural networks with multi-state metal-oxide memristive synapses. Nature Communications, 2016, 7, 12611.	5.8	266
6	Multibit memory operation of metal-oxide bi-layer memristors. Scientific Reports, 2017, 7, 17532.	1.6	228
7	Engineering the Maxwell-Wagner polarization effect. Applied Surface Science, 2009, 255, 6989-6994.	3.1	191
8	The effect of microgrooved culture substrates on calcium cycling of cardiac myocytes derived from human induced pluripotent stem cells. Biomaterials, 2013, 34, 2399-2411.	5.7	154
9	Analog Memristive Synapse in Spiking Networks Implementing Unsupervised Learning. Frontiers in Neuroscience, 2016, 10, 482.	1.4	142
10	Real-time encoding and compression of neuronal spikes by metal-oxide memristors. Nature Communications, 2016, 7, 12805.	5.8	141
11	Standards for the Characterization of Endurance in Resistive Switching Devices. ACS Nano, 2021, 15, 17214-17231.	7.3	128
12	Emulating short-term synaptic dynamics with memristive devices. Scientific Reports, 2016, 6, 18639.	1.6	104
13	Memory Impedance in TiO <sub>2</sub> based Metal-Insulator-Metal Devices. Scientific Reports, 2014, 4, 4522.	1.6	97
14	Challenges hindering memristive neuromorphic hardware from going mainstream. Nature Communications, 2018, 9, 5267.	5.8	75
15	A $\mu$ Controller-Based System for Interfacing Selectorless RRAM Crossbar Arrays. IEEE Transactions on Electron Devices, 2015, 62, 2190-2196.	1.6	73
16	A Data-Driven Verilog-A ReRAM Model. IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems, 2018, 37, 3151-3162.	1.9	73
17	Investigation of the Switching Mechanism in TiO <sub>2</sub> -Based RRAM: A Two-Dimensional EDX Approach. ACS Applied Materials & Interfaces, 2016, 8, 19605-19611.	4.0	69
18	An Extended CMOS ISFET Model Incorporating the Physical Design Geometry and the Effects on Performance and Offset Variation. IEEE Transactions on Electron Devices, 2011, 58, 4414-4422.	1.6	63

#	ARTICLE	IF	CITATIONS
19	A review on memristive devices and applications. , 2010, , .		62
20	Memristive synapses connect brain and silicon spiking neurons. Scientific Reports, 2020, 10, 2590.	1.6	59
21	Poly(N-isopropylacrylamide) based thin microgel films for use in cell culture applications. Scientific Reports, 2020, 10, 6126.	1.6	59
22	A Proposal for Hybrid Memristor-CMOS Spiking Neuromorphic Learning Systems. IEEE Circuits and Systems Magazine, 2013, 13, 74-88.	2.6	56
23	Oxygen plasma induced hydrophilicity of Parylene-C thin films. Applied Surface Science, 2012, 261, 43-51.	3.1	54
24	Resistive switching of oxygen enhanced TiO <sub>2</sub> thin-film devices. Applied Physics Letters, 2013, 102, .	1.5	54
25	A Memristor SPICE Model Accounting for Volatile Characteristics of Practical ReRAM. IEEE Electron Device Letters, 2014, 35, 135-137.	2.2	51
26	Experimental study of gradual/abrupt dynamics of HfO <sub>2</sub> -based memristive devices. Applied Physics Letters, 2016, 109, .	1.5	49
27	Role and Optimization of the Active Oxide Layer in TiO <sub>2</sub> -Based RRAM. Advanced Functional Materials, 2016, 26, 507-513.	7.8	49
28	A CMOS-Based ISFET Chemical Imager With Auto-Calibration Capability. IEEE Sensors Journal, 2011, 11, 3253-3260.	2.4	45
29	High precision analogue memristor state tuning. Electronics Letters, 2012, 48, 1105-1107.	0.5	45
30	Amperometric IFN- $\gamma$ immunosensors with commercially fabricated PCB sensing electrodes. Biosensors and Bioelectronics, 2016, 86, 805-810.	5.3	41
31	Low-power electronic technologies for harsh radiation environments. Nature Electronics, 2021, 4, 243-253.	13.1	39
32	Biomimetic model of the outer plexiform layer by incorporating memristive devices. Physical Review E, 2012, 85, 041918.	0.8	38
33	Surface and Electrical Characterization of Ag/AgCl Pseudo-Reference Electrodes Manufactured with Commercially Available PCB Technologies. Sensors, 2015, 15, 18102-18113.	2.1	38
34	Seamlessly fused digital-analogue reconfigurable computing using memristors. Nature Communications, 2018, 9, 2170.	5.8	38
35	Transformation of digital to analog switching in TaO <sub>x</sub> -based memristor device for neuromorphic applications. Applied Physics Letters, 2021, 118, .	1.5	37
36	Switching mechanisms in microscale memristors. Electronics Letters, 2010, 46, 63.	0.5	36

#	ARTICLE	IF	CITATIONS
37	Selective hydrophilic modification of Parylene C films: a new approach to cell micro-patterning for synthetic biology applications. <i>Biofabrication</i> , 2014, 6, 025004.	3.7	36
38	Implementation of a spike-based perceptron learning rule using TiO <sub>2</sub> <sup>x</sup> memristors. <i>Frontiers in Neuroscience</i> , 2015, 9, 357.	1.4	35
39	A Novel Microfluidic Point-of-Care Biosensor System on Printed Circuit Board for Cytokine Detection. <i>Sensors</i> , 2018, 18, 4011.	2.1	35
40	Pulse-induced resistive and capacitive switching in TiO <sub>2</sub> thin film devices. <i>Applied Physics Letters</i> , 2013, 103, .	1.5	34
41	Conductive Atomic Force Microscopy Investigation of Switching Thresholds in Titanium Dioxide Thin Films. <i>Journal of Physical Chemistry C</i> , 2015, 119, 11958-11964.	1.5	34
42	Conduction mechanisms at distinct resistive levels of Pt/TiO <sub>2-x</sub> /Pt memristors. <i>Applied Physics Letters</i> , 2018, 113, .	1.5	33
43	The dual role of Parylene C in chemical sensing: Acting as an encapsulant and as a sensing membrane for pH monitoring applications. <i>Sensors and Actuators B: Chemical</i> , 2013, 186, 1-8.	4.0	32
44	X-ray Absorption Spectroscopy Study of TiO <sub>x</sub> Thin Films for Memory Applications. <i>Journal of Physical Chemistry C</i> , 2015, 119, 4362-4370.	1.5	32
45	HfO <sub>2</sub> -based memristors for neuromorphic applications. , 2016, , .		32
46	High Density Crossbar Arrays with Sub- 15nm Single Cells via Liftoff Process Only. <i>Scientific Reports</i> , 2016, 6, 32614.	1.6	32
47	Practical Implementation of Memristor-Based Threshold Logic Gates. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2019, 66, 3041-3051.	3.5	32
48	Memristive devices as parameter setting elements in programmable gain amplifiers. <i>Applied Physics Letters</i> , 2012, 101, 243502.	1.5	31
49	Review Progress in Electrolytes for Rechargeable Aluminium Batteries. <i>Journal of the Electrochemical Society</i> , 2021, 168, 056509.	1.3	31
50	A Memristor SPICE Model Accounting for Synaptic Activity Dependence. <i>PLoS ONE</i> , 2015, 10, e0120506.	1.1	30
51	Coexistence of memory resistance and memory capacitance in TiO <sub>2</sub> solid-state devices. <i>Nanoscale Research Letters</i> , 2014, 9, 552.	3.1	29
52	Effects of Ar and O <sub>2</sub> Plasma Etching on Parylene C: Topography versus Surface Chemistry and the Impact on Cell Viability. <i>Plasma Processes and Polymers</i> , 2016, 13, 324-333.	1.6	29
53	An RRAM Biasing Parameter Optimizer. <i>IEEE Transactions on Electron Devices</i> , 2015, 62, 3685-3691.	1.6	27
54	Spatially resolved TiO <sub>x</sub> phases in switched RRAM devices using soft X-ray spectromicroscopy. <i>Scientific Reports</i> , 2016, 6, 21525.	1.6	27

#	ARTICLE	IF	CITATIONS
55	Engineering the switching dynamics of TiOx-based RRAM with Al doping. Journal of Applied Physics, 2016, 120, .	1.1	26
56	Origin of the OFF state variability in ReRAM cells. Journal Physics D: Applied Physics, 2014, 47, 145102.	1.3	25
57	An Assay System for Point-of-Care Diagnosis of Tuberculosis using Commercially Manufactured PCB Technology. Scientific Reports, 2017, 7, 685.	1.6	25
58	Microfluidic evaporator for on-chip sample concentration. Lab on A Chip, 2012, 12, 4049.	3.1	24
59	Parylene C-Based Flexible Electronics for pH Monitoring Applications. Sensors, 2014, 14, 11629-11639.	2.1	24
60	Practical Determination of Individual Element Resistive States in Selectorless RRAM Arrays. IEEE Transactions on Circuits and Systems I: Regular Papers, 2016, 63, 827-835.	3.5	24
61	Functional Connectivity of Organic Neuromorphic Devices by Global Voltage Oscillations. Advanced Intelligent Systems, 2019, 1, 1900013.	3.3	24
62	Advances in Organic and Perovskite Photovoltaics Enabling a Greener Internet of Things. Advanced Functional Materials, 2022, 32, .	7.8	24
63	Impact of ultra-thin Al <sub>2</sub> O <sub>3</sub> layers on TiO <sub>2</sub> ReRAM switching characteristics. Journal of Applied Physics, 2017, 121, .	1.1	23
64	Exploiting CMOS Technology to Enhance the Performance of ISFET Sensors. IEEE Electron Device Letters, 2010, 31, 1053-1055.	2.2	22
65	Electrical characteristics of interfacial barriers at metal/TiO <sub>2</sub> contacts. Journal Physics D: Applied Physics, 2018, 51, 425101.	1.3	22
66	A Low-Cost Disposable Chemical Sensing Platform Based on Discrete Components. IEEE Electron Device Letters, 2011, 32, 417-419.	2.2	21
67	Biorealistic cardiac cell culture platforms with integrated monitoring of extracellular action potentials. Scientific Reports, 2015, 5, 11067.	1.6	20
68	Biocompatible encapsulation of CMOS based chemical sensors. , 2009, , .		19
69	A Cell Classifier for RRAM Process Development. IEEE Transactions on Circuits and Systems II: Express Briefs, 2015, 62, 676-680.	2.2	19
70	An amorphous titanium dioxide metal insulator metal selector device for resistive random access memory crossbar arrays with tunable voltage margin. Applied Physics Letters, 2016, 108, .	1.5	19
71	Sub 100 nW Volatile Nano-Metal-Oxide Memristor as Synaptic-Like Encoder of Neuronal Spikes. IEEE Transactions on Biomedical Circuits and Systems, 2018, 12, 351-359.	2.7	19
72	An Electrical Characterisation Methodology for Benchmarking Memristive Device Technologies. Scientific Reports, 2019, 9, 19412.	1.6	19

#	ARTICLE	IF	CITATIONS
73	Resistive switching of Pt/TiO <sub>x</sub> /Pt devices fabricated on flexible Parylene-C substrates. <i>Nanotechnology</i> , 2017, 28, 025303.	1.3	18
74	High-performance PCB-based capillary pumps for affordable point-of-care diagnostics. <i>Microfluidics and Nanofluidics</i> , 2017, 21, 103.	1.0	18
75	An FPGA-Based Instrument for En-Masse RRAM Characterization With ns Pulsing Resolution. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2016, 63, 818-826.	3.5	16
76	Long-lasting FR-4 surface hydrophilisation towards commercial PCB passive microfluidics. <i>Applied Surface Science</i> , 2016, 368, 69-75.	3.1	16
77	Magnetic stimulation in the microscale: the development of a 6 Å–6 array of micro-coils for stimulation of excitable cells <i>in vitro</i> . <i>Biomedical Physics and Engineering Express</i> , 2018, 4, 025016.	0.6	16
78	Fabrication and electrical characteristics of memristors with TiO <sub>2</sub> /TiO <sub>x</sub> active layers. , 2010, , .		15
79	Gradual set dynamics in HfO <sub>2</sub> -based memristor driven by sub-threshold voltage pulses. , 2015, , .		15
80	Practical micro/nano fabrication implementations of memristive devices. , 2010, , .		14
81	A novel design approach for developing chemical sensing platforms using inexpensive technologies. , 2011, , .		14
82	A Memristive Switching Uncertainty Model. <i>IEEE Transactions on Electron Devices</i> , 2019, 66, 2946-2953.	1.6	14
83	Live demonstration: A versatile, low-cost platform for testing large ReRAM cross-bar arrays. , 2014, , .		13
84	Stochastic switching of TiO <sub>2</sub> -based memristive devices with identical initial memory states. <i>Nanoscale Research Letters</i> , 2014, 9, 293.	3.1	13
85	Computing Shortest Paths in 2D and 3D Memristive Networks. , 2014, , 537-552.		13
86	Cost-effective fabrication of nanoscale electrode memristors with reproducible electrical response. <i>Micro and Nano Letters</i> , 2010, 5, 91.	0.6	12
87	On the origin of resistive switching volatility in Ni/TiO <sub>2</sub> /Ni stacks. <i>Journal of Applied Physics</i> , 2016, 120, .	1.1	12
88	Parylene C topographic micropattern as a template for patterning PDMS and Polyacrylamide hydrogel. <i>Scientific Reports</i> , 2017, 7, 5764.	1.6	12
89	Effect of patterned polyacrylamide hydrogel on morphology and orientation of cultured NRVMs. <i>Scientific Reports</i> , 2018, 8, 11991.	1.6	12
90	Batch encapsulation technique for CMOS based chemical sensors. , 2008, , .		11

#	ARTICLE	IF	CITATIONS
91	Assessment of Parylene C Thin Films for Heart Valve Tissue Engineering. <i>Tissue Engineering - Part A</i> , 2015, 21, 2504-2514.	1.6	11
92	X-ray spectromicroscopy investigation of soft and hard breakdown in RRAM devices. <i>Nanotechnology</i> , 2016, 27, 345705.	1.3	11
93	Surface Chemistry and Microtopography of Parylene C Films Control the Morphology and Microtubule Density of Cardiac Myocytes. <i>Tissue Engineering - Part C: Methods</i> , 2016, 22, 464-472.	1.1	10
94	Computationally efficient concentration-based model for accurate evaluation of $\langle i \rangle T \langle i \rangle$ junction inlet staggered herringbone micromixers. <i>Micro and Nano Letters</i> , 2016, 11, 236-239.	0.6	10
95	A TiO <sub>2</sub> ReRAM parameter extraction method. , 2017, , .		10
96	Surface Acoustic Wave Resonators for Wireless Sensor Network Applications in the 433.92 MHz ISM Band. <i>Sensors</i> , 2020, 20, 4294.	2.1	10
97	Design Flow for Hybrid CMOS/Memristor Systemsâ€”Part I: Modeling and Verification Steps. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2021, 68, 4862-4875.	3.5	9
98	A CMOS-based lab-on-chip array for the combined magnetic stimulation and opto-chemical sensing of neural tissue. , 2010, , .		8
99	The Lab-on-PCB framework for affordable, electronic-based point-of-care diagnostics: From design to manufacturing. , 2016, , .		8
100	Interface Asymmetry Induced by Symmetric Electrodes on Metalâ€”Al:TiO <sub>2</sub> â€”Metal Structures. <i>IEEE Nanotechnology Magazine</i> , 2018, 17, 867-872.	1.1	8
101	Bidirectional Volatile Signatures of Metalâ€”Oxide Memristorsâ€”Part I: Characterization. <i>IEEE Transactions on Electron Devices</i> , 2020, 67, 5158-5165.	1.6	8
102	Applications of solid-state memristors in tunable filters. , 2014, , .		7
103	Design considerations for a CMOS Lab-on-Chip microheater array to facilitate the in vitro thermal stimulation of neurons. , 2014, , .		7
104	Limitations and precision requirements for read-out of passive, linear, selectorless RRAM arrays. , 2015, , .		7
105	High-sensitivity memristor-based threshold detection. , 2018, , .		7
106	Negative effect of cations out-diffusion and auto-doping on switching mechanisms of transparent memristor devices employing ZnO/ITO heterostructure. <i>Applied Physics Letters</i> , 2021, 118, .	1.5	7
107	Electron Transporting Perylene Diimide-Based Random Terpolymers with Variable Co-Monomer Feed Ratio: A Route to All-Polymer-Based Photodiodes. <i>Macromolecules</i> , 2022, 55, 672-683.	2.2	7
108	Towards a microstrip antenna on synthetic high-dielectric constant substrates. , 0, , .		6

#	ARTICLE	IF	CITATIONS
109	Effect of mobile ionic-charge on CMOS based ion-sensitive field-effect transistors (ISFETs). , 2009, , .		6
110	A PCB-based electronic ELISA system for rapid, portable infectious disease diagnosis. , 2016, , .		6
111	A TiO <sub>2</sub> -based volatile threshold switching selector device with 107 non linearity and sub 100 pA Off current. , 2016, , .		6
112	Live demonstration: A TiO <sub>2</sub> ReRAM parameter extraction method. , 2017, , .		6
113	Spike sorting using non-volatile metal-oxide memristors. Faraday Discussions, 2019, 213, 511-520.	1.6	6
114	An electrical characterisation methodology for identifying the switching mechanism in TiO <sub>2</sub> memristive stacks. Scientific Reports, 2019, 9, 8168.	1.6	6
115	Monitoring PSA levels as chemical state-variables in metal-oxide memristors. Scientific Reports, 2020, 10, 15281.	1.6	6
116	Formation and Stability of Smooth Thin Films with Soft Microgels Made of Poly(N-Isopropylacrylamide) and Poly(Acrylic Acid). Polymers, 2020, 12, 2638.	2.0	6
117	Bidirectional Volatile Signatures of Metal-Oxide Memristors – Part II: Modeling. IEEE Transactions on Electron Devices, 2020, 67, 5166-5173.	1.6	6
118	Computing Image and Motion with 3-D Memristive Grids. , 2014, , 553-583.		6
119	TWO CENTURIES OF MEMRISTORS. , 2013, , 508-517.		5
120	Temporal processing with volatile memristors. , 2013, , .		5
121	Impact of active areas on electrical characteristics of TiO <sub>2</sub> based solid-state memristors. , 2015, , .		5
122	Volatility Characterization for RRAM Devices. IEEE Electron Device Letters, 2017, 38, 28-31.	2.2	5
123	Electrochemical metallization ReRAMs (ECM) - Experiments and modelling: general discussion. Faraday Discussions, 2019, 213, 115-150.	1.6	5
124	An FPGA Based System for Interfacing with Crossbar Arrays. , 2020, , .		5
125	Frequency Response of Metal-Oxide Memristors. IEEE Transactions on Electron Devices, 2021, 68, 3636-3642.	1.6	5
126	Tissue Engineering Techniques in Cardiac Repair and Disease Modelling. Current Pharmaceutical Design, 2014, 20, 2048-2056.	0.9	5

#	ARTICLE	IF	CITATIONS
127	Technology agnostic frequency characterization methodology for memristors. Scientific Reports, 2021, 11, 20599.	1.6	5
128	Conduction channel configuration controlled digital and analog response in TiO <sub>2</sub> -based inorganic memristive artificial synapses. APL Materials, 2021, 9, 121103.	2.2	5
129	NeuroPack: An Algorithm-Level Python-Based Simulator for Memristor-Empowered Neuro-Inspired Computing. Frontiers in Nanotechnology, 2022, 4, .	2.4	5
130	Palimpsest memories stored in memristive synapses. Science Advances, 2022, 8, .	4.7	5
131	Distributed Filter Design on Silicon CMOS. , 0, , .		4
132	A Miniaturized Delay Line based on Slow-Wave Substrates. , 2007, , .		4
133	Application of Maxwell-Wagner polarization in delay lines. Microelectronics Journal, 2010, 41, 17-24.	1.1	4
134	Live demonstration: A CMOS-based lab-on-chip array for combined magnetic manipulation and opto-chemical sensing. , 2011, , .		4
135	Metal Oxide-enabled Reconfigurable Memristive Threshold Logic Gates. , 2018, , .		4
136	Modular Pressure and Flow Rate-Balanced Microfluidic Serial Dilution Networks for Miniaturised Point-of-Care Diagnostic Platforms. Sensors, 2019, 19, 911.	2.1	4
137	UV induced resistive switching in hybrid polymer metal oxide memristors. Scientific Reports, 2020, 10, 21130.	1.6	4
138	Analysing and measuring the performance of memristive integrating amplifiers. International Journal of Circuit Theory and Applications, 2021, 49, 3507-3525.	1.3	4
139	Compact Modeling of the Switching Dynamics and Temperature Dependencies in TiO <sub>2</sub> -Based Memristors Part I: Behavioral Model. IEEE Transactions on Electron Devices, 2021, 68, 4877-4884.	1.6	4
140	Low-power supralinear photocurrent generation via excited state fusion in single-component nanostructured organic photodetectors. Journal of Materials Chemistry C, 2022, 10, 7575-7585.	2.7	4
141	An Adiabatic Capacitive Artificial Neuron With RRAM-Based Threshold Detection for Energy-Efficient Neuromorphic Computing. IEEE Transactions on Circuits and Systems I: Regular Papers, 2022, 69, 3512-3525.	3.5	4
142	Micro-scale lowpass filters based on the Maxwell-Wagner phenomenon. , 2007, , .		3
143	Microstrip stepped impedance lowpass filters based on the maxwell-wagner polarization mechanism. , 2008, , .		3
144	Resistive switching characteristics of indium tin oxide thin film devices. Physica Status Solidi (A) Applications and Materials Science, 2014, 211, 1194-1199.	0.8	3

#	ARTICLE	IF	CITATIONS
145	A planar micro-magnetic platform for stimulation of neural cells in vitro. , 2016, , .		3
146	Towards a memristor-based spike-sorting platform. , 2016, , .		3
147	Correlated resistive/capacitive state variability in solid TiO <sub>2</sub> based memory devices. Applied Physics A: Materials Science and Processing, 2017, 123, 1.	1.1	3
148	A memristor-CMOS hybrid architecture concept for on-line template matching. , 2017, , .		3
149	An Embedded Environmental Control Micro-chamber System for RRAM Memristor Characterisation. , 2018, , .		3
150	Thermal Effects on Initial Volatile Response and Relaxation Dynamics of Resistive RAM Devices. IEEE Electron Device Letters, 2022, 43, 386-389.	2.2	3
151	Low-cost implementations of pH monitoring platforms. , 2011, , .		2
152	Structured Culture Scaffolds Improve the Calcium Handling Properties of Cardiomyocytes Differentiated from Induced Pluripotent Stem Cells. Biophysical Journal, 2012, 102, 103a.	0.2	2
153	Towards a high-precision, embedded system for versatile sensitive biosensing measurements. , 2015, , .		2
154	Live demonstration: Characterization of RRAM crossbar arrays at a click of a button. , 2016, , .		2
155	Towards a smartphone-aided electronic ELISA for real-time electrochemical monitoring. , 2017, , .		2
156	A Sub-30 mV Resolution Thin Film Transistor-Based Nanoribbon Biosensing Platform. Sensors, 2017, 17, 2000.	2.1	2
157	Processing big-data with Memristive Technologies: Splitting the Hyperplane Efficiently. , 2018, , .		2
158	Benchmarking Analogue Performance of Emerging Random Access Memory Technologies. , 2018, , .		2
159	Synaptic and neuromorphic functions: general discussion. Faraday Discussions, 2019, 213, 553-578.	1.6	2
160	Valence change ReRAMs (VCM) - Experiments and modelling: general discussion. Faraday Discussions, 2019, 213, 259-286.	1.6	2
161	Microstructured hybrid scaffolds for aligning neonatal rat ventricular myocytes. Materials Science and Engineering C, 2019, 103, 109783.	3.8	2
162	Impact of Line Edge Roughness on ReRAM Uniformity and Scaling. Materials, 2019, 12, 3972.	1.3	2

#	ARTICLE	IF	CITATIONS
163	A RRAM-Based Associative Memory Cell. , 2021, , .		2
164	Practical demonstration of a RRAM memory fuse. International Journal of Circuit Theory and Applications, 2021, 49, 2363-2372.	1.3	2
165	Compact Modeling of the Switching Dynamics and Temperature Dependencies in TiO <sub>2</sub> Memristors Part II: Physics-Based Model. IEEE Transactions on Electron Devices, 2021, 68, 4885-4890.	1.6	2
166	Design Flow for Hybrid CMOS/Memristor Systems Part II: Circuit Schematics and Layout. IEEE Transactions on Circuits and Systems I: Regular Papers, 2021, 68, 4876-4888.	3.5	2
167	Conductive Polymers As Hybrid Battery-Capacitor Electrode Materials. ECS Meeting Abstracts, 2020, MA2020-02, 336-336.	0.0	2
168	Formation of a ternary oxide barrier layer and its role in switching characteristic of ZnO-based conductive bridge random access memory devices. APL Materials, 2022, 10, 031103.	2.2	2
169	Cellular neural networks with memristive cell devices. , 2010, , .		1
170	A Biomimetic Model of the Outer Plexiform Layer by Incorporating Memristive Devices. Nature Precedings, 2011, , .	0.1	1
171	Qualitative SPICE modeling accounting for volatile dynamics of TiO <sub>2</sub> memristors. , 2014, , .		1
172	Memristors as synapse emulators in the context of event-based computation. , 2014, , .		1
173	Practical operation considerations for memristive integrating sensors. , 2016, , .		1
174	A dual switched-capacitor integrator architecture for versatile, real-time amperometric biosensing. , 2017, , .		1
175	Electrothermal deterioration factors in gold planar inductors designed for microscale bio-applications. Microelectronic Engineering, 2018, 197, 61-66.	1.1	1
176	An Analogue-Domain, Switch-Capacitor-Based Arithmetic-Logic Unit. , 2019, , .		1
177	A semi-holographic hyperdimensional representation system for hardware-friendly cognitive computing. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2020, 378, 20190162.	1.6	1
178	Live Demonstration: Electroforming of TiO <sub>2</sub> Memristor Devices using High Speed Pulses. , 2020, , .		1
179	An Adiabatic Regenerative Capacitive Artificial Neuron. , 2021, , .		1
180	Practical Approach to Induce Analog Switching Behavior in Memristive Devices: Digital-to-Analog Transformation. , 0, , .		1

#	ARTICLE	IF	CITATIONS
181	Computing Image and Motion with 3-D Memristive Grids. , 2019, , 1177-1210.		1
182	Surface texturing for Maxwell-Wagner polarisation engineering. Micro and Nano Letters, 2009, 4, 5-8.	0.6	0
183	Application of gold nanodots for Maxwell-Wagner loss reduction. Micro and Nano Letters, 2009, 4, 80-83.	0.6	0
184	Interfacial polarisation on gallium arsenide membranes. Micro and Nano Letters, 2010, 5, 178.	0.6	0
185	An Experimental Technique for Characterizing Slow-Wave Characteristics of MIS-Like Transmission Lines Using Aqueous Dielectrics. IEEE Transactions on Microwave Theory and Techniques, 2010, 58, 985-993.	2.9	0
186	A bulk-driven ISFET-based chemical mixer. , 2010, , .		0
187	Free-standing parylene C thin films as flexible pH sensing membranes. , 2013, , .		0
188	Sensing H+ with conventional neural probes. Applied Physics Letters, 2013, 102, 223506.	1.5	0
189	P396Improved calcium cycling is associated with microtubule reorganisation in anisotropic cardiomyocyte cultures. Cardiovascular Research, 2014, 103, S73.1-S73.	1.8	0
190	A lab-on-chip approach for monitoring the electrochemical activity of biorealistic cell cultures. , 2014, , .		0
191	Origin of stochastic resistive switching in devices with phenomenologically identical initial states. , 2014, , .		0
192	Guest Editorial Solid-state Memristive Devices and Systems. IEEE Journal on Emerging and Selected Topics in Circuits and Systems, 2015, 5, 121-122.	2.7	0
193	An ultra-low voltage RRAM read-out technique employing dithering principles. , 2016, , .		0
194	EU COST action IC1401 "Pushing the frontiers of memristive devices to systems. , 2016, , .		0
195	Introducing the nanoworld. Nature Nanotechnology, 2017, 12, 832-832.	15.6	0
196	Mitigating noise effects in volatile nano-metal oxide neural detector. , 2017, , .		0
197	Live demonstration: MNET: A visually rich memristor crossbar simulator. , 2017, , .		0
198	Live Demonstration: Benchmarking Analogue Performance of Emerging Random Access Memory Technologies. , 2018, , .		0

#	ARTICLE	IF	CITATIONS
199	Live Demonstration: An Embedded Environmental Control Micro-chamber System for RRAM Memristor Characterisation. , 2018, , .		0
200	A Digital In-Analogue Out Logic Gate Based on Metal-Oxide Memristor Devices. , 2019, , .		0
201	A Reconfigurable CMOS-Memristor Active Inductor. , 2020, , .		0
202	Hierarchical AI - from neurons to psychology. , 2020, , .		0
203	Memristor-Enabled Reconfigurable Integrated Circuits. , 2020, , .		0
204	ZrOX insertion layer enhanced switching and synaptic performances of TiOX-based memristive devices. IOP Conference Series: Materials Science and Engineering, 2021, 1034, 012142.	0.3	0
205	Band tailoring by annealing and current conduction of Co-doped ZnO transparent resistive switching memory. IOP Conference Series: Materials Science and Engineering, 2021, 1034, 012140.	0.3	0
206	Conduction mechanism of Co-doped ZnO transparent memristive devices. IOP Conference Series: Materials Science and Engineering, 2021, 1034, 012139.	0.3	0
207	Accounting for Memristor I-V Non-Linearity in Low Power Memristive Amplifiers. , 2021, , .		0
208	Computing Shortest Paths in 2D and 3D Memristive Networks. , 2019, , 1161-1176.		0
209	Aluminium Electrodeposition in Emimcl-AlCl3 ionogels for Improved Aluminium Batteries. ECS Meeting Abstracts, 2020, MA2020-02, 461-461.	0.0	0
210	Selectively biased tri-terminal vertically-integrated memristor configuration. Scientific Reports, 2022, 12, .	1.6	0
211	Measured behaviour of a memristorâ€based tuneable instrumentation amplifier. Electronics Letters, 0, , .	0.5	0